

APPLICATION FOR UNITED STATES LETTERS PATENT
FOR
NUCLEIC ACID SEGMENTS ENCODING MODIFIED
COLEOPTERAN-TOXIC CRYSTAL PROTEINS


BY
LEIGH H. ENGLISH
SUSAN M. BRUSSOCK
THOMAS M. MALVAR
JAMES W. BRYSON
CAROLINE A. KULESZA
FREDERICK S. WALTERS
STEPHEN L. SLATIN
MICHAEL A. VON TERSCH
AND
CHARLES ROMANO

CERTIFICATE OF EXPRESS MAILING

NUMBER: EM 423823828US

DATE OF DEPOSIT: December 18, 1997

I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, DC 20231.



Mark D. Moore

1.0 BACKGROUND OF THE INVENTION

1.1 FIELD OF THE INVENTION

This invention relates to transformed host cells and vectors which comprise nucleic acid segments encoding genetically-engineered, recombinant *Bacillus thuringiensis* δ -endotoxins which are active against Coleopteran insects.

1.2 DESCRIPTION OF THE RELATED ART

Almost all field crops, plants, and commercial farming areas are susceptible to attack by one or more insect pests. Particularly problematic are Coleopteran and Lepidoptern pests. For example, vegetable and cole crops such as artichokes, kohlrabi, arugula, leeks, asparagus, lentils, beans, lettuce (*e.g.*, head, leaf, romaine), beets, bok choy, malanga, broccoli, melons (*e.g.*, muskmelon, watermelon, crenshaw, honeydew, cantaloupe), brussels sprouts, cabbage, cardoni, carrots, napa, cauliflower, okra, onions, celery, parsley, chick peas, parsnips, chicory, peas, chinese cabbage, peppers, collards, potatoes, cucumber, pumpkins, cucurbits, radishes, dry bulb onions, rutabaga, eggplant, salsify, escarole, shallots, endive, soybean, garlic, spinach, green onions, squash, greens, sugar beets, sweet potatoes, turnip, swiss chard, horseradish, tomatoes, kale, turnips, and a variety of spices are sensitive to infestation by one or more of the following insect pests: alfalfa looper, armyworm, beet armyworm, artichoke plume moth, cabbage budworm, cabbage looper, cabbage webworm, corn earworm, celery leafeater, cross-striped cabbageworm, european corn borer, diamondback moth, green cloverworm, imported cabbageworm, melonworm, omnivorous leafroller, pickleworm, rindworm complex, saltmarsh caterpillar, soybean looper, tobacco budworm, tomato fruitworm, tomato hornworm, tomato pinworm, velvetbean caterpillar, and yellowstriped armyworm. Likewise, pasture and hay crops such as alfalfa, pasture grasses and silage are often attacked by such pests as armyworm, beef armyworm, alfalfa caterpillar, European skipper, a variety of loopers and webworms, as well as yellowstriped armyworms.

Fruit and vine crops such as apples, apricots, cherries, nectarines, peaches, pears, plums, prunes, quince almonds, chestnuts, filberts, pecans, pistachios, walnuts, citrus, blackberries, blueberries, boysenberries, cranberries, currants, loganberries, raspberries, strawberries, grapes, avocados, bananas, kiwi, persimmons, pomegranate, pineapple, tropical fruits

are often susceptible to attack and defoliation by achema sphinx moth, amorbia, armyworm, citrus cutworm, banana skipper, blackheaded fireworm, blueberry leafroller, cankerworm, cherry fruitworm, citrus cutworm, cranberry girdler, eastern tent caterpillar, fall webworm, fall webworm, filbert leafroller, filbert webworm, fruit tree leafroller, grape berry moth, grape leaffolder, grapeleaf skeletonizer, green fruitworm, gummosos-batrachedra commosae, gypsy moth, hickory shuckworm, hornworms, loopers, navel orangeworm, obliquebanded leafroller, omnivorous leafroller. omnivorous looper, orange tortrix, orangedog, oriental fruit moth, pandemis leafroller, peach twig borer, pecan nut casebearer, redbanded leafroller, redhumped caterpillar, roughskinned cutworm, saltmarsh caterpillar, spanworm, tent caterpillar, thecla-thecla basillides, tobacco budworm, tortrix moth, tufted apple budmoth, variegated leafroller, walnut caterpillar, western tent caterpillar, and yellowstriped armyworm.

Field crops such as canola/rape seed, evening primrose, meadow foam, corn (field, sweet, popcorn), cotton, hops, jojoba, peanuts, rice, safflower, small grains (barley, oats, rye, wheat, *etc.*), sorghum, soybeans, sunflowers, and tobacco are often targets for infestation by insects including armyworm, asian and other corn borers, banded sunflower moth, beet armyworm, bollworm, cabbage looper, corn rootworm (including southern and western varieties), cotton leaf perforator, diamondback moth, european corn borer, green cloverworm, headmoth, headworm, imported cabbageworm, loopers (including *Anacamptodes* spp.), obliquebanded leafroller, omnivorous leafroller, podworm, podworm, saltmarsh caterpillar, southwestern corn borer, soybean looper, spotted cutworm, sunflower moth, tobacco budworm, tobacco hornworm, velvetbean caterpillar,

Bedding plants, flowers, ornamentals, vegetables and container stock are frequently fed upon by a host of insect pests such as armyworm, azalea moth, beet armyworm, diamondback moth, ello moth (hornworm), Florida fern caterpillar, Io moth, loopers, oleander moth, omnivorous leafroller, omnivorous looper, and tobacco budworm.

Forests, fruit, ornamental, and nut-bearing trees, as well as shrubs and other nursery stock are often susceptible to attack from diverse insects such as bagworm, blackheaded budworm, browntail moth, california oakworm, douglas fir tussock moth, elm spanworm, fall webworm, fruittree leafroller, greenstriped mapleworm, gypsy moth, jack pine budworm, mimosa webworm, pine butterfly, redhumped caterpillar, saddleback caterpillar, saddle

prominent caterpillar, spring and fall cankerworm, spruce budworm, tent caterpillar, tortrix, and western tussock moth. Likewise, turf grasses are often attacked by pests such as armyworm, sod webworm, and tropical sod webworm.

Because crops of commercial interest are often the target of insect attack, environmentally-sensitive methods for controlling or eradicating insect infestation are desirable in many instances. This is particularly true for farmers, nurserymen, growers, and commercial and residential areas which seek to control insect populations using eco-friendly compositions.

The most widely used environmentally-sensitive insecticidal formulations developed in recent years have been composed of microbial pesticides derived from the bacterium *Bacillus thuringiensis*. *B. thuringiensis* is a Gram-positive bacterium that produces crystal proteins or inclusion bodies which are specifically toxic to certain orders and species of insects. Many different strains of *B. thuringiensis* have been shown to produce insecticidal crystal proteins. Compositions including *B. thuringiensis* strains which produce insecticidal proteins have been commercially-available and used as environmentally-acceptable insecticides because they are quite toxic to the specific target insect, but are harmless to plants and other non-targeted organisms.

1.2.1 δ -ENDOTOXINS

δ -endotoxins are used to control a wide range of leaf-eating caterpillars and beetles, as well as mosquitoes. These proteinaceous parasporal crystals, also referred to as insecticidal crystal proteins, crystal proteins, Bt inclusions, crystalline inclusions, inclusion bodies, and Bt toxins, are a large collection of insecticidal proteins produced by *B. thuringiensis* that are toxic upon ingestion by a susceptible insect host.. Over the past decade research on the structure and function of *B. thuringiensis* toxins has covered all of the major toxin categories, and while these toxins differ in specific structure and function, general similarities in the structure and function are assumed. Based on the accumulated knowledge of *B. thuringiensis* toxins, a generalized mode of action for *B. thuringiensis* toxins has been created and includes: ingestion by the insect, solubilization in the insect midgut (a combination stomach and small intestine), resistance to digestive enzymes sometimes with partial di-

gestion actually “activating” the toxin, binding to the midgut cells, formation of a pore in the insect cells and the disruption of cellular homeostasis (English and Slatin, 1992).

1.2.2 GENES ENCODING CRYSTAL PROTEINS

5 Many of the δ -endotoxins are related to various degrees by similarities in their amino acid sequences. Historically, the proteins and the genes which encode them were classified based largely upon their spectrum of insecticidal activity. The review by Höfte and Whiteley (1989) discusses the genes and proteins that were identified in *B. thuringiensis* prior to 1990, and sets forth the nomenclature and classification scheme which has tradi-
10 tionally been applied to *B. thuringiensis* genes and proteins: *cryI* genes encode lepidopteran-toxic CryI proteins. *cryII* genes encode CryII proteins that are toxic to both lepidopterans and dipterans. *cryIII* genes encode coleopteran-toxic CryIII proteins, while *cryIV* genes encode dipteran-toxic CryIV proteins, *etc.* Based on the degree of sequence similarity, the proteins were further classified into subfamilies; more highly related proteins within each
15 family were assigned divisional letters such as CryIA, CryIB, CryIC, *etc.* Even more closely related proteins within each division were given names such as CryIC1, CryIC2, *etc.*

Recently a new nomenclature was developed which systematically classifies the Cry proteins based upon amino acid sequence homology rather than upon insect target specificities. This classification scheme, including most of the known toxins but not including
20 allelic variations in individual polypeptides, is summarized in Table 1.

TABLE 1
KNOWN *B. THURINGIENSIS* δ -ENDOTOXINS, GENBANK ACCESSION NUMBERS,
AND REVISED NOMENCLATURE^A

New	Old	GenBank Accession #
Cry1Aa1	CryIA(a)	M11250
Cry1Aa2	CryIA(a)	M10917

TABLE 1 (CONTINUED)

New	Old	GenBank Accession #
CryIAa3	CryIA(a)	D00348
CryIAa4	CryIA(a)	X13535
CryIAa5	CryIA(a)	D175182
CryIAa6	CryIA(a)	U43605
CryIAb1	CryIA(b)	M13898
CryIAb2	CryIA(b)	M12661
CryIAb3	CryIA(b)	M15271
CryIAb4	CryIA(b)	D00117
CryIAb5	CryIA(b)	X04698
CryIAb6	CryIA(b)	M37263
CryIAb7	CryIA(b)	X13233
CryIAb8	CryIA(b)	M16463
CryIAb9	CryIA(b)	X54939
CryIAb10	CryIA(b)	A29125
CryIAc1	CryIA(c)	M11068
CryIAc2	CryIA(c)	M35524
CryIAc3	CryIA(c)	X54159
CryIAc4	CryIA(c)	M73249
CryIAc5	CryIA(c)	M73248
CryIAc6	CryIA(c)	U43606
CryIAc7	CryIA(c)	U87793
CryIAc8	CryIA(c)	U87397
CryIAc9	CryIA(c)	U89872
CryIAc10	CryIA(c)	AJ002514
CryIAd1	CryIA(d)	M73250
CryIAe1	CryIA(e)	M65252
CryIBa1	CryIB	X06711

TABLE 1 (CONTINUED)

New	Old	GenBank Accession #
CrylBa2		X95704
CrylBb1	ET5	L32020
CrylBc1	CryIb(c)	Z46442
CrylBd1	CryE1	U70726
CrylCa1	CryIC	X07518
CrylCa2	CryIC	X13620
CrylCa3	CryIC	M73251
CrylCa4	CryIC	A27642
CrylCa5	CryIC	X96682
CrylCa6	CryIC	X96683
CrylCa7	CryIC	X96684
CrylCb1	CryIC(b)	M97880
CrylDa1	CryID	X54160
CrylDb1	PrtB	Z22511
CrylEa1	CryIE	X53985
CrylEa2	CryIE	X56144
CrylEa3	CryIE	M73252
CrylEa4		U94323
CrylEb1	CryIE(b)	M73253
CrylFa1	CryIF	M63897
CrylFa2	CryIF	M63897
CrylFb1	PrtD	Z22512
CrylGa1	PrtA	Z22510
CrylGa2	CryIM	Y09326
CrylGb1	CryH2	U70725
CrylHa1	PrtC	Z22513
CrylHb1		U35780

TABLE 1 (CONTINUED)

New	Old	GenBank Accession #
CryIIa1	CryV	X62821
CryIIa2	CryV	M98544
CryIIa3	CryV	L36338
CryIIa4	CryV	L49391
CryIIa5	CryV	Y08920
CryIIb1	CryV	U07642
CryIJa1	ET4	L32019
CryIJb1	ET1	U31527
CryIKa1		U28801
Cry2Aa1	CryIIA	M31738
Cry2Aa2	CryIIA	M23723
Cry2Aa3		D86084
Cry2Ab1	CryIIB	M23724
Cry2Ab2	CryIIB	X55416
Cry2Ac1	CryIIC	X57252
Cry3Aa1	CryIIIA	M22472
Cry3Aa2	CryIIIA	J02978
Cry3Aa3	CryIIIA	Y00420
Cry3Aa4	CryIIIA	M30503
Cry3Aa5	CryIIIA	M37207
Cry3Aa6	CryIIIA	U10985
Cry3Ba1	CryIIIB	X17123
Cry3Ba2	CryIIIB	A07234
Cry3Bb1	CryIIIB2	M89794
Cry3Bb2	CryIIIC(b)	U31633
Cry3Ca1	CryIIID	X59797
Cry4Aa1	CryIVA	Y00423

TABLE 1 (CONTINUED)

New	Old	GenBank Accession #
Cry4Aa2	CryIVA	D00248
Cry4Ba1	CryIVB	X07423
Cry4Ba2	CryIVB	X07082
Cry4Ba3	CryIVB	M20242
Cry4Ba4	CryIVB	D00247
Cry5Aa1	CryVA(a)	L07025
Cry5Ab1	CryVA(b)	L07026
Cry5Ba1	PS86Q3	U19725
Cry6Aa1	CryVIA	L07022
Cry6Ba1	CryVIB	L07024
Cry7Aa1	CryIIIC	M64478
Cry7Ab1	CryIIICb	U04367
Cry8Aa1	CryIIIE	U04364
Cry8Ba1	CryIIIG	U04365
Cry8Ca1	CryIIIF	U04366
Cry9Aa1	CryIG	X58120
Cry9Aa2	CryIG	X58534
Cry9Ba1	CryIX	X75019
Cry9Ca1	CryIH	Z37527
Cry9Da1	N141	D85560
Cry10Aa1	CryIVC	M12662
Cry11Aa1	CryIVD	M31737
Cry11Aa2	CryIVD	M22860
Cry11Ba1	Jeg80	X86902
Cry12Aa1	CryVB	L07027
Cry13Aa1	CryVC	L07023
Cry14Aa1	CryVD	U13955

TABLE 1 (CONTINUED)

New	Old	GenBank Accession #
Cry15Aa1	34kDa	M76442
Cry16Aa1	cbm71	X94146
Cry17Aa1	cbm71	X99478
Cry18Aa1	CryBP1	X99049
Cry19Aa1	Jeg65	Y08920
Cry20Aa1		U82518
Cry21Aa1		I32932
Cry22Aa1		I34547
Cyt1Aa1	CytA	X03182
Cyt1Aa2	CytA	X04338
Cyt1Aa3	CytA	Y00135
Cyt1Aa4	CytA	M35968
Cyt1Ab1	CytM	X98793
Cyt1Ba1		U37196
Cyt2Aa1	CytB	Z14147
Cyt2Ba1	"CytB"	U52043
Cyt2Ba2	"CytB"	AF020789
Cyt2Ba3	"CytB"	AF022884
Cyt2Ba4	"CytB"	AF022885
Cyt2Ba5	"CytB"	AF022886
Cyt2Bb1		U82519

^aAdapted from: http://epunix.biols.susx.ac.uk/Home/Neil_Crickmore/Bt/index.html

1.2.3 BIOINSECTICIDE POLYPEPTIDE COMPOSITIONS

- 5 The utility of bacterial crystal proteins as insecticides was extended beyond lepidopterans and dipteran larvae when the first isolation of a coleopteran-toxic *B. thuringiensis* strain was reported (Krieg *et al.*, 1983; 1984). This strain (described in U. S. Patent 4,766,203, specifically incorporated herein by reference), designated *B. thuringiensis* var.

tenebrionis, is reported to be toxic to larvae of the coleopteran insects *Agelastica alni* (blue alder leaf beetle) and *Leptinotarsa decemlineata* (Colorado potato beetle).

U. S. Patent 5,024, 837 also describes hybrid *B. thuringiensis* var. *kurstaki* strains which showed activity against lepidopteran insects. U. S. Patent 4,797,279 (corresponding to
5 EP 0221024) discloses a hybrid *B. thuringiensis* containing a plasmid from *B. thuringiensis* var. *kurstaki* encoding a lepidopteran-toxic crystal protein-encoding gene and a plasmid from *B. thuringiensis tenebrionis* encoding a coleopteran-toxic crystal protein-encoding gene. The hybrid *B. thuringiensis* strain produces crystal proteins characteristic of those made by both *B. thuringiensis kurstaki* and *B. thuringiensis tenebrionis*. U. S. Patent 4,910,016
10 (corresponding to EP 0303379) discloses a *B. thuringiensis* isolate identified as *B. thuringiensis* MT 104 which has insecticidal activity against coleopterans and lepidopterans.

1.2.4 MOLECULAR GENETIC TECHNIQUES FACILITATE PROTEIN ENGINEERING

The revolution in molecular genetics over the past decade has facilitated a logical
15 and orderly approach to engineering proteins with improved properties. Site specific and random mutagenesis methods, the advent of polymerase chain reaction (PCR™) methodologies, and related advances in the field have permitted an extensive collection of tools for changing both amino acid sequence, and underlying genetic sequences for a variety of proteins of commercial, medical, and agricultural interest.

20 Following the rapid increase in the number and types of crystal proteins which have been identified in the past decade, researchers began to theorize about using such techniques to improve the insecticidal activity of various crystal proteins. In theory, improvements to δ -endotoxins should be possible using the methods available to protein engineers working in the art, and it was logical to assume that it would be possible to isolate improved
25 variants of the wild-type crystal proteins isolated to date. By strengthening one or more of the aforementioned steps in the mode of action of the toxin, improved molecules should provide enhanced activity, and therefore, represent a breakthrough in the field. If specific amino acid residues on the protein are identified to be responsible for a specific step in the mode of action, then these residues can be targeted for mutagenesis to improve performance

1.2.5 STRUCTURAL ANALYSES OF CRYSTAL PROTEINS

The combination of structural analyses of *B. thuringiensis* toxins followed by an investigation of the function of such structures, motifs, and the like has taught that specific regions of crystal protein endotoxins are, in a general way, responsible for particular functions.

Domain 1, for example, from Cry3Bb and Cry1Ac has been found to be responsible for ion channel activity, the initial step in formation of a pore (Walters *et al.*, 1993; Von Tersch *et al.*, 1994). Domains 2 and 3 have been found to be responsible for receptor binding and insecticidal specificity (Aronson *et al.*, 1995; Caramori *et al.*, 1991; Chen *et al.*, 1993; de Maagd *et al.*, 1996; Ge *et al.*, 1991; Lee *et al.*, 1992; Lee *et al.*, 1995; Lu *et al.*, 1994; Smedley and Ellar, 1996; Smith and Ellar, 1994; Rajamohan *et al.*, 1995; Rajamohan *et al.*, 1996; Wu and Dean, 1996). Regions in domain 2 and 3 can also impact the ion channel activity of some toxins (Chen *et al.*, 1993; Wolfersberger *et al.*, 1996; Von Tersch *et al.*, 1994).

1.3 DEFICIENCIES IN THE PRIOR ART

Unfortunately, while many laboratories have attempted to make mutated crystal proteins, few have succeeded in making mutated crystal proteins with improved lepidopteran toxicity. In almost all of the examples of genetically-engineered *B. thuringiensis* toxins in the literature, the biological activity of the mutated crystal protein is no better than that of the wild-type protein, and in many cases, the activity is decreased or destroyed altogether (Almond and Dean, 1993; Aronson *et al.*, 1995; Chen *et al.*, 1993, Chen *et al.*, 1995; Ge *et al.*, 1991; Kwak *et al.*, 1995; Lu *et al.*, 1994; Rajamohan *et al.*, 1995; Rajamohan *et al.*, 1996; Smedley and Ellar, 1996; Smith and Ellar, 1994; Wolfersberger *et al.*, 1996; Wu and Aronson, 1992).

For a crystal protein having approximately 650 amino acids in the sequence of its active toxin, and the possibility of 20 different amino acids at each position in this sequence, the likelihood of arbitrarily creating a successful new structure is remote, even if a general function to a stretch of 250-300 amino acids can be assigned. Indeed, the above prior art with respect to crystal protein gene mutagenesis has been concerned primarily with studying

the structure and function of the crystal proteins, using mutagenesis to perturb some step in the mode of action, rather than with engineering improved toxins.

Collectively, the limited successes in the art to develop synthetic toxins with improved insecticidal activity have stifled progress in this area and confounded the search for improved endotoxins or crystal proteins. Rather than following simple and predictable rules, the successful engineering of an improved crystal protein may involve different strategies, depending on the crystal protein being improved and the insect pests being targeted. Thus, the process is highly empirical.

Accordingly, traditional recombinant DNA technology is clearly not routine experimentation for providing improved insecticidal crystal proteins. What are lacking in the prior art are rational methods for producing genetically-engineered *B. thuringiensis* crystal proteins that have improved insecticidal activity and, in particular, improved toxicity towards a wide range of lepidopteran insect pests.

2.0 SUMMARY OF THE INVENTION

The present invention seeks to overcome these and other drawbacks inherent in the prior art by providing genetically-engineered modified *B. thuringiensis* δ -endotoxins (Cry*), and in particular modified Cry3 δ -endotoxins (designated Cry3* endotoxins). Also provided are nucleic acid sequences comprising one or more genes which encode such modified proteins. Particularly preferred genes include *cry3** genes such as *cry3A**, *cry3B**, and *cry3C** genes, particularly *cry3B** genes, and more particularly, *cry3Bb** genes, that encode modified crystal proteins having improved insecticidal activity against target pests.

Also disclosed are novel methods for constructing synthetic Cry3* proteins, synthetically-modified nucleic acid sequences encoding such proteins, and compositions arising therefrom. Also provided are synthetic *cry3** expression vectors and various methods of using the improved genes and vectors. In a preferred embodiment, the invention discloses and claims Cry3B* proteins and *cry3B** genes which encode improved insecticidal polypeptides.

In preferred embodiments, channel-forming toxin design methods are disclosed which have been used to produce a specific set of designed Cry3Bb* toxins with improved

biological activity. These improved Cry3Bb* proteins are listed in Table 2 along with their respective amino acid changes from wild-type (WT) Cry3Bb, the nucleotide changes present in the altered *cry3Bb** gene encoding the protein, the fold increase in bioactivity over WT Cry3Bb, the structural site of the alteration, and the design method(s) used to create the new toxins.

Accordingly, the present invention provides in an overall and general sense, mutagenized Cry3 protein-encoding genes and methods of making and using such genes. As used herein the term "mutagenized *cry3* gene(s)" means one or more *cry3* genes that have been mutagenized or altered to contain one or more nucleotide sequences which are not present in the wild type sequences, and which encode mutant Cry3 crystal proteins (Cry3*) showing improved insecticidal activity. Such mutagenized *cry3* genes have been referred to in the Specification as *cry3** genes. Exemplary *cry3** genes include *cry3A**, *cry3B**, and *cry3C** genes.

Exemplary mutagenized Cry3 protein-encoding genes include *cry3B* genes. As used herein the term "mutagenized *cry3B* gene(s)" means one or more genes that have been mutagenized or altered to contain one or more nucleotide sequences which are not present in the wild type sequences, and which encode mutant Cry3B crystal proteins (Cry3B*) showing improved insecticidal activity. Such genes have been designated *cry3B** genes. Exemplary *cry3B** genes include *cry3Ba** and *cry3Bb** genes, which encode Cry3Ba* and Cry3Bb* proteins, respectively.

Likewise, the present invention provides mutagenized Cry3A protein-encoding genes and methods of making and using such genes. As used herein the term "mutagenized *cry3A* gene(s)" means one or more genes that have been mutagenized or altered to contain one or more nucleotide sequences which are not present in the wild type sequences, and which encode mutant Cry3A crystal proteins (Cry3A*) showing improved insecticidal activity. Such mutagenized genes have been designated as *cry3A** genes.

In similar fashion, the present invention provides mutagenized Cry3C protein-encoding genes and methods of making and using such genes. As used herein the term "mutagenized *cry3C* gene(s)" means one or more genes that have been mutagenized or altered to contain one or more nucleotide sequences which are not present in the wild type se-

quences, and which encode mutant Cry3C crystal proteins (Cry3C*) showing improved insecticidal activity. Such mutagenized genes have been designated as *cry3C** genes.

Preferably the novel sequences comprise nucleic acid sequences in which at least one, and preferably, more than one, and most preferably, a significant number, of wild-type *cry3* nucleotides have been replaced with one or more nucleotides, or where one or more nucleotides have been added to or deleted from the native nucleotide sequence for the purpose of altering, adding, or deleting the corresponding amino acids encoded by the nucleic acid sequence so mutagenized. The desired result, therefore, is alteration of the amino acid sequence of the encoded crystal protein to provide toxins having improved or altered activity and/or specificity compared to that of the unmodified crystal protein.

Examples of preferred Cry2Bb*-encoding genes include *cry3Bb.60*, *cry3Bb.11221*, *cry3Bb.11222*, *cry3Bb.11223*, *cry3Bb.11224*, *cry3Bb.11225*, *cry3Bb.11226*, *cry3Bb.11227*, *cry3Bb.11228*, *cry3Bb.11229*, *cry3Bb.11230*, *cry3Bb.11231*, *cry3Bb.11232*, *cry3Bb.11233*, *cry3Bb.11234*, *cry3Bb.11235*, *cry3Bb.11236*, *cry3Bb.11237*, *cry3Bb.11238*, *cry3Bb.11239*, *cry3Bb.11241*, *cry3Bb.11242*, *cry3Bb.11032*, *cry3Bb.11035*, *cry3Bb.11036*, *cry3Bb.11046*, *cry3Bb.11048*, *cry3Bb.11051*, *cry3Bb.11057*, *cry3Bb.11058*, *cry3Bb.11081*, *cry3Bb.11082*, *cry3Bb.11083*, *cry3Bb.11084*, *cry3Bb.11095*, and *cry3Bb.11098*.

TABLE 2
CRY3Bb* PROTEINS EXHIBITING IMPROVED ACTIVITY AGAINST SCRW LARVAE

Cry3Bb*	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>	<i>cry3Bb*</i>
Protein	Plasmid	Designation	Changes	Amino	Acid	Structural Site	of Changes	WT Activity	Increase Over	WT Activity	Used	Design
Cry3Bb.60	-	-	-	Δ1-159	Δ1-159	Δα1-α3	α6	3.6×	3.6×	3.6×	1, 6, 8	1, 6, 8
Cry3Bb.11221	PEG1707	A460T, C461T, A462T, C464A, T465C, T466C, T467A, A468T, A469T, G470C, T472C, T473G, G474T, A477T, A478T, G479C	T154F, P155H, L156H, L158R			α3,4	α6	6.4×	6.4×	6.4×	1, 8	1, 8
Cry3Bb.11222	PEG1708	T687C, T688C, A689T, C691A, A692G	Y230L, H231S			α6	α6	4.0×	4.0×	4.0×	3, 7	3, 7
Cry3Bb.11223	PEG1709	T667C, T687C, T688A, A689G, C691A, A692G	S223P, Y230S			α6	α6	2.8×	2.8×	2.8×	3	3
Cry3Bb.11224	PEG1710	T687C, A692G	H231R			α6	α6	5.0×	5.0×	5.0×	7, 8	7, 8
Cry3Bb.11225	PEG1711	T687C, C691A	H231N, T241S			α6	α6	3.6×	3.6×	3.6×	7	7
Cry3Bb.11226	PEG1712	T687C, C691A, A692C, T693C	H231T			α6	α6	3.0×	3.0×	3.0×	7, 8	7, 8
Cry3Bb.11227	PEG1713	C868A, G869A, G870T	R290N			α7, β1	α6	1.9×	1.9×	1.9×	2, 3, 4, 6	2, 3, 4, 6
Cry3Bb.11228	PEG1714	C932T, A938C, T942G, G949A, T954C	S311L, N313T, E317K			β1, α8	α6	4.1×	4.1×	4.1×	2, 4	2, 4

Cry3Bb*	<i>cry3Bb</i> * Plasmid Designation	<i>cry3Bb</i> * Nucleotide Sequence Changes	Cry3Bb* Amino Acid Changes	Structural Site of Changes	Fold Increase Over WT Activity	Design Method Used
Cry3Bb.11229	pEG1715	T931A, A933C, T942A, T945A, G949A, A953G, T954C	S311T, E317K, Y318C	Iβ1,α8	2.5×	2, 4
Cry3Bb.11230	pEG1716	T931G, A933C, C934G, T945G, C946T, A947G, G951A, T954C	S311A, L312V, Q316W	Iβ1,α8	4.7×	2, 4 8
Cry3Bb.11231	pEG1717	T687C, A692G, C932T, A938C, T942G, G949A, T954C	H231R, S311L, N313T, E317K	α6; Iβ1,α8	7.9×	2, 4, 7, 8, 10
Cry3Bb.11232	pEG1718	T931A, A933G, T935C, T936A, A938C, T939C, T942C, T945A, G951T, T954C	S311T, L312P, N313T, E317N	Iβ1,α8	5.1×	4
Cry3Bb.11233	pEG1719	T931G, A933C, T936G, T942C, C943T, T945A, C946G, G948C, T954C	S311A, Q316D	Iβ1,α8	2.2×	2, 4
Cry3Bb.11234	pEG1720	T861C, T866C, C868A, T871C, T872G, A875T, T877A, C878G, A882G	I289T, L291R, Y292F, S293R	Iα7,β1	4.1×	4
Cry3Bb.11235	pEG1721	T687C, A692G, C932T	H231R, S311L	α6; Iβ1,α8	3.2×	2, 4, 7, 8, 10

Cry3Bb*	<i>cry3Bb</i> *	<i>cry3Bb</i> * Nucleotide Sequence	Cry3Bb* Amino	Structural Site	Fold	Design
Protein	Plasmid	Changes	Acid Changes	of Changes	Increase Over	Method
Designation	Designation				WT Activity	Used
Cry3Bb.11236	pEG1722	T931A, C932T, A933C, T936C, T942G, T945A, T954C	S311I	Iβ1,α8	3.1×	2, 4
Cry3Bb.11237	pEG1723	T931A, C932T, A933C, T936C, A937G, A938T, C941A, T942C, T945A, C946A, A947T, A950T, T954C	S311I, N313H	Iβ1,α8	5.4×	2, 4
Cry3Bb.11238	pEG1724	A933C, T936C, A937G, A938T, C941A, T942C, T945A, C946A, A947T, A950T, T954C	N313V, T314N, Q316M, E317V	Iβ1,α8	2.6×	2, 4
Cry3Bb.11239	pEG1725	A933T, A938G, T939G, T942A, T944C, T945A, A947T, G948T, A950C, T954C	N313R, L315P, Q316L, E317A	Iβ1,α8	2.8×	2, 4
Cry3Bb.11241	pEG1726	A860T, T861C, G862A, C868T, G869T, T871C, A873T, T877A, C878G, A879T	Y287F, D288N, R290L	Iα7,β1	2.6×	2, 3, 4, 6
Cry3Bb.11242	pEG1727	C868G, G869T	R290V	Iα7,β1	2.5×	2, 3, 4, 6, 8

Cry3Bb*	<i>cry3Bb</i> *	<i>cry3Bb</i> * Nucleotide Sequence	Cry3Bb* Amino Acid Changes	Structural Site of Changes	Fold Increase Over WT Activity	Design Method Used
Protein Designation	Plasmid	Changes				
Cry3Bb.11032	pEG1041	A494G	D165G	$\alpha 4$	3.1×	2, 4, 8
Cry3Bb.11035	pEG1046	G479A, A481C, A482C, A484C, G485A, A486C, A494G	S160N, K161P, P162H, D165G	$\alpha 4$	2.7×	8
Cry3Bb.11036	pEG1047	A865G, T877C	I289V, S293P	$\text{l}\alpha 7, \beta 1$	4.3×	4
Cry3Bb.11046	pEG1052	G479A, A481C, A482C, A484C, G485A, A486C, A494G, A865G, T877C	S160N, K161P, P162H, D165G, I289V, S293P	$\alpha 4; \text{l}\alpha 7, \beta 1$	2.6×	2, 4, 8, 10
Cry3Bb.11048	pEG1054	T309A, $\Delta 310$, $\Delta 311$, $\Delta 312$	D103E, $\Delta \text{A}104$	$\text{l}\alpha 2\text{a}, 2\text{b}$	4.3×	8
Cry3Bb.11051	pEG1057	A565G, A566G	K189G	$\text{l}\alpha 4, 5$	3.0×	2, 3, 4
Cry3Bb.11057	pEG1062	T309A, $\Delta 310$, $\Delta 311$, $\Delta 312$, G479A, A481C, A482C, A484C, G485A, A486C, A494G	D103E, $\Delta \text{A}104$, S160N, K161P, P162H, D165G	$\text{l}\alpha 2\text{a}, 2\text{b}; \alpha 4$	3.4×	2, 4, 8, 10
Cry3Bb.11058	pEG1063	T309A, $\Delta 310$, $\Delta 311$, $\Delta 312$, A460T, C461T, A462T, C464A, T465C, T466C, T467A, A468T, A469T, G470C, T472C, T473G, G474T, A477T, A478T, G479C	D103E, $\Delta \text{A}104$, T154F, P155H, L156H, L158R	$\text{l}\alpha 2\text{a}, 2\text{b}; \text{l}\alpha 3, 4$	3.5×	1, 8, 10

Cry3Bb*	<i>cry3Bb*</i>	<i>cry3Bb*</i> Nucleotide Sequence	Cry3Bb* Amino Acid Changes	Structural Site of Changes	Fold Increase Over WT Activity	Design Method Used
Protein Designation	Plasmid Designation	Changes				
Cry3Bb.11081	pEG1084	A494G, T931A, A933C, T942A, T945A, G949A, T954C	D165G, S311T, E317K	$\alpha 4$; $\beta 1, \alpha 8$	6.1×	2, 4, 8, 10
Cry3Bb.11082	pEG1085	A494G, A865G, T877C, T914C, T931G, A933C, C934G, T945G, C946T, A947G, G951A, T954C, A1043G, T1094C	D165G, I289V, S293P, F305S, S311A, L312V, Q316W, Q348R, V365A	$\alpha 4$; $\alpha 7, \beta 1$; $\beta 1$; $\beta 1, \alpha 8$; $\beta 2$; $\beta 3b$	4.9×	2, 4, 5, 8, 9, 10
Cry3Bb.11083	pEG1086	A865G, T877C, A1043G	I289V, S293P, Q348R	$\alpha 7, \beta 1$; $\beta 2$	7.4×	4, 5, 9, 10
Cry3Bb.11084	pEG1087	A494G, C932T	D165G, S311L	$\alpha 4$; $\beta 1, \alpha 8$	7.2×	2, 4, 8, 10
Cry3Bb.11095	pEG1095	A1043G	Q348R	$\beta 2$	4.6×	5, 9
Cry3Bb.11098	pEG1098	A494G, T687C, A692G, C932T, A938C, T942G, G949A, T954C	D165G, H231R, S311L, N313T, E317K	$\alpha 4$; $\alpha 6, \beta 1$, $\alpha 8$	7.9×	2, 4, 7, 8

In a variety of illustrative embodiments, the inventors have shown remarkable success in generating toxins with improved insecticidal activity using these methods. In particular, the inventors have identified unique methods of analyzing and designing toxins having improved or enhanced insecticidal properties both *in vitro* and *in vivo*.

5 In addition to modifications of Cry3Bb peptides, those having benefit of the present teaching are now also able to make mutations in a variety of channel-forming toxins, and particularly in crystal proteins which are related to Cry3Bb either functionally or structurally. In fact, the inventors contemplate that any *B. thuringiensis* crystal protein or peptide can be analyzed using the methods disclosed herein and may be altered using the methods disclosed
10 herein to produce crystal proteins having improved insecticidal specificity or activity. Alternatively, the inventors contemplate that those of skill in the art having the benefit of the teachings disclosed herein will be able to prepare not only mutated Cry3 toxins with improved activity, but also other crystal proteins including all of those proteins identified in Table 1, herein. In particular, the inventors contemplate the creation of Cry3* variants using one or
15 more of the methods disclosed herein to produce toxins with improved activity. For example, the inventors note Cry3A, Cry3B, and Cry3C crystal proteins (which are known in the art) may be modified using one or more of the design strategies employed herein, to prepare synthetically-modified crystal proteins with improved properties. Likewise, one of skill in the art will even be able to utilize the teachings of the present disclosure to modify other channel
20 forming toxins, including channel forming toxins other than *B. thuringiensis* crystal proteins, and even to modify proteins and channel toxins not yet described or characterized.

Because the structures for insecticidal crystal proteins show a remarkable conservation of protein tertiary structure (Grochulski *et al.*, 1995), and because many crystal proteins show significant amino acid sequence identity to the Cry3Bb amino acid sequence
25 within domain 1, including proteins of the Cry1, Cry2, Cry3, Cry4, Cry5, Cry7, Cry8, Cry9, Cry10, Cry11, Cry12, Cry13, Cry14, and Cry16 classes (Table 1), now in light of the inventors' surprising discovery, for the first time, those of skill in the art having benefit of the teachings disclosed herein will be able to broadly apply the methods of the invention to modifying a host of crystal proteins with improved activity or altered specificity. Such
30 methods will not only be limited to the insecticidal crystal proteins disclosed in Table 1, but

may also been applied to any other related crystal protein, including those yet to be identified.

In particular, the high degree of homology between Cry3A, Cry3B, and Cry3C proteins is evident in the alignment of the primary amino acid sequence of the three proteins (FIG. 17A, FIG. 17B, and FIG. 17C).

As such, the disclosed methods may be now applied to preparation of modified crystal proteins having one or more alterations introduced using one or more of the mutational design methods as disclosed herein. The inventors further contemplate that regions may be identified in one or more domains of a crystal protein, or other channel forming toxin which may be similarly modified through site-specific or random mutagenesis to generate toxins having improved activity, or alternatively, altered specificity.

In certain applications, the creation of altered toxins having increased activity against one or more insects is desired. Alternatively, it may be desirable to utilize the methods described herein for creating and identifying altered insecticidal crystal proteins which are active against a wider spectrum of susceptible insects. The inventors further contemplate that the creation of chimeric insecticidal crystal proteins comprising one or more of these mutations may be desirable for preparing "super" toxins which have the combined advantages of increased insecticidal activity and concomitant broad spectrum activity.

In light of the present disclosure, the mutagenesis of one or more codons within the sequence of a toxin may result in the generation of a host of related insecticidal proteins having improved activity. While exemplary mutations have been described for each of the design strategies employed in the present invention, the inventors contemplate that mutations may also be made in insecticidal crystal proteins, including the loop regions, helices regions, active sites of the toxins, regions involved in protein oligomerization, and the like, which will give rise to functional bioinsecticidal crystal proteins. All such mutations are considered to fall within the scope of this disclosure.

In one illustrative embodiment, mutagenized *cry3Bb** genes are obtained which encode Cry3Bb* variants that are generally based upon the wild-type Cry3Bb sequence, but that have one or more changes incorporated into the amino acid sequence of the protein using one or more of the design strategies described and claimed herein.

In these and other embodiments, the mutated genes encoding the crystal proteins may be modified so as to change about one, two, three, four, or five or so amino acids in the primary sequence of the encoded polypeptide. Alternatively even more changes from the native sequence may be introduced, such that the encoded protein may have at least about 1% or 2%, or alternatively about 3% or about 4%, or even about 5% to about 10%, or about 10% to about 15%, or even about 15% to about 20% or more of the codons either altered, deleted, or otherwise modified. In certain situations, it may even be desirable to alter substantially more of the primary amino acid sequence to obtain the desired modified protein. In such cases the inventors contemplate that from about 25%, to about 50%, or even from about 50% to about 75%, or more of the native (or wild-type) codons either altered, deleted, or otherwise modified. Alternatively, mutations in the amino acid sequences or underlying DNA gene sequences which result in the insertion or deletion of one or more amino acids within one or more regions of the crystal protein or peptide.

To effect such changes in the primary sequence of the encoded polypeptides, it may be desirable to mutate or delete one or more nucleotides from the nucleic acid sequences of the genes encoding such polypeptides, or alternatively, under certain circumstances to add one or more nucleotides into the primary nucleic acid sequence at one or more sites in the sequence. Frequently, several nucleotide residues may be altered to produce the desired polypeptide. As such, the inventors contemplate that in certain embodiments it may be desirable to alter only one, two, three, four, or five or so nucleotides in the primary sequence. In other embodiments, which more changes are desired, the mutagenesis may involve changing, deleting, or inserting 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or even 20 or so nucleotide residues in the gene sequence. In still other embodiments, one may desire to mutate, delete, or insert 21, 22, 23, 24, 25, 26, 27, 28, 29, 30-40, 40-50, 50-60, 60-70, 70-80, 80-90, or even 90-100, 150, 200, 250, 300, 350, 400, 450, or more nucleotides in the sequence of the gene in order to prepare a *cry3** gene which produces a Cry3* polypeptide having the desired characteristics. In fact, any number of mutations, deletions, and/or insertions may be made in the primary sequence of the gene, so long as the encoded protein has the improved insecticidal activity or specificity characteristics described herein.

Changing a large number of the codons in the nucleotide sequence of an endotoxin-encoding gene may be particularly desirable and often necessary to achieve the desired results, particularly in the situation of "plantizing" a DNA sequence in order to express a DNA of non-plant origin in a transformed plant cell. Such methods are routine to those of skill in the plant genetics arts, and frequently many residues of a primary gene sequence will be altered to facilitate expression of the gene in the plant cell. Preferably, the changes in the gene sequence introduce no changes in the amino acid sequence, or introduce only conservative replacements in the amino acid sequence such that the polypeptide produced in the plant cell from the "plantized" nucleotide sequence is still fully functional, and has the desired qualities when expressed in the plant cell.

Genes and encoded proteins mutated in the manner of the invention may also be operatively linked to other protein-encoding nucleic acid sequences, or expressed as fusion proteins. Both N-terminal and C-terminal fusion proteins are contemplated. Virtually any protein- or peptide-encoding DNA sequence, or combinations thereof, may be fused to a mutated *cry3** sequence in order to encode a fusion protein. This includes DNA sequences that encode targeting peptides, proteins for recombinant expression, proteins to which one or more targeting peptides is attached, protein subunits, domains from one or more crystal proteins, and the like. Such modifications to primary nucleotide sequences to enhance, target, or optimize expression of the gene sequence in a particular host cell, tissue, or cellular localization, are well-known to those of skill in the art of protein engineering and molecular biology, and it will be readily apparent to such artisans, having benefit of the teachings of this specification, how to facilitate such changes in the nucleotide sequence to produce the polypeptides and polynucleotides disclosed herein.

In one aspect, the invention discloses and claims host cells comprising one or more of the modified crystal proteins disclosed herein, and in particular, cells of *B. thuringiensis* strains EG11221, EG11222, EG11223, EG11224, EG11225, EG11226, EG11227, EG11228, EG11229, EG11230, EG11231, EG11232, EG11233, EG11234, EG11235, EG11236, EG11237, EG11238, EG11239, EG11241, EG11242, EG11032, EG11035, EG11036, EG11046, EG11048, EG11051, EG11057, EG11058, EG11081, EG11082, EG11083, EG11084, EG11095, and EG11098 which comprise recombinant DNA

segments encoding synthetically-modified Cry3Bb* crystal proteins which demonstrates improved insecticidal activity.

Likewise, the invention also discloses and claims cell cultures of *B. thuringiensis* EG11221, EG11222, EG11223, EG11224, EG11225, EG11226, EG11227, EG11228,
5 EG11229, EG11230, EG11231, EG11232, EG11233, EG11234, EG11235, EG11236, EG11237, EG11238, EG11239, EG11241, EG11242, EG11032, EG11035, EG11036, EG11046, EG11048, EG11051, EG11057, EG11058, EG11081, EG11082, EG11083, EG11084, and EG11095, and 11098.

Such cell cultures may be biologically-pure cultures consisting of a single strain,
10 or alternatively may be cell co-cultures consisting of one or more strains. Such cell cultures may be cultivated under conditions in which one or more additional *B. thuringiensis* or other bacterial strains are simultaneously co-cultured with one or more of the disclosed cultures, or alternatively, one or more of the cell cultures of the present invention may be combined with one or more additional *B. thuringiensis* or other bacterial strains following the independent
15 culture of each. Such procedures may be useful when suspensions of cells containing two or more different crystal proteins are desired.

The subject cultures have been deposited under conditions that assure that access to the cultures will be available during the pendency of this patent application to one determined by the Commissioner of Patents and Trademarks to be entitled thereto under 37 C.F.R.
20 §1.14 and 35 U.S.C. §122. The deposits are available as required by foreign patent laws in countries wherein counterparts of the subject application, or its progeny, are filed. However, it should be understood that the availability of a deposit does not constitute a license to practice the subject invention in derogation of patent rights granted by governmental action.

Further, the subject culture deposits will be stored and made available to the public in accord with the provisions of the Budapest Treaty for the Deposit of Microorganisms,
25 *i.e.*, they will be stored with all the care necessary to keep them viable and uncontaminated for a period of at least five years after the most recent request for the finishing of a sample of the deposit, and in any case, for a period of at least 30 (thirty) years after the date of deposit or for the enforceable life of any patent which may issue disclosing the cultures. The depositor acknowledges the duty to replace the deposits should the depository be unable to furnish a
30

sample when requested, due to the condition of the deposits. All restrictions on the availability to the public of the subject culture deposits will be irrevocably removed upon the granting of a patent disclosing them.

5 Cultures shown in Table 3 were deposited in the permanent collection of the Agricultural Research Service Culture Collection, Northern Regional Research Laboratory (NRRL) under the terms of the Budapest Treaty.

TABLE 3
STRAINS OF THE PRESENT INVENTION DEPOSITED UNDER THE TERMS
OF THE BUDAPEST TREATY

Strain	Deposit Date	Protein	Accession Number (NRRL Number)
EG11032	5/27/97	Cry3Bb.11032	B-21744
EG11035	5/27/97	Cry3Bb.11035	B-21745
EG11036	5/27/97	Cry3Bb.11036	B-21746
EG11037	5/27/97	Cry3Bb.11037	B-21747
EG11046	5/27/97	Cry3Bb.11046	B-21748
EG11048	5/27/97	Cry3Bb.11048	B-21749
EG11051	5/27/97	Cry3Bb.11051	B-21750
EG11057	5/27/97	Cry3Bb.11057	B-21751
EG11058	5/27/97	Cry3Bb.11058	B-21752
EG11081	5/27/97	Cry3Bb.11081	B-21753
EG11082	5/27/97	Cry3Bb.11082	B-21754
EG11083	5/27/97	Cry3Bb.11083	B-21755
EG11084	5/27/97	Cry3Bb.11084	B-21756
EG11095	5/27/97	Cry3Bb.11095	B-21757
EG11204	5/27/97	Cry3Bb.11204	B-21758
EG11221	5/27/97	Cry3Bb.11221	B-21759
EG11222	5/27/97	Cry3Bb.11222	B-21760
EG11223	5/27/97	Cry3Bb.11223	B-21761
EG11224	5/27/97	Cry3Bb.11224	B-21762
EG11225	5/27/97	Cry3Bb.11225	B-21763
EG11226	5/27/97	Cry3Bb.11226	B-21764
EG11227	5/27/97	Cry3Bb.11227	B-12765
EG11228	5/27/97	Cry3Bb.11228	B-12766
EG11229	5/27/97	Cry3Bb.11229	B-21767

Strain	Deposit Date	Protein	Accession Number (NRRL Number)
EG11230	5/27/97	Cry3Bb.11230	B-21768
EG11231	5/27/97	Cry3Bb.11231	B-21769
EG11232	5/27/97	Cry3Bb.11232	B-12770
EG11233	5/27/97	Cry3Bb.11233	B-21771
EG11234	5/27/97	Cry3Bb.11234	B-21772
EG11235	5/27/97	Cry3Bb.11235	B-21773
EG11236	5/27/97	Cry3Bb.11236	B-21774
EG11237	5/27/97	Cry3Bb.11237	B-21775
EG11238	5/27/97	Cry3Bb.11238	B-21776
EG11239	5/27/97	Cry3Bb.11239	B-21777
EG11241	5/27/97	Cry3Bb.11241	B-21778
EG11242	5/27/97	Cry3Bb.11242	B-21779

Also disclosed are methods of controlling or eradicating an insect population from an environment. Such methods generally comprise contacting the insect population to be controlled or eradicated with an insecticidally-effective amount of a Cry3* crystal protein composition. Preferred Cry3* compositions include Cry3A*, Cry3B*, and Cry3C* polypeptide compositions, with Cry3B* compositions being particularly preferred. Examples of such polypeptides include proteins selected from the group consisting of Cry3Bb-60, Cry3Bb.11221, Cry3Bb.11222, Cry3Bb.11223, Cry3Bb.11224, Cry3Bb.11225, Cry3Bb.11226, Cry3Bb.11227, Cry3Bb.11228, Cry3Bb.11229, Cry3Bb.11230, Cry3Bb.11231, Cry3Bb.11232, Cry3Bb.11233, Cry3Bb.11234, Cry3Bb.11235, Cry3Bb.11236, Cry3Bb.11237, Cry3Bb.11238, Cry3Bb.11239, Cry3Bb.11241, Cry3Bb.11242, Cry3Bb.11032, Cry3Bb.11035, Cry3Bb.11036, Cry3Bb.11046, Cry3Bb.11048, Cry3Bb.11051, Cry3Bb.11057, Cry3Bb.11058, Cry3Bb.11081, Cry3Bb.11082, Cry3Bb.11083, Cry3Bb.11084, Cry3Bb.11095, and Cry3Bb.11098.

In preferred embodiments, these Cry3Bb* crystal protein compositions comprise the amino acid sequence of any of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6. SEQ ID

NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, 5 SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102 or SEQ ID NO:108.

2.1 METHODS FOR PRODUCING MODIFIED CRY* PROTEINS

10 The modified Cry* polypeptides of the present invention are preparable by a process which generally involves the steps of obtaining a nucleic acid sequence encoding a Cry* polypeptide; analyzing the structure of the polypeptide to identify particular "target" sites for mutagenesis of the underlying gene sequence; introducing one or more mutations into the nucleic acid sequence to produce a change in one or more amino acid residues in the 15 encoded polypeptide sequence; and expressing in a transformed host cell the mutagenized nucleic acid sequence under conditions effective to obtain the modified Cry* protein encoded by the *cry** gene.

Means for obtaining the crystal structures of the polypeptides of the invention are well-known. Exemplary high resolution crystal structure solution sets are given in Section 20 9.0 of the disclosure, and include the crystal structure of both the Cry3A and Cry3B polypeptides disclosed herein. The information provided in Section 9.0 permits the analyses disclosed in each of the methods herein which rely on the 3D crystal structure information for targeting mutagenesis of the polypeptides to particular regions of the primary amino acid sequences of the δ -endotoxins to obtain mutants with increased insecticidal activity or enhanced insecticidal specificity. 25

A first method for producing a modified *B. thuringiensis* Cry3Bb δ -endotoxin having improved insecticidal activity or specificity disclosed herein generally involves obtaining a high-resolution 3D crystal structure of the endotoxin, locating in the crystal structure one or more regions of bound water wherein the bound water forms a contiguous hydrated surfaces separated by no more than about 16 Å; increasing the number of water mole- 30

cles in this surface by increasing the hydrophobicity of one or more amino acids of the protein in the region; and obtaining the modified δ -endotoxin so produced. Exemplary δ -endotoxins include Cry3Bb.11032, Cry3Bb.11227, Cry3Bb.11241, Cry3Bb.11051, Cry3Bb.11242, and Cry3Bb.11098.

5 A second method for producing a modified *B. thuringiensis* Cry3Bb δ -endotoxin having improved insecticidal activity comprises identifying a loop region in a δ -endotoxin; modifying one or more amino acids in the loop to increase the hydrophobicity of the amino acids; and obtaining the modified δ -endotoxin so produced. Preferred δ -endotoxin produced by this method include Cry3Bb.11241, Cry3Bb.11242, Cry3Bb.11228, Cry3Bb.11229,
10 Cry3Bb.11230, Cry3Bb.11231, Cry3Bb.11233, Cry3Bb.11236, Cry3Bb.11237, Cry3Bb.11238, and Cry3Bb.11239.

A method for increasing the mobility of channel forming helices of a *B. thuringiensis* Cry3B δ -endotoxin is also provided by the present invention. The method generally comprises disrupting one or more hydrogen bonds formed between a first amino acid
15 of one or more of the channel forming helices and a second amino acid of the δ -endotoxin. The hydrogen bonds may be formed inter- or intramolecularly, and the disrupting may consist of replacing a first or second amino acid with a third amino acid whose spatial distance is greater than about 3 Å, or whose spatial orientation bond angle is not equal to 180 ± 60 degrees relative to the hydrogen bonding site of the first or second amino acid. δ -endotoxins
20 produced by this method and disclosed herein include Cry3Bb.11222, Cry3Bb.11223, Cry3Bb.11224, Cry3Bb.11225, Cry3Bb.11226, Cry3Bb.11227, Cry3Bb.11231, Cry3Bb.11241, and Cry3Bb.11242, and Cry3Bb.11098.

Also disclosed is a method of increasing the flexibility of a loop region in a channel forming domain of a *B. thuringiensis* Cry3Bb δ -endotoxin. This method comprises
25 obtaining a crystal structure of a Cry3Bb δ -endotoxin having one or more loop regions; identifying the amino acids comprising the loop region; and altering one or more of the amino acids to reduce steric hindrance in the loop region, wherein the altering increases flexibility of the loop region in the δ -endotoxin. Examples of δ -endotoxins produced using this method include Cry3Bb.11032, Cry3Bb.11051, Cry3Bb.11228, Cry3Bb.11229, Cry3Bb.11230,
30 Cry3Bb.11231, Cry3Bb.11232, Cry3Bb.11233, Cry3Bb.11236, Cry3Bb.11237,

Cry3Bb.11238, Cry3Bb.11239, Cry3Bb.11227, Cry3Bb.11234, Cry3Bb.11241, Cry3Bb.11242, Cry3Bb.11036, and Cry3Bb.11098.

Another aspect of the invention is a method for increasing the activity of a δ -endotoxin, comprising reducing or eliminating binding of the δ -endotoxin to a carbohydrate in a target insect gut. The eliminating or reducing may be accomplished by removal of one or more α helices of domain 1 of the δ -endotoxin, for example, by removal of α helices $\alpha 1$, $\alpha 2a/b$, and $\alpha 3$. An exemplary δ -endotoxin produced using the method is Cry3Bb.60.

Alternatively, the reducing or eliminating may be accomplished by replacing one or more amino acids within loop $\beta 1, \alpha 8$, with one or more amino acids having increased hydrophobicity. Such a method gives rise to δ -endotoxins such as Cry3Bb.11228, Cry3Bb.11230, Cry3B.11231, Cry3Bb.11237, and Cry3Bb.11098, which are described in detail, herein.

Alternatively, the reducing or eliminating is accomplished by replacing one or more specific amino acids, with any other amino acid. Such replacements are described in Table 2, and in the examples herein. One example is the δ -endotoxin designated herein as Cry3Bb.11221.

A method of identifying a region of a Cry3Bb δ -endotoxin for targeted mutagenesis comprising: obtaining a crystal structure of the δ -endotoxin; identifying from the crystal structure one or more surface-exposed amino acids in the protein; randomly substituting one or more of the surface-exposed amino acids to obtain a plurality of mutated polypeptides, wherein at least 50% of the mutated polypeptides have diminished insecticidal activity; and identifying from the plurality of mutated polypeptides one or more regions of the Cry3Bb δ -endotoxin for targeted mutagenesis. The method may further comprise determining the amino acid sequences of a plurality of mutated polypeptides having diminished activity, and identifying one or more amino acid residues required for insecticidal activity.

In another embodiment, the invention provides a process for producing a Cry3Bb δ -endotoxin having improved insecticidal activity. The process generally involves the steps of obtaining a high-resolution crystal structure of the protein; determining the electrostatic surface distribution of the protein; identifying one or more regions of high electrostatic diversity; modifying the electrostatic diversity of the region by altering one or more amino ac-

ids in the region; and obtaining a Cry3Bb δ -endotoxin which has improved insecticidal activity. In one embodiment, the electrostatic diversity may be decreased relative to the electrostatic diversity of a native Cry3Bb δ -endotoxin. Exemplary δ -endotoxins with decreased electrostatic diversity include Cry3Bb.11227, Cry3Bb.11241, and Cry3Bb.11242. Alternatively, the electrostatic diversity may be increased relative to the electrostatic diversity of a native Cry3Bb δ -endotoxin. An exemplary δ -endotoxin with increased electrostatic diversity is Cry3Bb.11234.

Furthermore, the invention also provides a method of producing a Cry3Bb δ -endotoxin having improved insecticidal activity which involves obtaining a high-resolution crystal structure; identifying the presence of one or more metal binding sites in the protein; altering one or more amino acids in the binding site; and obtaining an altered protein, wherein the protein has improved insecticidal activity. The altering may involve the elimination of one or more metal binding sites. Exemplary δ -endotoxin include Cry3Bb.11222, Cry3Bb.11224, Cry3Bb.11225, and Cry3Bb.11226.

A further aspect of the invention involves a method of identifying a *B. thuringiensis* Cry3Bb δ -endotoxin having improved channel activity. This method in an overall sense involves obtaining a Cry3Bb δ -endotoxin suspected of having improved channel activity; and determining one or more of the following characteristics in the δ -endotoxin, and comparing such characteristics to those obtained for the wild-type unmodified δ -endotoxin: (1) the rate of channel formation, (2) the rate of growth of channel conductance or (3) the duration of open channel state. From this comparison, one may then select a δ -endotoxin which has an increased rate of channel formation compared to the wildtype δ -endotoxin. Examples of Cry3Bb δ -endotoxins prepared by this method include Cry3Bb.60, Cry3Bb.11035, Cry3Bb.11048, Cry3Bb.11032, Cry3Bb.11223, Cry3Bb.11224, Cry3Bb.11226, Cry3Bb.11221, Cry3Bb.11242, Cry3Bb.11230, and Cry3Bb.11098.

Also provided is a method for producing a modified Cry3Bb δ -endotoxin, having improved insecticidal activity which involves altering one or more non-surface amino acids located at or near the point of greatest convergence of two or more loop regions of the Cry3Bb δ -endotoxin, such that the altering decreases the mobility of one or more of the loop regions. The mobility may conveniently be determined by comparing the thermal denatura-

tion of the modified protein to a wild-type Cry3Bb δ -endotoxin. An exemplary crystal protein produced by this method is Cry3Bb.11095.

A further aspect of the invention involves a method for preparing a modified Cry3Bb δ -endotoxin, having improved insecticidal activity comprising modifying one or more amino acids in the loop to increase the hydrophobicity of said amino acids; and altering one or more of said amino acids to reduce steric hindrance in the loop region, wherein the altering increases flexibility of the loop region in the endotoxin. Exemplary Cry3Bb δ -endotoxins produced is selected from the group consisting of Cry3Bb.11057, Cry3Bb.11058, Cry3Bb.11081, Cry3Bb.11082, Cry3Bb.11083, Cry3Bb.11084, Cry3Bb.11231, Cry3Bb.11235, and Cry3Bb.11098.

The invention also provides a method of improving the insecticidal activity of a *B. thuringiensis* Cry3Bb δ -endotoxin, which generally comprises inserting one or more protease sensitive sites into one or more loop regions of domain 1 of the δ -endotoxin. Preferably, the loop region is α 3,4, and an exemplary δ -endotoxin so produced is Cry3Bb.11221.

2.2 POLYPEPTIDE COMPOSITIONS

The crystal proteins so produced by each of the methods described herein also represent important aspects of the invention. Such crystal proteins preferably include a protein or peptide selected from the group consisting of Cry3Bb-60, Cry3Bb.11221, Cry3Bb.11222, Cry3Bb.11223, Cry3Bb.11224, Cry3Bb.11225, Cry3Bb.11226, Cry3Bb.11227, Cry3Bb.11228, Cry3Bb.11229, Cry3Bb.11230, Cry3Bb.11231, Cry3Bb.11232, Cry3Bb.11233, Cry3Bb.11234, Cry3Bb.11235, Cry3Bb.11236, Cry3Bb.11237, Cry3Bb.11238, Cry3Bb.11239, Cry3Bb.11241, Cry3Bb.11242, Cry3Bb.11032, Cry3Bb.11035, Cry3Bb.11036, Cry3Bb.11046, Cry3Bb.11048, Cry3Bb.11051, Cry3Bb.11057, Cry3Bb.11058, Cry3Bb.11081, Cry3Bb.11082, Cry3Bb.11083, Cry3Bb.11084, Cry3Bb.11095, and Cry3Bb.11098.

In preferred embodiments, the protein comprises a contiguous amino acid sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28,

SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, 5 SEQ ID NO:102, and SEQ ID NO:108.

Highly preferred are those crystal proteins which are encoded by the nucleic acid sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID 10 NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101; or SEQ ID NO:107, or a nucleic acid sequence which hybridizes to the nucleic acid sequence of SEQ ID NO:1, SEQ 15 ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID 20 NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107 under conditions of moderate stringency.

Amino acid, peptide and protein sequences within the scope of the present invention include, and are not limited to the sequences set forth in SEQ ID NO:2, SEQ ID NO:4, 25 SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID 30 NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70.

SEQ ID NO:100, SEQ ID NO:102, and SEQ ID NO:108, and alterations in the amino acid sequences including alterations, deletions, mutations, and homologs.

Compositions which comprise from about 0.5% to about 99% by weight of the crystal protein, or more preferably from about 5% to about 75%, or from about 25% to about 50% by weight of the crystal protein are provided herein. Such compositions may readily be prepared using techniques of protein production and purification well-known to those of skill, and the methods disclosed herein. Such a process for preparing a Cry3Bb* crystal protein generally involves the steps of culturing a host cell which expresses the Cry3Bb* protein (such as a *B. thuringiensis* EG11221, EG11222, EG11223, EG11224, EG11225, EG11226, EG11227, EG11228, EG11229, EG11230, EG11231, EG11232, EG11233, EG11234, EG11235, EG11236, EG11237, EG11238, EG11239, EG11241, EG11242, EG11032, EG11035, EG11036, EG11046, EG11048, EG11051, EG11057, EG11058, EG11081, EG11082, EG11083, EG11084, EG11095, or EG11098 cell) under conditions effective to produce the crystal protein, and then obtaining the crystal protein so produced.

The protein may be present within intact cells, and as such, no subsequent protein isolation or purification steps may be required. Alternatively, the cells may be broken, sonicated, lysed, disrupted, or plasmolyzed to free the crystal protein(s) from the remaining cell debris. In such cases, one may desire to isolate, concentrate, or further purify the resulting crystals containing the proteins prior to use, such as, for example, in the formulation of insecticidal compositions. The composition may ultimately be purified to consist almost entirely of the pure protein, or alternatively, be purified or isolated to a degree such that the composition comprises the crystal protein(s) in an amount of from between about 0.5% and about 99% by weight, or in an amount of from between about 5% and about 95% by weight, or in an amount of from between about 15% and about 85% by weight, or in an amount of from between about 25% and about 75% by weight, or in an amount of from between about 40% and about 60% by weight *etc.*

2.3 RECOMBINANT VECTORS EXPRESSING CRY3* GENES

One important embodiment of the invention is a recombinant vector which comprises a nucleic acid segment encoding one or more of the novel *B. thuringiensis* crystal pro-

teins disclosed herein. Such a vector may be transferred to and replicated in a prokaryotic or eukaryotic host, with bacterial cells being particularly preferred as prokaryotic hosts, and plant cells being particularly preferred as eukaryotic hosts.

In preferred embodiments, the recombinant vector comprises a nucleic acid segment encoding the amino acid sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108. Highly preferred nucleic acid segments are those which have the sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107.

Another important embodiment of the invention is a transformed host cell which expresses one or more of these recombinant vectors. The host cell may be either prokaryotic or eukaryotic, and particularly preferred host cells are those which express the nucleic acid segment(s) comprising the recombinant vector which encode one or more *B. thuringiensis* crystal protein comprising modified amino acid sequences in one or more loop regions of domain 1, or between α helix 7 of domain 1 and β strand 1 of domain 2. Bacterial cells are particularly preferred as prokaryotic hosts, and plant cells are particularly preferred as eukaryotic hosts

In an important embodiment, the invention discloses and claims a host cell wherein the modified amino acid sequences comprise one or more loop regions between α

helices 1 and 2, α helices 2 and 3, α helices 3 and 4, α helices 4 and 5, α helices 5 and 6 or α helices 6 and 7 of domain 1, or between α helix 7 of domain 1 and β strand 1 of domain 2. A particularly preferred host cell is one that comprises the amino acid sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108, and more preferably, one that comprises the nucleic acid sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107.

Bacterial host cells transformed with a nucleic acid segment encoding a modified Cry3Bb crystal protein according to the present invention are disclosed and claimed herein, and in particular, a *B. thuringiensis* cell having designation EG11221, EG11222, EG11223, EG11224, EG11225, EG11226, EG11227, EG11228, EG11229, EG11230, EG11231, EG11232, EG11233, EG11234, EG11235, EG11236, EG11237, EG11238, EG11239, EG11241, EG11242, EG11032, EG11035, EG11036, EG11046, EG11048, EG11051, EG11057, EG11058, EG11081, EG11082, EG11083, EG11084, EG11095, or EG11098.

In another embodiment, the invention encompasses a method of using a nucleic acid segment of the present invention that encodes a *cry3Bb** gene. The method generally comprises the steps of: (a) preparing a recombinant vector in which the *cry3Bb** gene is positioned under the control of a promoter; (b) introducing the recombinant vector into a host cell; (c) culturing the host cell under conditions effective to allow expression of the Cry3Bb*

crystal protein encoded by said *cry3Bb** gene; and (d) obtaining the expressed Cry3Bb* crystal protein or peptide.

A wide variety of ways are available for introducing a *B. thuringiensis* gene expressing a toxin into the microorganism host under conditions which allow for stable maintenance and expression of the gene. One can provide for DNA constructs which include the transcriptional and translational regulatory signals for expression of the toxin gene, the toxin gene under their regulatory control and a DNA sequence homologous with a sequence in the host organism, whereby integration will occur, and/or a replication system which is functional in the host, whereby integration or stable maintenance will occur.

The transcriptional initiation signals will include a promoter and a transcriptional initiation start site. In some instances, it may be desirable to provide for regulative expression of the toxin, where expression of the toxin will only occur after release into the environment. This can be achieved with operators or a region binding to an activator or enhancers, which are capable of induction upon a change in the physical or chemical environment of the microorganisms. For example, a temperature sensitive regulatory region may be employed, where the organisms may be grown up in the laboratory without expression of a toxin, but upon release into the environment, expression would begin. Other techniques may employ a specific nutrient medium in the laboratory, which inhibits the expression of the toxin, where the nutrient medium in the environment would allow for expression of the toxin.

For translational initiation, a ribosomal binding site and an initiation codon will be present.

Various manipulations may be employed for enhancing the expression of the messenger RNA, particularly by using an active promoter, as well as by employing sequences, which enhance the stability of the messenger RNA. The transcriptional and translational termination region will involve stop codon(s), a terminator region, and optionally, a polyadenylation signal. A hydrophobic "leader" sequence may be employed at the amino terminus of the translated polypeptide sequence in order to promote secretion of the protein across the inner membrane.

In the direction of transcription, namely in the 5' to 3' direction of the coding or sense sequence, the construct will involve the transcriptional regulatory region, if any, and the promoter, where the regulatory region may be either 5' or 3' of the promoter, the ribo-

somal binding site, the initiation codon, the structural gene having an open reading frame in phase with the initiation codon, the stop codon(s), the polyadenylation signal sequence, if any, and the terminator region. This sequence as a double strand may be used by itself for transformation of a microorganism host, but will usually be included with a DNA sequence
5 involving a marker, where the second DNA sequence may be joined to the toxin expression construct during introduction of the DNA into the host.

By a marker is intended a structural gene which provides for selection of those hosts which have been modified or transformed. The marker will normally provide for selective advantage, for example, providing for biocide resistance, *e.g.*, resistance to antibiotics
10 or heavy metals; complementation, so as to provide prototrophy to an auxotrophic host, or the like. Preferably, complementation is employed, so that the modified host may not only be selected, but may also be competitive in the field. One or more markers may be employed in the development of the constructs, as well as for modifying the host. The organisms may be further modified by providing for a competitive advantage against other wild-type microor-
15 ganisms in the field. For example, genes expressing metal chelating agents, *e.g.*, siderophores, may be introduced into the host along with the structural gene expressing the toxin. In this manner, the enhanced expression of a siderophore may provide for a competitive advantage for the toxin-producing host, so that it may effectively compete with the wild-type microorganisms and stably occupy a niche in the environment.

20 Where no functional replication system is present, the construct will also include a sequence of at least 50 basepairs (bp), preferably at least about 100 bp, more preferably at least about 1000 bp, and usually not more than about 2000 bp of a sequence homologous with a sequence in the host. In this way, the probability of legitimate recombination is enhanced, so that the gene will be integrated into the host and stably maintained by the host.
25 Desirably, the toxin gene will be in close proximity to the gene providing for complementation as well as the gene providing for the competitive advantage. Therefore, in the event that a toxin gene is lost, the resulting organism will be likely to also lost the complementing gene and/or the gene providing for the competitive advantage, so that it will be unable to compete in the environment with the gene retaining the intact construct.

A large number of transcriptional regulatory regions are available from a wide variety of microorganism hosts, such as bacteria, bacteriophage, cyanobacteria, algae, fungi, and the like. Various transcriptional regulatory regions include the regions associated with the *trp* gene, *lac* gene, *gal* gene, the λ_L and λ_R promoters, the *tac* promoter, the naturally-
5 occurring promoters associated with the δ -endotoxin gene, where functional in the host. See for example, U. S. Patents 4,332,898; 4,342,832; and 4,356,270 (each of which is specifically incorporated herein by reference). The termination region may be the termination region normally associated with the transcriptional initiation region or a different transcriptional initiation region, so long as the two regions are compatible and functional in the host.

10 Where stable episomal maintenance or integration is desired, a plasmid will be employed which has a replication system which is functional in the host. The replication system may be derived from the chromosome, an episomal element normally present in the host or a different host, or a replication system from a virus which is stable in the host. A large number of plasmids are available, such as pBR322, pACYC184, RSF1010, pR01614,
15 and the like. See for example, Olson *et al.* (1982); Bagdasarian *et al.* (1981), Baum *et al.*, 1990, and U. S. Patents 4,356,270; 4,362,817; 4,371,625, and 5,441,884, each incorporated specifically herein by reference.

The *B. thuringiensis* gene can be introduced between the transcriptional and translational initiation region and the transcriptional and translational termination region, so
20 as to be under the regulatory control of the initiation region. This construct will be included in a plasmid, which will include at least one replication system, but may include more than one, where one replication system is employed for cloning during the development of the plasmid and the second replication system is necessary for functioning in the ultimate host. In addition, one or more markers may be present, which have been described previously.
25 Where integration is desired, the plasmid will desirably include a sequence homologous with the host genome.

The transformants can be isolated in accordance with conventional ways, usually employing a selection technique, which allows for selection of the desired organism as against unmodified organisms or transferring organisms, when present. The transformants
30 then can be tested for pesticidal activity. If desired, unwanted or ancillary DNA sequences

may be selectively removed from the recombinant bacterium by employing site-specific recombination systems, such as those described in U. S. Patent 5,441,884 (specifically incorporated herein by reference).

5 2.4 *CRY3* DNA SEGMENTS

A *B. thuringiensis cry3** gene encoding a crystal protein having one or more mutations in one or more regions of the peptide represents an important aspect of the invention. Preferably, the *cry3** gene encodes an amino acid sequence in which one or more amino acid residues have been changed based on the methods disclosed herein, and particularly those
10 changes which have been made for the purpose of altering the insecticidal activity or specificity of the crystal protein.

In accordance with the present invention, nucleic acid sequences include and are not limited to DNA, including and not limited to cDNA and genomic DNA, genes; RNA, including and not limited to mRNA and tRNA; antisense sequences, nucleosides, and suitable
15 nucleic acid sequences such as those set forth in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49,
20 SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107, and alterations in the nucleic acid sequences including alterations, deletions, mutations, and homologs capable of expressing the *B. thuringiensis* modified toxins of the present invention.

25 As such the present invention also concerns DNA segments, that are free from total genomic DNA and that encode the novel synthetically-modified crystal proteins disclosed herein. DNA segments encoding these peptide species may prove to encode proteins, polypeptides, subunits, functional domains, and the like of crystal protein-related or other non-related gene products. In addition these DNA segments may be synthesized
30 entirely *in vitro* using methods that are well-known to those of skill in the art.

As used herein, the term "DNA segment" refers to a DNA molecule that has been isolated free of total genomic DNA of a particular species. Therefore, a DNA segment encoding a crystal protein or peptide refers to a DNA segment that contains crystal protein coding sequences yet is isolated away from, or purified free from, total genomic DNA of the species from which the DNA segment is obtained, which in the instant case is the genome of the Gram-positive bacterial genus, *Bacillus*, and in particular, the species of *Bacillus* known as *B. thuringiensis*. Included within the term "DNA segment", are DNA segments and smaller fragments of such segments, and also recombinant vectors, including, for example, plasmids, cosmids, phagemids, phage, viruses, and the like.

Similarly, a DNA segment comprising an isolated or purified crystal protein-encoding gene refers to a DNA segment which may include in addition to peptide encoding sequences, certain other elements such as, regulatory sequences, isolated substantially away from other naturally occurring genes or protein-encoding sequences. In this respect, the term "gene" is used for simplicity to refer to a functional protein-, polypeptide- or peptide-encoding unit. As will be understood by those in the art, this functional term includes both genomic sequences, operon sequences and smaller engineered gene segments that express, or may be adapted to express, proteins, polypeptides or peptides.

"Isolated substantially away from other coding sequences" means that the gene of interest, in this case, a gene encoding a bacterial crystal protein, forms the significant part of the coding region of the DNA segment, and that the DNA segment does not contain large portions of naturally-occurring coding DNA, such as large chromosomal fragments or other functional genes or operon coding regions. Of course, this refers to the DNA segment as originally isolated, and does not exclude genes, recombinant genes, synthetic linkers, or coding regions later added to the segment by the hand of man.

Particularly preferred DNA sequences are those encoding Cry3Bb.60, Cry3Bb.11221, Cry3Bb.11222, Cry3Bb.11223, Cry3Bb.11224, Cry3Bb.11225, Cry3Bb.11226, Cry3Bb.11227, Cry3Bb.11228, Cry3Bb.11229, Cry3Bb.11230, Cry3Bb.11231, Cry3Bb.11232, Cry3Bb.11233, Cry3Bb.11234, Cry3Bb.11235, Cry3Bb.11236, Cry3Bb.11237, Cry3Bb.11238, Cry3Bb.11239, Cry3Bb.11241, Cry3Bb.11242, Cry3Bb.11032, Cry3Bb.11035, Cry3Bb.11036, Cry3Bb.11046,

Cry3Bb.11048, Cry3Bb.11051, Cry3Bb.11057, Cry3Bb.11058, Cry3Bb.11081, Cry3Bb.11082, Cry3Bb.11083, Cry3Bb.11084, Cry3Bb.11095 and Cry3Bb.11098 crystal proteins, and in particular *cry3Bb** genes such as *cry3Bb.60*, *cry3Bb.11221*, *cry3Bb.11222*, *cry3Bb.11223*, *cry3Bb.11224*, *cry3Bb.11225*, *cry3Bb.11226*, *cry3Bb.11227*, *cry3Bb.11228*,
5 *cry3Bb.11229*, *cry3Bb.11230*, *cry3Bb.11231*, *cry3Bb.11232*, *cry3Bb.11233*, *cry3Bb.11234*, *cry3Bb.11235*, *cry3Bb.11236*, *cry3Bb.11237*, *cry3Bb.11238*, *cry3Bb.11239*, *cry3Bb.11241*, *cry3Bb.11242*, *cry3Bb.11032*, *cry3Bb.11035*, *cry3Bb.11036*, *cry3Bb.11046*, *cry3Bb.11048*, *cry3Bb.11051*, *cry3Bb.11057*, *cry3Bb.11058*, *cry3Bb.11081*, *cry3Bb.11082*, *cry3Bb.11083*, *cry3Bb.11084*, *cry3Bb.11095* and *cry3Bb.11098*. In particular embodiments, the invention
10 concerns isolated DNA segments and recombinant vectors incorporating DNA sequences that encode a Cry peptide species that includes within its amino acid sequence an amino acid sequence essentially as set forth in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30,
15 SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108.

20 The term "a sequence essentially as set forth in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48,
25 SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108" means that the sequence substantially corresponds to a portion of the sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28,
30

SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, 5 SEQ ID NO:102, or SEQ ID NO:108, and has relatively few amino acids that are not identical to, or a biologically functional equivalent of, the amino acids of any of these sequences. The term "biologically functional equivalent" is well understood in the art and is further defined in detail herein (*e.g.*, see Illustrative Embodiments).

Accordingly, sequences that have between about 70% and about 75% or between 10 about 75% and about 80%, or more preferably between about 81% and about 90%, or even more preferably between about 91% or 92% or 93% and about 97% or 98% or 99% amino acid sequence identity or functional equivalence to the amino acids of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, 15 SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102 or SEQ ID NO:108 will be sequences that are "essentially 20 as set forth in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, 25 SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108."

It will also be understood that amino acid and nucleic acid sequences may include additional residues, such as additional N- or C-terminal amino acids or 5' or 3' sequences. 30 and yet still be essentially as set forth in one of the sequences disclosed herein, so long as the

sequence meets the criteria set forth above, including the maintenance of biological protein activity where protein expression is concerned. The addition of terminal sequences particularly applies to nucleic acid sequences that may, for example, include various non-coding sequences flanking either of the 5' or 3' portions of the coding region or may include
5 various internal sequences, *i.e.*, introns, which are known to occur within genes.

The nucleic acid segments of the present invention, regardless of the length of the coding sequence itself, may be combined with other DNA sequences, such as promoters, polyadenylation signals, additional restriction enzyme sites, multiple cloning sites, other coding segments, and the like, such that their overall length may vary considerably. It is
10 therefore contemplated that a nucleic acid fragment of almost any length may be employed, with the total length preferably being limited by the ease of preparation and use in the intended recombinant DNA protocol.

For example, nucleic acid fragments may be prepared that include a short contiguous stretch encoding the peptide sequence disclosed in SEQ ID NO:2, SEQ ID NO:4,
15 SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID
20 NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108, or that are identical to or complementary to DNA sequences which encode the peptide disclosed in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24,
25 SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108, and particularly the
30 DNA segments disclosed in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ

ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107.

Highly preferred nucleic acid segments of the present invention comprise one or more *cry* genes of the invention, or a portion of one or more *cry* genes of the invention. For certain application, relatively small contiguous nucleic acid sequences are preferable, such as those which are about 14 or 15 or 16 or 17 or 18 or 19, or 20, or 30-50, 51-80, 81-100 or so nucleotides in length. Alternatively, in some embodiments, and particularly those involving preparation of recombinant vectors, transformation of suitable host cells, and preparation of transgenic plant cell, longer nucleic acid segments are preferred, particularly those that include the entire coding region of one or more *cry* genes. As such, the preferred segments may include those that are up to about 20,000 or so nucleotides in length, or alternatively, shorter sequences such as those about 19,000, about 18,000, about 17,000, about 16,000, about 15,000, about 14,000, about 13,000, about 12,000, 11,000, about 10,000, about 9,000, about 8,000, about 7,000, about 6,000, about 5,000, about 4,500, about 4,000, about 3,500, about 3,000, about 2,500, about 2,000, about 1,500, about 1,000, about 500, or about 200 or so base pairs in length. Of course, these numbers are not intended to be exclusionary of all possible intermediate lengths in the range of from about 20,000 to about 15 nucleotides, as all of these intermediate lengths are also contemplated to be useful, and fall within the scope of the present invention. It will be readily understood that "intermediate lengths", in these contexts, means any length between the quoted ranges, such as 14, 15, 16, 17, 18, 19, 20, etc.; 21, 22, 23, 24, 25, 26, 27, 28, 29, etc.; 30, 31, 32, 33, 34, 35, 36..... etc.; 40, 41, 42, 43, 44..... etc., 50, 51, 52, 53..... etc.; 60, 61, 62, 63.... etc., 70, 80, 90, 100, 110, 120, 130..... etc.; 200, 210, 220, 230, 240, 250..... etc.; including all integers in the entire range from about 14 to about 10,000, including those integers in the ranges 200-500; 500-1,000; 1,000-2,000; 2,000-3,000; 3,000-5,000 and the like.

In a preferred embodiment, the nucleic acid segments comprise a sequence of from about 1800 to about 18,000 base pair in length, and comprise one or more genes which encode a modified Cry3* polypeptide disclosed herein which has increased activity against Coleopteran insect pests.

5 It will also be understood that this invention is not limited to the particular nucleic acid sequences which encode peptides of the present invention, or which encode the amino acid sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, 10 SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108, including the DNA sequences which are particularly disclosed in SEQ ID NO:1, 15 SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, 20 SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107. Recombinant vectors and isolated DNA segments may therefore variously include the peptide-coding regions themselves, coding regions bearing selected alterations or modifications in the basic coding region, or they may encode larger polypeptides that nevertheless include these peptide-coding 25 regions or may encode biologically functional equivalent proteins or peptides that have variant amino acids sequences.

 The DNA segments of the present invention encompass biologically-functional, equivalent peptides. Such sequences may arise as a consequence of codon redundancy and functional equivalency that are known to occur naturally within nucleic acid sequences and 30 the proteins thus encoded. Alternatively, functionally-equivalent proteins or peptides may be

created *via* the application of recombinant DNA technology, in which changes in the protein structure may be engineered, based on considerations of the properties of the amino acids being exchanged. Changes designed by man may be introduced through the application of site-directed mutagenesis techniques, *e.g.*, to introduce improvements to the antigenicity of the protein or to test mutants in order to examine activity at the molecular level

If desired, one may also prepare fusion proteins and peptides, *e.g.*, where the peptide-coding regions are aligned within the same expression unit with other proteins or peptides having desired functions, such as for purification or immunodetection purposes (*e.g.*, proteins that may be purified by affinity chromatography and enzyme label coding regions, respectively).

Recombinant vectors form further aspects of the present invention. Particularly useful vectors are contemplated to be those vectors in which the coding portion of the DNA segment, whether encoding a full length protein or smaller peptide, is positioned under the control of a promoter. The promoter may be in the form of the promoter that is naturally associated with a gene encoding peptides of the present invention, as may be obtained by isolating the 5' non-coding sequences located upstream of the coding segment or exon, for example, using recombinant cloning and/or PCR™ technology, in connection with the compositions disclosed herein.

2.5 VECTORS, HOST CELLS, AND PROTEIN EXPRESSION

In other embodiments, it is contemplated that certain advantages will be gained by positioning the coding DNA segment under the control of a recombinant, or heterologous, promoter. As used herein, a recombinant or heterologous promoter is intended to refer to a promoter that is not normally associated with a DNA segment encoding a crystal protein or peptide in its natural environment. Such promoters may include promoters normally associated with other genes, and/or promoters isolated from any bacterial, viral, eukaryotic, or plant cell. Naturally, it will be important to employ a promoter that effectively directs the expression of the DNA segment in the cell type, organism, or even animal, chosen for expression. The use of promoter and cell type combinations for protein expression is generally known to those of skill in the art of molecular biology, for example, see Sambrook

et al., 1989. The promoters employed may be constitutive, or inducible, and can be used under the appropriate conditions to direct high level expression of the introduced DNA segment, such as is advantageous in the large-scale production of recombinant proteins or peptides. Appropriate promoter systems contemplated for use in high-level expression
5 include, but are not limited to, the *Pichia* expression vector system (Pharmacia LKB Biotechnology).

In connection with expression embodiments to prepare recombinant proteins and peptides, it is contemplated that longer DNA segments will most often be used, with DNA segments encoding the entire peptide sequence being most preferred. However, it will be
10 appreciated that the use of shorter DNA segments to direct the expression of crystal peptides or epitopic core regions, such as may be used to generate anti-crystal protein antibodies, also falls within the scope of the invention. DNA segments that encode peptide antigens from about 8, 9, 10, or 11 or so amino acids, and up to and including those of about 30, 40, or 50 or so amino acids in length, or more preferably, from about 8 to about 30 amino acids in
15 length, or even more preferably, from about 8 to about 20 amino acids in length are contemplated to be particularly useful. Such peptide epitopes may be amino acid sequences which comprise contiguous amino acid sequence from SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28,
20 SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, or SEQ ID NO:108.

2.6 TRANSFORMED HOST CELLS AND TRANSGENIC PLANTS

In one embodiment, the invention provides a transgenic plant having incorporated into its genome a transgene that encodes a contiguous amino acid sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID
30 NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20,

SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, 5 SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, SEQ ID NO:102, and SEQ ID NO:108.

A further aspect of the invention is a transgenic plant having incorporated into its genome a *cry3Bb** transgene, provided the transgene comprises a nucleic acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, 15 and SEQ ID NO:107. Also disclosed and claimed are progeny of such a transgenic plant, as well as its seed, progeny from such seeds, and seeds arising from the second and subsequent generation plants derived from such a transgenic plant.

The invention also discloses and claims host cells, both native, and genetically engineered, which express the novel *cry3Bb** genes to produce Cry3Bb* polypeptides. Preferred examples of bacterial host cells include *B. thuringiensis* EG11221, EG11222, EG11223, EG11224, EG11225, EG11226, EG11227, EG11228, EG11229, EG11230, EG11231, EG11232, EG11233, EG11234, EG11235, EG11236, EG11237, EG11238, EG11239, EG11241, EG11242, EG11032, EG11035, EG11036, EG11046, EG11048, 25 EG11051, EG11057, EG11058, EG11081, EG11082, EG11083, EG11084, EG11095, and EG11098.

Methods of using such cells to produce Cry3* crystal proteins are also disclosed. Such methods generally involve culturing the host cell (such as *B. thuringiensis* EG11221, EG11222, EG11223, EG11224, EG11225, EG11226, EG11227, EG11228, EG11229, EG11230, EG11231, EG11232, EG11233, EG11234, EG11235, EG11236, EG11237, 30

EG11238, EG11239, EG11241, EG11242, EG11032, EG11035, EG11036, EG11046, EG11048, EG11051, EG11057, EG11058, EG11081, EG11082, EG11083, EG11084, or EG11095, or EG11098) under conditions effective to produce a Cry3* crystal protein, and obtaining the Cry3* crystal protein from said cell.

5 In yet another aspect, the present invention provides methods for producing a transgenic plant which expresses a nucleic acid segment encoding the novel recombinant crystal proteins of the present invention. The process of producing transgenic plants is well-known in the art. In general, the method comprises transforming a suitable host cell with one or more DNA segments which contain one or more promoters operatively linked to a coding
10 region that encodes one or more of the disclosed *B. thuringiensis* crystal proteins. Such a coding region is generally operatively linked to a transcription-terminating region, whereby the promoter is capable of driving the transcription of the coding region in the cell, and hence providing the cell the ability to produce the recombinant protein *in vivo*. Alternatively, in instances where it is desirable to control, regulate, or decrease the amount of a particular
15 recombinant crystal protein expressed in a particular transgenic cell, the invention also provides for the expression of crystal protein antisense mRNA. The use of antisense mRNA as a means of controlling or decreasing the amount of a given protein of interest in a cell is well-known in the art.

Another aspect of the invention comprises a transgenic plant which express a gene
20 or gene segment encoding one or more of the novel polypeptide compositions disclosed herein. As used herein, the term "transgenic plant" is intended to refer to a plant that has incorporated DNA sequences, including but not limited to genes which are perhaps not normally present, DNA sequences not normally transcribed into RNA or translated into a protein ("expressed"), or any other genes or DNA sequences which one desires to introduce
25 into the non-transformed plant, such as genes which may normally be present in the non-transformed plant but which one desires to either genetically engineer or to have altered expression.

It is contemplated that in some instances the genome of a transgenic plant of the present invention will have been augmented through the stable introduction of one or more
30 Cry3Bb*-encoding transgenes, either native, synthetically modified, or mutated. In some

instances, more than one transgene will be incorporated into the genome of the transformed host plant cell. Such is the case when more than one crystal protein-encoding DNA segment is incorporated into the genome of such a plant. In certain situations, it may be desirable to have one, two, three, four, or even more *B. thuringiensis* crystal proteins (either native or
5 recombinantly-engineered) incorporated and stably expressed in the transformed transgenic plant.

A preferred gene which may be introduced includes, for example, a crystal protein-encoding a DNA sequence from bacterial origin, and particularly one or more of those described herein which are obtained from *Bacillus* spp. Highly preferred nucleic acid
10 sequences are those obtained from *B. thuringiensis*, or any of those sequences which have been genetically engineered to decrease or increase the insecticidal activity of the crystal protein in such a transformed host cell.

Means for transforming a plant cell and the preparation of a transgenic cell line are well-known in the art, and are discussed herein. Vectors, plasmids, cosmids, YACs
15 (yeast artificial chromosomes) and DNA segments for use in transforming such cells will, of course, generally comprise either the operons, genes, or gene-derived sequences of the present invention, either native, or synthetically-derived, and particularly those encoding the disclosed crystal proteins. These DNA constructs can further include structures such as promoters, enhancers, polylinkers, or even gene sequences which have positively- or
20 negatively-regulating activity upon the particular genes of interest as desired. The DNA segment or gene may encode either a native or modified crystal protein, which will be expressed in the resultant recombinant cells, and/or which will impart an improved phenotype to the regenerated plant

Such transgenic plants may be desirable for increasing the insecticidal resistance
25 of a monocotyledonous or dicotyledonous plant, by incorporating into such a plant, a transgenic DNA segment encoding a Cry3Bb* crystal protein which is toxic to coleopteran insects. Particularly preferred plants include grains such as corn, wheat, rye, rice, barley, and oats; legumes such as soybeans; tubers such as potatoes; fiber crops such as flax and cotton; turf and pasture grasses; ornamental plants; shrubs; trees; vegetables, berries, citrus, fruits,
30 cacti, succulents, and other commercially-important crops including garden and houseplants.

In a related aspect, the present invention also encompasses a seed produced by the transformed plant, a progeny from such seed, and a seed produced by the progeny of the original transgenic plant, produced in accordance with the above process. Such progeny and seeds will have one or more crystal protein transgene(s) stably incorporated into its genome, and such progeny plants will inherit the traits afforded by the introduction of a stable transgene in Mendelian fashion. All such transgenic plants having incorporated into their genome transgenic DNA segments encoding one or more Cry3Bb* crystal proteins or polypeptides are aspects of this invention. Particularly preferred transgenes for the practice of the invention include nucleic acid segments comprising one or more *cry3Bb** gene(s).

2.7 BIOLOGICAL FUNCTIONAL EQUIVALENTS

Modification and changes may be made in the structure of the peptides of the present invention and DNA segments which encode them and still obtain a functional molecule that encodes a protein or peptide with desirable characteristics. The following is a discussion based upon changing the amino acids of a protein to create an equivalent, or even an improved, second-generation molecule. In particular embodiments of the invention, mutated crystal proteins are contemplated to be useful for increasing the insecticidal activity of the protein, and consequently increasing the insecticidal activity and/or expression of the recombinant transgene in a plant cell. The amino acid changes may be achieved by changing the codons of the DNA sequence, according to the codons given in Table 4.

TABLE 4

Amino Acids			Codons						
Alanine	Ala	A	GCA	GCC	GCG	GCU			
Cysteine	Cys	C	UGC	UGU					
Aspartic Acid	Asp	D	GAC	GAU					
Glutamic Acid	Glu	E	GAA	GAG					
Phenylalanine	Phe	F	UUC	UUU					
Glycine	Gly	G	GGA	GGC	GGG	GGU			
Histidine	His	H	CAC	CAU					
Isoleucine	Ile	I	AUA	AUC	AUU				
Lysine	Lys	K	AAA	AAG					
Leucine	Leu	L	UUA	UUG	CUA	CUC	CUG	CUU	
Methionine	Met	M	AUG						
Asparagine	Asn	N	AAC	AAU					
Proline	Pro	P	CCA	CCC	CCG	CCU			
Glutamine	Gln	Q	CAA	CAG					
Arginine	Arg	R	AGA	AGG	CGA	CGC	CGG	CGU	
Serine	Ser	S	AGC	AGU	UCA	UCC	UCG	UCU	
Threonine	Thr	T	ACA	ACC	ACG	ACU			
Valine	Val	V	GUA	GUC	GUG	GUU			
Tryptophan	Trp	W	UGG						
Tyrosine	Tyr	Y	UAC	UAU					

For example, certain amino acids may be substituted for other amino acids in a protein structure without appreciable loss of interactive binding capacity with structures such as, for example, antigen-binding regions of antibodies or binding sites on substrate molecules. Since it is the interactive capacity and nature of a protein that defines that protein's biological functional activity, certain amino acid sequence substitutions can be made in a protein sequence, and, of course, its underlying DNA coding sequence, and nevertheless obtain a protein with like properties. It is thus contemplated by the inventors

that various changes may be made in the peptide sequences of the disclosed compositions, or corresponding DNA sequences which encode said peptides without appreciable loss of their biological utility or activity.

In making such changes, the hydropathic index of amino acids may be considered.

5 The importance of the hydropathic amino acid index in conferring interactive biologic function on a protein is generally understood in the art (Kyte and Doolittle, 1982, incorporate herein by reference). It is accepted that the relative hydropathic character of the amino acid contributes to the secondary structure of the resultant protein, which in turn defines the interaction of the protein with other molecules, for example, enzymes, substrates, receptors,
10 DNA, antibodies, antigens, and the like.

Each amino acid has been assigned a hydropathic index on the basis of their hydrophobicity and charge characteristics (Kyte and Doolittle, 1982), these are: isoleucine (+4.5); valine (+4.2); leucine (+3.8); phenylalanine (+2.8); cysteine/cystine (+2.5); methionine (+1.9); alanine (+1.8); glycine (−0.4); threonine (−0.7); serine (−0.8); tryptophan
15 (−0.9); tyrosine (−1.3); proline (−1.6); histidine (−3.2); glutamate (−3.5); glutamine (−3.5); aspartate (−3.5); asparagine (−3.5); lysine (−3.9); and arginine (−4.5).

It is known in the art that certain amino acids may be substituted by other amino acids having a similar hydropathic index or score and still result in a protein with similar biological activity, *i.e.*, still obtain a biological functionally equivalent protein. In making
20 such changes, the substitution of amino acids whose hydropathic indices are within ± 2 is preferred, those which are within ± 1 are particularly preferred, and those within ± 0.5 are even more particularly preferred.

It is also understood in the art that the substitution of like amino acids can be made effectively on the basis of hydrophilicity. U. S. Patent 4,554,101, specifically
25 incorporated herein by reference, states that the greatest local average hydrophilicity of a protein, as governed by the hydrophilicity of its adjacent amino acids, correlates with a biological property of the protein.

As detailed in U. S. Patent 4,554,101, the following hydrophilicity values have been assigned to amino acid residues: arginine (+3.0); lysine (+3.0); aspartate (+3.0 \pm 1);
30 glutamate (+3.0 \pm 1); serine (+0.3); asparagine (+0.2); glutamine (+0.2); glycine (0);

threonine (-0.4); proline (-0.5 ± 1); alanine (-0.5); histidine (-0.5); cysteine (-1.0); methionine (-1.3); valine (-1.5); leucine (-1.8); isoleucine (-1.8); tyrosine (-2.3); phenylalanine (-2.5); tryptophan (-3.4).

It is understood that an amino acid can be substituted for another having a similar hydrophilicity value and still obtain a biologically equivalent, and in particular, an immunologically equivalent protein. In such changes, the substitution of amino acids whose hydrophilicity values are within ± 2 is preferred, those which are within ± 1 are particularly preferred, and those within ± 0.5 are even more particularly preferred.

As outlined above, amino acid substitutions are generally therefore based on the relative similarity of the amino acid side-chain substituents, for example, their hydrophobicity, hydrophilicity, charge, size, and the like. Exemplary substitutions which take various of the foregoing characteristics into consideration are well known to those of skill in the art and include: arginine and lysine; glutamate and aspartate; serine and threonine; glutamine and asparagine; and valine, leucine and isoleucine.

15

3.0 BRIEF DESCRIPTION OF THE DRAWINGS

The drawings form part of the present specification and are included to further demonstrate certain aspects of the present invention. The invention may be better understood by reference to one or more of these drawings in combination with the detailed description of specific embodiments presented herein.

20

FIG. 1. Schematic representation of the monomeric structure of Cry3Bb.

FIG. 2. Stereoscopic view of the monomeric structure of Cry3Bb with associated water molecules (represented by dots).

FIG. 3A. Schematic representation of domain 1 of Cry3Bb

FIG. 3B. Diagram of the positions of the 7 helices that comprise domain 1.

25

FIG. 4. Domain 1 of Cry3Bb is organized into seven α helices illustrated in FIG. 3A (schematic representation) and FIG. 3B (schematic diagram). The α helices and amino acids residues are shown.

FIG. 5A. Schematic representation of domain 2 of Cry3Bb.

FIG. 5B. Diagram of the positions of the 11 β strands that compose the 3 β sheets of domain 2.

FIG. 6. Domain 2 of Cry3Bb is a collection of three anti-parallel β sheets illustrated in FIG. 5. The amino acids that define these sheets is listed below ($\alpha 8$, amino acids 322-328, also is included in domain 2):

FIG. 7A. Schematic representation of domain 3 of Cry3Bb.

FIG. 7B. Diagram of the positions of the β strands that comprise domain 3.

FIG. 8. Domain 3 (FIG. 7) is a loosely organized collection of β strands and loops; no β sheets are present. The β strands contain the amino acids limited below:

FIG. 9A. A "side" view of the dimeric structure of Cry3Bb. The helical bundles of domains 1 can be seen in the middle of the molecule.

FIG. 9B. A "top" view of the dimeric structure of Cry3Bb. The helical bundles of domains 1 can be seen in the middle of the molecule.

FIG. 10. A graphic representation of the growth in conductance with time of channels formed by Cry3A and Cry3Bb in planar lipid bilayers. Cry3A forms channels with higher conductances much more rapidly than Cry3Bb.

FIG. 11. A map of pEG1701 which contains the *Cry3Bb* gene with the *cryIF* terminator.

FIG. 12. The results of replicated 1-dose assays against SCRW larvae of Cry3Bb proteins altered in the 1B2,3 region.

FIG. 13. The results of replicated, 1-dose assays against SCRW larvae of Cry3Bb proteins altered in the 1B6, 7 region.

FIG. 14. The results of replicated, 1-dose screens against SCRW larvae of Cry3Bb proteins altered in the 1B10,11 region.

FIG. 15. Single channel recordings of channels formed by Cry3Bb.11230 and WT Cry3Bb in planar lipid bilayers. Cry3Bb.11230 forms channels with well resolved open and closed states while Cry3Bb rarely does.

FIG. 16. Single channel recordings of channels formed by Cry3Bb and Cry3Bb.60, a truncated form of Cry3Bb. Cry3Bb.60 forms channels more quickly than Cry3Bb and, unlike Cry3Bb, produces channels with well resolved open and closed states.

FIG. 17A. Sequence alignment of the amino acid sequence of Cry3A, Cry3B, and Cry3C.

FIG. 17B. Shown is a continuation of alignment of the amino acid sequence of Cry3A, Cry3B, and Cry3C shown in FIG. 17A.

5 **FIG. 17C.** Shown is a continuation of alignment of the amino acid sequence of Cry3A, Cry3B, and Cry3C shown in FIG. 17A.

4.0 DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The invention defines new *B. thuringiensis* (Bt) insecticidal δ -endotoxin proteins and the biochemical and biophysical strategies used to design the new proteins. Delta-endotoxins are a class of insecticidal proteins produced by *B. thuringiensis* that form cation-selective channels in planar lipid bilayers (English and Slatin, 1992). The new δ -endotoxins are based on the parent structure of the coleopteran-active, δ -endotoxin Cry3Bb. Like other members of the coleopteran-active class of δ -endotoxins, including Cry3A and Cry3B, Cry3Bb exhibits excellent insecticidal activity against the Colorado Potato Beetle (*Leptinotarsa decemlineata*). However, unlike Cry3A and Cry3B, Cry3Bb is also active against the southern corn rootworm or SCRW (*Diabrotica undecimpunctata howardi* Barber) and the western corn rootworm or WCRW (*Diabrotica virgifera virgifera* LeConte). The new insecticidal proteins described herein were specifically designed to improve the biological activity of the parent Cry3Bb protein. In addition, the design strategies themselves are novel inventions capable of being applied to and improving *B. thuringiensis* δ -endotoxins in general. *B. thuringiensis* δ -endotoxins are also members of a larger class of bacterial toxins that form ion channels (see English and Slatin 1992, for a review). The inventors, therefore, believe that these design strategies can also be applied to any biologically active, channel-forming protein to improve its biological properties.

The designed Cry3Bb proteins were engineered using one or more of the following strategies including (1) identification and alteration of protease-sensitive sites and proteolytic processing; (2) analysis and manipulation of bound water; (3) manipulation of hydrogen bonds around mobile regions; (4) loop analysis and loop redesign around flexible helices; (5) loop design around β strands and β sheets; (6) identification and redesign of complex electrostatic surfaces; (7) identification and removal of metal binding sites; (8) alteration of quaternary structure; (9) identification and design of structural residues; and (10) combinations of any and all sites defined by strategies 1-9. These design strategies permit the identification and redesign of specific sites on Cry3Bb, ultimately creating new proteins with improved insecticidal activities. These new proteins are designated Cry3Bb designed proteins and are named Cry3Bb followed by a period and a suffix (e.g., Cry3Bb.60, Cry3Bb.11231). The new proteins are listed in Table 2 along with the specific sites on the molecule that were

modified, the amino-acid sequence changes at those sites that improve biological activity, the improved insecticidal activities and the design method used to identify that specific site.

4.1 SOME ADVANTAGES OF THE INVENTION

5 Mutagenesis studies with *cry* genes have failed to identify a significant number of mutant crystal proteins which have improved broad-spectrum insecticidal activity, that is, with improved toxicity towards a range of insect pest species. Since agricultural crops are typically threatened by more than one insect pest species at any given time, desirable mutant crystal proteins are preferably those that exhibit improvements in toxicity towards multiple
10 insect pest species. Previous failures to identify such mutants may be attributed to the choice of sites targeted for mutagenesis. For example, with respect to the related protein, Cry1C, sites within domain 2 and domain 3 have been the principal targets of mutagenesis efforts, primarily because these domains are believed to be important for receptor binding and in determining insecticidal specificity (Aronson *et al.*, 1995; Chen *et al.* 1993; de Maagd *et al.*,
15 1996; Lee *et al.*, 1992; Lee *et al.*, 1995; Lu *et al.*, 1994; Smedley and Ellar, 1996; Smith and Ellar, 1994; Rajamohan *et al.*, 1995; Rajamohan *et al.*, 1996)

In contrast, the present inventors reasoned that the toxicity of Cry3 proteins, and specifically the toxicity of the Cry3Bb protein, may be improved against a broader array of target pests by targeting regions involved in ion channel function rather than regions of the
20 molecule directly involved in receptor interactions, namely domains 2 and 3. Accordingly, the inventors opted to target regions within domain 1 of Cry3Bb for mutagenesis for the purpose of isolating Cry3Bb mutants with improved broad spectrum toxicity. Indeed, in the present invention, Cry3Bb mutants are described that show improved toxicity towards several coleopteran pests.

25 At least one, and probably more than one, α helix of domain 1 is involved in the formation of ion channels and pores within the insect midgut epithelium (Gazit and Shai, 1993; Gazit and Shai, 1995). Rather than target for mutagenesis the sequences encoding the α helices of domain 1 as others have (Wu and Aronson, 1992; Aronson *et al.*, 1995; Chen *et al.*, 1995), the present inventors opted to target exclusively sequences encoding amino acid
30 residues adjacent to or lying within the predicted loop regions of Cry3Bb that separate these

α helices. Amino acid residues within these loop regions or amino acid residues capping the end of an α helix and lying adjacent to these loop regions may affect the spatial relationships among these α helices. Consequently, the substitution of these amino acid residues may result in subtle changes in tertiary structure, or even quaternary structure, that positively impact the function of the ion channel. Amino acid residues in the loop regions of domain 1 are exposed to the solvent and thus are available for various molecular interactions. Altering these amino acids could result in greater stability of the protein by eliminating or occluding protease-sensitive sites. Amino acid substitutions that change the surface charge of domain 1 could alter ion channel efficiency or alter interactions with the brush border membrane or with other portions of the toxin molecule, allowing binding or insertion to be more effective.

According to this invention, base substitutions are made in the underlying *cry3Bb* nucleic acid residues in order to change particular codons of the corresponding polypeptides, and particularly, in those loop regions between α-helices. The insecticidal activity of a crystal protein ultimately dictates the level of crystal protein required for effective insect control. The potency of an insecticidal protein should be maximized as much as possible in order to provide for its economic and efficient utilization in the field. The increased potency of an insecticidal protein in a bioinsecticide formulation would be expected to improve the field performance of the bioinsecticide product. Alternatively, increased potency of an insecticidal protein in a bioinsecticide formulation may promote use of reduced amounts of bioinsecticide per unit area of treated crop, thereby allowing for more cost-effective use of the bioinsecticide product. When expressed *in planta*, the production of crystal proteins with improved insecticidal activity can be expected to improve plant resistance to susceptible insect pests.

4.2 METHODS FOR CULTURING *B. THURINGIENSIS* TO PRODUCE CRYSTAL PROTEINS

The *B. thuringiensis* strains described herein may be cultured using standard known media and fermentation techniques. Upon completion of the fermentation cycle, the bacteria may be harvested by first separating the *B. thuringiensis* spores and crystals from the fermentation broth by means well known in the art. The recovered *B. thuringiensis* spores and crystals can be formulated into a wettable powder, a liquid concentrate, granules or other

formulations by the addition of surfactants, dispersants, inert carriers and other components to facilitate handling and application for particular target pests. The formulation and application procedures are all well known in the art.

5 4.3 RECOMBINANT HOST CELLS FOR EXPRESSION OF *CRY** GENES

 The nucleotide sequences of the subject invention can be introduced into a wide variety of microbial hosts. Expression of the toxin gene results, directly or indirectly, in the intracellular production and maintenance of the pesticide. With suitable hosts, *e.g.*, *Pseudomonas*, the microbes can be applied to the sites of coleopteran insects where they will proliferate and be ingested by the insects. The result is a control of the unwanted insects. Alternatively, the microbe hosting the toxin gene can be treated under conditions that prolong the activity of the toxin produced in the cell. The treated cell then can be applied to the environment of target pest(s). The resulting product retains the toxicity of the *B. thuringiensis* toxin.

15 Suitable host cells, where the pesticide-containing cells will be treated to prolong the activity of the toxin in the cell when the then treated cell is applied to the environment of target pest(s), may include either prokaryotes or eukaryotes, normally being limited to those cells which do not produce substances toxic to higher organisms, such as mammals. However, organisms which produce substances toxic to higher organisms could be used, where
20 the toxin is unstable or the level of application sufficiently low as to avoid any possibility or toxicity to a mammalian host. As hosts, of particular interest will be the prokaryotes and the lower eukaryotes, such as fungi. Illustrative prokaryotes, both Gram-negative and Gram-positive, include *Enterobacteriaceae*, such as *Escherichia*, *Erwinia*, *Shigella*, *Salmonella*, and *Proteus*; *Bacillaceae*; *Rhizobiceae*, such as *Rhizobium*; *Spirillaceae*, such as photobacterium, *Zymomonas*, *Serratia*, *Aeromonas*, *Vibrio*, *Desulfovibrio*, *Spirillum*; *Lactobacillaceae*; *Pseudomonadaceae*, such as *Pseudomonas* and *Acetobacter*; *Azotobacteraceae*,
25 *Actinomycetales*, and *Nitrobacteraceae*. Among eukaryotes are fungi, such as *Phycomycetes* and *Ascomycetes*, which includes yeast, such as *Saccharomyces* and *Schizosaccharomyces*; and *Basidiomycetes* yeast, such as *Rhodotorula*, *Aureobasidium*, *Sporobolomyces*, and the
30 like.

Characteristics of particular interest in selecting a host cell for purposes of production include ease of introducing the *B. thuringiensis* gene into the host, availability of expression systems, efficiency of expression, stability of the pesticide in the host, and the presence of auxiliary genetic capabilities. Characteristics of interest for use as a pesticide microcapsule include protective qualities for the pesticide, such as thick cell walls, pigmentation, and intracellular packaging or formation of inclusion bodies; leaf affinity; lack of mammalian toxicity; attractiveness to pests for ingestion; ease of killing and fixing without damage to the toxin; and the like. Other considerations include ease of formulation and handling, economics, storage stability, and the like.

Host organisms of particular interest include yeast, such as *Rhodotorula sp.*, *Aureobasidium sp.*, *Saccharomyces sp.*, and *Sporobolomyces sp.*; phylloplane organisms such as *Pseudomonas sp.*, *Erwinia sp.* and *Flavobacterium sp.*; or such other organisms as *Escherichia*, *Lactobacillus sp.*, *Bacillus sp.*, *Streptomyces sp.*, and the like. Specific organisms include *Pseudomonas aeruginosa*, *Pseudomonas fluorescens*, *Saccharomyces cerevisiae*, *B. thuringiensis*, *Escherichia coli*, *B. subtilis*, *B. megaterium*, *B. cereus*, *Streptomyces lividans* and the like.

Treatment of the microbial cell, *e.g.*, a microbe containing the *B. thuringiensis* toxin gene, can be by chemical or physical means, or by a combination of chemical and/or physical means, so long as the technique does not deleteriously affect the properties of the toxin, nor diminish the cellular capability in protecting the toxin. Examples of chemical reagents are halogenating agents, particularly halogens of atomic no. 17-80. More particularly, iodine can be used under mild conditions and for sufficient time to achieve the desired results. Other suitable techniques include treatment with aldehydes, such as formaldehyde and glutaraldehyde; anti-infectives, such as zephiran chloride and cetylpyridinium chloride; alcohols, such as isopropyl and ethanol; various histologic fixatives, such as Lugol's iodine, Bouin's fixative, and Helly's fixatives, (see *e.g.*, Humason, 1967); or a combination of physical (heat) and chemical agents that preserve and prolong the activity of the toxin produced in the cell when the cell is administered to the host animal. Examples of physical means are short wavelength radiation such as γ -radiation and X-radiation, freezing, UV irradiation, lyophilization, and the like. The cells employed will usually be intact and be substantially in

the proliferative form when treated, rather than in a spore form, although in some instances spores may be employed.

Where the *B. thuringiensis* toxin gene is introduced via a suitable vector into a microbial host, and said host is applied to the environment in a living state, it is essential that certain host microbes be used. Microorganism hosts are selected which are known to occupy the “phytosphere” (phylloplane, phyllosphere, rhizosphere, and/or rhizoplane) of one or more crops of interest. These microorganisms are selected so as to be capable of successfully competing in the particular environment (crop and other insect habitats) with the wild-type microorganisms, provide for stable maintenance and expression of the gene expressing the polypeptide pesticide, and, desirably, provide for improved protection of the pesticide from environmental degradation and inactivation.

A large number of microorganisms are known to inhabit the phylloplane (the surface of the plant leaves) and/or the rhizosphere (the soil surrounding plant roots) of a wide variety of important crops. These microorganisms include bacteria, algae, and fungi. Of particular interest are microorganisms, such as bacteria, *e.g.*, genera *Bacillus* (including the species and subspecies *B. thuringiensis kurstaki* HD-1, *B. thuringiensis kurstaki* HD-73, *B. thuringiensis sotto*, *B. thuringiensis berliner*, *B. thuringiensis thuringiensis*, *B. thuringiensis tolworthi*, *B. thuringiensis dendrolimus*, *B. thuringiensis alesti*, *B. thuringiensis galleriae*, *B. thuringiensis aizawai*, *B. thuringiensis subtoxicus*, *B. thuringiensis entomocidus*, *B. thuringiensis tenebrionis* and *B. thuringiensis san diego*); *Pseudomonas*, *Erwinia*, *Serratia*, *Klebsiella*, *Zanthomonas*, *Streptomyces*, *Rhizobium*, *Rhodopseudomonas*, *Methylophilus*, *Agrobacterium*, *Acetobacter*, *Lactobacillus*, *Arthrobacter*, *Azotobacter*, *Leuconostoc*, and *Alcaligenes*; fungi, particularly yeast, *e.g.*, genera *Saccharomyces*, *Cryptococcus*, *Kluyveromyces*, *Sporobolomyces*, *Rhodotorula*, and *Aureobasidium*. Of particular interest are such phytosphere bacterial species as *Pseudomonas syringae*, *Pseudomonas fluorescens*, *Serratia marcescens*, *Acetobacter xylinum*, *Agrobacterium tumefaciens*, *Rhodobacter sphaeroides*, *Xanthomonas campestris*, *Rhizobium melioli*, *Alcaligenes eutrophus*, and *Azotobacter vinlandii*; and phytosphere yeast species such as *Rhodotorula rubra*, *R. glutinis*, *R. marina*, *R. aurantiaca*, *Cryptococcus albidus*, *C. diffluens*, *C. laurentii*,

Saccharomyces rosei, *S. pretoriensis*, *S. cerevisiae*, *Sporobolomyces roseus*, *S. odor*, *Kluyveromyces veronae*, and *Aureobasidium pollulans*.

4.4 DEFINITIONS

5 In accordance with the present invention, nucleic acid sequences include and are not limited to DNA (including and not limited to genomic or extragenomic DNA), genes, RNA (including and not limited to mRNA and tRNA), nucleosides, and suitable nucleic acid segments either obtained from native sources, chemically synthesized, modified, or otherwise prepared by the hand of man. The following words and phrases have the meanings set forth
10 below.

A, an: In accordance with long standing patent law convention, the words "a" and "an" when used in this application, including the claims, denotes "one or more".

Broad-spectrum: Refers to a wide range of insect species.

Broad-spectrum activity: The toxicity towards a wide range of insect species.

15 **Expression:** The combination of intracellular processes, including transcription and translation undergone by a coding DNA molecule such as a structural gene to produce a polypeptide.

Insecticidal activity: The toxicity towards insects.

Insecticidal specificity: The toxicity exhibited by a crystal protein or proteins,
20 microbe or plant, towards multiple insect species.

Intraorder specificity: The toxicity of a particular crystal protein towards insect species within an Order of insects (*e.g.*, Order Coleoptera).

Interorder specificity: The toxicity of a particular crystal protein towards insect species of different Orders (*e.g.*, Orders Coleoptera and Diptera).

25 **LC₅₀:** The lethal concentration of crystal protein that causes 50% mortality of the insects treated.

LC₉₅: The lethal concentration of crystal protein that causes 95% mortality of the insects treated.

Promoter: A recognition site on a DNA sequence or group of DNA sequences that provide an expression control element for a structural gene and to which RNA polymerase specifically binds and initiates RNA synthesis (transcription) of that gene.

Regeneration: The process of growing a plant from a plant cell (*e.g.*, plant protoplast or explant).

Structural gene: A gene that is expressed to produce a polypeptide.

Transformation: A process of introducing an exogenous DNA sequence (*e.g.*, a vector, a recombinant DNA molecule) into a cell or protoplast in which that exogenous DNA is incorporated into a chromosome or is capable of autonomous replication.

Transformed cell: A cell whose DNA has been altered by the introduction of an exogenous DNA molecule into that cell.

Transgenic cell: Any cell derived or regenerated from a transformed cell or derived from a transgenic cell. Exemplary transgenic cells include plant calli derived from a transformed plant cell and particular cells such as leaf, root, stem, *e.g.*, somatic cells, or reproductive (germ) cells obtained from a transgenic plant.

Transgenic plant: A plant or progeny thereof derived from a transformed plant cell or protoplast, wherein the plant DNA contains an introduced exogenous DNA molecule not originally present in a native, non-transgenic plant of the same strain. The terms "transgenic plant" and "transformed plant" have sometimes been used in the art as synonymous terms to define a plant whose DNA contains an exogenous DNA molecule. However, it is thought more scientifically correct to refer to a regenerated plant or callus obtained from a transformed plant cell or protoplast as being a transgenic plant, and that usage will be followed herein.

Vector: A DNA molecule capable of replication in a host cell and/or to which another DNA segment can be operatively linked so as to bring about replication of the attached segment. A plasmid is an exemplary vector.

As used herein, the designations "CryIII" and "Cry3" are synonymous, as are the designations "CryIIIB2" and "Cry3Bb." Likewise, the inventors have utilized the generic term Cry3Bb* to denote any and all Cry3Bb variants which comprise amino acid se-

quences modified in the protein. Similarly, *cry3Bb** is meant to denote any and all nucleic acid segments and/or genes which encode a Cry3Bb* protein, *etc.*

4.5 PREPARATION OF *CRY3** POLYNUCLEOTIDES

Once the structure of the desired peptide to be mutagenized has been analyzed using one or more of the design strategies disclosed herein, it will be desirable to introduce one or more mutations into either the protein or, alternatively, into the DNA sequence encoding the protein for the purpose of producing a mutated protein with altered bioinsecticidal properties.

To that end, the present invention encompasses both site-specific mutagenesis methods and random mutagenesis of a nucleic acid segment encoding a crystal protein in the manner described herein. In particular, methods are disclosed for the mutagenesis of nucleic acid segments encoding the amino acid sequences using one or more of the design strategies described herein. Using the assay methods described herein, one may then identify mutants arising from these procedures which have improved insecticidal properties or altered specificity, either intraorder or interorder.

The means for mutagenizing a DNA segment encoding a crystal protein are well-known to those of skill in the art. Modifications may be made by random, or site-specific mutagenesis procedures. The nucleic acid may be modified by altering its structure through the addition or deletion of one or more nucleotides from the sequence.

Mutagenesis may be performed in accordance with any of the techniques known in the art such as and not limited to synthesizing an oligonucleotide having one or more mutations within the sequence of a particular crystal protein. A "suitable host" is any host which will express Cry3Bb, such as and not limited to *B. thuringiensis* and *E. coli*. Screening for insecticidal activity, in the case of Cry3Bb includes and is not limited to coleopteran-toxic activity which may be screened for by techniques known in the art.

In particular, site-specific mutagenesis is a technique useful in the preparation of individual peptides, or biologically functional equivalent proteins or peptides, through specific mutagenesis of the underlying DNA. The technique further provides a ready ability to prepare and test sequence variants, for example, incorporating one or more of the

foregoing considerations, by introducing one or more nucleotide sequence changes into the DNA. Site-specific mutagenesis allows the production of mutants through the use of specific oligonucleotide sequences which encode the DNA sequence of the desired mutation, as well as a sufficient number of adjacent nucleotides, to provide a primer sequence of sufficient size and sequence complexity to form a stable duplex on both sides of the deletion junction being traversed. Typically, a primer of about 17 to about 75 nucleotides or more in length is preferred, with about 10 to about 25 or more residues on both sides of the junction of the sequence being altered.

In general, the technique of site-specific mutagenesis is well known in the art, as exemplified by various publications. As will be appreciated, the technique typically employs a phage vector which exists in both a single stranded and double stranded form. Typical vectors useful in site-directed mutagenesis include vectors such as the M13 phage. These phage are readily commercially available and their use is generally well known to those skilled in the art. Double stranded plasmids are also routinely employed in site directed mutagenesis which eliminates the step of transferring the gene of interest from a plasmid to a phage.

In general, site-directed mutagenesis in accordance herewith is performed by first obtaining a single-stranded vector or melting apart of two strands of a double stranded vector which includes within its sequence a DNA sequence which encodes the desired peptide. An oligonucleotide primer bearing the desired mutated sequence is prepared, generally synthetically. This primer is then annealed with the single-stranded vector, and subjected to DNA polymerizing enzymes such as *E. coli* polymerase I Klenow fragment, in order to complete the synthesis of the mutation-bearing strand. Thus, a heteroduplex is formed wherein one strand encodes the original non-mutated sequence and the second strand bears the desired mutation. This heteroduplex vector is then used to transform or transfect appropriate cells, such as *E. coli* cells, and clones are selected which include recombinant vectors bearing the mutated sequence arrangement. A genetic selection scheme was devised by Kunkel *et al.* (1987) to enrich for clones incorporating the mutagenic oligonucleotide. Alternatively, the use of PCR™ with commercially available thermostable enzymes such as *Taq* polymerase may be used to incorporate a mutagenic oligonucleotide primer into an amplified DNA frag-

ment that can then be cloned into an appropriate cloning or expression vector. The PCR™-mediated mutagenesis procedures of Tomic *et al.* (1990) and Upender *et al.* (1995) provide two examples of such protocols. A PCR™ employing a thermostable ligase in addition to a thermostable polymerase may also be used to incorporate a phosphorylated mutagenic oligonucleotide into an amplified DNA fragment that may then be cloned into an appropriate cloning or expression vector. The mutagenesis procedure described by Michael (1994) provides an example of one such protocol.

The preparation of sequence variants of the selected peptide-encoding DNA segments using site-directed mutagenesis is provided as a means of producing potentially useful species and is not meant to be limiting as there are other ways in which sequence variants of peptides and the DNA sequences encoding them may be obtained. For example, recombinant vectors encoding the desired peptide sequence may be treated with mutagenic agents, such as hydroxylamine, to obtain sequence variants.

As used herein, the term "oligonucleotide directed mutagenesis procedure" refers to template-dependent processes and vector-mediated propagation which result in an increase in the concentration of a specific nucleic acid molecule relative to its initial concentration, or in an increase in the concentration of a detectable signal, such as amplification. As used herein, the term "oligonucleotide directed mutagenesis procedure" is intended to refer to a process that involves the template-dependent extension of a primer molecule. The term template dependent process refers to nucleic acid synthesis of an RNA or a DNA molecule wherein the sequence of the newly synthesized strand of nucleic acid is dictated by the well-known rules of complementary base pairing (see, for example, Watson, 1987). Typically, vector mediated methodologies involve the introduction of the nucleic acid fragment into a DNA or RNA vector, the clonal amplification of the vector, and the recovery of the amplified nucleic acid fragment. Examples of such methodologies are provided by U. S. Patent 4,237,224, specifically incorporated herein by reference in its entirety

A number of template dependent processes are available to amplify the target sequences of interest present in a sample. One of the best known amplification methods is the polymerase chain reaction (PCR™) which is described in detail in U. S. Patents 4,683,195, 4,683,202 and 4,800,159 (each of which is specifically incorporated herein by reference in its

entirety). Briefly, in PCR™, two primer sequences are prepared which are complementary to regions on opposite complementary strands of the target sequence. An excess of deoxynucleoside triphosphates are added to a reaction mixture along with a DNA polymerase (e.g., *Taq* polymerase). If the target sequence is present in a sample, the primers will bind to the target and the polymerase will cause the primers to be extended along the target sequence by adding on nucleotides. By raising and lowering the temperature of the reaction mixture, the extended primers will dissociate from the target to form reaction products, excess primers will bind to the target and to the reaction products and the process is repeated. Preferably a reverse transcriptase PCR™ amplification procedure may be performed in order to quantify the amount of mRNA amplified. Polymerase chain reaction methodologies are well known in the art.

Another method for amplification is the ligase chain reaction (referred to as LCR), disclosed in Eur. Pat. Appl. Publ. No. 320,308, incorporated herein by reference in its entirety. In LCR, two complementary probe pairs are prepared, and in the presence of the target sequence, each pair will bind to opposite complementary strands of the target such that they abut. In the presence of a ligase, the two probe pairs will link to form a single unit. By temperature cycling, as in PCR™, bound ligated units dissociate from the target and then serve as "target sequences" for ligation of excess probe pairs. U. S. Patent 4,883,750, specifically incorporated herein by reference in its entirety, describes an alternative method of amplification similar to LCR for binding probe pairs to a target sequence.

Qbeta Replicase™, described in Intl. Pat. Appl. Publ. No. PCT/US87/00880, incorporated herein by reference in its entirety, may also be used as still another amplification method in the present invention. In this method, a replicative sequence of RNA which has a region complementary to that of a target is added to a sample in the presence of an RNA polymerase. The polymerase will copy the replicative sequence which can then be detected.

An isothermal amplification method, in which restriction endonucleases and ligases are used to achieve the amplification of target molecules that contain nucleotide 5'-[α-thio]triphosphates in one strand of a restriction site (Walker *et al.*, 1992, incorporated herein by reference in its entirety), may also be useful in the amplification of nucleic acids in the present invention.

Strand Displacement Amplification (SDA) is another method of carrying out isothermal amplification of nucleic acids which involves multiple rounds of strand displacement and synthesis, *i.e.*, nick translation. A similar method, called Repair Chain Reaction (RCR) is another method of amplification which may be useful in the present invention and is involves annealing several probes throughout a region targeted for amplification, followed by a repair reaction in which only two of the four bases are present. The other two bases can be added as biotinylated derivatives for easy detection. A similar approach is used in SDA

Sequences can also be detected using a cyclic probe reaction (CPR). In CPR, a probe having 3' and 5' end sequences of non-Cry-specific DNA and an internal sequence of a Cry-specific RNA is hybridized to DNA which is present in a sample. Upon hybridization, the reaction is treated with RNaseH, and the products of the probe identified as distinctive products generating a signal which are released after digestion. The original template is annealed to another cycling probe and the reaction is repeated. Thus, CPR involves amplifying a signal generated by hybridization of a probe to a *cry*-specific expressed nucleic acid

Still other amplification methods described in Great Britain Pat. Appl. No. 2 202 328, and in Intl. Pat. Appl. Publ. No. PCT/US89/01025, each of which is incorporated herein by reference in its entirety, may be used in accordance with the present invention. In the former application, "modified" primers are used in a PCR™ like, template and enzyme dependent synthesis. The primers may be modified by labeling with a capture moiety (*e.g.*, biotin) and/or a detector moiety (*e.g.*, enzyme). In the latter application, an excess of labeled probes are added to a sample. In the presence of the target sequence, the probe binds and is cleaved catalytically. After cleavage, the target sequence is released intact to be bound by excess probe. Cleavage of the labeled probe signals the presence of the target sequence

Other nucleic acid amplification procedures include transcription-based amplification systems (TAS) (Kwoh *et al.*, 1989; Intl. Pat. Appl. Publ. No. WO 88/10315, incorporated herein by reference in its entirety), including nucleic acid sequence based amplification (NASBA) and 3SR. In NASBA, the nucleic acids can be prepared for amplification by standard phenol/chloroform extraction, heat denaturation of a sample, treatment with lysis buffer and minispin columns for isolation of DNA and RNA or guanidinium chloride extraction of RNA. These amplification techniques involve annealing a primer which has crystal protein-

specific sequences. Following polymerization, DNA/RNA hybrids are digested with RNase H while double stranded DNA molecules are heat denatured again. In either case the single stranded DNA is made fully double stranded by addition of second crystal protein-specific primer, followed by polymerization. The double stranded DNA molecules are then multiply transcribed by a polymerase such as T7 or SP6. In an isothermal cyclic reaction, the RNAs are reverse transcribed into double stranded DNA, and transcribed once against with a polymerase such as T7 or SP6. The resulting products, whether truncated or complete, indicate crystal protein-specific sequences.

Eur. Pat. Appl. Publ. No. 329,822, incorporated herein by reference in its entirety, disclose a nucleic acid amplification process involving cyclically synthesizing single-stranded RNA ("ssRNA"), ssDNA, and double-stranded DNA (dsDNA), which may be used in accordance with the present invention. The ssRNA is a first template for a first primer oligonucleotide, which is elongated by reverse transcriptase (RNA-dependent DNA polymerase). The RNA is then removed from resulting DNA:RNA duplex by the action of ribonuclease H (RNase H, an RNase specific for RNA in a duplex with either DNA or RNA). The resultant ssDNA is a second template for a second primer, which also includes the sequences of an RNA polymerase promoter (exemplified by T7 RNA polymerase) 5' to its homology to its template. This primer is then extended by DNA polymerase (exemplified by the large "Klenow" fragment of *E. coli* DNA polymerase I), resulting as a double-stranded DNA ("dsDNA") molecule, having a sequence identical to that of the original RNA between the primers and having additionally, at one end, a promoter sequence. This promoter sequence can be used by the appropriate RNA polymerase to make many RNA copies of the DNA. These copies can then re-enter the cycle leading to very swift amplification. With proper choice of enzymes, this amplification can be done isothermally without addition of enzymes at each cycle. Because of the cyclical nature of this process, the starting sequence can be chosen to be in the form of either DNA or RNA

Intl. Pat. Appl. Publ. No. WO 89/06700, incorporated herein by reference in its entirety, disclose a nucleic acid sequence amplification scheme based on the hybridization of a promoter/primer sequence to a target single-stranded DNA ("ssDNA") followed by transcription of many RNA copies of the sequence. This scheme is not cyclic; *i.e.*, new templates

are not produced from the resultant RNA transcripts. Other amplification methods include "RACE" (Frohman, 1990), and "one-sided PCR™" (Ohara, 1989) which are well-known to those of skill in the art.

Methods based on ligation of two (or more) oligonucleotides in the presence of nucleic acid having the sequence of the resulting "di-oligonucleotide", thereby amplifying the di-oligonucleotide (Wu and Dean, 1996, incorporated herein by reference in its entirety), may also be used in the amplification of DNA sequences of the present invention.

4.6 PHAGE-RESISTANT VARIANTS

In certain embodiments, one may desired to prepare one or more phage resistant variants of the *B. thuringiensis* mutants prepared by the methods described herein. To do so, an aliquot of a phage lysate is spread onto nutrient agar and allowed to dry. An aliquot of the phage sensitive bacterial strain is then plated directly over the dried lysate and allowed to dry. The plates are incubated at 30°C. The plates are incubated for 2 days and, at that time, numerous colonies could be seen growing on the agar. Some of these colonies are picked and subcultured onto nutrient agar plates. These apparent resistant cultures are tested for resistance by cross streaking with the phage lysate. A line of the phage lysate is streaked on the plate and allowed to dry. The presumptive resistant cultures are then streaked across the phage line. Resistant bacterial cultures show no lysis anywhere in the streak across the phage line after overnight incubation at 30°C. The resistance to phage is then reconfirmed by plating a lawn of the resistant culture onto a nutrient agar plate. The sensitive strain is also plated in the same manner to serve as the positive control. After drying, a drop of the phage lysate is plated in the center of the plate and allowed to dry. Resistant cultures showed no lysis in the area where the phage lysate has been placed after incubation at 30°C for 24 hours.

4.7 CRYSTAL PROTEIN COMPOSITIONS AS INSECTICIDES AND METHODS OF USE

Order Coleoptera comprises numerous beetle species including ground beetles, reticulated beetles, skin and larder beetles, long-horned beetles, leaf beetles, weevils, bark beetles, ladybird beetles, soldier beetles, stag beetles, water scavenger beetles, and a host of

other beetles. A brief taxonomy of the Order is given at the website <http://www.ncbi.nlm.nih.gov/Taxonomy/tax.html>.

Particularly important among the Coleoptera are the agricultural pests included within the infraorders *Chrysomeliformia* and *Cucujiformia*. Members of the infraorder *Chrysomeliformia*, including the leaf beetles (*Chrysomelidae*) and the weevils (*Curculionidae*),
5 are particularly problematic to agriculture, and are responsible for a variety of insect damage to crops and plants. The infraorder *Cucujiformia* includes the families *Coccinellidae*, *Cucujidae*, *Lagridae*, *Meloidae*, *Rhipiphoridae*, and *Tenebrionidae*. Within this infraorder, members of the family *Chrysomelidae* (which includes the genera *Exema*, *Chrysomela*, *Oreina*,
10 *Chrysolina*, *Leptinotarsa*, *Goniocтена*, *Oulema*, *Monozia*, *Ophraella*, *Cerotoma*, *Diabrotica*, and *Lachnaia*), are well-known for their potential to destroy agricultural crops.

As the toxins of the present invention have been shown to be effective in combating a variety of members of the order Coleoptera, the inventors contemplate that the insects of many Coleopteran genera may be controlled or eradicated using the polypeptide compositions described herein. Likewise, the methods described herein for generating modified
15 polypeptides having enhanced insect specificity may also be useful in extending the range of the insecticidal activity of the modified polypeptides to other insect species within, and outside of, the Order Coleoptera.

As such, the inventors contemplate that the crystal protein compositions disclosed
20 herein will find particular utility as insecticides for topical and/or systemic application to field crops, including but not limited to rice, wheat, alfalfa, corn (maize), soybeans, tobacco, potato, barley, canola (rapeseed), sugarbeet, sugarcane, flax, rye, oats, cotton, sunflower; grasses, such as pasture and turf grasses; fruits, citrus, nuts, trees, shrubs and vegetables; as well as ornamental plants, cacti, succulents, and the like.

25 Disclosed and claimed is a composition comprising an insecticidally-effective amount of a Cry3Bb* crystal protein composition. The composition preferably comprises the amino acid sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID
30 NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42,

SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, or SEQ ID NO:108 or biologically-functional equivalents thereof.

5 The insecticide composition may also comprise a Cry3Bb* crystal protein that is encoded by a nucleic acid sequence having the sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37,
10 SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, or SEQ ID NO:108, or, alternatively, a nucleic acid sequence which hybridizes to the nucleic acid sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID
15 NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID
20 NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, or SEQ ID NO:107 under conditions of moderate stringency.

 The insecticidal compositions may comprise one or more *B. thuringiensis* cell types, or one or more cultures of such cells, or, alternatively, a mixture of one or more *B. thuringiensis* cells which express one or more of the novel crystal proteins of the invention in
25 combination with another insecticidal composition. In certain aspects it may be desirable to prepare compositions which contain a plurality of crystal proteins, either native or modified, for treatment of one or more types of susceptible insects. The *B. thuringiensis* cells of the invention can be treated prior to formulation to prolong the insecticidal activity when the cells are applied to the environment of the target insect(s). Such treatment can be by chemical or
30 physical means, or by a combination of chemical and/or physical means, so long as the tech-

nique does not deleteriously affect the properties of the insecticide, nor diminish the cellular capability in protecting the insecticide. Examples of chemical reagents are halogenerating agents, particularly halogens of atomic no. 17-80. More particularly, iodine can be used under mild conditions and for sufficient time to achieve the desired results. Other suitable techniques include treatment with aldehydes, such as formaldehyde and glutaraldehyde; anti-infectives, such as zephiran chloride; alcohols, such as isopropyl and ethanol; various histologic fixatives, such as Bouin's fixative and Helly's fixative (*see* Humason, 1967); or a combination of physical (heat) and chemical agents that prolong the activity of the δ -endotoxin produced in the cell when the cell is applied to the environment of the target pest(s). Examples of physical means are short wavelength radiation such as gamma-radiation and X-radiation, freezing, UV irradiation, lyophilization, and the like.

The inventors contemplate that any formulation methods known to those of skill in the art may be employed using the proteins disclosed herein to prepare such bioinsecticide compositions. It may be desirable to formulate whole cell preparations, cell extracts, cell suspensions, cell homogenates, cell lysates, cell supernatants, cell filtrates, or cell pellets of a cell culture (preferably a bacterial cell culture such as a *B. thuringiensis* cell culture described in Table 3) that expresses one or more *cry3Bb** DNA segments to produce the encoded Cry3Bb* protein(s) or peptide(s). The methods for preparing such formulations are known to those of skill in the art, and may include, *e.g.*, desiccation, lyophilization, homogenization, extraction, filtration, centrifugation, sedimentation, or concentration of one or more cultures of bacterial cells, such as *B. thuringiensis* cells described in Table 3, which express the Cry3Bb* peptide(s) of interest.

In one preferred embodiment, the bioinsecticide composition comprises an oil flowable suspension comprising lysed or unlysed bacterial cells, spores, or crystals which contain one or more of the novel crystal proteins disclosed herein. Preferably the cells are *B. thuringiensis* cells, however, any such bacterial host cell expressing the novel nucleic acid segments disclosed herein and producing a crystal protein is contemplated to be useful, such as *Bacillus* spp., including *B. megaterium*, *B. subtilis*; *B. cereus*, *Escherichia* spp., including *E. coli*, and/or *Pseudomonas* spp., including *P. cepacia*, *P. aeruginosa*, and *P. fluorescens*. Alternatively, the oil flowable suspension may consist of a combination of one or more of the

following compositions: lysed or unlysed bacterial cells, spores, crystals, and/or purified crystal proteins.

In a second preferred embodiment, the bioinsecticide composition comprises a water dispersible granule or powder. This granule or powder may comprise lysed or unlysed
5 bacterial cells, spores, or crystals which contain one or more of the novel crystal proteins disclosed herein. Preferred sources for these compositions include bacterial cells such as *B. thuringiensis* cells, however, bacteria of the genera *Bacillus*, *Escherichia*, and *Pseudomonas* which have been transformed with a DNA segment disclosed herein and expressing the crystal protein are also contemplated to be useful. Alternatively, the granule or powder may
10 consist of a combination of one or more of the following compositions: lysed or unlysed bacterial cells, spores, crystals, and/or purified crystal proteins.

In a third important embodiment, the bioinsecticide composition comprises a wettable powder, spray, emulsion, colloid, aqueous or organic solution, dust, pellet, or colloidal concentrate. Such a composition may contain either unlysed or lysed bacterial cells,
15 spores, crystals, or cell extracts as described above, which contain one or more of the novel crystal proteins disclosed herein. Preferred bacterial cells are *B. thuringiensis* cells, however, bacteria such as *B. megaterium*, *B. subtilis*, *B. cereus*, *E. coli*, or *Pseudomonas* spp. cells transformed with a DNA segment disclosed herein and expressing the crystal protein are also contemplated to be useful. Such dry forms of the insecticidal compositions may be formu-
20 lated to dissolve immediately upon wetting, or alternatively, dissolve in a controlled-release, sustained-release, or other time-dependent manner. Alternatively, such a composition may consist of a combination of one or more of the following compositions: lysed or unlysed bacterial cells, spores, crystals, and/or purified crystal proteins.

In a fourth important embodiment, the bioinsecticide composition comprises an
25 aqueous solution or suspension or cell culture of lysed or unlysed bacterial cells, spores, crystals, or a mixture of lysed or unlysed bacterial cells, spores, and/or crystals, such as those described above which contain one or more of the novel crystal proteins disclosed herein. Such aqueous solutions or suspensions may be provided as a concentrated stock solution which is diluted prior to application, or alternatively, as a diluted solution ready-to-apply.

For these methods involving application of bacterial cells, the cellular host containing the Crystal protein gene(s) may be grown in any convenient nutrient medium, where the DNA construct provides a selective advantage, providing for a selective medium so that substantially all or all of the cells retain the *B. thuringiensis* gene. These cells may then be
5 harvested in accordance with conventional ways. Alternatively, the cells can be treated prior to harvesting.

When the insecticidal compositions comprise *B. thuringiensis* cells, spores, and/or crystals containing the modified crystal protein(s) of interest, such compositions may be formulated in a variety of ways. They may be employed as wettable powders, granules or dusts,
10 by mixing with various inert materials, such as inorganic minerals (phyllosilicates, carbonates, sulfates, phosphates, and the like) or botanical materials (powdered corncobs, rice hulls, walnut shells, and the like). The formulations may include spreader-sticker adjuvants, stabilizing agents, other pesticidal additives, or surfactants. Liquid formulations may be aqueous-based or non-aqueous and employed as foams, suspensions, emulsifiable concentrates, or the
15 like. The ingredients may include rheological agents, surfactants, emulsifiers, dispersants, or polymers.

Alternatively, the novel Cry3Bb-derived mutated crystal proteins may be prepared by native or recombinant bacterial expression systems *in vitro* and isolated for subsequent field application. Such protein may be either in crude cell lysates, suspensions, colloids, *etc.*,
20 or alternatively may be purified, refined, buffered, and/or further processed, before formulating in an active biocidal formulation. Likewise, under certain circumstances, it may be desirable to isolate crystals and/or spores from bacterial cultures expressing the crystal protein and apply solutions, suspensions, or colloidal preparations of such crystals and/or spores as the active bioinsecticidal composition.

25 Another important aspect of the invention is a method of controlling coleopteran insects which are susceptible to the novel compositions disclosed herein. Such a method generally comprises contacting the insect or insect population, colony, *etc.*, with an insecticidally-effective amount of a Cry3Bb* crystal protein composition. The method may utilize Cry3Bb* crystal proteins such as those disclosed in SEQ ID NO:2, SEQ ID NO:4, SEQ ID
30 NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ

ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:50, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID
5 NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:100, or SEQ ID NO:108, or biologically functional equivalents thereof.

Alternatively, the method may utilize one or more Cry3Bb* crystal proteins which are encoded by the nucleic acid sequences of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID
10 NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99,
15 SEQ ID NO:101, or SEQ ID NO:107, or by one or more nucleic acid sequences which hybridize to the sequences of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41,
20 SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107, under conditions of moderate, or higher, stringency. The methods for identifying sequences which hybridize to those disclosed under conditions of moderate or higher stringency are well-known to those of skill in the art, and are discussed herein.
25

Regardless of the method of application, the amount of the active component(s) are applied at an insecticidally-effective amount, which will vary depending on such factors as, for example, the specific coleopteran insects to be controlled, the specific plant or crop to be treated, the environmental conditions, and the method, rate, and quantity of application of
30 the insecticidally-active composition.

The insecticide compositions described may be made by formulating either the bacterial cell, crystal and/or spore suspension, or isolated protein component with the desired agriculturally-acceptable carrier. The compositions may be formulated prior to administration in an appropriate means such as lyophilized, freeze-dried, dessicated, or in an aqueous carrier, medium or suitable diluent, such as saline or other buffer. The formulated compositions may be in the form of a dust or granular material, or a suspension in oil (vegetable or mineral), or water or oil/water emulsions, or as a wettable powder, or in combination with any other carrier material suitable for agricultural application. Suitable agricultural carriers can be solid or liquid and are well known in the art. The term "agriculturally-acceptable carrier" covers all adjuvants, *e.g.*, inert components, dispersants, surfactants, tackifiers, binders, *etc.* that are ordinarily used in insecticide formulation technology; these are well known to those skilled in insecticide formulation. The formulations may be mixed with one or more solid or liquid adjuvants and prepared by various means, *e.g.*, by homogeneously mixing, blending and/or grinding the insecticidal composition with suitable adjuvants using conventional formulation techniques.

The insecticidal compositions of this invention are applied to the environment of the target coleopteran insect, typically onto the foliage of the plant or crop to be protected, by conventional methods, preferably by spraying. The strength and duration of insecticidal application will be set with regard to conditions specific to the particular pest(s), crop(s) to be treated and particular environmental conditions. The proportional ratio of active ingredient to carrier will naturally depend on the chemical nature, solubility, and stability of the insecticidal composition, as well as the particular formulation contemplated.

Other application techniques, *e.g.*, dusting, sprinkling, soaking, soil injection, soil tilling, seed coating, seedling coating, spraying, aerating, misting, atomizing, and the like, are also feasible and may be required under certain circumstances such as *e.g.*, insects that cause root or stalk infestation, or for application to delicate vegetation or ornamental plants. These application procedures are also well-known to those of skill in the art.

The insecticidal composition of the invention may be employed in the method of the invention singly or in combination with other compounds, including and not limited to other pesticides. The method of the invention may also be used in conjunction with other

treatments such as surfactants, detergents, polymers or time-release formulations. The insecticidal compositions of the present invention may be formulated for either systemic or topical use.

The concentration of insecticidal composition which is used for environmental, systemic, or foliar application will vary widely depending upon the nature of the particular formulation, means of application, environmental conditions, and degree of biocidal activity. Typically, the bioinsecticidal composition will be present in the applied formulation at a concentration of at least about 1% by weight and may be up to and including about 99% by weight. Dry formulations of the compositions may be from about 1% to about 99% or more by weight of the composition, while liquid formulations may generally comprise from about 1% to about 99% or more of the active ingredient by weight. Formulations which comprise intact bacterial cells will generally contain from about 10^4 to about 10^{12} cells/mg

The insecticidal formulation may be administered to a particular plant or target area in one or more applications as needed, with a typical field application rate per hectare ranging on the order of from about 1 g to about 1 kg, 2 kg, 5, kg, or more of active ingredient.

4.8 NUCLEIC ACID SEGMENTS AS HYBRIDIZATION PROBES AND PRIMERS

In addition to their use in directing the expression of crystal proteins or peptides of the present invention, the nucleic acid sequences contemplated herein also have a variety of other uses. For example, they also have utility as probes or primers in nucleic acid hybridization embodiments. As such, it is contemplated that nucleic acid segments that comprise a sequence region that consists of at least a 14 nucleotide long contiguous sequence that has the same sequence as, or is complementary to, a 14 nucleotide long contiguous DNA segment of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107 will

find particular utility. Longer contiguous identical or complementary sequences, *e.g.*, those of about 20, 30, 40, 50, 100, 200, 500, 1000, 2000, 5000, 10000 *etc.* (including all intermediate lengths and up to and including full-length sequences will also be of use in certain embodiments.

5 The ability of such nucleic acid probes to specifically hybridize to crystal protein-encoding sequences will enable them to be of use in detecting the presence of complementary sequences in a given sample. However, other uses are envisioned, including the use of the sequence information for the preparation of mutant species primers, or primers for use in preparing other genetic constructions.

10 Nucleic acid molecules having sequence regions consisting of contiguous nucleotide stretches of 10-14, 15-20, 30, 50, or even of 100-200 nucleotides or so, identical or complementary to DNA sequences of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID
15 NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:49, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:99, SEQ ID NO:101, or SEQ ID NO:107 are particularly contemplated as hybridization probes for use in,
20 *e.g.*, Southern and Northern blotting. Smaller fragments will generally find use in hybridization embodiments, wherein the length of the contiguous complementary region may be varied, such as between about 10-14 and about 100 or 200 nucleotides, but larger contiguous complementary stretches may be used, according to the length complementary sequences one wishes to detect.

25 The use of a hybridization probe of about 14 nucleotides in length allows the formation of a duplex molecule that is both stable and selective. Molecules having contiguous complementary sequences over stretches greater than 14 bases in length are generally preferred, though, in order to increase stability and selectivity of the hybrid, and thereby improve the quality and degree of specific hybrid molecules obtained. One will

generally prefer to design nucleic acid molecules having gene-complementary stretches of 15 to 20 contiguous nucleotides, or even longer where desired.

Of course, fragments may also be obtained by other techniques such as, *e.g.*, by mechanical shearing or by restriction enzyme digestion. Small nucleic acid segments or fragments may be readily prepared by, for example, directly synthesizing the fragment by chemical means, as is commonly practiced using an automated oligonucleotide synthesizer. Also, fragments may be obtained by application of nucleic acid reproduction technology, such as the PCR™ technology of U. S. Patents 4,683,195 and 4,683,202 (each incorporated herein by reference), by introducing selected sequences into recombinant vectors for recombinant production, and by other recombinant DNA techniques generally known to those of skill in the art of molecular biology.

Accordingly, the nucleotide sequences of the invention may be used for their ability to selectively form duplex molecules with complementary stretches of DNA fragments. Depending on the application envisioned, one will desire to employ varying conditions of hybridization to achieve varying degrees of selectivity of probe towards target sequence. For applications requiring high selectivity, one will typically desire to employ relatively stringent conditions to form the hybrids, *e.g.*, one will select relatively low salt and/or high temperature conditions, such as provided by about 0.02 M to about 0.15 M NaCl at temperatures of about 50°C to about 70°C. Such selective conditions tolerate little, if any, mismatch between the probe and the template or target strand, and would be particularly suitable for isolating crystal protein-encoding DNA segments. Detection of DNA segments *via* hybridization is well-known to those of skill in the art, and the teachings of U. S. Patents 4,965,188 and 5,176,995 (each incorporated herein by reference) are exemplary of the methods of hybridization analyses. Teachings such as those found in the texts of Maloy *et al.*, 1994; Segal 1976; Prokop, 1991; and Kuby, 1994, are particularly relevant.

Of course, for some applications, for example, where one desires to prepare mutants employing a mutant primer strand hybridized to an underlying template or where one seeks to isolate crystal protein-encoding sequences from related species, functional equivalents, or the like, less stringent hybridization conditions will typically be needed in order to allow formation of the heteroduplex. In these circumstances, one may desire to

employ conditions such as about 0.15 M to about 0.9 M salt, at temperatures ranging from about 20°C to about 55°C. Cross-hybridizing species can thereby be readily identified as positively hybridizing signals with respect to control hybridizations. In any case, it is generally appreciated that conditions can be rendered more stringent by the addition of
5 increasing amounts of formamide, which serves to destabilize the hybrid duplex in the same manner as increased temperature. Thus, hybridization conditions can be readily manipulated, and thus will generally be a method of choice depending on the desired results.

In certain embodiments, it will be advantageous to employ nucleic acid sequences of the present invention in combination with an appropriate means, such as a label, for
10 determining hybridization. A wide variety of appropriate indicator means are known in the art, including fluorescent, radioactive, enzymatic or other ligands, such as avidin/biotin, which are capable of giving a detectable signal. In preferred embodiments, one will likely desire to employ a fluorescent label or an enzyme tag, such as urease, alkaline phosphatase or peroxidase, instead of radioactive or other environmental undesirable reagents. In the case of
15 enzyme tags, colorimetric indicator substrates are known that can be employed to provide a means visible to the human eye or spectrophotometrically, to identify specific hybridization with complementary nucleic acid-containing samples.

In general, it is envisioned that the hybridization probes described herein will be useful both as reagents in solution hybridization as well as in embodiments employing a solid
20 phase. In embodiments involving a solid phase, the test DNA (or RNA) is adsorbed or otherwise affixed to a selected matrix or surface. This fixed, single-stranded nucleic acid is then subjected to specific hybridization with selected probes under desired conditions. The selected conditions will depend on the particular circumstances based on the particular criteria required (depending, for example, on the G+C content, type of target nucleic acid, source of nucleic acid, size of hybridization probe, *etc.*). Following washing of the
25 hybridized surface so as to remove nonspecifically bound probe molecules, specific hybridization is detected, or even quantitated, by means of the label.

4.9 CHARACTERISTICS OF MODIFIED CRY3 δ -ENDOTOXINS

The present invention provides novel polypeptides that define a whole or a portion of a *B. thuringiensis* *cry3Bb.60*, *cry3Bb.11221*, *cry3Bb.11222*, *cry3Bb.11223*, *cry3Bb.11224*, *cry3Bb.11225*, *cry3Bb.11226*, *cry3Bb.11227*, *cry3Bb.11228*, *cry3Bb.11229*,
5 *cry3Bb.11230*, *cry3Bb.11231*, *cry3Bb.11232*, *cry3Bb.11233*, *cry3Bb.11234*, *cry3Bb.11235*, *cry3Bb.11236*, *cry3Bb.11237*, *cry3Bb.11238*, *cry3Bb.11239*, *cry3Bb.11241*, *cry3Bb.11242*, *cry3Bb.11032*, *cry3Bb.11035*, *cry3Bb.11036*, *cry3Bb.11046*, *cry3Bb.11048*, *cry3Bb.11051*, *cry3Bb.11057*, *cry3Bb.11058*, *cry3Bb.11081*, *cry3Bb.11082*, *cry3Bb.11083*, *cry3Bb.11084*, *cry3Bb.11095* and *cry3Bb.11098*-encoded crystal protein.

10

4.10 CRYSTAL PROTEIN NOMENCLATURE

The inventors have arbitrarily assigned the designations *Cry3Bb.60*, *Cry3Bb.11221*, *Cry3Bb.11222*, *Cry3Bb.11223*, *Cry3Bb.11224*, *Cry3Bb.11225*, *Cry3Bb.11226*, *Cry3Bb.11227*, *Cry3Bb.11228*, *Cry3Bb.11229*, *Cry3Bb.11230*,
15 *Cry3Bb.11231*, *Cry3Bb.11232*, *Cry3Bb.11233*, *Cry3Bb.11234*, *Cry3Bb.11235*, *Cry3Bb.11236*, *Cry3Bb.11237*, *Cry3Bb.11238*, *Cry3Bb.11239*, *Cry3Bb.11241*, *Cry3Bb.11242*, *Cry3Bb.11032*, *Cry3Bb.11035*, *Cry3Bb.11036*, *Cry3Bb.11046*, *Cry3Bb.11048*, *Cry3Bb.11051*, *Cry3Bb.11057*, *Cry3Bb.11058*, *Cry3Bb.11081*, *Cry3Bb.11082*, *Cry3Bb.11083*, *Cry3Bb.11084*, *Cry3Bb.11095* and *Cry3Bb.11098* to the
20 novel proteins of the invention.

Likewise, the arbitrary designations of *cry3Bb.60*, *cry3Bb.11221*, *cry3Bb.11222*, *cry3Bb.11223*, *cry3Bb.11224*, *cry3Bb.11225*, *cry3Bb.11226*, *cry3Bb.11227*, *cry3Bb.11228*, *cry3Bb.11229*, *cry3Bb.11230*, *cry3Bb.11231*, *cry3Bb.11232*, *cry3Bb.11233*, *cry3Bb.11234*, *cry3Bb.11235*, *cry3Bb.11236*, *cry3Bb.11237*, *cry3Bb.11238*, *cry3Bb.11239*, *cry3Bb.11241*,
25 *cry3Bb.11242*, *cry3Bb.11032*, *cry3Bb.11035*, *cry3Bb.11036*, *cry3Bb.11046*, *cry3Bb.11048*, *cry3Bb.11051*, *cry3Bb.11057*, *cry3Bb.11058*, *cry3Bb.11081*, *cry3Bb.11082*, *cry3Bb.11083*, *cry3Bb.11084*, *cry3Bb.11095* and *Cry3Bb.11098* have been assigned to the novel nucleic acid sequences which encode these polypeptides, respectively. While formal assignment of gene and protein designations based on the revised nomenclature of crystal protein
30 endotoxins (Table 1) may be made by the committee on the nomenclature of *B. thuringiensis*,

any re-designations of the compositions of the present invention are also contemplated to be fully within the scope of the present disclosure.

4.11 TRANSFORMED HOST CELLS AND TRANSGENIC PLANTS

5 A bacterium, a yeast cell, or a plant cell or a plant transformed with an expression vector of the present invention is also contemplated. A transgenic bacterium, yeast cell, plant cell or plant derived from such a transformed or transgenic cell is also one aspect of the invention.

Such transformed host cells are often desirable for use in the production of endo-
10 toxins and for expression of the various DNA gene constructs disclosed herein. In some aspects of the invention, it is often desirable to modulate, regulate, or otherwise control the expression of the gene segments disclosed herein. Such methods are routine to those of skill in the molecular genetic arts. Typically, when increased or over-expression of a particular gene is desired, various manipulations may be employed for enhancing the expression of the mes-
15 senger RNA, particularly by using an active promoter, as well as by employing sequences, which enhance the stability of the messenger RNA in the particular transformed host cell.

Typically, the initiation and translational termination region will involve stop codon(s), a terminator region, and optionally, a polyadenylation signal. In the direction of transcription, namely in the 5' to 3' direction of the coding or sense sequence, the construct
20 will involve the transcriptional regulatory region, if any, and the promoter, where the regulatory region may be either 5' or 3' of the promoter, the ribosomal binding site, the initiation codon, the structural gene having an open reading frame in phase with the initiation codon, the stop codon(s), the polyadenylation signal sequence, if any, and the terminator region. This sequence as a double strand may be used by itself for transformation of a microorganism
25 host, but will usually be included with a DNA sequence involving a marker, where the second DNA sequence may be joined to the δ -endotoxin expression construct during introduction of the DNA into the host.

By a marker is intended a structural gene which provides for selection of those hosts which have been modified or transformed. The marker will normally provide for se-
30 lective advantage, for example, providing for biocide resistance, *e.g.*, resistance to antibiotics

or heavy metals; complementation, so as to provide prototrophy to an auxotrophic host, or the like. Preferably, complementation is employed, so that the modified host may not only be selected, but may also be competitive in the field. One or more markers may be employed in the development of the constructs, as well as for modifying the host. The organisms may be
5 further modified by providing for a competitive advantage against other wild-type microorganisms in the field. For example, genes expressing metal chelating agents, *e.g.*, siderophores, may be introduced into the host along with the structural gene expressing the δ -endotoxin. In this manner, the enhanced expression of a siderophore may provide for a competitive advantage for the δ -endotoxin-producing host, so that it may effectively compete
10 with the wild-type microorganisms and stably occupy a niche in the environment.

Where no functional replication system is present, the construct will also include a sequence of at least 50 basepairs (bp), preferably at least about 100 bp, and usually not more than about 1000 bp of a sequence homologous with a sequence in the host. In this way, the probability of legitimate recombination is enhanced, so that the gene will be integrated into
15 the host and stably maintained by the host. Desirably, the δ -endotoxin gene will be in close proximity to the gene providing for complementation as well as the gene providing for the competitive advantage. Therefore, in the event that a δ -endotoxin gene is lost, the resulting organism will be likely to also lose the complementing gene and/or the gene providing for the competitive advantage, so that it will be unable to compete in the environment with the gene
20 retaining the intact construct.

The crystal protein-encoding gene can be introduced between the transcriptional and translational initiation region and the transcriptional and translational termination region, so as to be under the regulatory control of the initiation region. This construct will be included in a plasmid, which will include at least one replication system, but may include more
25 than one, where one replication system is employed for cloning during the development of the plasmid and the second replication system is necessary for functioning in the ultimate host. In addition, one or more markers may be present, which have been described previously. Where integration is desired, the plasmid will desirably include a sequence homologous with the host genome.

The transformants can be isolated in accordance with conventional ways, usually employing a selection technique, which allows for selection of the desired organism as against unmodified organisms or transferring organisms, when present. The transformants then can be tested for pesticidal activity.

5 Suitable host cells, where the pesticide-containing cells will be treated to prolong the activity of the δ -endotoxin in the cell when the then treated cell is applied to the environment of target pest(s), may include either prokaryotes or eukaryotes, normally being limited to those cells which do not produce substances toxic to higher organisms, such as mammals. However, organisms which produce substances toxic to higher organisms could be used, 10 where the δ -endotoxin is unstable or the level of application sufficiently low as to avoid any possibility of toxicity to a mammalian host. As hosts, of particular interest will be the prokaryotes and the lower eukaryotes, such as fungi. Illustrative prokaryotes, both Gram-negative and -positive, include *Enterobacteriaceae*, such as *Escherichia*, *Erwinia*, *Shigella*, *Salmonella*, and *Proteus*; *Bacillaceae*; *Rhizobiceae*, such as *Rhizobium*; *Spirillaceae*, such as 15 photobacterium, *Zymomonas*, *Serratia*, *Aeromonas*, *Vibrio*, *Desulfovibrio*, *Spirillum*; *Lactobacillaceae*; phylloplane organisms such as members of the *Pseudomonadaceae* (including *Pseudomonas* spp. and *Acetobacter* spp.); *Azotobacteraceae* and *Nitrobacteraceae*; *Flavobacterium* spp.; members of the *Bacillaceae* such as *Lactobacillus* spp., *Bifidobacterium*, and *Bacillus* spp., and the like. Particularly preferred host cells include *Pseudomonas aerugi-* 20 *nosa*, *Pseudomonas fluorescens*, *Bacillus thuringiensis*, *Escherichia coli*, *Bacillus subtilis*, and the like.

Among eukaryotes are fungi, such as *Phycomycetes* and *Ascomycetes*, which includes yeast, such as *Schizosaccharomyces*; and *Basidiomycetes*, *Rhodotorula*, *Aureobasidium*, *Sporobolomyces*, *Saccharomyces* spp., and *Sporobolomyces* spp.

25 Characteristics of particular interest in selecting a host cell for purposes of production include ease of introducing the δ -endotoxin gene into the host, availability of expression systems, efficiency of expression, stability of the pesticide in the host, and the presence of auxiliary genetic capabilities. Characteristics of interest for use as a pesticide microcapsule include protective qualities for the pesticide, such as thick cell walls, pigmentation, 30 and intracellular packaging or formation of inclusion bodies; leaf affinity; lack of mammalian

toxicity; attractiveness to pests for ingestion; ease of killing and fixing without damage to the δ -endotoxin; and the like. Other considerations include ease of formulation and handling, economics, storage stability, and the like.

5 The cell will usually be intact and be substantially in the proliferative form when treated, rather than in a spore form, although in some instances spores may be employed. Treatment of the recombinant microbial cell can be done as disclosed *infra*. The treated cells generally will have enhanced structural stability which will enhance resistance to environmental conditions.

10 Genes or other nucleic acid segments, as disclosed herein, can be inserted into host cells using a variety of techniques which are well known in the art. For example, a large number of cloning vectors comprising a replication system in *E. coli* and a marker that permits selection of the transformed cells are available for preparation for the insertion of foreign genes into higher organisms, including plants. The vectors comprise, for example, pBR322, pUC series, M13mp series, pACYC184, *etc.* Accordingly, the sequence coding for
15 the δ -endotoxin can be inserted into the vector at a suitable restriction site. The resulting plasmid is used for transformation into *E. coli*. The *E. coli* cells are cultivated in a suitable nutrient medium, then harvested and lysed. The plasmid is recovered. Sequence analysis, restriction analysis, electrophoresis, and other biochemical-molecular biological methods are generally carried out as methods of analysis. After each manipulation, the DNA sequence
20 used can be cleaved and joined to the next DNA sequence. Each plasmid sequence can be cloned in the same or other plasmids. Depending on the method of inserting desired genes into the plant, other DNA sequences may be necessary.

25 Methods for DNA transformation of plant cells include *Agrobacterium*-mediated plant transformation, protoplast transformation, gene transfer into pollen, injection into reproductive organs, injection into immature embryos and particle bombardment. Each of these methods has distinct advantages and disadvantages. Thus, one particular method of introducing genes into a particular plant strain may not necessarily be the most effective for another plant strain, but it is well known which methods are useful for a particular plant strain.

Suitable methods are believed to include virtually any method by which DNA can be introduced into a cell, such as by *Agrobacterium* infection, direct delivery of DNA such as, for example, by PEG-mediated transformation of protoplasts (Omirulleh *et al.*, 1993), by desiccation/inhibition-mediated DNA uptake, by electroporation, by agitation with silicon carbide fibers, by acceleration of DNA coated particles, *etc.* In certain embodiments, acceleration methods are preferred and include, for example, microprojectile bombardment and the like.

Technology for introduction of DNA into cells is well-known to those of skill in the art. Four general methods for delivering a gene into cells have been described: (1) chemical methods (Graham and van der Eb, 1973; Zatloukal *et al.*, 1992); (2) physical methods such as microinjection (Capecci, 1980), electroporation (Wong and Neumann, 1982; Fromm *et al.*, 1985) and the gene gun (Johnston and Tang, 1994; Fynan *et al.*, 1993); (3) viral vectors (Clapp, 1993; Lu *et al.*, 1993; Eglitis and Anderson, 1988; Eglitis *et al.*, 1988); and (4) receptor-mediated mechanisms (Curiel *et al.*, 1991; 1992; Wagner *et al.*, 1992).

A large number of techniques are available for inserting DNA into a plant host cell. Those techniques include transformation with T-DNA using *Agrobacterium tumefaciens* or *Agrobacterium rhizogenes* as transformation agent, fusion, injection, or electroporation as well as other possible methods. If agrobacteria are used for the transformation, the DNA to be inserted has to be cloned into special plasmids, namely either into an intermediate vector or into a binary vector. The intermediate vectors can be integrated into the Ti or Ri plasmid by homologous recombination owing to sequences that are homologous to sequences in the T-DNA. The Ti or Ri plasmid also comprises the *vir* region necessary for the transfer of the T-DNA.

Intermediate vectors cannot replicate themselves in agrobacteria. The intermediate vector can be transferred into *Agrobacterium tumefaciens* by means of a helper plasmid (conjugation). Binary vectors can replicate themselves both in *E. coli* and in agrobacteria. They comprise a selection marker gene and a linker or polylinker which are framed by the right and left T-DNA border regions. They can be transformed directly into agrobacteria (Holsters *et al.*, 1978). The agrobacterium used as host cell is to comprise a plasmid carrying

a *vir* region. The *vir* region is necessary for the transfer of the T-DNA into the plant cell. Additional t-DNA may be contained. The bacterium so transformed is used for the transformation of plant cells. Plant explants can advantageously be cultivated with *Agrobacterium tumefaciens* or *Agrobacterium rhizogenes* for the transfer of the DNA into the plant cell.

5 Whole plants can then be regenerated from the infected plant material (for example, pieces of leaf, segments of stalk, roots, but also protoplasts or suspension-cultivated cells) in a suitable medium, which may contain antibiotics or biocides for selection. The plants so obtained can then be tested for the presence of the inserted DNA. No special demands are made of the plasmids in the case of injection and electroporation. It is possible to use ordinary plasmids,

10 such as, for example, pUC derivatives. If, for example, the Ti or Ri plasmid is used for the transformation of the plant cell, then at least the right border, but often the right and the left border of the Ti or Ri plasmid T-DNA, has to be joined as the flanking region of the genes to be inserted. The use of T-DNA for the transformation of plant cells has been intensively researched and sufficiently described in Eur. Pat. Appl. No. EP 120 516; Hockema (1985); An

15 *et al.*, 1985, Herrera-Estrella *et al.*, (1983), Bevan *et al.*, (1983), and Klee *et al.*, (1985).

A particularly useful Ti plasmid cassette vector for transformation of dicotyledonous plants consists of the enhanced CaMV35S promoter (EN35S) and the 3' end including polyadenylation signals from a soybean gene encoding the α' -subunit of β -conglycinin. Between these two elements is a multilinker containing multiple restriction sites for the in-

20 sersion of genes of interest.

The vector preferably contains a segment of pBR322 which provides an origin of replication in *E. coli* and a region for homologous recombination with the disarmed T-DNA in *Agrobacterium* strain ACO; the *oriV* region from the broad host range plasmid RK1; the streptomycin/spectinomycin resistance gene from Tn7; and a chimeric NPTII gene, contain-

25 ing the CaMV35S promoter and the nopaline synthase (NOS) 3' end, which provides kanamycin resistance in transformed plant cells.

Optionally, the enhanced CaMV35S promoter may be replaced with the 1.5 kb mannopine synthase (MAS) promoter (Velten *et al.*, 1984). After incorporation of a DNA construct into the vector, it is introduced into *A. tumefaciens* strain ACO which contains a

disarmed Ti plasmid. Cointegrate Ti plasmid vectors are selected and subsequently may be used to transform a dicotyledonous plant.

A. tumefaciens ACO is a disarmed strain similar to pTiB6SE described by Fraley *et al.* (1985). For construction of ACO the starting *Agrobacterium* strain was the strain A208 which contains a nopaline-type Ti plasmid. The Ti plasmid was disarmed in a manner similar to that described by Fraley *et al.* (1985) so that essentially all of the native T-DNA was removed except for the left border and a few hundred base pairs of T-DNA inside the left border. The remainder of the T-DNA extending to a point just beyond the right border was replaced with a novel piece of DNA including (from left to right) a segment of pBR322, the *oriV* region from plasmid RK2, and the kanamycin resistance gene from Tn601. The pBR322 and *oriV* segments are similar to these segments and provide a region of homology for cointegrate formation.

Once the inserted DNA has been integrated in the genome, it is relatively stable there and, as a rule, does not come out again. It normally contains a selection marker that confers on the transformed plant cells resistance to a biocide or an antibiotic, such as kanamycin, G 418, bleomycin, hygromycin, or chloramphenicol, *inter alia*. The individually employed marker should accordingly permit the selection of transformed cells rather than cells that do not contain the inserted DNA.

4.11.1 ELECTROPORATION

The application of brief, high-voltage electric pulses to a variety of animal and plant cells leads to the formation of nanometer-sized pores in the plasma membrane. DNA is taken directly into the cell cytoplasm either through these pores or as a consequence of the redistribution of membrane components that accompanies closure of the pores. Electroporation can be extremely efficient and can be used both for transient expression of clones genes and for establishment of cell lines that carry integrated copies of the gene of interest. Electroporation, in contrast to calcium phosphate-mediated transfection and protoplast fusion, frequently gives rise to cell lines that carry one, or at most a few, integrated copies of the foreign DNA.

The introduction of DNA by means of electroporation, is well-known to those of skill in the art. In this method, certain cell wall-degrading enzymes, such as pectin-degrading enzymes, are employed to render the target recipient cells more susceptible to transformation by electroporation than untreated cells. Alternatively, recipient cells are made more susceptible to transformation, by mechanical wounding. To effect transformation by electroporation one may employ either friable tissues such as a suspension culture of cells, or embryogenic callus, or alternatively, one may transform immature embryos or other organized tissues directly. One would partially degrade the cell walls of the chosen cells by exposing them to pectin-degrading enzymes (pectolyases) or mechanically wounding in a controlled manner. Such cells would then be recipient to DNA transfer by electroporation, which may be carried out at this stage, and transformed cells then identified by a suitable selection or screening protocol dependent on the nature of the newly incorporated DNA.

4.11.2 MICROPROJECTILE BOMBARDMENT

A further advantageous method for delivering transforming DNA segments to plant cells is microprojectile bombardment. In this method, particles may be coated with nucleic acids and delivered into cells by a propelling force. Exemplary particles include those comprised of tungsten, gold, platinum, and the like.

An advantage of microprojectile bombardment, in addition to it being an effective means of reproducibly stably transforming monocots, is that neither the isolation of protoplasts (Cristou *et al.*, 1988) nor the susceptibility to *Agrobacterium* infection is required. An illustrative embodiment of a method for delivering DNA into maize cells by acceleration is a Biolistics Particle Delivery System, which can be used to propel particles coated with DNA or cells through a screen, such as a stainless steel or Nytex screen, onto a filter surface covered with corn cells cultured in suspension. The screen disperses the particles so that they are not delivered to the recipient cells in large aggregates. It is believed that a screen intervening between the projectile apparatus and the cells to be bombarded reduces the size of projectiles aggregate and may contribute to a higher frequency of transformation by reducing damage inflicted on the recipient cells by projectiles that are too large.

For the bombardment, cells in suspension are preferably concentrated on filters or solid culture medium. Alternatively, immature embryos or other target cells may be arranged on solid culture medium. The cells to be bombarded are positioned at an appropriate distance below the macroprojectile stopping plate. If desired, one or more screens are also positioned
5 between the acceleration device and the cells to be bombarded. Through the use of techniques set forth herein one may obtain up to 1000 or more foci of cells transiently expressing a marker gene. The number of cells in a focus which express the exogenous gene product 48 hours post-bombardment often range from 1 to 10 and average 1 to 3.

In bombardment transformation, one may optimize the prebombardment culturing
10 conditions and the bombardment parameters to yield the maximum numbers of stable transformants. Both the physical and biological parameters for bombardment are important in this technology. Physical factors are those that involve manipulating the DNA/microprojectile precipitate or those that affect the flight and velocity of either the macro- or microprojectiles. Biological factors include all steps involved in manipulation of
15 cells before and immediately after bombardment, the osmotic adjustment of target cells to help alleviate the trauma associated with bombardment, and also the nature of the transforming DNA, such as linearized DNA or intact supercoiled plasmids. It is believed that pre-bombardment manipulations are especially important for successful transformation of immature embryos.

20 Accordingly, it is contemplated that one may wish to adjust various of the bombardment parameters in small scale studies to fully optimize the conditions. One may particularly wish to adjust physical parameters such as gap distance, flight distance, tissue distance, and helium pressure. One may also minimize the trauma reduction factors (TRFs) by modifying conditions which influence the physiological state of the recipient cells and
25 which may therefore influence transformation and integration efficiencies. For example, the osmotic state, tissue hydration and the subculture stage or cell cycle of the recipient cells may be adjusted for optimum transformation. The execution of other routine adjustments will be known to those of skill in the art in light of the present disclosure.

4.11.3 *AGROBACTERIUM-MEDIATED TRANSFER*

Agrobacterium-mediated transfer is a widely applicable system for introducing genes into plant cells because the DNA can be introduced into whole plant tissues, thereby bypassing the need for regeneration of an intact plant from a protoplast. The use of *Agrobacterium*-mediated plant integrating vectors to introduce DNA into plant cells is well known in the art. See, for example, the methods described (Fraley *et al.*, 1985; Rogers *et al.*, 1987). Further, the integration of the Ti-DNA is a relatively precise process resulting in few rearrangements. The region of DNA to be transferred is defined by the border sequences, and intervening DNA is usually inserted into the plant genome as described (Spielmann *et al.*, 1986; Jorgensen *et al.*, 1987).

Modern *Agrobacterium* transformation vectors are capable of replication in *E. coli* as well as *Agrobacterium*, allowing for convenient manipulations as described (Klee *et al.*, 1985). Moreover, recent technological advances in vectors for *Agrobacterium*-mediated gene transfer have improved the arrangement of genes and restriction sites in the vectors to facilitate construction of vectors capable of expressing various polypeptide coding genes. The vectors described (Rogers *et al.*, 1987), have convenient multi-linker regions flanked by a promoter and a polyadenylation site for direct expression of inserted polypeptide coding genes and are suitable for present purposes. In addition, *Agrobacterium* containing both armed and disarmed Ti genes can be used for the transformations. In those plant strains where *Agrobacterium*-mediated transformation is efficient, it is the method of choice because of the facile and defined nature of the gene transfer.

Agrobacterium-mediated transformation of leaf disks and other tissues such as cotyledons and hypocotyls appears to be limited to plants that *Agrobacterium* naturally infects. *Agrobacterium*-mediated transformation is most efficient in dicotyledonous plants. Few monocots appear to be natural hosts for *Agrobacterium*, although transgenic plants have been produced in asparagus using *Agrobacterium* vectors as described (Bytebier *et al.*, 1987). Therefore, commercially important cereal grains such as rice, corn, and wheat must usually be transformed using alternative methods. However, as mentioned above, the transformation of asparagus using *Agrobacterium* can also be achieved (see, for example, Bytebier *et al.*, 1987).

A transgenic plant formed using *Agrobacterium* transformation methods typically contains a single gene on one chromosome. Such transgenic plants can be referred to as being heterozygous for the added gene. However, inasmuch as use of the word "heterozygous" usually implies the presence of a complementary gene at the same locus of the second chromosome of a pair of chromosomes, and there is no such gene in a plant containing one added gene as here, it is believed that a more accurate name for such a plant is an independent segregant, because the added, exogenous gene segregates independently during mitosis and meiosis.

More preferred is a transgenic plant that is homozygous for the added structural gene; *i.e.*, a transgenic plant that contains two added genes, one gene at the same locus on each chromosome of a chromosome pair. A homozygous transgenic plant can be obtained by sexually mating (selfing) an independent segregant transgenic plant that contains a single added gene, germinating some of the seed produced and analyzing the resulting plants produced for enhanced carboxylase activity relative to a control (native, non-transgenic) or an independent segregant transgenic plant.

It is to be understood that two different transgenic plants can also be mated to produce offspring that contain two independently segregating added, exogenous genes. Selfing of appropriate progeny can produce plants that are homozygous for both added, exogenous genes that encode a polypeptide of interest. Back-crossing to a parental plant and out-crossing with a non-transgenic plant are also contemplated.

Transformation of plant protoplasts can be achieved using methods based on calcium phosphate precipitation, polyethylene glycol treatment, electroporation, and combinations of these treatments (see, *e.g.*, Potrykus *et al.*, 1985; Lorz *et al.*, 1985; Fromm *et al.*, 1985; Uchimiya *et al.*, 1986; Callis *et al.*, 1987; Marcotte *et al.*, 1988).

Application of these systems to different plant strains depends upon the ability to regenerate that particular plant strain from protoplasts. Illustrative methods for the regeneration of cereals from protoplasts are described (Fujimura *et al.*, 1985; Toriyama *et al.*, 1986; Yamada *et al.*, 1986; Abdullah *et al.*, 1986).

To transform plant strains that cannot be successfully regenerated from protoplasts, other ways to introduce DNA into intact cells or tissues can be utilized. For

example, regeneration of cereals from immature embryos or explants can be effected as described (Vasil, 1988). In addition, "particle gun" or high-velocity microprojectile technology can be utilized (Vasil, 1992).

5 Using that latter technology, DNA is carried through the cell wall and into the cytoplasm on the surface of small metal particles as described (Klein *et al.*, 1987; Klein *et al.*, 1988; McCabe *et al.*, 1988). The metal particles penetrate through several layers of cells and thus allow the transformation of cells within tissue explants.

4.11.4 GENE EXPRESSION IN PLANTS

10 Although great progress has been made in recent years with respect to preparation of transgenic plants which express bacterial proteins such as *B. thuringiensis* crystal proteins, the results of expressing native bacterial genes in plants are often disappointing. Unlike microbial genetics, little was known by early plant geneticists about the factors which affected heterologous expression of foreign genes in plants. In recent years, however, several poten-
15 tial factors have been implicated as responsible in varying degrees for the level of protein expression from a particular coding sequence. For example, scientists now know that maintaining a significant level of a particular mRNA in the cell is indeed a critical factor. Unfortunately, the causes for low steady state levels of mRNA encoding foreign proteins are many. First, full length RNA synthesis may not occur at a high frequency. This could, for example,
20 be caused by the premature termination of RNA during transcription or due to unexpected mRNA processing during transcription. Second, full length RNA may be produced in the plant cell, but then processed (splicing, polyA addition) in the nucleus in a fashion that creates a nonfunctional mRNA. If the RNA is not properly synthesized, terminated and polyadenylated; it cannot move to the cytoplasm for translation. Similarly, in the cytoplasm, if
25 mRNAs have reduced half lives (which are determined by their primary or secondary sequence) insufficient protein product will be produced. In addition, there is an effect, whose magnitude is uncertain, of translational efficiency on mRNA half-life. In addition, every RNA molecule folds into a particular structure, or perhaps family of structures, which is determined by its sequence. The particular structure of any RNA might lead to greater or lesser
30 stability in the cytoplasm. Structure *per se* is probably also a determinant of mRNA process-

ing in the nucleus. Unfortunately, it is impossible to predict, and nearly impossible to determine, the structure of any RNA (except for tRNA) *in vitro* or *in vivo*. However, it is likely that dramatically changing the sequence of an RNA will have a large effect on its folded structure. It is likely that structure *per se* or particular structural features also have a role in determining RNA stability.

To overcome these limitations in foreign gene expression, researchers have identified particular sequences and signals in RNAs that have the potential for having a specific effect on RNA stability. In certain embodiments of the invention, therefore, there is a desire to optimize expression of the disclosed nucleic acid segments *in planta*. One particular method of doing so, is by alteration of the bacterial gene to remove sequences or motifs which decrease expression in a transformed plant cell. The process of engineering a coding sequence for optimal expression *in planta* is often referred to as "plantizing" a DNA sequence.

Particularly problematic sequences are those which are A+T rich. Unfortunately, since *B. thuringiensis* has an A+T rich genome, native crystal protein gene sequences must often be modified for optimal expression in a plant. The sequence motif ATTTA (or AUUUA as it appears in RNA) has been implicated as a destabilizing sequence in mammalian cell mRNA (Shaw and Kamen, 1986). Many short lived mRNAs have A+T rich 3' untranslated regions, and these regions often have the ATTTA sequence, sometimes present in multiple copies or as multimers (*e.g.*, ATTTATTTA...). Shaw and Kamen showed that the transfer of the 3' end of an unstable mRNA to a stable RNA (globin or VA1) decreased the stable RNA's half life dramatically. They further showed that a pentamer of ATTTA had a profound destabilizing effect on a stable message, and that this signal could exert its effect whether it was located at the 3' end or within the coding sequence. However, the number of ATTTA sequences and/or the sequence context in which they occur also appear to be important in determining whether they function as destabilizing sequences. Shaw and Kamen showed that a trimer of ATTTA had much less effect than a pentamer on mRNA stability and a dimer or a monomer had no effect on stability (Shaw and Kamen, 1987). Note that multimers of ATTTA such as a pentamer automatically create an A+T rich region. This was shown to be a cytoplasmic effect, not nuclear. In other unstable mRNAs, the ATTTA se-

quence may be present in only a single copy, but it is often contained in an A+T rich region. From the animal cell data collected to date, it appears that ATTTA at least in some contexts is important in stability, but it is not yet possible to predict which occurrences of ATTTA are destabilizing elements or whether any of these effects are likely to be seen in plants.

5 Some studies on mRNA degradation in animal cells also indicate that RNA degradation may begin in some cases with nucleolytic attack in A+T rich regions. It is not clear if these cleavages occur at ATTTA sequences. There are also examples of mRNAs that have differential stability depending on the cell type in which they are expressed or on the stage within the cell cycle at which they are expressed. For example, histone mRNAs are stable
10 during DNA synthesis but unstable if DNA synthesis is disrupted. The 3' end of some histone mRNAs seems to be responsible for this effect (Pandey and Marzluff, 1987). It does not appear to be mediated by ATTTA, nor is it clear what controls the differential stability of this mRNA. Another example is the differential stability of IgG mRNA in B lymphocytes during B cell maturation (Genovese and Milcarek, 1988). A final example is the instability of a
15 mutant β -thalassemic globin mRNA. In bone marrow cells, where this gene is normally expressed, the mutant mRNA is unstable, while the wild-type mRNA is stable. When the mutant gene is expressed in HeLa or L cells *in vitro*, the mutant mRNA shows no instability (Lim *et al.*, 1988). These examples all provide evidence that mRNA stability can be mediated by cell type or cell cycle specific factors. Furthermore this type of instability is not yet
20 associated with specific sequences. Given these uncertainties, it is not possible to predict which RNAs are likely to be unstable in a given cell. In addition, even the ATTTA motif may act differentially depending on the nature of the cell in which the RNA is present. Shaw and Kamen (1987) have reported that activation of protein kinase C can block degradation mediated by ATTTA.

25 The addition of a polyadenylate string to the 3' end is common to most eukaryotic mRNAs, both plant and animal. The currently accepted view of polyA addition is that the nascent transcript extends beyond the mature 3' terminus. Contained within this transcript are signals for polyadenylation and proper 3' end formation. This processing at the 3' end involves cleavage of the mRNA and addition of polyA to the mature 3' end. By searching for
30 consensus sequences near the polyA tract in both plant and animal mRNAs, it has been pos-

sible to identify consensus sequences that apparently are involved in polyA addition and 3' end cleavage. The same consensus sequences seem to be important to both of these processes. These signals are typically a variation on the sequence AATAAA. In animal cells, some variants of this sequence that are functional have been identified; in plant cells there seems to be an extended range of functional sequences (Wickens and Stephenson, 1984; Dean *et al.*, 1986). Because all of these consensus sequences are variations on AATAAA, they all are A+T rich sequences. This sequence is typically found 15 to 20 bp before the polyA tract in a mature mRNA. Studies in animal cells indicate that this sequence is involved in both polyA addition and 3' maturation. Site directed mutations in this sequence can disrupt these functions (Conway and Wickens, 1988; Wickens *et al.*, 1987). However, it has also been observed that sequences up to 50 to 100 bp 3' to the putative polyA signal are also required; *i.e.*, a gene that has a normal AATAAA but has been replaced or disrupted downstream does not get properly polyadenylated (Gil and Proudfoot, 1984; Sadofsky and Alwine, 1984; McDevitt *et al.*, 1984). That is, the polyA signal itself is not sufficient for complete and proper processing. It is not yet known what specific downstream sequences are required in addition to the polyA signal, or if there is a specific sequence that has this function. Therefore, sequence analysis can only identify potential polyA signals.

In naturally occurring mRNAs that are normally polyadenylated, it has been observed that disruption of this process, either by altering the polyA signal or other sequences in the mRNA, profound effects can be obtained in the level of functional mRNA. This has been observed in several naturally occurring mRNAs, with results that are gene-specific so far.

It has been shown that in natural mRNAs proper polyadenylation is important in mRNA accumulation, and that disruption of this process can effect mRNA levels significantly. However, insufficient knowledge exists to predict the effect of changes in a normal gene. In a heterologous gene, it is even harder to predict the consequences. However, it is possible that the putative sites identified are dysfunctional. That is, these sites may not act as proper polyA sites, but instead function as aberrant sites that give rise to unstable mRNAs.

In animal cell systems, AATAAA is by far the most common signal identified in mRNAs upstream of the polyA, but at least four variants have also been found (Wickens and

Stephenson, 1984). In plants, not nearly so much analysis has been done, but it is clear that multiple sequences similar to AATAAA can be used. The plant sites in Table 5 called major or minor refer only to the study of Dean *et al.* (1986) which analyzed only three types of plant gene. The designation of polyadenylation sites as major or minor refers only to the frequency of their occurrence as functional sites in naturally occurring genes that have been analyzed. In the case of plants this is a very limited database. It is hard to predict with any certainty that a site designated major or minor is more or less likely to function partially or completely when found in a heterologous gene such as those encoding the crystal proteins of the present invention.

10

TABLE 5
POLYADENYLATION SITES IN PLANT GENES

PA	AATAAA	Major consensus site
P1A	AATAAT	Major plant site
P2A	AACCAA	Minor plant site
P3A	ATATAA	"
P4A	AATCAA	"
P5A	ATACTA	"
P6A	ATAAAA	"
P7A	ATGAAA	"
P8A	AAGCAT	"
P9A	ATTAAT	"
P10A	ATACAT	"
P11A	AAAATA	"
P12A	ATTAAA	Minor animal site
P13A	AATTAA	"
P14A	AATACA	"
P15A	CATAAA	"

The present invention provides a method for preparing synthetic plant genes which genes express their protein product at levels significantly higher than the wild-type genes which were commonly employed in plant transformation heretofore. In another aspect, the present invention also provides novel synthetic plant genes which encode non-plant proteins.

As described above, the expression of native *B. thuringiensis* genes in plants is often problematic. The nature of the coding sequences of *B. thuringiensis* genes distinguishes them from plant genes as well as many other heterologous genes expressed in plants. In particular, *B. thuringiensis* genes are very rich (~62%) in adenine (A) and thymine (T) while plant genes and most other bacterial genes which have been expressed in plants are on the order of 45-55% A+T.

Due to the degeneracy of the genetic code and the limited number of codon choices for any amino acid, most of the "excess" A+T of the structural coding sequences of some *Bacillus* species are found in the third position of the codons. That is, genes of some *Bacillus* species have A or T as the third nucleotide in many codons. Thus A+T content in part can determine codon usage bias. In addition, it is clear that genes evolve for maximum function in the organism in which they evolve. This means that particular nucleotide sequences found in a gene from one organism, where they may play no role except to code for a particular stretch of amino acids, have the potential to be recognized as gene control elements in another organism (such as transcriptional promoters or terminators, polyA addition sites, intron splice sites, or specific mRNA degradation signals). It is perhaps surprising that such misread signals are not a more common feature of heterologous gene expression, but this can be explained in part by the relatively homogeneous A+T content (~50%) of many organisms. This A+T content plus the nature of the genetic code put clear constraints on the likelihood of occurrence of any particular oligonucleotide sequence. Thus, a gene from *E. coli* with a 50% A+T content is much less likely to contain any particular A+T rich segment than a gene from *B. thuringiensis*.

Typically, to obtain high-level expression of the S-endotoxin genes in plants, existing structural coding sequence ("structural gene") which codes for the S-endotoxin are modified by removal of ATTTA sequences and putative polyadenylation signals by site directed mutagenesis of the DNA comprising the structural gene. It is most preferred that substantially all the polyadenylation signals and ATTTA sequences are removed although enhanced expression levels are observed with only partial removal of either of the above identified sequences. Alternately if a synthetic gene is prepared which codes for the expression of the subject protein, codons are selected to avoid the ATTTA sequence and putative polyadenylation signals. For purposes of the present invention putative polyadenylation signals include, but are not necessarily limited to, AATAAA, AATAAT, AACCAA, ATATAA, AATCAA, ATACTA, ATAAAA, ATGAAA, AAGCAT, ATTAAT, ATACAT, AAAATA, ATTAAA, AATTAA, AATACA and CATAAA. In replacing the ATTTA sequences and polyadenylation signals, codons are preferably utilized which avoid the codons which are rarely found in plant genomes.

The selected DNA sequence is scanned to identify regions with greater than four consecutive adenine (A) or thymine (T) nucleotides. The A+T regions are scanned for potential plant polyadenylation signals. Although the absence of five or more consecutive A or T nucleotides eliminates most plant polyadenylation signals, if there are more than one of the
5 minor polyadenylation signals identified within ten nucleotides of each other, then the nucleotide sequence of this region is preferably altered to remove these signals while maintaining the original encoded amino acid sequence.

The second step is to consider the about 15 to about 30 or so nucleotide residues surrounding the A+T rich region identified in step one. If the A+T content of the surrounding
10 region is less than 80%, the region should be examined for polyadenylation signals. Alteration of the region based on polyadenylation signals is dependent upon (1) the number of polyadenylation signals present and (2) presence of a major plant polyadenylation signal.

The extended region is examined for the presence of plant polyadenylation signals. The polyadenylation signals are removed by site-directed mutagenesis of the DNA sequence. The extended region is also examined for multiple copies of the ATTTA sequence
15 which are also removed by mutagenesis.

It is also preferred that regions comprising many consecutive A+T bases or G+C bases are disrupted since these regions are predicted to have a higher likelihood to form hairpin structure due to self-complementarity. Therefore, insertion of heterogeneous base
20 pairs would reduce the likelihood of self-complementary secondary structure formation which are known to inhibit transcription and/or translation in some organisms. In most cases, the adverse effects may be minimized by using sequences which do not contain more than five consecutive A+T or G+C.

25 4.11.5 SYNTHETIC OLIGONUCLEOTIDES FOR MUTAGENESIS

When oligonucleotides are used in the mutagenesis, it is desirable to maintain the proper amino acid sequence and reading frame, without introducing common restriction sites such as *Bgl*II, *Hind*III, *Sac*I, *Kpn*I, *Eco*RI, *Nco*I, *Pst*I and *Sal*I into the modified gene. These restriction sites are found in poly-linker insertion sites of many cloning vectors. Of course,
30 the introduction of new polyadenylation signals, ATTTA sequences or consecutive stretches

of more than five A+T or G+C, should also be avoided. The preferred size for the oligonucleotides is about 40 to about 50 bases, but fragments ranging from about 18 to about 100 bases have been utilized. In most cases, a minimum of about 5 to about 8 base pairs of homology to the template DNA on both ends of the synthesized fragment are maintained to insure proper hybridization of the primer to the template. The oligonucleotides should avoid sequences longer than five base pairs A+T or G+C. Codons used in the replacement of wild-type codons should preferably avoid the TA or CG doublet wherever possible. Codons are selected from a plant preferred codon table (such as Table 6 below) so as to avoid codons which are rarely found in plant genomes, and efforts should be made to select codons to preferably adjust the G+C content to about 50%.

TABLE 6
PREFERRED CODON USAGE IN PLANTS

Amino Acid	Codon	Percent Usage in Plants
ARG	CGA	7
	CGC	11
	CGG	5
	CGU	25
	AGA	29
	AGG	23
LEU	CUA	8
	CUC	20
	CUG	10
	CUU	28
	UUA	5
	UUG	30
SER	UCA	14
	UCC	26
	UCG	3
	UCU	21
	AGC	21
	AGU	15
THR	ACA	21
	ACC	41
	ACG	7
	ACU	31

TABLE 6 (CONTINUED)

Amino Acid	Codon	Percent Usage
		in Plants
PRO	CCA	45
	CCC	19
	CCG	9
	CCU	26
ALA	GCA	23
	GCC	32
	GCG	3
	GCU	41
GLY	GGA	32
	GGC	20
	GGG	11
	GGU	37
ILE	AUA	12
	AUC	45
	AUU	43
VAL	GUA	9
	GUC	20
	GUG	28
	GUU	43
LYS	AAA	36
	AAG	64
ASN	AAC	72
	AAU	28
GLN	CAA	64
	CAG	36
HIS	CAC	65
	CAU	35
GLU	GAA	48
	GAG	52
ASP	GAC	48

TABLE 6 (CONTINUED)

Amino Acid	Codon	Percent Usage in Plants
	GAU	52
TYR	UAC	68
	UAU	32
CYS	UGC	78
	UGU	22
PHE	UUC	56
	UUU	44
MET	AUG	100
TRP	UGG	100

Regions with many consecutive A+T bases or G+C bases are predicted to have a higher likelihood to form hairpin structures due to self-complementarity. Disruption of these regions by the insertion of heterogeneous base pairs is preferred and should reduce the likelihood of the formation of self-complementary secondary structures such as hairpins which are known in some organisms to inhibit transcription (transcriptional terminators) and translation (attenuators).

Alternatively, a completely synthetic gene for a given amino acid sequence can be prepared, with regions of five or more consecutive A+T or G+C nucleotides being avoided. Codons are selected avoiding the TA and CG doublets in codons whenever possible. Codon usage can be normalized against a plant preferred codon usage table (such as Table 6) and the G+C content preferably adjusted to about 50%. The resulting sequence should be examined to ensure that there are minimal putative plant polyadenylation signals and ATTTA sequences. Restriction sites found in commonly used cloning vectors are also preferably avoided. However, placement of several unique restriction sites throughout the gene is useful for analysis of gene expression or construction of gene variants.

4.11.6 "PLANTIZED" GENE CONSTRUCTS

The expression of a plant gene which exists in double-stranded DNA form involves transcription of messenger RNA (mRNA) from one strand of the DNA by RNA polymerase enzyme, and the subsequent processing of the mRNA primary transcript inside the nucleus. This processing involves a 3' non-translated region which adds polyadenylate nucleotides to the 3' end of the RNA. Transcription of DNA into mRNA is regulated by a region of DNA usually referred to as the "promoter." The promoter region contains a sequence of bases that signals RNA polymerase to associate with the DNA and to initiate the transcription of mRNA using one of the DNA strands as a template to make a corresponding strand of RNA.

A number of promoters which are active in plant cells have been described in the literature. These include the nopaline synthase (NOS) and octopine synthase (OCS) promoters (which are carried on tumor-inducing plasmids of *Agrobacterium tumefaciens*), the Cauliflower Mosaic Virus (CaMV) 19S and 35S promoters, the light-inducible promoter from the small subunit of ribulose bis-phosphate carboxylase (ssRUBISCO, a very abundant plant polypeptide) and the mannopine synthase (MAS) promoter (Velten *et al.*, 1984 and Velten and Schell, 1985). All of these promoters have been used to create various types of DNA constructs which have been expressed in plants (see *e.g.*, Int. Pat. Appl. Publ. No. WO 84/02913).

Promoters which are known or are found to cause transcription of RNA in plant cells can be used in the present invention. Such promoters may be obtained from plants or plant viruses and include, but are not limited to, the CaMV35S promoter and promoters isolated from plant genes such as ssRUBISCO genes. As described below, it is preferred that the particular promoter selected should be capable of causing sufficient expression to result in the production of an effective amount of protein.

The promoters used in the DNA constructs (*i.e.* chimeric plant genes) of the present invention may be modified, if desired, to affect their control characteristics. For example, the CaMV35S promoter may be ligated to the portion of the ssRUBISCO gene that represses the expression of ssRUBISCO in the absence of light, to create a promoter which is active in leaves but not in roots. The resulting chimeric promoter may be used as described herein.

For purposes of this description, the phrase "CaMV35S" promoter thus includes variations of CaMV35S promoter, *e.g.*, promoters derived by means of ligation with operator regions, random or controlled mutagenesis, *etc.* Furthermore, the promoters may be altered to contain multiple "enhancer sequences" to assist in elevating gene expression.

5 The RNA produced by a DNA construct of the present invention also contains a 5' non-translated leader sequence. This sequence can be derived from the promoter selected to express the gene, and can be specifically modified so as to increase translation of the mRNA. The 5' non-translated regions can also be obtained from viral RNA's, from suitable eukaryotic genes, or from a synthetic gene sequence. The present invention is not limited to con-
10 structs, as presented in the following examples. Rather, the non-translated leader sequence can be part of the 5' end of the non-translated region of the coding sequence for the virus coat protein, or part of the promoter sequence, or can be derived from an unrelated promoter or coding sequence. In any case, it is preferred that the sequence flanking the initiation site conform to the translational consensus sequence rules for enhanced translation initiation reported
15 by Kozak (1984).

 The *cry* DNA constructs of the present invention may also contain one or more modified or fully-synthetic structural coding sequences which have been changed to enhance the performance of the *cry* gene in plants. The structural genes of the present invention may optionally encode a fusion protein comprising an amino-terminal chloroplast transit peptide
20 or secretory signal sequence.

 The DNA construct also contains a 3' non-translated region. The 3' non-translated region contains a polyadenylation signal which functions in plants to cause the addition of polyadenylate nucleotides to the 3' end of the viral RNA. Examples of suitable 3' regions are (1) the 3' transcribed, non-translated regions containing the polyadenylation sig-
25 nal of *Agrobacterium* tumor-inducing (Ti) plasmid genes, such as the nopaline synthase (NOS) gene, and (2) plant genes like the soybean storage protein (7S) genes and the small subunit of the RuBP carboxylase (E9) gene.

4.12 METHODS FOR PRODUCING INSECT-RESISTANT TRANSGENIC PLANTS

By transforming a suitable host cell, such as a plant cell, with a recombinant *cry** gene-containing segment, the expression of the encoded crystal protein (*i.e.*, a bacterial crystal protein or polypeptide having insecticidal activity against coleopterans) can result in the formation of insect-resistant plants.

By way of example, one may utilize an expression vector containing a coding region for a *B. thuringiensis* crystal protein and an appropriate selectable marker to transform a suspension of embryonic plant cells, such as wheat or corn cells using a method such as particle bombardment (Maddock *et al.*, 1991; Vasil *et al.*, 1992) to deliver the DNA coated on microprojectiles into the recipient cells. Transgenic plants are then regenerated from transformed embryonic calli that express the insecticidal proteins.

The formation of transgenic plants may also be accomplished using other methods of cell transformation which are known in the art such as *Agrobacterium*-mediated DNA transfer (Fraley *et al.*, 1983). Alternatively, DNA can be introduced into plants by direct DNA transfer into pollen (Zhou *et al.*, 1983; Hess, 1987; Luo *et al.*, 1988), by injection of the DNA into reproductive organs of a plant (Pena *et al.*, 1987), or by direct injection of DNA into the cells of immature embryos followed by the rehydration of desiccated embryos (Neuhaus *et al.*, 1987; Benbrook *et al.*, 1986).

The regeneration, development, and cultivation of plants from single plant protoplast transformants or from various transformed explants is well known in the art (Weissbach and Weissbach, 1988). This regeneration and growth process typically includes the steps of selection of transformed cells, culturing those individualized cells through the usual stages of embryonic development through the rooted plantlet stage. Transgenic embryos and seeds are similarly regenerated. The resulting transgenic rooted shoots are thereafter planted in an appropriate plant growth medium such as soil.

The development or regeneration of plants containing the foreign, exogenous gene that encodes a polypeptide of interest introduced by *Agrobacterium* from leaf explants can be achieved by methods well known in the art such as described (Horsch *et al.*, 1985). In this procedure, transformants are cultured in the presence of a selection agent and in a medium

that induces the regeneration of shoots in the plant strain being transformed as described (Fraley *et al.*, 1983).

This procedure typically produces shoots within two to four months and those shoots are then transferred to an appropriate root-inducing medium containing the selective agent and an antibiotic to prevent bacterial growth. Shoots that rooted in the presence of the selective agent to form plantlets are then transplanted to soil or other media to allow the production of roots. These procedures vary depending upon the particular plant strain employed, such variations being well known in the art.

Preferably, the regenerated plants are self-pollinated to provide homozygous transgenic plants, as discussed before. Otherwise, pollen obtained from the regenerated plants is crossed to seed-grown plants of agronomically important, preferably inbred lines. Conversely, pollen from plants of those important lines is used to pollinate regenerated plants. A transgenic plant of the present invention containing a desired polypeptide is cultivated using methods well known to one skilled in the art.

Such plants can form germ cells and transmit the transformed trait(s) to progeny plants. Likewise, transgenic plants can be grown in the normal manner and crossed with plants that have the same transformed hereditary factors or other hereditary factors. The resulting hybrid individuals have the corresponding phenotypic properties. A transgenic plant of this invention thus has an increased amount of a coding region (*e.g.*, a mutated *cry* gene) that encodes the mutated Cry polypeptide of interest. A preferred transgenic plant is an independent segregant and can transmit that gene and its activity to its progeny. A more preferred transgenic plant is homozygous for that gene, and transmits that gene to all of its offspring on sexual mating.

Seed from a transgenic plant may be grown in the field or greenhouse, and resulting sexually mature transgenic plants are self-pollinated to generate true breeding plants. The progeny from these plants become true breeding lines that are evaluated for, by way of example, increased insecticidal capacity against coleopteran insects, preferably in the field, under a range of environmental conditions. The inventors contemplate that the present invention will find particular utility in the creation of transgenic plants of commercial interest

including various grasses, grains, fibers, tubers, legumes, ornamental plants, cacti, succulents, fruits, berries, and vegetables, as well as a number of nut- and fruit-bearing trees and plants.

4.13 METHODS FOR PRODUCING COMBINATORIAL CRY3* VARIANTS

5 Crystal protein mutants containing substitutions in one or more domains may be constructed *via* a number of techniques. For instance, sequences of highly related genes can be readily shuffled using the PCRTM-based technique described by Stemmer (1994). Alternatively, if suitable restriction sites are available, the mutations of one *cry* gene may be combined with the mutations of a second *cry* gene by routine subcloning methodologies. If a
10 suitable restriction site is not available, one may be generated by oligonucleotide directed mutagenesis using any number of procedures known to those skilled in the art. Alternatively, splice-overlap extension PCRTM (Horton *et al.*, 1989) may be used to combine mutations in different regions of a crystal protein. In this procedure, overlapping DNA fragments generated by the PCRTM and containing different mutations within their unique sequences may be
15 annealed and used as a template for amplification using flanking primers to generate a hybrid gene sequence. Finally, *cry** mutants may be combined by simply using one *cry* mutant as a template for oligonucleotide-directed mutagenesis using any number of protocols such as those described herein.

20 4.14 ISOLATING HOMOLOGOUS GENE AND GENE FRAGMENTS

The genes and δ -endotoxins according to the subject invention include not only the full length sequences disclosed herein but also fragments of these sequences, or fusion proteins, which retain the characteristic insecticidal activity of the sequences specifically exemplified herein.

25 It should be apparent to a person skill in this art that insecticidal δ -endotoxins can be identified and obtained through several means. The specific genes, or portions thereof, may be obtained from a culture depository, or constructed synthetically, for example, by use of a gene machine. Variations of these genes may be readily constructed using standard techniques for making point mutations. Also, fragments of these genes can be made using
30 commercially available exonucleases or endonucleases according to standard procedures.

For example, enzymes such as *Bal31* or site-directed mutagenesis can be used to systematically cut off nucleotides from the ends of these genes. Also, genes which code for active fragments may be obtained using a variety of other restriction enzymes. Proteases may be used to directly obtain active fragments of these δ -endotoxins.

5 Equivalent δ -endotoxins and/or genes encoding these equivalent δ -endotoxins can also be isolated from *Bacillus* strains and/or DNA libraries using the teachings provided herein. For example, antibodies to the δ -endotoxins disclosed and claimed herein can be used to identify and isolate other δ -endotoxins from a mixture of proteins. Specifically, antibodies may be raised to the portions of the δ -endotoxins which are most constant and most distinct
10 from other *B. thuringiensis* δ -endotoxins. These antibodies can then be used to specifically identify equivalent δ -endotoxins with the characteristic insecticidal activity by immunoprecipitation, enzyme linked immunoassay (ELISA), or Western blotting.

 A further method for identifying the δ -endotoxins and genes of the subject invention is through the use of oligonucleotide probes. These probes are nucleotide sequences
15 having a detectable label. As is well known in the art, if the probe molecule and nucleic acid sample hybridize by forming a strong bond between the two molecules, it can be reasonably assumed that the probe and sample are essentially identical. The probe's detectable label provides a means for determining in a known manner whether hybridization has occurred. Such a probe analysis provides a rapid method for identifying formicidal δ -endotoxin genes
20 of the subject invention.

 The nucleotide segments which are used as probes according to the invention can be synthesized by use of DNA synthesizers using standard procedures. In the use of the nucleotide segments as probes, the particular probe is labeled with any suitable label known to those skilled in the art, including radioactive and non-radioactive labels. Typical radioactive
25 labels include ^{32}P , ^{125}I , ^{35}S , or the like. A probe labeled with a radioactive isotope can be constructed from a nucleotide sequence complementary to the DNA sample by a conventional nick translation reaction, using a DNase and DNA polymerase. The probe and sample can then be combined in a hybridization buffer solution and held at an appropriate temperature until annealing occurs. Thereafter, the membrane is washed free of extraneous materials,

leaving the sample and bound probe molecules typically detected and quantified by autoradiography and/or liquid scintillation counting.

Non-radioactive labels include, for example, ligands such as biotin or thyroxine, as well as enzymes such as hydrolases or peroxidases, or the various chemiluminescers such as luciferin, or fluorescent compounds like fluorescein and its derivatives. The probe may also be labeled at both ends with different types of labels for ease of separation, as, for example, by using an isotopic label at the end mentioned above and a biotin label at the other end.

Duplex formation and stability depend on substantial complementarity between the two strands of a hybrid, and, as noted above, a certain degree of mismatch can be tolerated. Therefore, the probes of the subject invention include mutations (both single and multiple), deletions, insertions of the described sequences, and combinations thereof, wherein said mutations, insertions and deletions permit formation of stable hybrids with the target polynucleotide of interest. Mutations, insertions, and deletions can be produced in a given polynucleotide sequence in many ways, by methods currently known to an ordinarily skilled artisan, and perhaps by other methods which may become known in the future.

The potential variations in the probes listed is due, in part, to the redundancy of the genetic code. Because of the redundancy of the genetic code, *i.e.*, more than one coding nucleotide triplet (codon) can be used for most of the amino acids used to make proteins. Therefore different nucleotide sequences can code for a particular amino acid. Thus, the amino acid sequences of the *B. thuringiensis* δ -endotoxins and peptides can be prepared by equivalent nucleotide sequences encoding the same amino acid sequence of the protein or peptide. Accordingly, the subject invention includes such equivalent nucleotide sequences. Also, inverse or complement sequences are an aspect of the subject invention and can be readily used by a person skilled in this art. In addition it has been shown that proteins of identified structure and function may be constructed by changing the amino acid sequence if such changes do not alter the protein secondary structure (Kaiser and Kezdy, 1984). Thus, the subject invention includes mutants of the amino acid sequence depicted herein which do not alter the protein secondary structure, or if the structure is altered, the biological activity is substantially retained. Further, the invention also includes mutants of organisms hosting all

or part of a δ -endotoxin encoding a gene of the invention. Such mutants can be made by techniques well known to persons skilled in the art. For example, UV irradiation can be used to prepare mutants of host organisms. Likewise, such mutants may include asporogenous host cells which also can be prepared by procedures well known in the art.

5

4.15 RIBOZYMES

Ribozymes are enzymatic RNA molecules which cleave particular mRNA species. In certain embodiments, the inventors contemplate the selection and utilization of ribozymes capable of cleaving the RNA segments of the present invention, and their use to reduce activity of target mRNAs in particular cell types or tissues.

Six basic varieties of naturally-occurring enzymatic RNAs are known presently. Each can catalyze the hydrolysis of RNA phosphodiester bonds *in trans* (and thus can cleave other RNA molecules) under physiological conditions. In general, enzymatic nucleic acids act by first binding to a target RNA. Such binding occurs through the target binding portion of a enzymatic nucleic acid which is held in close proximity to an enzymatic portion of the molecule that acts to cleave the target RNA. Thus, the enzymatic nucleic acid first recognizes and then binds a target RNA through complementary base-pairing, and once bound to the correct site, acts enzymatically to cut the target RNA. Strategic cleavage of such a target RNA will destroy its ability to direct synthesis of an encoded protein. After an enzymatic nucleic acid has bound and cleaved its RNA target, it is released from that RNA to search for another target and can repeatedly bind and cleave new targets.

The enzymatic nature of a ribozyme is advantageous over many technologies, such as antisense technology (where a nucleic acid molecule simply binds to a nucleic acid target to block its translation) since the concentration of ribozyme necessary to affect a therapeutic treatment is lower than that of an antisense oligonucleotide. This advantage reflects the ability of the ribozyme to act enzymatically. Thus, a single ribozyme molecule is able to cleave many molecules of target RNA. In addition, the ribozyme is a highly specific inhibitor, with the specificity of inhibition depending not only on the base pairing mechanism of binding to the target RNA, but also on the mechanism of target RNA cleavage. Single mismatches, or base-substitutions, near the site of cleavage can completely eliminate catalytic

activity of a ribozyme. Similar mismatches in antisense molecules do not prevent their action (Woolf *et al.*, 1992). Thus, the specificity of action of a ribozyme is greater than that of an antisense oligonucleotide binding the same RNA site.

The enzymatic nucleic acid molecule may be formed in a hammerhead, hairpin, a hepatitis δ virus, group I intron or RNaseP RNA (in association with an RNA guide sequence) or Neurospora VS RNA motif. Examples of hammerhead motifs are described by Rossi *et al.* (1992); examples of hairpin motifs are described by Hampel *et al.* (Eur. Pat. EP 0360257), Hampel and Tritz (1989), Hampel *et al.* (1990) and Cech *et al.* (U. S. Patent 5,631,359; an example of the hepatitis δ virus motif is described by Perrotta and Been (1992); an example of the RNaseP motif is described by Guerrier-Takada *et al.* (1983); Neurospora VS RNA ribozyme motif is described by Collins (Saville and Collins, 1990; Saville and Collins, 1991; Collins and Olive, 1993); and an example of the Group I intron is described by Cech *et al.* (U.S. Patent 4,987,071). All that is important in an enzymatic nucleic acid molecule of this invention is that it has a specific substrate binding site which is complementary to one or more of the target gene RNA regions, and that it have nucleotide sequences within or surrounding that substrate binding site which impart an RNA cleaving activity to the molecule. Thus the ribozyme constructs need not be limited to specific motifs mentioned herein.

The invention provides a method for producing a class of enzymatic cleaving agents which exhibit a high degree of specificity for the RNA of a desired target. The enzymatic nucleic acid molecule is preferably targeted to a highly conserved sequence region of a target mRNA such that specific treatment of a disease or condition can be provided with either one or several enzymatic nucleic acids. Such enzymatic nucleic acid molecules can be delivered exogenously to specific cells as required. Alternatively, the ribozymes can be expressed from DNA or RNA vectors that are delivered to specific cells.

Small enzymatic nucleic acid motifs (*e.g.*, of the hammerhead or the hairpin structure) may be used for exogenous delivery. The simple structure of these molecules increases the ability of the enzymatic nucleic acid to invade targeted regions of the mRNA structure. Alternatively, catalytic RNA molecules can be expressed within cells from eukaryotic promoters (*e.g.*, Scanlon *et al.*, 1991; Kashani-Sabet *et al.*, 1992; Dropulic *et al.*,

1992; Weerasinghe *et al.*, 1991; Ojwang *et al.*, 1992; Chen *et al.*, 1992; Sarver *et al.*, 1990). Those skilled in the art realize that any ribozyme can be expressed in eukaryotic cells from the appropriate DNA vector. The activity of such ribozymes can be augmented by their release from the primary transcript by a second ribozyme (Draper *et al.*, Int. Pat. Appl. Publ. No. WO 93/23569, and Sullivan *et al.*, Int. Pat. Appl. Publ. No. WO 94/02595, both hereby
5 incorporated in their totality by reference herein; Ohkawa *et al.*, 1992; Taira *et al.*, 1991; Ventura *et al.*, 1993).

Ribozymes may be added directly, or can be complexed with cationic lipids, lipid complexes, packaged within liposomes, or otherwise delivered to target cells. The RNA or
10 RNA complexes can be locally administered to relevant tissues *ex vivo*, or *in vivo* through injection, aerosol inhalation, infusion pump or stent, with or without their incorporation in biopolymers.

Ribozymes may be designed as described in Draper *et al.* (Int. Pat. Appl. Publ. No. WO 93/23569), or Sullivan *et al.*, (Int. Pat. Appl. Publ. No. WO 94/02595) and synthesized to be tested *in vitro* and *in vivo*, as described. Such ribozymes can also be optimized
15 for delivery. While specific examples are provided, those in the art will recognize that equivalent RNA targets in other species can be utilized when necessary.

Hammerhead or hairpin ribozymes may be individually analyzed by computer folding (Jaeger *et al.*, 1989) to assess whether the ribozyme sequences fold into the appropriate secondary structure. Those ribozymes with unfavorable intramolecular interactions
20 between the binding arms and the catalytic core are eliminated from consideration. Varying binding arm lengths can be chosen to optimize activity. Generally, at least 5 bases on each arm are able to bind to, or otherwise interact with, the target RNA.

Ribozymes of the hammerhead or hairpin motif may be designed to anneal to various sites in the mRNA message, and can be chemically synthesized. The method of
25 synthesis used follows the procedure for normal RNA synthesis as described in Usman *et al.* (1987) and in Scaringe *et al.* (1990) and makes use of common nucleic acid protecting and coupling groups, such as dimethoxytrityl at the 5'-end, and phosphoramidites at the 3'-end. Average stepwise coupling yields are typically >98%. Hairpin ribozymes may be synthesized
30 in two parts and annealed to reconstruct an active ribozyme (Chowrira and Burke,

1992). Ribozymes may be modified extensively to enhance stability by modification with nuclease resistant groups, for example, 2'-amino, 2'-C-allyl, 2'-fluoro, 2'-o-methyl, 2'-H (for a review *see* Usman and Cedergren, 1992). Ribozymes may be purified by gel electrophoresis using general methods or by high pressure liquid chromatography and resuspended in water.

Ribozyme activity can be optimized by altering the length of the ribozyme binding arms, or chemically synthesizing ribozymes with modifications that prevent their degradation by serum ribonucleases (*see e.g.*, Int. Pat. Appl. Publ. No. WO 92/07065; Perrault *et al.*, 1990; Pieken *et al.*, 1991; Usman and Cedergren, 1992; Int. Pat. Appl. Publ. No. WO 93/15187; Int. Pat. Appl. Publ. No. WO 91/03162; Eur. Pat. Appl. Publ. No. 92110298.4; U.S. Patent 5,334,711; and Int. Pat. Appl. Publ. No. WO 94/13688, which describe various chemical modifications that can be made to the sugar moieties of enzymatic RNA molecules), modifications which enhance their efficacy in cells, and removal of stem II bases to shorten RNA synthesis times and reduce chemical requirements.

Sullivan *et al.* (Int. Pat. Appl. Publ. No. WO 94/02595) describes the general methods for delivery of enzymatic RNA molecules. Ribozymes may be administered to cells by a variety of methods known to those familiar to the art, including, but not restricted to, encapsulation in liposomes, by iontophoresis, or by incorporation into other vehicles, such as hydrogels, cyclodextrins, biodegradable nanocapsules, and bioadhesive microspheres. For some indications, ribozymes may be directly delivered *ex vivo* to cells or tissues with or without the aforementioned vehicles. Alternatively, the RNA/vehicle combination may be locally delivered by direct inhalation, by direct injection or by use of a catheter, infusion pump or stent. Other routes of delivery include, but are not limited to, intravascular, intramuscular, subcutaneous or joint injection, aerosol inhalation, oral (tablet or pill form), topical, systemic, ocular, intraperitoneal and/or intrathecal delivery. More detailed descriptions of ribozyme delivery and administration are provided in Sullivan *et al.* (Int. Pat. Appl. Publ. No. WO 94/02595) and Draper *et al.* (Int. Pat. Appl. Publ. No. WO 93/23569) which have been incorporated by reference herein.

Another means of accumulating high concentrations of a ribozyme(s) within cells is to incorporate the ribozyme-encoding sequences into a DNA expression vector. Tran-

scription of the ribozyme sequences are driven from a promoter for eukaryotic RNA polymerase I (pol I), RNA polymerase II (pol II), or RNA polymerase III (pol III). Transcripts from pol II or pol III promoters will be expressed at high levels in all cells; the levels of a given pol II promoter in a given cell type will depend on the nature of the gene regulatory sequences (enhancers, silencers, *etc.*) present nearby. Prokaryotic RNA polymerase promoters may also be used, providing that the prokaryotic RNA polymerase enzyme is expressed in the appropriate cells (Elroy-Stein and Moss, 1990; Gao and Huang, 1993; Lieber *et al.*, 1993; Zhou *et al.*, 1990). Ribozymes expressed from such promoters can function in mammalian cells (*e.g.* Kashani-Saber *et al.*, 1992; Ojwang *et al.*, 1992; Chen *et al.*, 1992; Yu *et al.*, 1993; L'Huillier *et al.*, 1992; Lisiewicz *et al.*, 1993). Such transcription units can be incorporated into a variety of vectors for introduction into mammalian cells, including but not restricted to, plasmid DNA vectors, viral DNA vectors (such as adenovirus or adeno-associated vectors), or viral RNA vectors (such as retroviral, semliki forest virus, sindbis virus vectors).

Ribozymes of this invention may be used as diagnostic tools to examine genetic drift and mutations within cell lines or cell types. They can also be used to assess levels of the target RNA molecule. The close relationship between ribozyme activity and the structure of the target RNA allows the detection of mutations in any region of the molecule which alters the base-pairing and three-dimensional structure of the target RNA. By using multiple ribozymes described in this invention, one may map nucleotide changes which are important to RNA structure and function *in vitro*, as well as in cells and tissues. Cleavage of target RNAs with ribozymes may be used to inhibit gene expression and define the role (essentially) of specified gene products in particular cells or cell types.

5.0 EXAMPLES

The following examples are included to demonstrate preferred embodiments of the invention. It should be appreciated by those of skill in the art that the techniques disclosed in the examples which follow represent techniques discovered by the inventor to function well in the practice of the invention, and thus can be considered to constitute preferred modes for its practice. However, those of skill in the art should, in light of the present disclosure, appreciate that many changes can be made in the specific embodiments which are

disclosed and still obtain a like or similar result without departing from the spirit and scope of the invention.

5.1 EXAMPLE 1 -- THREE-DIMENSIONAL STRUCTURE OF CRY3BB

5 The three-dimensional structure of Cry3Bb was determined by X-ray crystallography. Crystallization of Cry3Bb and X-ray diffraction data collection were performed as described by Cody *et al.* (1992). The crystal structure of Cry3Bb was refined to a residual R factor of 18.0% using data collected to 2.4 Å resolution. The crystals belong to the space group C222₁ with unit cell dimensions $a = 122.44$, $b = 131.81$, and $c = 105.37$ Å and contain
10 one molecule in the asymmetric unit. Atomic coordinates for Cry3Bb are described in Example 31 and listed in Section 9.

The structure of Cry3Bb is similar to that of Cry3A (Li *et al.*, 1991). It consists of 5825 protein atoms from 588 residues (amino acids 64 - 652) forming three discrete domains (FIG. 1). A total of 251 water molecules have been identified in the Cry3Bb structure
15 (FIG. 2). Domain 1 (residues 64 - 294) is a seven helical bundle formed by six helices twisted around the central helix, $\alpha 5$ (FIG. 3). The amino acids forming each helix are listed in FIG. 4. Domain 2 (residues 295 - 502) contains three antiparallel β -sheets (FIG. 5A and FIG. 5B). Sheets 1 and 2, each composed of 4 β strands, form the distinctive "Greek key" motif. The outer surface of sheet 3, composed of 3 β strands, makes contact with helix $\alpha 7$ of
20 domain 1. FIG. 6 lists the amino acids comprising each β strand in domain 2. A small α helix, $\alpha 8$ which follows β strand 1, is also included in domain 2. Domain 3 (residues 503 - 652) has a "jelly roll" β -barrel topology which has a hydrophobic core and is nearly parallel to the a and perpendicular to the c axes of the lattice (FIG. 7A and FIG. 7B). The amino acids comprising each β strand of domain 3 are listed in FIG. 8.

25 The monomers of Cry3Bb in the crystal form a dimeric quaternary structure along a two-fold axis parallel to the a axis (FIG. 9A and FIG. 9B). Helix $\alpha 6$ lies in a cleft formed by the interface of domain 1 and domains 1 and 3 of its symmetry related molecule. There are numerous close hydrogen bonding contacts along this surface, confirming the structural stability of the dimer.

5.2 EXAMPLE 2 -- PREPARATION OF CRY3BB.60

B. thuringiensis EG7231 was grown through sporulation in C2 medium with chloramphenicol (Cml) selection. The solids from this culture were recovered by centrifugation and washed with water. The toxin was purified by recrystallization from 4.0 M NaBr (Cody *et al.*, 1992). The purified Cry3Bb was solubilized in 10 ml of 50 mM KOH/100 mg Cry3Bb and buffered to pH 9.0 with 100 mM CAPS (pH 9.0). The soluble toxin was treated with trypsin at a weight ratio of 50 mg toxin to 1 mg trypsin. After 20 min of trypsin digestion the predominant protein visualized by SDS-polyacrylamide gel electrophoresis (SDS-PAGE) was 60 kDa. Further digestion of the 60-kDa toxin was not observed. FIG. 4 illustrates the Coomassie-stained Cry3Bb and Cry3Bb.60 following SDS-PAGE.

5.3 EXAMPLE 3 -- PURIFICATION AND SEQUENCING OF CRY3BB.60

Cry3Bb.60 was electrophoretically purified by SDS-PAGE and electroblotted to Immobilon-P® (Millipore) membrane by semi-dry transfer at 15V for 30 min. The membrane was then washed twice with water and stained with 0.025% R-250, 40% methanol. To reduce the background, the blot was destained with 50% methanol until the stained protein bands were visible. The blot was then air dried, and the stained Cry3Bb.60 band was cut out of the membrane. This band was sent to the Tufts University Sequencing Laboratory (Boston, MA) for N-terminal sequencing. The experimentally-determined N-terminal amino acid sequence is shown in Table 7 beside the known amino acid sequence starting at amino acid residue 160.

TABLE 7
AMINO ACID SEQUENCE OF THE N-TERMINUS OF CRY3Bb.60 AND
COMPARISON TO THE KNOWN SEQUENCE OF CRY3Bb

Deduced Sequence	Known Sequence	Residue #
S	S	160
K	K	161
R	R	162
S	S	163
Q	Q	164
D	D	165
R	R	166

5.4 EXAMPLE 4 -- BIOACTIVITY OF CRY3Bb.60

Cry3Bb was prepared for bioassay by solubilization in a minimal amount of 50 mM KOH, 10 ml per 100 mg toxin, and buffered to pH 9.0 with 100 mM CAPS, pH 9.0. Cry3Bb.60 was prepared as described in Example 1. Both preparations were kept at room temperature 12 to 16 hours prior to bioassay. After seven days the mortality of the population was determined and analyzed to determine the lethal concentration of each toxin. These results are numerized in Table 8.

TABLE 8
BIOACTIVITY OF CRY3Bb AND CRY3Bb.60 AGAINST THE SOUTHERN CORN ROOTWORM
(DIABOTICA UNDECIMPUNCTATA)

	LC ₅₀ mg/well	95% C. I.
Cry3Bb	24.09	15 - 39
Cry3Bb.60	6.72	5.25 - 8.4

5.5 EXAMPLE 5 -- ION-CHANNEL FORMATION BY CRY3Bb AND CRYB2.60

Cry3Bb.60 and Cry3Bb were evaluated for their ability to form ion channels in planar lipid bilayers. Bilayers of phosphatidylcholine were formed on Teflon® supports over

a 0.7-mm hole. A bathing solution of 3.5 ml 100 mM KOH, 10 mM CaCl₂, 100 mM CAPS (pH 9.5) was placed on either side of the Teflon[®] partition. The toxin was added to one side of the partition and a voltage of 60 mV was imposed across the phosphatidylcholine bilayer. Any leakage of ions through the membrane was amplified and recorded. An analysis of the frequency of the conductances created by either Cry3Bb or Cry3Bb.60 are illustrated in FIG. 5A and FIG. 5B. Cry3Bb.60 readily formed ion channels whereas Cry3Bb rarely formed channels.

5.6 EXAMPLE 6 -- FORMATION OF HIGH MOLECULAR-WEIGHT OLIGOMERS

Individual molecules of Cry3Bb or Cry3Bb.60 form a complex with another like molecule. The ability of Cry3Bb to form an oligomer is not reproducibly apparent. The complex cannot be repeatedly observed to form under nondenaturing conditions. Cry3Bb.60 formed a significantly greater amount of a higher molecular-weight complex (≥ 120 kDa) with other Cry3Bb.60 molecules. Oligomers of Cry3Bb are demonstrated by the intensity of the Coomassie-stained SDS polyacrylamide gel. Oligomerization is visualized on SDS-PAGE by not heating samples prior to loading on the gel to retain some nondenatured toxin. These data suggest that Cry3Bb.60 more readily forms the higher order complex than Cry3Bb alone. Oligomerization is also observed by studying the conductance produced by these molecules and the time-dependent increase in conductance. This change in conductance can be attributed to oligomerization of the toxin.

5.7 EXAMPLE 7 -- DESIGN METHOD 1: IDENTIFICATION AND ALTERATION OF PROTEASE-SENSITIVE SITES AND PROTEOLYTIC PROCESSING

It has been reported in the literature that treatment of Cry3A toxin protein with trypsin, an enzyme that cleaves proteins on the carboxyl side of available lysine and arginine residues, yields a stable cleavage product of 55 kDa from the 67 kDa native protein (Carroll *et al.*, 1989). N-terminal sequencing of the 55 kDa product showed cleavage occurs at amino acid residue R158. The truncated Cry3A protein was found to retain the same level of insecticidal activity as the native protein. Cry3Bb toxin protein was also treated with trypsin. After digestion, the protein size decreased from 68 kDa, the molecular weight of the native

Cry3Bb toxin, to 60 kDa. No further digestion was observed. N-terminal sequencing revealed the trypsin cleavage site of the truncated toxin (Cry3Bb.60) to be amino acid R159 in α 3,4 of Cry3Bb. Unexpectedly, the bioactivity of the truncated Cry3Bb toxin was found to increase.

5 Using this method, protease digestion of a *B. thuringiensis* toxin protein, a proteolytically sensitive site was identified on Cry3Bb, and a more highly active form of the protein (Cry3Bb.60) was identified. Modifications to this proteolytically-sensitive site by introducing an additional protease recognition site also resulted in the isolation of a biologically more active protein. It is also possible that removal of other protease-sensitive site(s) may
10 improve activity. Proteolytically sensitive regions, once identified, may be modified or utilized to produce biologically more active toxins.

5.7.1 CRY3BB.60

Treatment of solubilized Cry3Bb toxin protein with trypsin results in the isolation
15 of a stable, truncated Cry3Bb toxin protein with a molecular weight of 60 kDa (Cry3Bb.60). N-terminal sequencing of Cry3Bb.60 shows the trypsin-sensitive site to be R159 in α 3,4 of the native toxin. Trypsin digestion results in the removal of helices 1-3 from the native Cry3Bb but also increases the activity of the toxin against SCRW larvae approximately four-fold.

20 Cry3Bb.60 is a unique toxin with enhanced insecticidal use over the parent Cry3Bb. Improved biological activity, is only one parameter that distinguishes it as a new toxin. Aside from the reduced size, Cry3Bb.60 is also a more soluble protein. Cry3Bb precipitates from solution at pH 6.5 while Cry3Bb.60 remains in solution from pH 4.5 to pH 12. Cry3Bb.60 also forms ion channels with greater frequency than Cry3Bb.

25 Cry3Bb.60 is produced by either the proteolytic removal of the first 159 amino acid residues, or the *in vivo* production of this toxin, by bacteria or plants expressing the gene for Cry3Bb.60, that is, the Cry3Bb gene without the first 483 nucleotides.

In conclusion, Cry3Bb.60 is distinct from Cry3Bb in several important ways: enhanced insecticidal activity; enhanced range of solubility; enhanced ability to form channels;
30 and reduced size.

5.7.2 EG11221

Semi-random mutagenesis of the trypsin-sensitive $\alpha 3,4$ region of Cry3Bb resulted in the isolation of Cry3Bb.11221, a designed Cry3Bb protein that exhibits over a 6-fold increase in activity against SCRW larvae compared to WT. Cry3Bb.11221 has 4 amino acid changes in the $\alpha 3,4$ region. One of these changes, L158R, introduces an additional trypsin site adjacent to R159, the proteolytically sensitive site used to produce Cry3Bb.60 (example 4.1.1). Cry3Bb.11221 is produced by *B. thuringiensis* as a full length toxin protein but is presumably digested by insect gut proteases to the same size as Cry3Bb.60 (see Cry3A results from Carroll *et al.*, 1989). The additional protease recognition site may make the $\alpha 3,4$ region even more sensitive to digestion, thereby increasing activity.

5.8 EXAMPLE 8 -- DESIGN METHOD 2: DETERMINATION AND MANIPULATION OF BOUND WATER

There are several ways that water molecules can associate with a protein, including surface water that is easily removed and bound water that is more difficult to extract (Dunitz, 1994; Zhang and Matthews, 1994). The function of bound water has been the subject of significant academic extrapolation, but the precise function has little experimental validation. Some of the most interesting bound or structural water is the water that participates in the protein structure from inside the protein itself.

The occupation of a site by a water molecule can indicate a stable pocket within a protein or a looseness of packing created by water-mediated salt bridges and hydrogen bonding to water. This can reduce the degree of bonding between amino acids, possibly making the region more flexible. A different amino acid sequence around that same site could result in better packing, collapsing the pocket around polar or charged amino acids. This may result in decreased flexibility. Therefore, the degree of hydration of a region of a protein may determine the flexibility or mobility of that region, and manipulation of the hydration may alter the flexibility. Methods of increasing the hydration of a water-exposed region include increasing the number of hydrophobic residues along that surface. It is taught in the art that exposed hydrophobic residues require significantly more water to hydrate than

hydrophilic residues (CRC Handbook of Chemistry and Physics, CRC Press, Inc.). It is not taught, however, that by doing this, improvements to the biological activity of a protein can be achieved.

5 Structural water has not previously been identified in *B. thuringiensis* δ -endotoxins including Cry3Bb. Furthermore, there are no reports of the function of this structural water in δ -endotoxins or bacterial toxins. In the analysis of Cry3Bb, it was observed that a collection of water molecules are located around α 3,4, a site defined by the inventors as important for improvement of bioactivity. The loop α 3,4 region is surface exposed and may define a hinge in the protein permitting either removal or movement of the first three helices of domain 1. The hydration found around this region may impart flexibility and mobility to this loop. The observation of structural water at the α 3,4 site provided an analytical tool for further structure analysis. If this important site is surrounded by water, then other important sites may also be completely or partially surrounded by water. Using this insight, structural water surrounding helices 5 and 6 was then identified. This structural water forms a column through the protein, effectively separating helices 5 and 6 from the rest of the molecule. The structures of Cry3A and Cry3Bb suggest that helices 5 and 6 are tightly associated, bound together by Van der Waals interactions. Alone, helix 5 from Cry3A, although insufficient for biological activity, has been demonstrated to have the ability to form ion channels in an artificial membrane (Gazit and Shai, 1993). The ion channels formed by helix 5 are 10-fold smaller than the channels of the full length toxin suggesting that significantly more toxin structure is required for the full-sized ion channels. In Cry3Bb, helix 5 as part of a cluster of α helices (domain 1) has been found to form ion channels (Von Tersch *et al.*, 1994). Unpublished experimental observations by the inventors demonstrate that helix 6 also crossed the biological membrane. Helices 5 and 6, therefore, are the putative channel-forming helices necessary for toxicity.

The hydration around these helices may indicate that flexibility of this region is necessary for toxicity. It is conceivable, therefore, that if it were possible to improve the hydration around helices 5 and 6, one could create a better toxin protein. Care must be taken, however, to avoid creating continuous hydrophobic surfaces between helices 5-6 and any other part of the protein which could, by hydrophobic interactions, act to restrict movement

of the mobile helices. The mobility of helices 5 and 6 may also depend on the flexibility of the loops attached to them as well as on other regions of the Cry3Bb molecule, particularly in domain 1, which may undergo conformational changes to allow insertion of the 2 helices into the membrane. Altering the hydration of these regions of the protein may also affect its bio-
5 activity.

5.8.1 CRY3BB.11032

A collection of bound water residues indicated the relative flexibility of the α 3,4 region. The flexibility of this loop can be increased by increasing the hydration of the region
10 by substituting relatively hydrophobic residues for the exposed hydrophilic residues. An example of an improved, designed protein having this type of substitution is Cry3Bb.11032. Cry3Bb.11032 has the amino acid change D165G; glycine is more hydrophobic than aspartate (Kyte and Doolittle hydrophobicity score of -0.4 vs. -3.5 for aspartate). Cry3Bb.11032 is approximately 3 times more active than WT Cry3Bb.

15

5.8.2 CRY3BB.11051

To increase the hydration of the α 4,5 region of Cry3Bb, glycine was substituted for the surface exposed residue K189. Glycine is more hydrophobic than lysine (Kyte and Doolittle hydrophobicity score of -0.4 vs. -3.9 for lysine) and may result in an increase in
20 bound water. The increase in bound water may impart greater flexibility to the loop region which precedes the channel-forming helix, α 5. The designed Cry3Bb protein with the K189G change, Cry3Bb.11051, exhibits a 3-fold increase in activity compared to WT Cry3Bb.

25 5.8.3 ALTERATIONS TO α 7, β 1 (CRY3BB.11241 AND 11242)

Amino acid changes made in the surface-exposed loop connecting α -helix 7 and β -strand 1 (α 7, β 1) resulted in the identification of 2 altered Cry3Bb proteins with increased bioactivities, Cry3Bb.11241 and Cry3Bb.11242. Analysis of the hydropathy index of 2 of these proteins over the 20 amino acid sequence 281-300, inclusive of the α 7, β 1 region, re-
30 veal that the amino acid substitutions in these proteins have made the α 7, β 1 region much

more hydrophobic. The grand average of hydropathy value (GRAVY) was determined for each protein sequence using the PC\GENE[®] (IntelliGenetics, Inc., Mountain View, CA, release 6.85) protein sequence analysis computer program, SOAP, and a 7 amino acid interval. The SOAP program is based on the method of Kyte and Doolittle (1982). The increase in hydrophobicity of the $\alpha 7, \beta 1$ region for each protein may increase the hydration of the loop and, therefore, the flexibility. The altered proteins, their respective amino acid changes, fold-increases over WT bioactivity, and GRAVY values are listed in Table 9.

TABLE 9
HYDROPATHY VALUES FOR THE $\alpha 7, \beta 1$ REGION OF CRY3Bb AND 2 DESIGNED CRY3Bb PROTEINS SHOWING INCREASED SCRW BIOACTIVITY

Cry3Bb* Protein	Amino Acid Changes	Fold Increase in Bioactivity Over WT	GRAVY (Amino Acids 281- 300)
wildtype	—	—	4.50
Cry3Bb.11241	Y287F, D288N, R290L	2.6×	10.70
Cry3Bb.11242	R290V	2.5×	8.85

5.8.4 ALTERATIONS TO $\beta 1, \alpha 8$ (CRY3Bb.11228, CRY3Bb.11229, CRY3Bb.11230, CRY3Bb.11233, CRY3Bb.11236, CRY3Bb.11237, CRY3Bb.11238 AND CRY3Bb.11239)

The surface-exposed loop between β -strand 1 and α -helix 8 ($\beta 1, \alpha 8$) defines the boundary between domains 1 and 2 of Cry3Bb. The introduction of semi-random amino acid changes to this region resulted in the identification of several altered Cry3Bb proteins with increased bioactivity. Hydropathy index analysis of the amino acid substitutions found in the altered proteins shows that the changes have made the exposed region more hydrophobic which may result in increased hydration and flexibility. Table 10 lists the altered proteins, their respective amino acid changes and fold increases over WT Cry3Bb and the grand average of hydropathy value (GRAVY) determined using the PC\GENE[®] (IntelliGenetics, Inc.,

Mountain View, CA, release 6.85) protein sequence analysis program, SOAP, over the 20 amino acid sequence 305 - 324 inclusive of $\text{l}\beta 1, \alpha 8$, using a 7 amino acid interval.

TABLE 10

5 **HYDROPATHY VALUES FOR THE $\text{l}\beta 1, \alpha 8$ REGION OF CRY3BB AND 8 DESIGNED CRY3BB*
PROTEINS SHOWING INCREASED SCRW BIOACTIVITY**

Cry3Bb* Protein	Amino Acid Changes	Fold Increase in Bioactivity Over Wild Type	GRAVY (Amino Acids 305-324)
wildtype	—	—	0.85
Cry3Bb.11228	S311L, N313T, E317K	4.1×	4.35
Cry3Bb.11229	S311T, E317K, Y318C	2.5×	2.60
Cry3Bb.11230	S311A, L312V, Q316W	4.7×	3.65
Cry3Bb.11233	S311A, Q316D	2.2×	2.15
Cry3Bb.11236	S311I	3.1×	3.50
Cry3Bb.11237	S311I, N313H	5.4×	3.65
Cry3Bb.11238	N313V, T314N, Q316M, E317V	2.6×	9.85
Cry3Bb.11239	N313R, L315P, Q316L, E317A	2.8×	3.95

5.8.5 CRY3BB.11227, CRY3BB.11241 AND CRY3BB.11242

10 Amino acid Q238, located in helix 6 of Cry3Bb, has been identified as a residue that, by its large size and hydrogen bonding to R290, blocks complete hydration of the space between helix 6 and helix 4. Substitution of R290 with amino acids that do not form hydrogen bonds or that have side chains that can not span the physical distance to hydrogen bond with Q238 may result in increased hydration around Q238. Q238, unable to hydrogen bond

to R290, may now bind water. This may increase the flexibility of the channel-forming region. Designed proteins Cry3Bb.11227 (R290N), Cry3Bb.11241 (R290L) and Cry3Bb.11242 (R290V) show increased activities of approximately 2-fold, 2.6-fold and 2.5-fold, respectively, against SCRW larvae compared to WT.

5

5.9 EXAMPLE 9 -- DESIGN METHOD 3: MANIPULATION OF HYDROGEN BONDS AROUND MOBILE REGIONS

Mobility of regions of a protein may be required for activity. The mobility of the α 5,6 region, the putative channel-forming region of Cry3Bb, may be improved by decreasing the number of hydrogen bonds, including salt bridges (hydrogen bonds between oppositely charged amino acid side chains), between helices 5-6 and any other part of the molecule or dimer structure. These hydrogen bonds may impede the movement of the two helices. Decreasing the number of hydrogen bonds and salt bridges may improve biological activity. Replacement of hydrogen-bonding amino acids with hydrophobic residues must be done with caution to avoid creating continuous hydrophobic surfaces between helices 5-6 and any other part of the dimer. This may decrease mobility by increasing hydrophobic surface interactions.

5.9.1 CRY3BB.11222 AND CRY3BB.11223

Tyr230 is located on helix 6 and, in the quaternary dimer structure of Cry3Bb, this amino acid is coordinated with Tyr230 from the adjacent molecule. Three hydrogen bonds are formed between the two helices 6 in the two monomers because of this single amino acid. In order to improve the flexibility of helices 5-6, the helices theoretically capable of penetrating the membrane and forming an ion channel, the hydrogen bonds across the dimer were removed by changing this amino acid and a corresponding increase in biological activity was observed. The designed Cry3Bb proteins, Cry3Bb.11222 and Cry3Bb.EG11223, show a 4-fold and 2.8-fold increase in SCRW activity, respectively, compared to WT.

5.9.2 CRY3BB.11051

Designed Cry3Bb protein Cry3Bb.11051 has amino acid change K189G in α 4,5 of domain 1. In the WT Cry3Bb structure, the exposed side chain of K189 is close enough to the exposed side chain of E123, located in α 2b,3, to form hydrogen bonds. Substitution of K189 with glycine, as found in this position in Cry3A, removes the possibility of hydrogen bond formation at this site and results in a protein with a bioactivity three-fold greater than WT Cry3Bb.

5.9.3 CRY3BB.11227, CRY3BB.11241 AND CRY3BB.11242

Amino acid Q238, located in helix 6 of Cry3Bb, has been identified as a residue that, by its large size and hydrogen bonding to R290, blocks complete hydration of the space between helix 6 and helix 4. Substitution of R290 with amino acids that do not form hydrogen bonds or that have side chains that can not span the physical distance to hydrogen bond with Q238 may increase the flexibility of the channel-forming region. Designed proteins Cry3Bb.11227 (R290N), Cry3Bb.11241 (R290L) and Cry3Bb.11242 (R290V) show increased activities of approximately 2-fold, 2.6-fold and 2.5-fold, respectively, against SCRW larvae compared to WT

5.10 EXAMPLE 10 – DESIGN METHOD 4: LOOP ANALYSIS AND LOOP DESIGN

AROUND FLEXIBLE HELICES

Loop regions of a protein structure may be involved in numerous functions of the protein including, but not limited to, channel formation, quaternary structure formation and maintenance, and receptor binding. Cry3Bb is a channel-forming protein. The availability of the ion channel-forming helices of δ -endotoxins to move into the bilayer depend upon the absence of forces that hinder the process. One of the forces possibly limiting this process is the steric hindrance of amino acid side chains in loop regions around the critical helices. The literature suggests that in at least one other bacterial toxin, not a *B. thuringiensis* toxin, the toxin molecule opens up or, in scientific terms, loses some of the quaternary structure to expose a membrane-active region (Cramer *et al.*, 1990). This literature does not teach how to improve the probability of this event occurring and it is not known if *B. thuringiensis* toxins

use this same process to penetrate the membrane. Reducing the steric hindrance of the amino acid side chains in these critical regions by reducing size or altering side chain positioning with the corresponding increase in biological activity was the inventive step.

5 5.10.1 ANALYSIS OF THE LOOP BETWEEN HELICES 3 AND 4 (CRY3BB.11032)

The inventors have discovered that the first three helices of domain one could be cleaved from the rest of the toxin by proteolytic digestion of the loop between helices $\alpha 3$ and $\alpha 4$ (Cry3Bb.60). Initial efforts to truncate the *cry3Bb* gene to produce this shortened, though more active Cry3Bb molecule, failed. For unknown reasons, *B. thuringiensis* failed to synthesize this 60-kDa molecule. It was then reasoned that perhaps the first three helices of domain 1 did not have to be proteolytically removed, or equivalently, the protein did not have to be synthesized in this truncated form to take advantage of the Cry3Bb.60 design. It was observed that the protein Cry3A had a small amino acid near the $\alpha 3,4$ that might impart greater flexibility in the loop region thereby permitting the first three helices of domain 1 to move out of the way, exposing the membrane-active region. By designing a Cry3Bb molecule with a glycine residue near this loop, the steric hindrance of residues in the loop might be lessened. The redesigned protein, Cry3Bb.11032, has the amino acid change D165G, which replaces the larger aspartate residue (average mass of 115.09) with the smallest amino acid, glycine (average mass of 57.05). The activity of Cry3Bb.11032 is approximately 3-fold greater than that of the WT protein. In this way, the loop between helices $\alpha 3$ and $\alpha 4$ was rationally redesigned with a corresponding increase in the biological activity.

5.10.2 CRY3BB.11051

The loop region connecting helices $\alpha 4$ and $\alpha 5$ in Cry3Bb must be flexible so that the channel-forming helices $\alpha 5$ - $\alpha 6$ can penetrate into the membrane. It was noticed that Cry3A has a glycine residue in the middle of this loop that may impart greater flexibility. The corresponding change, K189G, was made in Cry3Bb and the resulting, designed protein, Cry3Bb.11051, exhibits a 3-fold increase in activity against SCRW larvae compare to WT Cry3Bb.

5.10.3 ANALYSIS OF THE LOOP BETWEEN β -STRAND 1 AND HELIX 8 (CRY3Bb.11228, CRY3Bb.11229, CRY3Bb.11230, CRY3Bb.11232, CRY3Bb.11233, CRY3Bb.11236, CRY3Bb.11237, CRY3Bb.11238, AND CRY3Bb.11239)

5 The loop region located between β strand 1 of domain 2 and α helix 8 in domain 2 is very close to the loop between α helices 6 and 7 in domain 1. Some of the amino acids side chains of $\text{I}\beta 1, \alpha 8$ appear as though they may sterically impede movement of $\alpha 6, 7$. Since $\alpha 6, 7$ must be flexible for the channel-forming helices $\alpha 5$ - $\alpha 6$ to insert into the membrane, it was thought that re-engineering this loop may change the positioning of the side chains re-

10 sulting in less steric hindrance. This was accomplished creating proteins with increased biological activities ranging from 2.2 to 5.4 times greater than WT. These designed toxin proteins and their amino acid changes are listed in Table 2 as Cry3Bb.11228, Cry3Bb.11229, Cry3Bb.11230, Cry3Bb.11232, Cry3Bb.11233, Cry3Bb.11236, Cry3Bb.11237, Cry3Bb.11238, and Cry3Bb.11239.

15

5.10.4 ANALYSIS OF THE LOOP BETWEEN HELIX 7 AND β -STRAND 1 (CRY3Bb.11227, CRY3Bb.11234, CRY3Bb.11241, CRY3Bb.11242, AND CRY3Bb.11036)

 If Cry3Bb is similar to a bacterial toxin which must open up to expose a membrane active region for toxicity, it is possible that other helices in addition to the channel-

20 forming helices must also change positions. It was reasoned that, if helices $\alpha 5$ - $\alpha 6$ insert into the membrane, then helix $\alpha 7$ may have to change positions also. It was shown in example 4.4.3 that increasing flexibility between helix $\alpha 6$ and $\alpha 7$ can increase activity, greater flexibility in the loop following helix $\alpha 7$, $\text{I}\alpha 7, \beta 1$ may also increase bioactivity. Alterations to the $\text{I}\alpha 7, \beta 1$ region of Cry3Bb resulted in the isolation of several proteins with increased

25 activities ranging from 1.9 to 4.3 times greater than WT. These designed proteins are listed in Table 7 as Cry3Bb.11227, Cry3Bb.11234, Cry3Bb.11241, Cry3Bb.11242, and Cry3Bb.11036.

5.11 EXAMPLE 11 -- DESIGN METHOD 5: LOOP DESIGN AROUND β STRANDS AND β SHEETS

Loop regions of a protein structure may be involved in numerous functions of the protein including, but not limited to, channel formation, quaternary structure formation and maintenance, and receptor binding. A binding surface is often defined by a number of loops, as is the case with immunoglobulin G (IgG) (see Branden and Tooze, 1991, for review). What can not be determined at this point, however, is what loops will be important for receptor interactions just by looking at the structure of the protein in question. Since a receptor has not been identified for Cry3Bb, it is not even possible to compare the structure of Cry3Bb with other proteins that have the same receptor for structural similarities. To identify Cry3Bb loops that contribute to receptor interactions, random mutagenesis was performed on surface-exposed loops.

As each loop was altered, the profile of the overall bioactivities of the resultant proteins were examined and compared. The loops, especially in domain 2 which appears to be unnecessary for channel activity, fall into two categories: (1) loops that could be altered without much change in the level of bioactivity of the resultant proteins and (2) loops where alterations resulted in overall loss of resultant protein bioactivity. Using this design method, it is possible to identify several loops important for activity.

20 5.11.1 ANALYSIS OF LOOP β 2,3

Semi-random mutagenesis of the loop region between β strands 2 and 3 resulted in the production of structurally stable toxin proteins with significantly reduced activities against SCRW larvae. The $\text{l}\beta$ 2,3 region is highly sensitive to amino acid changes indicating that specific amino acids or amino acid sequences are necessary for toxin protein activity. It is conceivable, therefore, that specific changes in the $\text{l}\beta$ 2,3 region will increase the binding and, therefore, the activity of the redesigned toxin protein.

5.11.2 ANALYSIS OF LOOP β 6,7

Semi-random mutations introduced to the loop region between β strands 6 and 7 resulted in structurally stable proteins with an overall loss of SCRW bioactivity. The $\text{l}\beta$ 6,7

region is highly sensitive to amino acid changes indicating that specific amino acids or amino acid sequences are necessary for toxin protein activity. It is conceivable, therefore, that specific changes in the l β 6,7 region will increase the binding and, therefore, the activity of the redesigned toxin protein.

5

5.11.3 ANALYSIS OF LOOP β 10,11

Random mutations to the loop region between β strands 10 and 11 resulted in proteins having an overall loss of SCRW bioactivity. Loop β 10,11 is structurally close to and interacts with loops β 2,3 and β 6,7. Specific changes to individual residues within the
10 l β 10,11 region may also result in increased interaction with the insect membrane, increasing the bioactivity of the toxin protein.

5.11.4 CRY3Bb.11095

Loops β 2,3, β 6,7 and β 10,11 have been identified as important for bioactivity of
15 Cry3Bb. The 3 loops are surface-exposed and structurally close together. Amino acid Q348 in the WT structure, located in β -strand 2 just prior to l β 2,3, does not form any intramolecular contacts. However, replacing Q348 with arginine (Q348R) results in the formation of 2 new hydrogen-bonds between R348 and the backbone carbonyls of R487 and R488, both located in l β 10,11. The new hydrogen bonds may act to stabilize the structure formed by the 3
20 loops. The designed protein carrying this change, Cry3Bb.11095, is 4.6-fold more active than WT Cry3Bb.

5.12 EXAMPLE 12 -- DESIGN METHOD 6: IDENTIFICATION AND RE-DESIGN OF COMPLEX ELECTROSTATIC SURFACES

25 Interactions of proteins include hydrophobic interactions (e.g., Van der Waals forces), hydrophilic interactions, including those between opposing charges on amino acid side chains (salt bridges), and hydrogen bonding. Very little is known about δ -endotoxin and receptor interactions. Currently, there are no literature reports identifying the types of interactions that predominate between *B. thuringiensis* toxins and receptors.

Experimentally, however, it is important to increase the strength of the *B. thuringiensis* toxin-receptor interaction and not permit the precise determination of the chemical interaction to stand in the way of improving it. To accomplish this, the electrostatic surface of Cry3Bb was defined by solving the Poisson-Boltzman distribution around the molecule. Once this electrically defined surface was solved, it could then be inspected for regions of greatest diversity. It was reasoned that these electrostatically diverse regions would have the greatest probability of participating in the specific interactions between the *B. thuringiensis* toxin proteins and the receptor, rather than more general and non-specific interactions. Therefore, these regions were chosen for redesign, continuing to increase the electrostatic diversity of the regions. In addition, examination of the electrostatic interaction around the putative channel forming region of the toxin created insights for redesign. This includes identification of an electropositive residue in an otherwise negatively charged conduit (see example 4.6.1).

5.12.1 R290 (CRY3BB.11227, CRY3BB.11241, AND CRY3BB.11242)

Examination of the Cry3Bb dimer interface along the domain 1 axis suggested that a pore or conduit for cations might be formed between the monomers. Electrostatic examination of this axis lent additional credibility to this suggestion. In fact, the hypothetical conduit is primarily negatively charged, an observation consistent with the biophysical analysis of cation-selective, δ -endotoxin channels. If a cation channel were formed along the axis of the dimer, then the cation could move between the monomers relatively easily with only one significant hurdle. A positively charged arginine residue (R290) lies in the otherwise negatively charged conduit. This residue could impede the cation movement through the channel. Based on this analysis, R290 was changed to uncharged residues. The bioactivity of redesigned proteins Cry3Bb.11227 (R290N), Cry3Bb.11241 (R290L) and Cry3Bb.11242 (R290V) was improved approximately 2-fold, 2.6-fold and 2.5-fold, respectively.

5.12.2 CRY3BB.60

Trypsin digestion of solubilized Cry3Bb yields a stable, truncated protein with a molecular weight of 60 kDa (Cry3Bb.60). Trypsin digestion occurs on the carboxyl side of residue R159, effectively removing helices 1 through 3 from the native Cry3Bb structure.

- 5 The cleavage of the first 3 helices exposes an electrostatic surface different than those found in the native structure. The new surface has a combination of hydrophobic, polar and charged characteristics that may play a role in membrane interactions. The bioactivity of Cry3Bb.60 is 3.6-fold greater than that of WT Cry3Bb.

10 5.13 EXAMPLE 13 -- DESIGN METHOD 7: IDENTIFICATION AND REMOVAL OF METAL BINDING SITES

The literature teaches that the *in vitro* behavior of *B. thuringiensis* toxins can be increased by chelating divalent cations from the experimental system (Crawford and Harvey 1988). It was not known, however, how these divalent cations inhibited the *in vitro* activity.

- 15 Crawford and Harvey (1988) demonstrated that the short circuit current across the midgut was more severely inhibited by *B. thuringiensis* in the presence of EDTA, a chelator of divalent ions, than in the absence of this agent, thus suggesting that this step in the mode of action of *B. thuringiensis* could be potentiated by removing divalent ions. Similar observations were made using black-lipid membranes and measuring an increase in the current created by
- 20 the δ - endotoxins in the presence of EDTA to chelate divalent ions. There were at least three possible explanations for these observations. The first explanation could be that the divalent ions are too large to move through a ion channel more suitable for monovalent ions, thereby blocking the channel. Second, the divalent ions may cover the protein in the very general way, thereby buffering the charge interactions required for toxin membrane interaction and
- 25 limiting ion channel activity. The third possibility is that a specific metal binding site exists on the protein and, when occupied by divalent ions, the performance of the ion channel is impaired. Although the literature could not differentiate the value of one possibility over another, the third possibility led to an analysis of the Cry3Bb structure searching for a specific metal binding site that might alter the probability that a toxin could form an ion channel.

5.13.1 H231 (CRY3Bb.11222, CRY3Bb.11224, CRY3Bb.11225, AND CRY3Bb.11226)

A putative metal binding site is formed in the Cry3Bb dimer structure by the H231 residues of each monomer. The H231 residues, located in helix α_6 , lie adjacent to each other and close to the axis of symmetry of the dimer. Removal of this site by replacement of histidine with other amino acids was evaluated by the absence of EDTA-dependent ion channel activity. The bioactivities of the designed toxin proteins, Cry3Bb.11222, Cry3Bb.11224, Cry3Bb.11225 and Cry3Bb.11226, are increased 4-, 5-, 3.6- and 3-fold, respectively, over that of WT Cry3Bb. Their respective amino acid changes are listed in Table 2.

5.14 EXAMPLE 14 -- DESIGN METHOD 8: ALTERATION OF QUATERNARY STRUCTURE

Cry3Bb can exist in solution as a dimer similar to a related protein, Cry3A (Walters *et al.*, 1992). However, the importance of the dimer to biological activity is not known because the toxin as a monomer or as a higher order structure has not been seriously evaluated. It is assumed that specific amino acid residues contribute to the formation and stability of the quaternary structure. Once a contributing residue is identified, alterations can be made to diminish or enhance the effect of that residue thereby affecting the interaction between monomers. Channel activity is a useful way, but by no means the only way, to assess quaternary structure of Cry3Bb and its derivatives. It has been observed that Cry3Bb creates gated conductances in membranes that grow in size with time, ultimately resulting in large pores in the membrane (the channel activity of WT Cry3Bb is described in Section 12.1). It also has been observed that Cry3A forms a more stable dimer than Cry3Bb and coincidentally forms higher level conductances faster (FIG. 10). This observation led the inventors to propose that oligomerization and ion channel formation (conductance size and speed of channel formation) were related. Based on this observation Cry3Bb was re-engineered to make larger and more stable oligomers at a faster rate. It is assumed in this analysis that the rate of ion channel formation and growth mirrors this process. It is also possible that changes in quaternary structure may not affect channel activity alone or at all. Alterations to quaternary structure may also affect receptor interactions, protein processing in the insect gut environment, as well as other aspects of bioactivity unknown.

5.14.1 CRY3BB.11048

Comparative structural analysis of Cry3A and Cry3Bb led to the identification of structural differences between the two toxins in the ion channel-forming domain; specifically, an insertion of one amino acid between helix 2a and helix 2b in Cry3Bb. Removal of this additional amino acid in Cry 3B2, A104, and a D103E substitution, as in Cry3A, resulted in loss of channel gating and the formation of symmetrical pores. Once the pores are formed they remain open and allow a steady conductance ranging from 25-130 pS. This designed protein, Cry3Bb.11048, is 4.3 times more active than WT Cry3Bb against SCRW larvae.

5.14.2 OLIGOMERIZATION OF CRY3BB.60

Individual molecules of Cry3Bb or Cry3Bb.60 can form a complex with another like molecule. Oligomerization of Cry3Bb is demonstrated by SDS-PAGE, where samples are not heated in sample buffer prior to loading on the gel. The lack of heat treatment allows some nondenatured toxin to remain. Oligomerization is visualized following Coomassie staining by the appearance of a band at 2 times the molecular weight of the monomer. The intensity of the higher molecular weight band reflects the degree of oligomerization. The ability of Cry3Bb to form an oligomer is not reproducibly apparent. The complex cannot be repeatedly observed to form. Cry3Bb.60, however, forms a significantly greater amount of a higher molecular weight complex (120 kDa). These data suggest that Cry3Bb.60 more readily forms the higher order complex than Cry3Bb alone. Cry3Bb.60 also forms ion channels with greater frequency than WT Cry3Bb (see Section 5.12.9).

5.14.3 CRY3BB.11035

Changes were made in Cry3Bb to reflect the amino acid sequence in Cry3A at the end of α 3,4 and in the beginning of helix 4. These changes resulted in the designed protein, Cry3Bb.11035, that, unlike wild type Cry3Bb, forms spontaneous channels with large conductances. Cry3Bb.11035 is also approximately three times more active against SCRW larvae than WT Cry3Bb. Cry3Bb.11035 and its amino acid changes are listed in Table 10.

5.14.4 CRY3BB.11032

Cry3Bb.11032 was altered at residue 165 in helix α_4 , changing an aspartate to glycine, as found in Cry3A. Cry3Bb.11032 is three-fold more active than WT Cry3Bb. The channel activity of Cry3Bb.11032 is much like Cry3Bb except when the designed protein is artificially incorporated into the membrane. A 16-fold increase in the initial channel conductances is observed compared to WT Cry3Bb (see Section 5.12.2). This increase in initial conductance presumably is due to enhanced quaternary structure, stability or higher-order structure.

5.14.5 EG11224

In the WT Cry3Bb dimer structure, histidine, at position 231 in domain 1, makes hydrogen bond contacts with D288 (domain 1), Y230 (domain 1), and, through a network of water molecules, also makes contacts to D610 (domain 3), all of the opposite monomer. D610 and K235 (domain 1) also make contact. Replacing the histidine with an arginine, H231R, results, in one orientation, in the formation of a salt bridge to D610 of the neighboring monomer. In a second orientation, the contacts with D288 of the neighboring monomer, as appear in the WT structure, are retained. In either orientation, R231 does not hydrogen bond to Y230 of the opposite monomer but does make contact with K235 which retains its contacts to D610 (V. Cody, research communication). The shifting hydrogen bonds have changed the interactions between the different domains of the protein in the quaternary structure. Overall, fewer hydrogen bonds exist between domains 1 of the neighboring monomers and a much stronger bond has been formed between domains 1 and 3. Channel activity was found to be altered. Cry3Bb.11224 produces small, quickly gating channels like Cry3Bb. However, unlike WT Cry3Bb, Cry3Bb.11224 does not exhibit β -mercaptoethanol-dependent activation. Replacing H231 with arginine resulted in a designed Cry3Bb protein, Cry3Bb.11224, exhibiting a 5-fold increase in bioactivity.

5.14.6 CRY3BB.11226

Cry3Bb.11226 is similar to Cry3Bb.11224, discussed in Section 4.8.5, in that the histidine at position 231 has been replaced. The amino acid change, H231T, results in the loss of β -mercaptoethanol dependent activation seen with WT Cry3Bb (see Section 5.12.1).

- 5 The replacement of H231, a putative metal binding site, changes the interaction of regions in the quaternary structure resulting in a different type of channel activity. Cry3Bb.11226 is three-fold more active than WT Cry3Bb.

5.14.7 CRY3BB.11221

- 10 Cry3Bb.11221 has been re-designed in the $\text{I}\alpha 3,4$ region of Cry3Bb. The channels formed by Cry3Bb.11221 are much more well resolved than the conductances formed by WT Cry3Bb (see Section 5.12.6). Cry3Bb.11221 exhibits a 6.4-fold increase in bioactivity over that of WT Cry3Bb. The amino acid changes found in Cry3Bb.11221 are listed in Table 2.

15 5.14.8 CRY3BB.11242

- The designed protein, Cry3Bb.11242, carrying the alteration R290V, forms small conductances immediately which grow rapidly and steadily to large conductances in about 3 min (see Section 5.12.7). This is contrast to WT Cry3Bb channels which take 30-45 min to appear and grow slowly over hours to large conductances. Cry3Bb.11242 also exhibits a
- 20 2.5-fold increase in bioactivity compared to WT Cry3Bb.

5.14.9 CRY3BB.11230

- Cry3Bb.11230, unlike WT Cry3Bb, forms well resolved channels with long open states. These channels reach a maximum conductance of 3000 pS but do not continue to
- 25 grow with time. Cry3Bb.11230 has been re-designed in the $\text{I}\beta 1, \alpha 8$ region of Cry3Bb and exhibits almost a 5-fold increase in activity against SCRW larvae (Table 9) and a 5.4-fold increase against WCRW larvae (Table 10) compared to WT Cry3Bb. The amino acid changes found in Cry3Bb.11230 are listed in Table 2.

5.15 EXAMPLE 15 -- DESIGN METHOD 9: DESIGN OF STRUCTURAL RESIDUES

The specific three-dimensional structure of a protein is held in place by amino acids that may be buried or otherwise removed from the surface of the protein. These structural determinants can be identified by inspection of forces responsible for the surface structure positioning. The impact of these structural residues can then be enhanced to restrict molecular motion or diminished to enhance molecular flexibility.

5.15.1 CRY3Bb.11095

Loops β 2,3, β 6,7 and β 10,11, located in domain 2 of Cry3Bb, have been identified as important for bioactivity. The three loops are surface-exposed and structurally close together. Amino acid Q348 in the WT structure, located in β -strand 2 just prior to β 2,3, does not form any intramolecular contacts. However, replacing Q348 with arginine (Q348R) results in the formation of 2 new hydrogen-bonds between R348 and the backbone carbonyls of R487 and R488, both located in β 10,11. The new hydrogen bonds may act to stabilize the structure formed by the three loops. Certainly, the structure around R348 is more tightly packed as determined by X-ray crystallography. The designed protein carrying this change, Cry3Bb.11095, is 4.6-fold more active than WT Cry3Bb.

5.16 EXAMPLE 16 -- DESIGN METHOD 10: COMBINATORIAL ANALYSIS AND MUTAGENESIS

Individual sites in the engineered Cry3Bb molecule can be used together to create a Cry3Bb molecule with activity even greater than the activity of any one site. This method has not been precisely applied to any δ -endotoxin. It is also not obvious that improvements in two sites can be pulled together to improve the biological activity of the protein. In fact, data demonstrates that improvements to 2 sites, when pulled together into a single construct, do not necessarily further improve the biological activity of Cry3Bb. In some cases, the combination resulted in decreased protein stability and/or activity. Examples of proteins with site combinations that resulted in improved activity compared to WT Cry3Bb but decreased activity compared to 1 or more of the "parental" proteins are Cry3Bb.11235, 11046, 11057 and 11058. Cry3Bb.11082, which contains designed regions from 4 parental proteins, retains

the level of activity from the most active parental strain (Cry3Bb.11230) but does not show an increase in activity. These proteins are listed in Table 7. The following are examples of instances where combined mutations have significantly improved biological activity.

5 5.16.1 CRY3Bb.11231

Designed protein Cry3Bb.11231 contains the alterations found in Cry3Bb.11224 (H231R) and Cry3Bb.11228 (changes in I β 1, α 8). The combination of amino acid changes found in Cry3Bb.11231 results in an increase in bioactivity against SCRW larvae of approximately 8-fold over that of WT Cry3Bb (Table 2). This increase is greater than exhibited by either Cry3Bb.11224 (5.0 \times) or Cry3Bb.11228 (4.1 \times) alone. Cry3Bb.11231 was also exhibits an 12.9-fold increase in activity compared to WT Cry3Bb against WCRW larvae (Table 10).

5.16.2 CRY3Bb.11081

15 Designed Cry3Bb protein Cry3Bb.11081 was constructed by combining the changes found in Cry3Bb.11032 and Cry3Bb.11229 (with the exception of Y318C). Cry3Bb.11081 a 6.1-fold increase in activity over WT Cry3Bb; a greater increase in activity than either of the individual parental proteins, Cry3Bb.11032 (3.1-fold) and Cry3Bb.11229 (2.5-fold).

20

5.16.3 CRY3Bb.11083

Designed Cry3Bb protein Cry3Bb.11083 was constructed by combining the changes found in Cry3Bb.11036 and Cry3Bb.11095. Cry3Bb.11083 exhibits a 7.4-fold increase in activity against SCRW larvae compared to WT Cry3Bb; a greater increase than either Cry3Bb.11036 (4.3 \times) or Cry3Bb.11095 (4.6 \times). Cry3Bb.11083 also exhibits a 5.4-fold increase in activity against WCRW larvae compared to WT Cry3Bb (Table 10).

25

5.16.4 CRY3Bb.11084

30 Designed Cry3Bb protein Cry3Bb.11084 was constructed by combining the changes found in Cry3Bb.11032 and the S311L change found in Cry3Bb.11228.

Cry3Bb.11084 exhibits a 7.2-fold increase in activity over that of WT Cry3Bb; a greater than either Cry3Bb.11032 (3.1×) or Cry3Bb.11228 (4.1×).

5.16.5 CRY3BB.11098

5 Designed Cry3Bb protein Cry3Bb.11098 was constructed to contain the following amino acid changes: D165G, H231R, S311L, N313T, and E317K. The nucleic acid sequence is given in SEQ ID NO:107, and the encoded amino acid sequence is given in SEQ ID NO:108.

10 5.17 EXAMPLE 17 -- DESIGN STRATEGY 11: ALTERATION OF BINDING TO

GLYCOPROTEINS AND TO WCRW BRUSH BORDER MEMBRANES

 While the identity of receptor(s) for Cry3Bb is unknown, it is nonetheless important to increase the interaction of the toxin with its receptor. One way to improve the toxin-receptor interaction with knowing the identity of the receptor is to reduce or eliminate non-productive binding to other biomolecules. The inventors have observed that Cry3Bb binds
15 non-specifically to bovine serum albumin (BSA) that has been glycosylated with a variety of sugar groups, but not to non-glycosylated BSA. Cry3A, which is not active on *Diabrotica* species, shows similar but even greater binding to glycosylated-BSA. Similarly, Cry3A shows greater binding to immobilized WCRW brush border membrane (BBM) than does
20 WT Cry3Bb, suggesting that much of the observed binding is non-productive. It was reasoned that the non-specific binding to WCRW BBM occurs via glycosylated proteins, and that binding to both glycosylated-BSA and WCRW BBM is non-productive in reaction pathway to toxicity. Therefore reduction or elimination of that binding would lead to enhanced binding to the productive receptor and to enhanced toxicity. Potential binding sites
25 for sugar groups were targeted for redesign to reduce the non-specific binding of Cry3Bb to glycoproteins and to immobilized WCRW BBM.

5.17.1 CRY3BB.60

Cry3Bb-60, in which Cry3Bb has been cleaved at R159 in 1 α 3,4, shows decreased binding to glycosylated-BSA and decreased binding to immobilized WCRW BBM. Cry3Bb-60 shows a 3.6-fold increase in bioactivity relative to WT Cry3Bb.

5 5.17.2 ALTERATIONS TO 1 α 3,4 (CRY3BB.11221)

Cry3Bb.11221 has been redesigned in the 1 α 3,4 region of domain 1, which is the region in which Cry3Bb is cleaved to produce Cry3Bb-60. Cry3Bb.11221 also shows decreased binding to both glycosylated-BSA and immobilized WCRW BBM, and exhibits a 6.4-fold increase in bioactivity over that of WT Cry3Bb. Together with data for Cry3Bb.60
10 (section 5.17.1) these data suggest that this loop region contributes substantially to non-productive binding of the toxin.

5.17.3 ALTERATION TO 1 β 1, α 8 (CRY3BB.11228,11230,11237 AND 11231)

The 1 β 1, α 8 region of Cry3Bb has been re-engineered to increase hydration (section
15 4.2.4) and enhance flexibility (section 4.4.3). Several proteins altered in this region, Cry3Bb.11228,11230, and 11237 demonstrate substantially lower levels of binding both glycosylated-BSA and immobilized WCRW BBM, and also show between 4.1- and 4.5-fold increases in bioactivity relative to WT Cry3Bb.

20 5.17.4 BINDING ACTIVITY

The tendencies of Cry3Bb and some of its derivatives to bind to glycosylated-BSA and to WCRW BBM were determined using a BIAcore™ surface plasmon resonance biosensor. For glycosylated-BSA binding, the glycosylated protein was immobilized using standard NHS chemistry to a CM5 chip (BIAcore), and the solubilized toxin was injected over
25 the glycosylated-BSA surface. To measure binding to WCRW BBM, brush border membrane vesicles (BBMV) purified from WCRW midguts (English *et al.*, 1991) were immobilized on an HPA chip (BIAcore) then washed with either 10mM KOH or with 40mM β -octylglucoside. The solubilized toxin was then injected over the resulting hybrid bilayer sur-

face to detect binding. Protein concentration were determined by Protein Dye Reagent assay (BioRad) or BCA Protein Assay (Pierce).

Other methods may also be used to determine the same binding information. These include, but are not limited to, ligand blot experiments using labeled toxin, labeled glycosylated protein, or anti-toxin antibodies, affinity chromatography, and *in vitro* binding of toxin to intact
5 BBMV.

5.18 EXAMPLE 18 -- CONSTRUCTION OF PLASMIDS WITH WT *CRY3Bb* SEQUENCES

Standard recombinant DNA procedures were performed essentially as described
10 by Sambrook *et al.*, (1989).

5.18.1 pEG1701

pEG1701 (FIG. 11), contained in EG11204 and EG11037, was constructed by inserting the *SphI*-*PstI* fragment containing the *cry3Bb* gene and the *cryIF* terminator from
15 pEG911 (Baum, 1994) into the *SphI*-*PstI* site of pEG854.9 (Baum *et al.*, 1996), a high copy number *B. thuringiensis* - *E. coli* shuttle vector.

5.18.2 pEG1028

pEG1028 contains the *HindIII* fragment of *cry3Bb* from pEG1701 cloned into the
20 multiple cloning site of pTZ18U at *HindIII*.

5.19 EXAMPLE 19 -- CONSTRUCTION OF PLASMIDS WITH ALTERED *CRY3Bb* GENES

Plasmid DNA from *E. coli* was prepared by the alkaline lysis method (Maniatis *et al.*, 1982) or by commercial plasmid preparation kits (examples: PERFECTprep™ kit, 5 Prime - 3 Prime, Inc., Boulder CO; QIAGEN plasmid prep kit, QIAGEN Inc.). *B. thuringiensis* plasmids were prepared from cultures grown in brain heart infusion plus 0.5% glycerol (BHIG) to mid logarithmic phase by the alkaline lysis method. When necessary for purification, DNA fragments were excised from an agarose gel following electrophoresis and recovered by glass milk using a Geneclean II® kit (BIO 101 Inc., La Jolla, CA). Alteration of
30 the *cry3Bb* gene was accomplished using several techniques including site-directed

mutagenesis, triplex PCR™, quasi-random PCR™ mutagenesis, DNA shuffling and standard recombinant techniques. These techniques are described in Sections 6.1, 6.2, 6.3, 6.4 and 6.5, respectively. The DNA sequences of primers used are listed in Section 7.

5 5.20 EXAMPLE 20 -- SITE-DIRECTED MUTAGENESIS

Site-directed mutagenesis was conducted by the protocols established by Kunkle (1985) and Kunkle *et al.* (1987) using the Muta-Gene™ M13 *in vitro* mutagenesis kit (Bio-Rad, Richmond, CA). Combinations of alterations to *cry3Bb* were accomplished by using the Muta-Gene™ kit and multiple mutagenic oligonucleotide primers.

10

5.20.1 pEG1041

pEG1041, contained in EG11032, was constructed using the Muta-Gene™ kit, primer C, and single-stranded pEG1028 as the DNA template. The resulting altered *cry3Bb* DNA sequence was excised as a *Pf*MI DNA fragment and used to replace the corresponding
15 DNA fragment in pEG1701..

5.20.2 pEG1046

pEG1046, contained in EG11035, was constructed using the Muta-Gene™ kit, primer D, and single-stranded pEG1028 as the DNA template. The resulting altered *cry3Bb*
20 DNA sequence was excised as a *Pf*MI DNA fragment and used to replace the corresponding DNA fragment in pEG1701.

5.20.3 pEG1047

pEG1047, contained in EG11036, was constructed using the Muta-Gene™ kit,
25 primer E, and single-stranded pEG1028 as the DNA template. The resulting altered *cry3Bb* DNA sequence was excised as a *Pf*MI DNA fragment and used to replace the corresponding DNA fragment in pEG1701.

5.20.4 pEG1052

pEG1052, contained in EG11046, was constructed using the Muta-Gene™ kit, primers D and E, and single-stranded pEG1028 as the DNA template. The resulting altered *cry3Bb* DNA sequence was excised as a *Pf*MI DNA fragment and used to replace the corresponding DNA fragment in pEG1701.

5.20.5 pEG1054

pEG1054, contained in EG11048, was constructed using the Muta-Gene™ kit, primer F, and single-stranded pEG1028 as the DNA template. The resulting altered *cry3Bb* DNA sequence was excised as a *Pf*MI DNA fragment and used to replace the corresponding DNA fragment in pEG1701.

5.20.6 pEG1057

pEG1057, contained in EG11051, was constructed using the Muta-Gene™ kit, primer G, and single-stranded pEG1028 as the DNA template. The resulting altered *cry3Bb* DNA sequence was excised as a *Pf*MI DNA fragment and used to replace the corresponding DNA fragment in pEG1701.

5.21 EXAMPLE 21 -- TRIPLEX PCR™

Triplex PCR™ is described by Michael (1994). This method makes use of a thermostable ligase to incorporate a phosphorylated mutagenic primer into an amplified DNA fragment during PCR™. PCR™ was performed on a Perkin Elmer Cetus DNA Thermal Cycler (Perkin-Elmer, Norwalk, CT) using a AmpliTaq™ DNA polymerase kit (Perkin-Elmer) and *Sph*I-linearized pEG1701 as the template DNA. PCR™ products were cleaned using commercial kits such as Wizard™ PCR™ Preps (Promega, Madison, WI) and QIAquick PCR™ Purification kit (QIAGEN Inc., Chatsworth, CA).

5.21.1 pEG1708 AND pEG1709

pEG1708 and pEG1709, contained in EG11222 and EG11223, respectively, were constructed by replacing the *Pf*MI-*Pf*MI fragment of *cry3Bb* in pEG1701 with *Pf*MI-

digested and gel purified PCRTM fragment altered at *cry3Bb* nucleotide positions 688-690, encoding amino acid Y230. Random mutations were introduced into the Y230 codon by triplex PCRTM. Mutagenic primer MVT095 was phosphorylated and used together with outside primer pair FW001 and FW006. Primer MVT095 also contains a silent mutation at position 687, changing T to C, which, upon incorporation, introduces an additional *EcoRI* site into pEG1701.

5.21.2 pEG1710, pEG1711 AND pEG1712

Plasmids pEG1710, pEG1711 and pEG1712, contained in EG11224, EG11225 and EG11226, respectively, were created by replacing the *PflMI-PflMI* fragment of the *cry3Bb* gene in pEG1701 with *PflMI*-digested and gel purified PCRTM fragment altered at *cry3Bb* nucleotide positions 690-692, encoding H231. Random mutations were introduced into the H231 codon by triplex PCRTM. Mutagenic primer MVT097 was phosphorylated and used together with outside primer pair FW001 and FW006. Primer MVT097 also contains a T to C sequence change at position 687 which, upon incorporation, results in an additional *EcoRI* site by silent mutation.

5.21.3 pEG1713 AND pEG1727

pEG1713 and pEG1727, contained in EG11227 and EG11242, respectively, were constructed by replacing the *PflMI-PflMI* fragment of the *cry3Bb* gene in pEG1701 with *PflMI*-digested and gel purified PCRTM fragment altered at *cry3Bb* nucleotide positions 868-870, encoding amino acid R290. Triplex PCRTM was used to introduce random changes into the R290 codon. The mutagenic primer, MVT091, was designed so that the nucleotide substitutions would result in approximately 36% of the sequences encoding amino acids D or E. MVT091 was phosphorylated and used together with outside primer pair FW001 and FW006.

5.22 EXAMPLE 22 -- QUASI-RANDOM PCRTM MUTAGENESIS

Quasi-random mutagenesis combines the mutagenic PCRTM techniques described by Vallette *et al.* (1989), Tomic *et al.* (1990) and LaBean and Kauffman (1993). Mutagenic

primers, sometimes over 70 nucleotides in length, were designed to introduce changes over nucleotide positions encoding for an entire structural region, such as a loop. Degenerate codons typically consisted of a ratio of 82% WT nucleotide plus 6% each of the other 3 nucleotides per position to semi-randomly introduce changes over the target region (LaBean and Kauffman, 1993). When possible, natural restriction sites were utilized; class 2s enzymes were used when natural sites were not convenient (Stemmer and Morris, 1992, list additional restriction enzymes useful to this technique). PCRTM was performed on a Perkin Elmer Cetus DNA Thermal Cycler (Perkin-Elmer, Norwalk, CT) using a AmpliTaqTM DNA polymerase kit (Perkin-Elmer) and *SphI*-linearized pEG1701 as the template DNA. Quasi-random PCRTM amplification was performed using the following conditions: denaturation at 94°C for 1.5 min.; annealing at 50°C for 2 min. and extension at 72°C for 3 min., for 30 cycles. The final 14 extension cycles were extended an additional 25 s per cycle. Primers concentration was 20 µM per reaction or 40 µM for long, mutagenic primers. PCRTM products were cleaned using commercial kits such as WizardTM PCRTM Preps (Promega, Madison, WI) and QIAquick PCRTM Purification kit (QIAGEN Inc., Chatsworth, CA). In some instances PCRTM products were treated with Klenow Fragment (Promega) following the manufacturer's instructions to fill in any single base overhangs prior to restriction digestion.

5.22.1 pEG1707

EG1707, contained in EG11221, was constructed by replacing the *PflMI*-*PflMI* fragment of the *cry3Bb* gene in pEG1701 with *PflMI*-digested and gel purified PCRTM fragment altered at *cry3Bb* nucleotide positions 460-480, encoding $\alpha 3,4$ amino acids 154-160. Primer MVT075, which includes a recognition site for the class 2s restriction enzyme *BsaI*, and primer FW006 were used to introduce changes into this region by quasi-random mutagenesis. Primers MVT076, also containing a *BsaI* site, and primer FW001 were used to PCRTM amplify a "linker" fragment. Following PCRTM amplification, both products were cleaned, end-filled, digested with *BsaI* and ligated to each other. Ligated fragment was gel purified and used as template for PCRTM amplification using primer pair FW001 and FW006. PCRTM product was cleaned, digested with *PflMI*, gel purified and ligated into *PflMI*-digested and purified pEG1701 vector DNA.

5.22.2 pEG1720 AND pEG1726

pEG1720 and pEG1726, contained in EG11234 and EG11241, respectively, were constructed by replacing the *Pfl*MI-*Pfl*MI fragment of the *cry3Bb* gene in pEG1701 with
5 *Pfl*MI-digested and gel purified PCRTM fragment altered at *cry3Bb* nucleotide positions 859-885, encoding $\alpha 7, \beta 1$ amino acids 287-295. Quasi-random PCRTM mutagenesis was used to introduce changes into this region. Mutagenic primer MVT111, designed with a *Bsa*I site, and primer FW006 were used to introduce the changes. Primer pair MVT094, also containing a *Bsa*I site, and FW001 were used to amplify the linker fragment. The PCRTM products
10 were digested with *Bsa*I, gel purified then ligated to each other. Ligated product was PCRTM amplified using primer pair FW001 and FW006, digested with *Pfl*MI.

5.22.3 pEG1714, pEG1715, pEG1716, pEG1718, pEG1719, pEG1722, pEG1723, pEG1724 AND pEG1725

15 pEG1714, pEG1715, pEG1716, pEG1718, pEG1719, pEG1722, pEG1723, pEG1724 and pEG1725, contained in EG11228, EG11229, EG11230, EG11232, EG11233, EG11236, EG11237, EG11238 and EG11239, respectively, were constructed by replacing the *Pfl*MI-*Pfl*MI fragment of the *cry3Bb* gene in pEG1701 with *Pfl*MI-digested and gel purified PCRTM fragment altered at *cry3Bb* nucleotide positions 931-954, encoding $\beta 1, \alpha 8$ amino
20 acids 311-318. Quasi-random PCRTM mutagenesis was used to introduce changes into this region using mutagenic primer MVT103 and primer FW006. Primers FW001 and FW006 were used to amplify a linker fragment. The PCRTM products were end-filled using Klenow and digested with *Bam*HI. The larger fragment from the FW001-FW006 digest was gel purified then ligated to the digested MVT103-FW006 fragment. Ligated product was gel purified
25 and amplified by PCRTM using primer pair FW001 and FW006. The amplified product was digested with *Pfl*MI and gel purified prior to ligation into *Pfl*MI-digested and purified pEG1701 vector DNA.

5.22.4 pEG1701.Lβ2,3

Plasmids carrying alterations of *cry3Bb* WT sequence at nucleotides 1051-1065, encoding structural region lβ2,3 of Cry3Bb, were constructed by replacing the *MluI-SpeI* fragment of pEG1701 with isolated *MluI*- and *SpeI*-digested PCRTM product. The PCRTM product was generated by quasi-random PCRTM mutagenesis where mutagenic primer MVT081 was paired with FW006. These plasmids as a group are designated pEG1701.lβ2,3.

5.22.5 pEG1701.Lβ6,7

Plasmids containing mutations of the *cry3Bb* WT sequence at nucleotides 1234-1248, encoding structural region lβ6,7 of Cry3Bb, were constructed by replacing the *MluI-SpeI* fragment of pEG1701 with isolated *MluI*- and *SpeI*-digested PCRTM product. The PCRTM product was generated by quasi-random PCRTM mutagenesis where mutagenic primer MVT085 was paired with primer WD115. Primer pair MVT089 and WD112 were used to amplify a linker fragment. Both PCRTM products were digested with *TaqI* and ligated to each other. The ligation product was gel purified and PCRTM amplified using primer pair MVT089 and FW006. The amplified product was digested with *MluI* and *SpeI* and ligated into *MluI* and *SpeI* digested and purified pEG1701 vector DNA. These plasmids as a group are designated pEG1701.lβ6,7.

5.22.6 pEG1701.Lβ10,11

Plasmids containing mutated *cry3Bb* sequences at nucleotides 1450-1467, encoding structural region lβ10,11 of Cry3Bb, were constructed by replacing the *SpeI-PstI* fragment of pEG1701 with isolated *SpeI*- and *PstI*-digested PCRTM product. The PCRTM product was generated by quasi-random PCRTM mutagenesis where mutagenic primer MVT105 was paired with primer MVT070. Primer pair MVT092 and MVT083 were used to generate a linker fragment. (MVT083 is a mutagenic oligo designed for another region. The sequence changes introduced by MVT083 are removed following restriction digestion and do not impact the alteration of *cry3Bb* in the lβ10,11 region.) Both PCRTM products were digested with *BsaI*, ligated together, and the ligation product PCRTM amplified with primer pair

MVT083 and MVT070. The resulting PCR™ product was digested with *SpeI* and *PstI*, and gel purified. These plasmids as a group are designated pEG1701.1β10,11.

5.23 EXAMPLE 23 -- DNA SHUFFLING

DNA-shuffling, as described by Stemmer (1994), was used to combine individual alterations in the *cry3Bb* gene.

5.23.1 pEG1084, pEG1085, pEG1086 AND pEG1087

pEG1084, pEG1085, pEG1086, and pEG1087, contained in EG11081, EG11082, EG11083, and EG11084, respectively, were recovered from DNA-shuffling. Briefly, *Pf*MI DNA fragments were generated using primer set A and B and each of the plasmids pEG1707, pEG1714, pEG1715, pEG1716, pEG1041, pEG1046, pEG1047, and pEG1054 as DNA templates. The resulting DNA fragments were pooled in equal-molar amounts and digested with DNaseI and 50-100 bp DNA fragments were recovered from an agarose gel by three successive freeze-thaw cycles: three min in a dry-ice ethanol bath followed by complete thawing at 50°C. The recovered DNA fragments were assembled by primerless-PCR™ and PCR™-amplified using the primer set A and B as described by Stemmer (1994). The final PCR™-amplified DNA fragments were cut with *Pf*MI and used to replace the corresponding *cry3Bb Pf*MI DNA fragment in pEG1701.

5.24 EXAMPLE 24 -- RECOMBINANT DNA TECHNIQUES

Standard recombinant DNA procedures were performed essentially as described by Sambrook *et al.* (1989).

5.24.1 pEG1717

pEG1717, contained in EG11231, was constructed by replacing the small *Bgl*II fragment of pEG1710 with the small *Bgl*II fragment from pEG1714.

5.24.2 pEG1721

pEG1721, contained in EG11235, was constructed by replacing the small *Bgl*II fragment from pEG1710 with the small *Bgl*II fragment from pEG1087.

5 5.24.3 pEG1063

pEG1062, contained in EG11057, was constructed by replacing the *Nco*I DNA fragment containing *ori* 43 from pEG1054 with the isolated *Nco*I DNA fragment containing *ori* 43 and the alterations in *cry3Bb* from pEG1046.

10 5.24.4 pEG1063

pEG1063, contained in EG11058, was constructed by replacing the *Nco*I DNA fragment containing *ori* 43 from pEG1054 with the isolated *Nco*I DNA fragment containing *ori* 43 and the alterations in *cry3Bb* from pEG1707.

15 5.24.5 pEG1095

pEG1095, contained in EG11095, was constructed by replacing the *Mlu*I-*Spe*I DNA fragment in pEG1701 with the corresponding *Mlu*I-*Spe*I DNA fragment from pEG1086.

20 5.25 EXAMPLE 25 -- PRIMERS UTILIZED IN CONSTRUCTING CRY3BB* VARIANTS

Shown below are the primers used for site-directed mutagenesis, triplex PCR™ and quasi-random PCR™ to prepare the *cry3Bb** variants as described above. Primers were obtained from Ransom Hill Bioscience, Inc. (Ramona, CA) and Integrated DNA Technologies, Inc. (Coralville, IA). The specific composition of the primers containing particular degeneracies at one or more residues is given in Section 5.30, Example 30.

5.25.1 PRIMER FW001 (SEQ ID NO:71):

5'-AGACAACTCTACAGTAAAAGATG-3'

5.25.2 PRIMER FW006 (SEQ ID NO:72):

5'-GGTAATTGGTCAATAGAATC-3'

5.25.3 PRIMER MVT095 (SEQ ID NO:73):

5 5'-CAGAAGATGTTGCTGAATTCNNNCATAGACAATTAAAAC-3'

5.25.4 PRIMER MVT097 (SEQ ID NO:74):

5'-GATGTTGCTGAATTCTATNNNAGACAATTAAAAC-3'

10 **5.25.5 PRIMER MVT091 (SEQ ID NO:75):**

5'-CCCATTTTATGATATTBDNTTATACTCAAAAGG-3'

5.25.6 PRIMER MVT075 (SEQ ID NO:76):

5'-AGCTATGCTGGTCTCGGAAGAAEFNFFNFJNFJFJNFJNFJAAAAGAAGCCAAGATCGAAT-3'

15

5.25.7 PRIMER MVT076 (SEQ ID NO:77):

5'-GGTCACCTAGGTCTCTCTTCCAGGAATTTAACGCATTAAC-3'

5.25.8 PRIMER MVT111 (SEQ ID NO:78):

20 5'-AGCTATGCTGGTCTCCCATTTJEHIEJEJEIHKRRJEHEIJEENIIIGTTAAACAGAACTAAC-3'

5.25.9 PRIMER MVT094 (SEQ ID NO:79):

5'-ATCCAGTGGGGTCTCAAATGGGAAAAGTACAATTAG-3'

25 **5.25.10 PRIMER MVT103 (SEQ ID NO:80):**

5'-CATTTTTACGGATCCAATTTTTJFFFJNEEJEFNFJNFEILEIJEOGGACCAACTTTTTTGAG-3'

5.25.11 PRIMER MVT081 (SEQ ID NO:81):

5'-GAATTCATACGCGTCTTCAACCTGGTJEHJJJINMEEIETCTTTCAATTATTGGTCTGG-3'

30

5.25.12 PRIMER MVT085 (SEQ ID NO:82):

5'-AAAAGTTTATCGAACTATAGCTAATACAGACGTAGCGGCTJQQFFNEEJIIJEEIGTATATTTAGGTGTTACG-3'

5.25.13 PRIMER A (SEQ ID NO:83) 3B2PFLM1:

5 5'-GGAGTTCCATTTGCTGGGGC-3'

5.25.14 PRIMER B (SEQ ID NO:84) 3B2PFLM2:

5'-ATCTCCATAAAATGGGG-3'

10 **5.25.15 PRIMER C (SEQ ID NO:85) 3B2165DG:**

5'-GCGAAGTAAAAGAAGCCAAGGTCGAATAAGGG-3'

5.25.16 PRIMER D (SEQ ID NO:86) 3B2160SKRD:

5'-CCTTTAAGTTTGCGAAATCCACACAGCCAAGGTCGAATAAGGG-3'

15

5.25.17 PRIMER E (SEQ ID NO:87) 3B2290VP:

5'-CCCATTTTATGATGTTTCGGTTATACCCAAAAGGGG-3'

5.25.18 PRIMER F (SEQ ID NO:88) 3B2EdA104:

20 5'-GGCCAAGTGAAGACCCATGGAAGGC-3'

5.25.19 PRIMER G (SEQ ID NO:89) 3B2KG189:

5'-GCAGTTTCCGGATTCTGAAGTGC-3'

25 **5.25.20 PRIMER WD112 (SEQ ID NO:90):**

5'-CCGCTACGTCTGTATTA-3'

5.25.21 PRIMER WD115 (SEQ ID NO:91):

5'-ATAATGGAAGCACCTGA-3'

30

5.25.22 PRIMER MVT105 (SEQ ID NO:92):

5'-AGCTATGCTGGTCTCTTCTTAEJIFEIIEFFIJFIJINACAATTCCATTTTTTACTTGG-3'

5.25.23 PRIMER MVT092 (SEQ ID NO:93):

5 5'-ATCCAGTTGGGTCTCTAAGAAACAAACCGCGTAATTAAGC-3'

5.25.24 PRIMER MVT070 (SEQ ID NO:94):

5'-CCTCAAGGGTTATAACATCC-3'

10 **5.25.25 PRIMER MVT083 (SEQ ID NO:95):**

5'-GTACAAAAGCTAAGCTTTTIEJINPEEMEEIJNESCGAAGTATAGCTAATACAG-3'

5.26 EXAMPLE 26 -- SEQUENCE ANALYSIS OF ALTERED *CRY3Bb* GENES

15 *E. coli* DH5 α TM (GIBCO BRL, Gaithersburg, MD), JM110 and SureTM
(Stratagene, La Jolla, CA) cells were sometimes used amplify plasmid DNA for sequencing. Plasmids were transformed into these cells using the manufacturers' procedures. DNA was sequenced using the Sequenase[®] 2.0 DNA sequencing kit purchased from U. S. Biochemical Corporation (Cleveland, Ohio). The plasmids described in Section 6, their respective divergence from WT *cry3Bb* sequence, the resulting amino acid changes and the protein structure
20 site of the changes are listed in Table 11.

TABLE 11

DNA SEQUENCE CHANGES OF *CRY3Bb** GENES AND RESULTING AMINO ACID SUBSTITUTIONS OF THE *CRY3Bb** PROTEINS

Plasmid	<i>cry3Bb</i> * DNA Sequence	<i>Cry3Bb</i> * Amino Acid Sequence	Structural Site of Alteration
pEG1707	A460T, C461T, A462T, C464A, T465C, T466C, T467A, A468T, A469T, G470C, T472C, T473G, G474T, A477T, A478T, G479C	T154F, P155H, L156H, L158R	I α 3,4
pEG1708	T687C, T688C, A689T, C691A, A692G	Y230L, H231S	α 6
pEG1709	T667C, T687C, T688A, A689G, C691A, A692G	S223P, Y230S	α 6
pEG1710	T687C, A692G	H231R	α 6
pEG1711	T687C, C691A	H231N, T241S	α 6
pEG1712	T687C, C691A, A692C, T693C	H231T	α 6
pEG1713	C868A, G869A, G870T	R290N	I α 7, β 1
pEG1714	C932T, A938C, T942G, G949A, T954C	S311L, N313T, E317K	I β 1, α 8
pEG1715	T931A, A933C, T942A, T945A, G949A, A953G, T954C	S311T, E317K, Y318C	I β 1, α 8
pEG1716	T931G, A933C, C934G, T945G, C946T, A947G, G951A, T954C	S311A, L312V, Q316W	I β 1, α 8
pEG1717	T687C, A692G, C932T, A938C, T942G, G949A, T954C	H231R, S311L, N313T, E317K	α 6, I β 1, α 8

Plasmid	<i>cry3Bb</i> * DNA Sequence	Cry3Bb* Amino Acid Sequence	Structural Site of Alteration
pEG1718	T931A, A933G, T935C, T936A, A938C, T939C, T942C, T945A, G951T, T954C	S311T, L312P, N313T, E317N	Iβ1,α8
pEG1719	T931G, A933C, T936G, T942C, C943T, T945A, C946G, G948C, T954C	S311A, Q316D	Iβ1,α8
pEG1720	T861C, T866C, C868A, T871C, T872G, A875T, T877A, C878G, A882G	I289T, L291R, Y292F, S293R	Iα7,β1
pEG1721	T687C, A692G, C932T	H231R, S311L	α6, Iβ1,α8
pEG1722	T931A, C932T, A933C, T936C, T942G, T945A, T954C	S311I	Iβ1,α8
pEG1723	T931A, C932T, A933C, T936C, A937G, A938T, C941A, T942C, T945A, C946A, A947T, A950T, T954C	S311I, N313H	Iβ1,α8
pEG1724	A933C, T936C, A937G, A938T, C941A, T942C, T945A, C946A, A947T, A950T, T954C	N313V, T314N, Q316M, E317V	Iβ1,α8
pEG1725	A933T, A938G, T939G, T942A, T944C, T945A, A947T, G948T, A950C, T954C	N313R, L315P, Q316L, E317A	Iβ1,α8
pEG1726	A860T, T861C, G862A, C868T, G869T, T871C, A873T, T877A, C878G, A879T	Y287F, D288N, R290L	Iα7,β1
pEG1727	C868G, G869T	R290V	Iα7,β1

Plasmid	<i>cry3Bb</i> * DNA Sequence	Cry3Bb* Amino Acid Sequence	Structural Site of Alteration
pEG1041	A494G	D165G	$\alpha 4$
pEG1046	G479A, A481C, A482C, A484C, G485A, A486C, A494G	S160N, K161P, P162H, D165G	$\alpha 4$
pEG1047	A865G, T877C	I289V, S293P	$\text{I}\alpha 7, \beta 1$
pEG1052	G479A, A481C, A482C, A484C, G485A, A486C, A494G, A865G, T877C	S160N, K161P, P162H, D165G, I289V, S293P	$\alpha 4, \text{I}\alpha 7, \beta 1$
pEG1054	T309A, $\Delta 310$, $\Delta 311$, $\Delta 312$	D103E, $\Delta A104$	$\text{I}\alpha 2a, 2b$
pEG1057	A565G, A566G	K189G	$\text{I}\alpha 4, 5$
pEG1062	T309A, $\Delta 310$, $\Delta 311$, $\Delta 312$, G479A, A481C, A482C, A484C, G485A, A486C, A494G	D103E, $\Delta A104$, S160N, K161P, P162H, D165G	$\text{I}\alpha 2a, 2b \alpha 4$
pEG1063	T309A, $\Delta 310$, $\Delta 311$, $\Delta 312$, A460T, C461T, A462T, C464A, T465C, T466C, T467A, A468T, A469T, G470C, T472C, T473G, G474T, A477T, A478T, G479C	D103E, $\Delta A104$, T154F, P155H, L156H, L158R	$\text{I}\alpha 2a, 2b \text{I}\alpha 3, 4$
pEG1084	A494G, T931A, A933C, T942A, T945A, G949A, T954C	D165G, S311T, E317K	$\alpha 4, \text{I}\beta 1, \alpha 8$

Plasmid	<i>cry3Bb</i> * DNA Sequence	Cry3Bb* Amino Acid Sequence	Structural Site of Alteration
pEG1085	A494G, A865G, T877C, T914C, T931G, A933C, C934G, T945G, C946T, A947G, G951A, T954C, A1043G, T1094C	D165G, I289V, S293P, F305S, S311A, L312V, Q316W, Q348R, V365A	$\alpha 4$, I $\alpha 7$, $\beta 1$, I $\beta 1$, $\alpha 8$ $\beta 2$, $\beta 3b$
pEG1086	A865G, T877C, A1043G	I289V, S293P, Q348R	I $\alpha 7$, $\beta 1$, $\beta 2$
pEG1087	A494G, C932T	D165G, S311L	$\alpha 4$, I $\beta 1$, $\alpha 8$
pEG1095	A1043G	Q348R	$\beta 2$

5.27 EXAMPLE 27 -- EXPRESSION OF CRY3Bb* PROTEINS

5.27.1 CULTURE CONDITIONS

LB agar was prepared using a standard formula (Maniatis *et al.*, 1982). Starch agar was obtained from Difco Laboratories (Detroit, MI) and supplemented with an additional 5 g/l of agar. C2 liquid medium is described by Donovan *et al.* (1988). C2 medium was sometimes prepared without the phosphate buffer (C2-P). All cultures were incubated at 25°C to 30°C; liquid cultures were also shaken at 250 rpm, until sporulation and lysis had occurred.

5.27.2 TRANSFORMATION CONDITIONS

pEG1701 and derivatives thereof were introduced into acrystalliferous *B. thuringiensis* var. *kurstaki* EG7566 (Baum, 1994) or EG10368 (U. S. Patent 5,322,687) by the electroporation method of Macaluso and Mettus (1991). In some cases, the method was modified as follows to maximize the number of transformants. The recipient *B. thuringiensis* strain was inoculated from overnight growth at 30°C on LB agar into brain heart infusion plus 0.5% glycerol, grown to an optical density of approximately 0.5 at 600 nm, chilled on ice for 10 min, washed 2X with EB and resuspended in a 1/50 volume of EB. Transformed cells were selected on LB agar or starch agar plus 5 µg/ml chloramphenicol. Visual screening of colonies was used to identify transformants producing crystalline protein; those colonies were generally more opaque than colonies that did not produce crystalline protein.

5.27.3 STRAIN AND PROTEIN DESIGNATIONS

A transformant containing an altered *cry3Bb** gene encoding an altered Cry3Bb* protein is designated by an "EG" number, *e.g.*, EG11231. The altered Cry3Bb* protein is designated Cry3Bb followed by the strain number, *e.g.*, Cry3Bb.11231. Collections of proteins with alterations at a structural site are designated Cry3Bb followed by the structural site, *e.g.*, Cry3Bb.lβ2,3. Table 12 lists the plasmids pertinent to this invention, the new *B. thuringiensis* strains containing the plasmids, the acrystalliferous *B. thuringiensis* recipient strain used, and the proteins produced by the new strains.

5.28 EXAMPLE 28 -- GENERATION AND CHARACTERIZATION OF CRY3BB-60

5.28.1 GENERATION OF CRY3BB-60

Cry3Bb-producing strain EG7231 (U. S. Patent 5,187,091) was grown in C2 medium plus 3 mg/ml chloramphenicol. Following sporulation and lysis, the culture was washed with water and Cry3Bb protein purified by the NaBr solubilization and recrystallization method of Cody *et al.* (1992). Protein concentration was determined by BCA Protein Assay (Pierce, Rockford, IL). Recrystallized protein was solubilized in 10 ml of 50 mM KOH per 100 mg of Cry3Bb protein and buffered to pH 9.0 with 100 mM CAPS (3-[cyclohexylamino]-1-propanesulfonic acid), pH 9.0. The soluble toxin was treated with trypsin at a weight ratio of 50 mg toxin to 1 mg trypsin for 20 min to overnight at room temperature. Trypsin cleaves proteins on the carboxyl side of available arginine and lysine residues. For 8-dose bioassay, the solubilization conditions were altered slightly to increase the concentration of protein: 50 mM KOH was added dropwise to 2.7 ml of a 12.77 mg/ml suspension of purified Cry3Bb* until crystal solubilization occurred. The volume was then adjusted to 7 ml with 100 mM CAPS, pH 9.0.

TABLE 12
PLASMIDS CARRYING ALTERED *CRY3Bb GENES TRANSFORMED INTO *B. THURINGIENSIS***
FOR EXPRESSION OF ALTERED *CRY3Bb PROTEINS**

Plasmid Designation	New BT Strain	Expressed Protein
pEG1701	EG11204	WT Cry3Bb
pEG1701	EG11037	WT Cry3Bb
pEG1707	EG11221	Cry3Bb.11221
pEG1708	EG11222	Cry3Bb.11222
pEG1709	EG11223	Cry3Bb.11223
pEG1710	EG11224	Cry3Bb.11224
pEG1711	EG11225	Cry3Bb.11225
pEG1712	EG11226	Cry3Bb.11226
pEG1713	EG11227	Cry3Bb.11227
pEG1714	EG11228	Cry3Bb.11228
pEG1715	EG11229	Cry3Bb.11229
pEG1716	EG11230	Cry3Bb.11230
pEG1717	EG11231	Cry3Bb.11231
pEG1718	EG11232	Cry3Bb.11232
pEG1719	EG11233	Cry3Bb.11233
pEG1720	EG11234	Cry3Bb.11234
pEG1721	EG11235	Cry3Bb.11235
pEG1722	EG11236	Cry3Bb.11236
pEG1723	EG11237	Cry3Bb.11237
pEG1724	EG11238	Cry3Bb.11238
pEG1725	EG11239	Cry3Bb.11239
pEG1726	EG11241	Cry3Bb.11241
pEG1727	EG11242	Cry3Bb.11242
pEG1041	EG11032	Cry3Bb.11032
pEG1046	EG11035	Cry3Bb.11035

Plasmid Designation	New BT Strain	Expressed Protein
pEG1047	EG11036	Cry3Bb.11036
pEG1052	EG11046	Cry3Bb.11046
pEG1054	EG11048	Cry3Bb.11048
pEG1057	EG11051	Cry3Bb.11051
pEG1062	EG11057	Cry3Bb.11057
pEG1063	EG11058	Cry3Bb.11058
pEG1084	EG11081	Cry3Bb.11081
pEG1085	EG11082	Cry3Bb.11082
pEG1086	EG11083	Cry3Bb.11083
pEG1087	EG11084	Cry3Bb.11084
pEG1095	EG11095	Cry3Bb.11095
pEG1098	EG11098	Cry3Bb.11098
pEG1701.lβ2,3	collection of unnamed strains	Cry3Bb.lβ2,3
pEG1701.lβ6,7	collection of unnamed strains	Cry3Bb.lβ6,7
pEG1701.lβ10,11	collection of unnamed strains	Cry3Bb.lβ10,11

5.28.2 DETERMINATION OF MOLECULAR WEIGHT OF CRY3BB-60

The molecular weight of the predominant trypsin digestion fragment of Cry3Bb was determined to be 60 kDa by SDS-polyacrylamide gel electrophoresis (SDS-PAGE) analysis using commercial molecular weight markers. This digestion fragment is designated Cry3Bb-60. No further digestion of the 60 kDa cleavage product was observed.

5.28.3 DETERMINATION OF NH₂-TERMINUS OF CRY3BB-60

To determine the NH₂-terminal sequence of Cry3Bb-60, the trypsin digest was fractionated by SDS-PAGE and transferred to Immobilon™-P membrane (Millipore Corporation, Bedford, MA) following standard western blotting procedures. After transfer, the membrane was rinsed twice with water then stained with 0.025% Coomassie Brilliant Blue R-250 plus 40% methanol for 5 min, destained with 50% methanol and rinsed in water. The Cry3Bb.60 band was excised with a razor blade. NH₂-terminal sequencing was performed at

the Tufts Medical School, Department of Physiology (Boston, MA) using standard automated Edman degradation procedures. The NH₂-terminal amino acid sequence was determined to be SKRSQDR (SEQ ID NO:96), corresponding to amino acids 160-166 of Cry3Bb. Trypsin digestion occurred on the carboxyl side of amino acid R159 resulting in the removal of helices 1-3.

5.29 EXAMPLE 29 -- BIOACTIVITY OF CRY3BB* PROTEINS

5.29.1 CULTURE CONDITIONS AND PROTEIN CONCENTRATION DETERMINATION

Cultures for 1-dose bioassays were grown in C2-P plus 5 µg/ml chloramphenicol (C2-P/cm5) then diluted with 3 volumes of 0.005% Triton X-100[®]. The protein concentrations of these cultures were not determined. Cultures for 8-dose bioassays were grown in C2/cm5, washed 1 - 2 times with 1 - 2 volumes of sterile water and resuspended in 1/10 volume of sterile 0.005% Triton X-100[®]. The toxin protein concentration of each concentrate was determined as described by Brussock and Currier (1990), omitting the treatment with 3 M HEPES. The protein concentration was adjusted to 3.2 mg/ml in 0.005% Triton X-100[®] for the top dose of the assay. Cry3Bb.60 was produced and quantified for 8-dose assay as described in Section 9.1.

5.29.2 INSECT BIOASSAYS

Diabrotica undecimpunctata howardi Barber (southern corn rootworm or SCRW) and *Diabrotica virgifera virgifera* LeConte (western corn rootworm or WCRW) larvae were reared as described by Slaney *et al.* (1992). Eight-dose assays and probit analyses were performed as described by Slaney *et al.* (1992). Thirty-two larvae were tested per dose at 50 µl of sample per well of diet (surface area of 175 mm²). Positive controls were WT Cry3Bb-producing strains EG11037 or EG11204. All bioassays were performed using 128-well trays containing approximately 1 ml of diet per well with perforated mylar sheet covers (C-D International Inc., Pitman, NJ). One-dose assays were performed essentially the same except only 1 dose was tested per strain. All assay were replicated at least twice.

5.29.3 INSECT BIOASSAY RESULTS: 1-DOSE ASSAYS AGAINST SCRW

Results from 1-dose assays are expressed as the relative mortality (RM) of the experimental strain compared to WT (% mortality of experimental culture divided by % mortality of WT culture). Altered and improved Cry3Bb proteins derived from plasmids constructed using PCR™ methods introducing random or semi-random changes into the *cry3Bb* gene sequence were distinguished from other altered but not improved Cry3Bb proteins by replicated, 1-dose assay against SCRW larvae. Those proteins showing increased activity (defined as $RM \geq 1.5$) compared to WT Cry3Bb or, in the case of proteins with combinations of altered sites, compared to a “parental” altered Cry3Bb protein were further characterized by 8-dose assay. The overall RM “pattern” produced by 1-dose assay results from a collection of proteins carrying random or semi-random alterations within a single structural region, e.g., in $\text{I}\beta 2,3$, can be used to determine if that structural region is important for bioactivity. Retention of WT levels of activity ($RM \approx 1$) indicate changes are tolerated in that region. Overall loss of activity ($RM < 1$) distinguishes the region as important for bioactivity.

5.29.4 CRY3BB. $\text{I}\beta 2,3$: RESULTS OF 1-DOSE BIOASSAYS AGAINST SCRW

Cry3Bb. $\text{I}\beta 2,3$ proteins are a collection of proteins altered in the $\text{I}\beta 2,3$ region of Cry3Bb (see Section 5.3.4). Typical results of 1-dose assays of these altered proteins are shown in FIG. 12. The RM values for Cry3Bb. $\text{I}\beta 2,3$ proteins are less than 1, with a few exceptions of values close to 1, indicating that this region is important for toxicity.

5.29.5 CRY3BB. $\text{I}\beta 6,7$: RESULTS OF 1-DOSE BIOASSAYS AGAINST SCRW

Cry3Bb. $\text{I}\beta 6,7$ proteins are a collection of proteins altered in the $\text{I}\beta 6,7$ region of Cry3Bb (see Section 5.3.5). Typical results of 1-dose assays of these altered proteins are shown in FIG. 13. With a few exceptions of values close to 1, the RM values for Cry3Bb. $\text{I}\beta 6,7$ proteins are less than 1, indicating that this region is important for toxicity.

5.29.6 CRY3BB. $\text{I}\beta 10,11$: RESULTS OF 1-DOSE BIOASSAYS AGAINST SCRW

Cry3Bb. $\text{I}\beta 10,11$ proteins are a collection of proteins altered in the $\text{I}\beta 10,11$ region of Cry3Bb (see Section 5.3.6). Typical results of 1-dose assays of these altered proteins are

shown in FIG. 14. With a few exceptions of values close to 1, the RM values for Cry3Bb.lβ10,11 proteins are less than 1, indicating that this region is important for bioactivity.

5 5.29.7 INSECT BIOASSAY RESULTS: RESULTS OF 8-DOSE ASSAYS AGAINST SCRW

Results from 8-dose assays are expressed as an LC₅₀ value (protein concentration giving 50% mortality) with 95% confidence intervals. The LC₅₀ values with 95% confidence intervals of altered Cry3Bb proteins showing improved activities against SCRW larvae and LC₅₀ values of the WT Cry3Bb control determined at the same time are listed in Table 13
10 along with the fold increase over WT activity for each improved protein.

TABLE 13

DESIGNED CRY3BB PROTEINS WERE TESTED AGAINST SCRW LARVAE IN REPLICATED, 8-DOSE ASSAYS TO DETERMINE THE LC₅₀ VALUES

LC ₅₀ µg/well (95% C.I.)			
Improved Protein	Improved Protein	WT Cry3Bb Control	Fold Increase Over WT Activity
Cry3Bb.60	6.7 (5.3-8.4)	24.1 (15-39)	3.6×
Cry3Bb.11221	3.2 (2.5-4)	20.5 (14.5-29)	6.4×
Cry3Bb.11222	7.3 (6-9)	29.4 (23-37)	4.0×
Cry3Bb.11223	10.5 (9-12)	29.4 (23-37)	2.8×
Cry3Bb.11224	6.5 (5.1-8.2)	32.5 (25-43)	5.0×
Cry3Bb.11225	13.7 (11-16.8)	49.5 (39-65)	3.6×
Cry3Bb.11226	16.7 (10.6-24.2)	49.5 (39-65)	3.0×
Cry3Bb.11227	11.1 (9.1-13.5)	21.3 (16-28)	1.9×
Cry3Bb.11228	8.0 (6.6-9.8)	32.9 (25-45)	4.1×
Cry3Bb.11229	7.2 (5.8-8.8)	18.2 (15-22)	2.5×
Cry3Bb.11230	7.0 (5.8-8.6)	32.9 (25-45)	4.7×
Cry3Bb.11231	3.3 (3.0-3.7)	26.1 (22-31)	7.9×
Cry3Bb.11232	6.4 (5.4-7.7)	32.9 (25-45)	5.1×
Cry3Bb.11233	15.7 (12-20)	32.9 (25-45)	2.2×
Cry3Bb.11234	7 (6-9)	29 (22-39)	4.1×
Cry3Bb.11235	4.2 (3.6-4.9)	13.3 (10-17)	3.2×
Cry3Bb.11236	11.6 (9-15)	36.4 (27-49)	3.1×
Cry3Bb.11237	6.8 (4-11)	36.4 (27-49)	5.4×
Cry3Bb.11238	13.9 (11-17)	36.4 (27-49)	2.6×
Cry3Bb.11239	13.0 (10-16)	36.4 (27-49)	2.8×
Cry3Bb.11241	11 (7-16)	29 (22-39)	2.6×
Cry3Bb.11242	11.9 (9.2-16)	30 (23-38)	2.5×
Cry3Bb.11032	4.2 (3.6-4.9)	13.3 (10-17)	3.1×

LC ₅₀ µg/well (95% C.I.)			
Improved Protein	Improved Protein	WT Cry3Bb Control	Fold Increase Over WT Activity
Cry3Bb.11035	10.3 (8-13)	27.9 (23-34)	2.7×
Cry3Bb.11036	6.5 (5.1-7.9)	27.9 (23-34)	4.3×
Cry3Bb.11046	12.1 (8-19)	31.2 (25-39)	2.6×
Cry3Bb.11048	8.3 (6-11)	35.4 (24-53)	4.3×
Cry3Bb.11051	11.8 (8-16)	35.4 (24-53)	3.0×
Cry3Bb.11057	8.8 (7-11)	29.5 (24-36)	3.4×
Cry3Bb.11058	9.6 (6-14)	33.4 (27-43)	3.5×
Cry3Bb.11081	8.5 (7-11)	51.5 (37-79)	6.1×
Cry3Bb.11082	10.6 (8-13)	51.5 (37-79)	4.9×
Cry3Bb.11083	7.0 (5-10)	51.5 (37-79)	7.4×
Cry3Bb.11084	7.2 (4-12)	51.5 (37-79)	7.2×
Cry3Bb.11095	11.1 (9-14)	51.5 (37-79)	4.6×
Cry3Bb.11098			

5.29.8 INSECT BIOASSAY RESULTS: 8-DOSE ASSAYS AGAINST WCRW

WCRW larvae are delicate and difficult to work with. Therefore, only some of the designed Cry3Bb showing improved activity against SCRW larvae were also tested against WCRW larvae in 8-dose assays. The LC₅₀ determinations for the designed Cry3Bb proteins are shown in Table 14 along with the LC₅₀ values of the WT Cry3Bb control determined at the same time.

TABLE 14

CRY3BB* PROTEINS SHOWING IMPROVED ACTIVITY AGAINST SCRW LARVAE ALSO
SHOW IMPROVED ACTIVITY AGAINST WCRW LARVAE

Improved Protein	LC ₅₀ µg/well (95% C.I.)		Fold Increase Over WT Activity
	Improved Protein	WT Cry3Bb Control	
EG11083	6.3 (4.7-8.2)	63.5 (46-91)	10.1×
EG11230	24.2 (13-40)	4.5 (2.1-7.4)	5.4×
EG11231	32.2 (14-67)	2.5 (1.7-3.6)	12.9×

5.30 EXAMPLE 30 -- CHANNEL ACTIVITY

Ion channels produced by Cry3Bb and some of its derivatives were measured by the methods described by Slatin *et al.* (1990). In some instances, lipid bilayers were prepared from a mixture of 4:1 phosphatidylethanolamine (PE) : phosphatidylcholine (PC). Toxin protein was solubilized from washed, C2 medium, *B. thuringiensis* cultures with 12 mM KOH. Following centrifugation to remove spores and other debris, 10 µg of soluble toxin protein was added to the *cis* compartment (4.5 ml volume) of the membrane chamber. Protein concentration was determined using the BCA Protein Assay (Pierce).

5.30.1 CHANNEL ACTIVITY OF WT CRY3BB.

Upon exposure to black lipid membranes, Cry3Bb forms ion channels with various conductance states. The channels formed by Cry3Bb are rarely discrete channels with well resolved open and closed states and usually require incubation of the toxin with the membrane for 30 - 45 min before any channel-like events are observed. After formation of the initial conductances, the size increases from approximately 200 pS to over 10,000 pS over 2 - 3 h. Only the small conductances (≤ 200 pS) are voltage dependent. Over 200 pS, the conductances are completely symmetric. Cry3Bb channels also exhibit β -mercaptoethanol-dependent activation, growing from small channel conductances of ~ 200 pS to several thousand pS within 2 min of the addition of β -mercaptoethanol to the *cis* compartment of the membrane chamber.

5.30.2 CRY3Bb.11032

The channel activity of Cry3Bb.11032 is much like WT Cry3Bb when the solubilized toxin protein is added to the *cis* compartment of the membrane chamber. However, when this protein is artificially incorporated into the membrane by forming or “painting” the membrane in the presence of the Cry3Bb.11032 protein, a 16-fold increase in the initial channel conductances is observed (~ 4000 pS). This phenomenon is not observed with WT Cry3Bb.

5.30.3 CRY3Bb.11035

Upon exposure to artificial membranes, the Cry3Bb.11035 protein spontaneously forms channels that grow to large conductances within a relatively short time span (~5 min). Conductance values range from 3000 - 6000 pS and, like WT Cry3Bb, are voltage dependent at low conductance values.

5.30.4 CRY3Bb.11048

The Cry3Bb.11048 protein is quite different than WT Cry3Bb in that it appears not to form channels at all, but, rather, forms symmetrical pores with respect to voltage. Once the pore is formed, it remains open and allows a steady conductance ranging from 25 to 130 pS.

5.30.5 CRY3Bb.11224 AND CRY3Bb.11226

The metal binding site of WT Cry3Bb formed by H231 in the dimer structure was removed in proteins Cry3Bb.11224 and Cry3Bb.11226. The conductances formed by both designed proteins are identical to that of WT Cry3Bb with the exception that neither of the designed proteins exhibits β -mercaptoethanol-dependent activation.

5.30.6 CRY3Bb.11221

Cry3Bb.11221 protein has been observed to immediately form small channels of 100 - 200 pS with limited voltage dependence. Some higher conductances were observed at

the negative potential. In other studies, the onset of activity was delayed by 27 min, which is more typical for WT Cry3Bb. Unlike WT Cry3Bb, however, Cry3Bb.11221 forms well resolved, 600 pS channels with long open states. The protein eventually reaches conductances of 7000 pS.

5

5.30.7 CRY3BB.11242

Cry3Bb.11242 protein forms small conductances immediately upon exposure to an artificial membrane. The conductances grow steadily and rapidly to 6000 pS in approximately 3 min. Some voltage dependence was noted with a preference for a negative imposed voltage.

10

5.30.8 CRY3BB.11230

Unlike WT Cry3Bb, Cry3Bb.11230 forms well resolved channels with long open states that do not continue to grow in conductance with time. The maximum observed channel conductances reached 3000 pS. FIG. 15 illustrates the difference between the channels formed by Cry3Bb and Cry3Bb.11230.

15

5.30.9 CRY3BB.60

Cry3Bb.60 forms well resolved ion channels within 20 min of exposure to an artificial membrane. These channels grow in conductance and frequency with time. The behavior of Cry3Bb.60 in a planar lipid bilayer differs from Cry3Bb in two significant ways. The conductances created by Cry3Bb.60 form more quickly than Cry3Bb and, unlike Cry3Bb, the conductances are stable, having well resolved open and closed states definitive of stable ion channels (FIG. 16).

20

25

5.31 EXAMPLE 31 -- PRIMER COMPOSITIONS

TABLE 15

SEQ ID NO:83	% of Nucleotide in mixture			
Code	A	T	G	C
N	25	25	25	25

TABLE 16

SEQ ID NO:84	% of Nucleotide in mixture			
Code	A	T	G	C
N	25	25	25	25

TABLE 17

SEQ ID NO:85	% of Nucleotide in mixture			
Code	A	T	G	C
B	16	16	52	16
D	70	10	10	10
N	25	25	25	25

TABLE 18

SEQ ID NO:86	% of Nucleotide in mixture			
Code	A	T	G	C
E	82	6	6	6
F	6	6	6	82
J	6	82	6	6
I	6	6	82	6
N	25	25	25	25

5

TABLE 19

SEQ ID NO:88	% of Nucleotide in mixture			
Code	A	T	G	C
J	6	82	6	6
E	82	6	6	6
H	1	1	1	97
I	6	6	82	6
K	15	15	15	55
R	15	55	15	15

TABLE 20

SEQ ID NO:90	% of Nucleotide in mixture			
Code	A	T	G	C
J	6	82	6	6
F	6	6	6	82
N	25	25	25	25
E	82	6	6	6
I	6	6	82	6
L	8	1	83	8
O	1	1	1	97

TABLE 21

SEQ ID NO:91	% of Nucleotide in mixture			
Code	A	T	G	C
J	6	82	6	6
E	82	6	6	6
H	1	1	1	97
I	6	6	82	6
N	25	25	25	25
M	82	2	8	8

TABLE 22

SEQ ID NO:92

	% of Nucleotide in mixture			
Code	A	T	G	C
J	6	82	6	6
Q	0	9	82	9
F	6	6	6	82
N	25	25	25	25
E	82	6	6	6
I	6	6	82	6

TABLE 23
SEQ ID NO:92

Code	% of Nucleotide in mixture			
	A	T	G	C
J	6	82	6	6
F	6	6	6	82
N	25	25	25	25
E	82	6	6	6
I	6	6	82	6

TABLE 24
SEQ ID NO:95

Code	% of Nucleotide in mixture			
	A	T	G	C
J	6	82	6	6
N	25	25	25	25
E	82	6	6	6
I	6	6	82	6
M	82	2	8	8
P	8	2	8	82
S	1	97	1	1

5.32 EXAMPLE 32 -- ATOMIC COORDINATES FOR CRY3Bb

The atomic coordinates of the Cry3Bb protein are given in the Appendix included in Section 9.1

5.33 EXAMPLE 33 -- ATOMIC COORDINATES FOR CRY3A

The atomic coordinates of the Cry3A protein are given in the Appendix included in Section 9.2

5.34 **EXAMPLE-34 -- MODIFICATION OF *CRY* GENES FOR EXPRESSION IN PLANTS**

Wild-type *cry* genes are known to be expressed poorly in plants as a full length gene or as a truncated gene. Typically, the G+C content of a *cry* gene is low (37%) and often
5 contains many A+T rich regions, potential polyadenylation sites and numerous ATTTA sequences. Table 25 shows a list of potential polyadenylation sequences which should be avoided when preparing the "plantized" gene construct.

TABLE 25
LIST OF SEQUENCES OF THE POTENTIAL POLYADENYLATION SIGNALS

AATAAA*	AAGCAT
AATAAT*	ATTAAT
AACCAA	ATACAT
ATATAA	AAAATA
AATCAA	ATTAAA**
ATACTA	AATTAA**
ATAAAA	AATACA**
ATGAAA	CATAAA**

* indicates a potential major plant polyadenylation site.

** indicates a potential minor animal polyadenylation site.

5 All others are potential minor plant polyadenylation sites.

The regions for mutagenesis may be selected in the following manner. All regions of the DNA sequence of the *cry* gene are identified which contained five or more consecutive base pairs which were A or T. These were ranked in terms of length and highest percentage of A+T in the surrounding sequence over a 20-30 base pair region. The DNA is analysed for regions which might contain polyadenylation sites or ATTTA sequences. Oligonucleotides are then designed which maximize the elimination of A+T consecutive regions which contained one or more polyadenylation sites or ATTTA sequences. Two potential plant polyadenylation sites have been shown to be more critical based on published reports.

15 Codons are selected which increase G+C content, but do not generate restriction sites for enzymes useful for cloning and assembly of the modified gene (*e.g.*, *Bam*HI, *Bgl*II, *Sac*I, *Nco*I, *Eco*RV, *etc.*). Likewise condons are avoided which contain the doublets TA or GC which have been reported to be infrequently-found codons in plants.

Although the CaMV35S promoter is generally a high level constitutive promoter in most plant tissues, the expression level of genes driven the CaMV35S promoter is low in floral tissue relative to the levels seen in leaf tissue. Because the economically important targets damaged by some insects are the floral parts or derived from floral parts (*e.g.*, cotton

squares and bolls, tobacco buds, tomato buds and fruit), it is often advantageous to increase the expression of crystal proteins in these tissues over that obtained with the CaMV35S promoter.

The 35S promoter of Figwort Mosaic Virus (FMV) is analogous to the CaMV35S promoter. This promoter has been isolated and engineered into a plant transformation vector. Relative to the CaMV promoter, the FMV 35S promoter is highly expressed in the floral tissue, while still providing similar high levels of gene expression in other tissues such as leaf. A plant transformation vector, may be constructed in which the full length synthetic *cry* gene is driven by the FMV 35S promoter. Tobacco plants may be transformed with the vector and compared for expression of the crystal protein by Western blot or ELISA immunoassay in leaf and floral tissue. The FMV promoter has been used to produce relatively high levels of crystal protein in floral tissue compared to the CaMV promoter.

5.35 EXAMPLE 35 -- EXPRESSION OF SYNTHETIC *CRY* GENES WITH SSRUBISCO

15 PROMOTERS AND CHLOROPLAST TRANSIT PEPTIDES

The genes in plants encoding the small subunit of RUBISCO (SSU) are often highly expressed, light regulated and sometimes show tissue specificity. These expression properties are largely due to the promoter sequences of these genes. It has been possible to use SSU promoters to express heterologous genes in transformed plants. Typically a plant will contain multiple SSU genes, and the expression levels and tissue specificity of different SSU genes will be different. The SSU proteins are encoded in the nucleus and synthesized in the cytoplasm as precursors that contain an N-terminal extension known as the chloroplast transit peptide (CTP). The CTP directs the precursor to the chloroplast and promotes the uptake of the SSU protein into the chloroplast. In this process, the CTP is cleaved from the SSU protein. These CTP sequences have been used to direct heterologous proteins into chloroplasts of transformed plants.

The SSU promoters might have several advantages for expression of heterologous genes in plants. Some SSU promoters are very highly expressed and could give rise to expression levels as high or higher than those observed with the CaMV35S promoter. The tis-

sue distribution of expression from SSU promoters is different from that of the CaMV35S promoter, so for control of some insect pests, it may be advantageous to direct the expression of crystal proteins to those cells in which SSU is most highly expressed. For example, although relatively constitutive, in the leaf the CaMV35S promoter is more highly expressed in
5 vascular tissue than in some other parts of the leaf, while most SSU promoters are most highly expressed in the mesophyll cells of the leaf. Some SSU promoters also are more highly tissue specific, so it could be possible to utilize a specific SSU promoter to express the protein of the present invention in only a subset of plant tissues, if for example expression of such a protein in certain cells was found to be deleterious to those cells. For example, for
10 control of Colorado potato beetle in potato, it may be advantageous to use SSU promoters to direct crystal protein expression to the leaves but not to the edible tubers.

Utilizing SSU CTP sequences to localize crystal proteins to the chloroplast might also be advantageous. Localization of the *B. thuringiensis* crystal proteins to the chloroplast could protect these from proteases found in the cytoplasm. This could stabilize the proteins
15 and lead to higher levels of accumulation of active toxin. *cry* genes containing the CTP could be used in combination with the SSU promoter or with other promoters such as CaMV35S.

5.36 EXAMPLE 36 -- TARGETING OF CRY* PROTEINS TO THE EXTRACELLULAR

20 SPACE OR VACUOLE THROUGH THE USE OF SIGNAL PEPTIDES

The *B. thuringiensis* proteins produced from the synthetic genes described here are localized to the cytoplasm of the plant cell, and this cytoplasmic localization results in plants that are insecticidally effective. It may be advantageous for some purposes to direct the *B. thuringiensis* proteins to other compartments of the plant cell. Localizing
25 *B. thuringiensis* proteins in compartments other than the cytoplasm may result in less exposure of the *B. thuringiensis* proteins to cytoplasmic proteases leading to greater accumulation of the protein yielding enhanced insecticidal activity. Extracellular localization could lead to more efficient exposure of certain insects to the *B. thuringiensis* proteins leading to greater

efficacy. If a *B. thuringiensis* protein were found to be deleterious to plant cell function, then localization to a noncytoplasmic compartment could protect these cells from the protein.

In plants as well as other eukaryotes, proteins that are destined to be localized either extracellularly or in several specific compartments are typically synthesized with an N-terminal amino acid extension known as the signal peptide. This signal peptide directs the protein to enter the compartmentalization pathway, and it is typically cleaved from the mature protein as an early step in compartmentalization. For an extracellular protein, the secretory pathway typically involves cotranslational insertion into the endoplasmic reticulum with cleavage of the signal peptide occurring at this stage. The mature protein then passes through the Golgi body into vesicles that fuse with the plasma membrane thus releasing the protein into the extracellular space. Proteins destined for other compartments follow a similar pathway. For example, proteins that are destined for the endoplasmic reticulum or the Golgi body follow this scheme, but they are specifically retained in the appropriate compartment. In plants, some proteins are also targeted to the vacuole, another membrane bound compartment in the cytoplasm of many plant cells. Vacuole targeted proteins diverge from the above pathway at the Golgi body where they enter vesicles that fuse with the vacuole.

A common feature of this protein targeting is the signal peptide that initiates the compartmentalization process. Fusing a signal peptide to a protein will in many cases lead to the targeting of that protein to the endoplasmic reticulum. The efficiency of this step may depend on the sequence of the mature protein itself as well. The signals that direct a protein to a specific compartment rather than to the extracellular space are not as clearly defined. It appears that many of the signals that direct the protein to specific compartments are contained within the amino acid sequence of the mature protein. This has been shown for some vacuole targeted proteins, but it is not yet possible to define these sequences precisely. It appears that secretion into the extracellular space is the "default" pathway for a protein that contains a signal sequence but no other compartmentalization signals. Thus, a strategy to direct *B. thuringiensis* proteins out of the cytoplasm is to fuse the genes for synthetic *B. thuringiensis* genes to DNA sequences encoding known plant signal peptides. These fusion genes will give rise to *B. thuringiensis* proteins that enter the secretory pathway, and lead to extracellular secretion or targeting to the vacuole or other compartments.

Signal sequences for several plant genes have been described. One such sequence is for the tobacco pathogenesis related protein PR1b has been previously described (Cornelissen *et al.*, 1986). The PR1b protein is normally localized to the extracellular space. Another type of signal peptide is contained on seed storage proteins of legumes. These proteins are localized to the protein body of seeds, which is a vacuole like compartment found in seeds. A signal peptide DNA sequence for the β -subunit of the 7S storage protein of common bean (*Phaseolus vulgaris*), PvuB has been described (Doyle *et al.*, 1986). Based on the published these published sequences, genes may be synthesized chemically using oligonucleotides that encode the signal peptides for PR1b and PvuB. In some cases to achieve secretion or compartmentalization of heterologous proteins, it may be necessary to include some amino acid sequence beyond the normal cleavage site of the signal peptide. This may be necessary to insure proper cleavage of the signal peptide.

5.37 EXAMPLE 37 -- ISOLATION OF TRANSGENIC MAIZE RESISTANT TO *DIABROTICA* SPP. USING CRY3BB VARIANTS

5.37.1 PLANT GENE CONSTRUCTION

The expression of a plant gene which exists in double-stranded DNA form involves transcription of messenger RNA (mRNA) from one strand of the DNA by RNA polymerase enzyme, and the subsequent processing of the mRNA primary transcript inside the nucleus. This processing involves a 3' non-translated region which adds polyadenylate nucleotides to the 3' end of the RNA. Transcription of DNA into mRNA is regulated by a region of DNA usually referred to as the "promoter". The promoter region contains a sequence of bases that signals RNA polymerase to associate with the DNA and to initiate the transcription of mRNA using one of the DNA strands as a template to make a corresponding strand of RNA.

A number of promoters which are active in plant cells have been described in the literature. Such promoters may be obtained from plants or plant viruses and include, but are not limited to, the nopaline synthase (NOS) and octopine synthase (OCS) promoters (which are carried on tumor-inducing plasmids of *Agrobacterium tumefaciens*), the cauliflower mosaic virus (CaMV) 19S and 35S promoters, the light-inducible promoter from the small

subunit of ribulose 1,5-bisphosphate carboxylase (ssRUBISCO, a very abundant plant polypeptide), and the Figwort Mosaic Virus (FMV) 35S promoter. All of these promoters have been used to create various types of DNA constructs which have been expressed in plants (see *e.g.*, U. S. Patent No. 5,463,175, specifically incorporated herein by reference).

5 The particular promoter selected should be capable of causing sufficient expression of the enzyme coding sequence to result in the production of an effective amount of protein. One set of preferred promoters are constitutive promoters such as the CaMV35S or FMV35S promoters that yield high levels of expression in most plant organs (U. S. Patent No. 5,378,619, specifically incorporated herein by reference). Another set of preferred pro-
10 motors are root enhanced or specific promoters such as the CaMV derived 4 as-1 promoter or the wheat POX1 promoter (U. S. Patent No. 5,023,179, specifically incorporated herein by reference; Hertig *et al.*, 1991). The root enhanced or specific promoters would be particularly preferred for the control of corn rootworm (*Diabroticus* spp.) in transgenic corn plants.

 The promoters used in the DNA constructs (*i.e.* chimeric plant genes) of the present invention may be modified, if desired, to affect their control characteristics. For example,
15 the CaMV35S promoter may be ligated to the portion of the ssRUBISCO gene that represses the expression of ssRUBISCO in the absence of light, to create a promoter which is active in leaves but not in roots. The resulting chimeric promoter may be used as described herein. For purposes of this description, the phrase "CaMV35S" promoter thus includes variations of
20 CaMV35S promoter, *e.g.*, promoters derived by means of ligation with operator regions, random or controlled mutagenesis, *etc.* Furthermore, the promoters may be altered to contain multiple "enhancer sequences" to assist in elevating gene expression.

 The RNA produced by a DNA construct of the present invention also contains a 5' non-translated leader sequence. This sequence can be derived from the promoter selected to
25 express the gene, and can be specifically modified so as to increase translation of the mRNA. The 5' non-translated regions can also be obtained from viral RNA's, from suitable eucaryotic genes, or from a synthetic gene sequence. The present invention is not limited to constructs wherein the non-translated region is derived from the 5' non-translated sequence that accompanies the promoter sequence.

For optimized expression in monocotyledenous plants such as maize, an intron should also be included in the DNA expression construct. This intron would typically be placed near the 5' end of the mRNA in untranslated sequence. This intron could be obtained from, but not limited to, a set of introns consisting of the maize *hsp70* intron (U. S. Patent
5 No. 5,424,412; specifically incorporated herein by reference) or the rice *Act1* intron (McElroy *et al.*, 1990). As shown below, the maize *hsp70* intron is useful in the present invention.

As noted above, the 3' non-translated region of the chimeric plant genes of the present invention contains a polyadenylation signal which functions in plants to cause the
10 addition of adenylate nucleotides to the 3' end of the RNA. Examples of preferred 3' regions are (1) the 3' transcribed, non-translated regions containing the polyadenylate signal of *Agrobacterium* tumor-inducing (Ti) plasmid genes, such as the nopaline synthase (NOS) gene and (2) plant genes such as the pea ssRUBISCO E9 gene (Fischhoff *et al.*, 1987).

15 5.37.2 PLANT TRANSFORMATION AND EXPRESSION

A chimeric plant gene containing a structural coding sequence of the present invention can be inserted into the genome of a plant by any suitable method. Suitable plant transformation vectors include those derived from a Ti plasmid of *Agrobacterium tumefaciens*, as well as those disclosed, *e.g.*, by Herrera-Estrella (1983), Bevan (1983), Klee (1985)
20 and Eur. Pat. Appl. Publ. No. EP0120516. In addition to plant transformation vectors derived from the Ti or root-inducing (Ri) plasmids of *Agrobacterium*, alternative methods can be used to insert the DNA constructs of this invention into plant cells. Such methods may involve, for example, the use of liposomes, electroporation, chemicals that increase free DNA uptake, free DNA delivery *via* microprojectile bombardment, and transformation using vi-
25 ruses or pollen (Fromm *et al.*, 1986; Armstrong *et al.*, 1990; Fromm *et al.*, 1990).

5.37.3 CONSTRUCTION OF MONOCOT PLANT EXPRESSION VECTORS FOR *CRY3BB* VARIANTS

5.37.3.1 DESIGN OF *CRY3BB* VARIANT GENES FOR PLANT EXPRESSION

For efficient expression of the *cry3Bb* variants in transgenic plants, the gene encoding the variants must have a suitable sequence composition (Diehn *et al.*, 1996). One example of such a sequence is shown for the v11231 gene (SEQ ID NO:99) which encodes the
5 *Cry3Bb*11231 variant protein (SEQ ID NO:100) with *Diabrotica* activity. This gene was derived *via* mutagenesis (Kunkel, 1985) of a *cry3Bb* synthetic gene (SEQ ID NO:101) encoding a protein essentially homologous to the protein encoded by the native *cry3Bb* gene (Gen Bank Accession Number m89794, SEQ ID NO:102). The following oligonucleotides were used in the mutagenesis of the original *cry3Bb* synthetic gene (SEQ ID NO:101) to create the
10 v11231 gene (SEQ ID NO:99):

Oligo #1:

5'-TAGGCCTCCATCCATGGCAAACCCTAACAATC-3' (SEQ ID NO:103)

Oligo #2:

5'-TCCCATCTTCCTACTTACGACCCTGCAGAAATACGGTCCAAC -3'

15 (SEQ ID NO:104)

Oligo #3:

5'-GACCTCACCTACCAAACATTCGATCTTG -3' (SEQ ID NO:105)

Oligo #4:

5'-CGAGTTCTACCGTAGGCAGCTCAAG-3' (SEQ ID NO:106)

20

5.37.3.2 CONSTRUCTION OF *CRY3BB* MONOCOT PLANT EXPRESSION VECTOR

To place the *cry3Bb* variant gene v11231 in a vector suitable for expression in monocotyledonous plants (*i.e.* under control of the enhanced Cauliflower Mosaic Virus 35S promoter and link to the *hsp70* intron followed by a nopaline synthase polyadenylation site as
25 in U. S. Patent No. 5,424,412, specifically incorporated herein by reference), the vector pMON19469 was digested with *Nco*I and *Eco*RI. The larger vector band of approximately 4.6 kb was electrophoresed, purified, and ligated with T4 DNA ligase to the *Nco*I-*Eco*RI fragment of approximately 2 kb containing the v11231 gene (SEQ ID NO:99). The ligation mix was transformed into *E. coli*, carbenicillin resistant colonies recovered and plasmid DNA
30 recovered by DNA miniprep procedures. This DNA was subjected to restriction endonucle-

ase analysis with enzymes such as *NcoI* and *EcoRI* (together), *NotI*, and *PstI* to identify clones containing pMON33708 (the v11231 coding sequence fused to the *hsp70* intron under control of the enhanced CaMV35S promoter).

To place the v11231 gene in a vector suitable for recovery of stably transformed and insect resistant plants, the 3.75-kb *NotI* restriction fragment from pMON33708 containing the lysine oxidase coding sequence fused to the *hsp70* intron under control of the enhanced CaMV35S promoter was isolated by gel electrophoresis and purification. This fragment was ligated with pMON30460 treated with *NotI* and calf intestinal alkaline phosphatase (pMON30460 contains the neomycin phosphotransferase coding sequence under control of the CaMV35S promoter). Kanamycin resistant colonies were obtained by transformation of this ligation mix into *E. coli* and colonies containing pMON33710 identified by restriction endonuclease digestion of plasmid miniprep DNAs. Restriction enzymes such as *NotI*, *EcoRV*, *HindIII*, *NcoI*, *EcoRI*, and *BglII* can be used to identify the appropriate clones containing the *NotI* fragment of pMON33708 in the *NotI* site of pMON30460 (*i.e.* pMON33710) in the orientation such that both genes are in tandem (*i.e.* the 3' end of the v11231 expression cassette is linked to the 5' end of the *nptII* expression cassette). Expression of the v11231 protein by pMON33710 in corn protoplasts was confirmed by electroporation of pMON33710 DNA into protoplasts followed by protein blot and ELISA analysis. This vector can be introduced into the genomic DNA of corn embryos by particle gun bombardment followed by paromomycin selection to obtain corn plants expressing the v11231 gene essentially as described in U. S. Patent No. 5,424,412, specifically incorporated herein by reference.

In this example, the vector was introduced *via* cobombardment with a hygromycin resistance conferring plasmid into immature embryo scutella (IES) of maize, followed by hygromycin selection, and regeneration. Transgenic corn lines expressing the v11231 protein were identified by ELISA analysis. Progeny seed from these events were subsequently tested for protection from *Diabrotica* feeding.

5.37.3.3 *IN PLANTA* PERFORMANCE OF CRY3Bb.11231

Transformed corn plants expressing Cry3Bb.11231 protein were challenged with western corn rootworm (WCR) larvae in both a seedling and 10 inch pot assay. The transformed genotype was A634, where the progeny of the R0 cross by A634 was evaluated. Observations included effect on larval development (weight), root damage rating (RDR), and protein expression. The transformation vector containing the *cry3Bb* gene was pMON33710. Treatments included the positive and negative iso-populations for each event and an A634 check.

The seedling assay consisted of the following steps: (i) single seeds were placed in 1 oz cups containing potting soil; (ii) at spiking, each seedling was infested with 4 neonate larvae; and (iii) after infestation, seedlings were incubated for 7 days at 25°C, 50% RH, and 14:10 (L:D) photo period. Adequate moisture was added to the potting soil during the incubation period to maintain seedling vigor.

The 10 inch pot assay consisted of the following steps: (i) single seeds were placed in 10 inch pots containing potting soil; (ii) at 14 days post planting, each pot was infested with 800 eggs which have been pre-incubated such that hatch would occur 5-7 days post infestation; and (iii) after infestation, plants were incubated for 4 weeks under the same environmental conditions as the seedling assay. Pots were both sub and top irrigated daily.

For the seedling assay, on day 7 plants were given a root damage rating, and surviving larvae were weighed. Also at this time, Cry3Bb protein concentrations in the roots were determined by ELISA. The scale used for the seedling assay to assess root damage is as follows: RDR (root damage rating) 0 = no visible feeding; RDR 1 = very light feeding; RDR 2 = light feeding; RDR 3 = moderate feeding; RDR 4 = heavy feeding; and RDR 5 = very heavy feeding.

Results of the seedling assay are shown in Table 26. Plants expressing Cry3Bb protein were completely protected by WCR feeding, where surviving larvae within this treatment had not grown. Mean larval weights ranged from 2.03-2.73 mg for the nonexpressing treatments, where the surviving larval average weight was 0.11 mg on the expressing *cry3Bb* treatment. Root damage ratings were 3.86 and 0.33 for the nonexpressing and ex-

pressing isopopulations, respectively. Larval survival ranged from 75-85% for the negative and check treatments, where only 25% of the larvae survived on the Cry3Bb treatment.

5 **TABLE 26**
EFFECT OF CRY3BB EXPRESSING PLANTS ON
WCR LARVAE IN A SEEDLING ASSAY

Event	Treatment	Plants			Larvae		
		N	Root (ppm)	RDR±SD	N	% Surv	Mean±SD Wt. (mg)
16	Negative	7	0.0	3.86±0.65	21	75	2.73±1.67
16	Positive	3	29.01	0.33±0.45	3	25	0.11±0.07
A634	Check	4	0.0	--	13	81	2.03±0.83

For the 10 inch pot assay, at 4 weeks post infestation plant height was recorded and a root damage rating (Iowa 1-6 scale; Hills and Peters, 1971) was given.

10 Results of the 10 inch pot assay are shown in Table 27. Plants expressing Cry3Bb protein had significantly less feeding damage and were taller than the non-expressing plants. Event 16, the higher of the two expressing events provided nearly complete control. The negative treatments had very high root damage ratings indicating very high insect pressure. The positive mean root damage ratings were 3.4 and 2.2 for event 6 and 16, respectively.

15 Mean RDR for the negative treatment was 5.0 and 5.6.

TABLE 27
EFFECT OF CRY3BB EXPRESSING CORN IN CONTROLLING
WCR LARVAL FEEDING IN A 10 INCH POT ASSAY

Event	Treatment	N	Root		Plant
			(ppm)	RDR±SD	Height (cm)
6	Negative	7	0.0	5.0±1.41	49.7±18.72
6	Positive	5	7.0	3.4±1.14	73.9±8.67

16	Negative	5	0.0	5.6±0.89	61.2±7.75
16	Positive	5	55.0	2.2±0.84	83.8±7.15

In summary, corn plants expressing Cry3Bb protein have a significant biological effect on WCR larval development as seen in the seedling assay. When challenged with very high infestation levels, plants expressing the Cry3Bb protein were protected from WCR larval feeding damage as illustrated in the 10 inch pot assay.

6.0 BRIEF DESCRIPTION OF THE SEQUENCE IDENTIFIERS

	SEQ ID NO:1	DNA sequence of <i>cry3Bb.11221</i> gene.
	SEQ ID NO:2	Amino acid sequence of Cry3Bb.11221 polypeptide.
10	SEQ ID NO:3	DNA sequence of <i>cry3Bb.11222</i> gene.
	SEQ ID NO:4	Amino acid sequence of Cry3Bb.11222 polypeptide.
	SEQ ID NO:5	DNA sequence of <i>cry3Bb.11223</i> gene.
	SEQ ID NO:6	Amino acid sequence of Cry3Bb.11223 polypeptide.
	SEQ ID NO:7	DNA sequence of <i>cry3Bb.11224</i> gene.
15	SEQ ID NO:8	Amino acid sequence of Cry3Bb.11224 polypeptide.
	SEQ ID NO:9	DNA sequence of <i>cry3Bb.11225</i> gene.
	SEQ ID NO:10	Amino acid sequence of Cry3Bb.11225 polypeptide.
	SEQ ID NO:11	DNA sequence of <i>cry3Bb.11226</i> gene.
	SEQ ID NO:12	Amino acid sequence of Cry3Bb.11226 polypeptide.
20	SEQ ID NO:13	DNA sequence of <i>cry3Bb.11227</i> gene.
	SEQ ID NO:14	Amino acid sequence of Cry3Bb.11227 polypeptide.
	SEQ ID NO:15	DNA sequence of <i>cry3Bb.11228</i> gene.
	SEQ ID NO:16	Amino acid sequence of Cry3Bb.11228 polypeptide.
	SEQ ID NO:17	DNA sequence of <i>cry3Bb.11229</i> gene.
25	SEQ ID NO:18	Amino acid sequence of Cry3Bb.11229 polypeptide.
	SEQ ID NO:19	DNA sequence of <i>cry3Bb.11230</i> gene.
	SEQ ID NO:20	Amino acid sequence of Cry3Bb.11230 polypeptide.

	SEQ ID NO:21	DNA sequence of <i>cry3Bb.11231</i> gene.
	SEQ ID NO:22	Amino acid sequence of Cry3Bb.11231 polypeptide.
	SEQ ID NO:23	DNA sequence of <i>cry3Bb.11232</i> gene.
	SEQ ID NO:24	Amino acid sequence of Cry3Bb.11232 polypeptide.
5	SEQ ID NO:25	DNA sequence of <i>cry3Bb.11233</i> gene.
	SEQ ID NO:26	Amino acid sequence of Cry3Bb.11233 polypeptide.
	SEQ ID NO:27	DNA sequence of <i>cry3Bb.11234</i> gene.
	SEQ ID NO:28	Amino acid sequence of Cry3Bb.11234 polypeptide.
	SEQ ID NO:29	DNA sequence of <i>cry3Bb.11235</i> gene.
10	SEQ ID NO:30	Amino acid sequence of Cry3Bb.11235 polypeptide.
	SEQ ID NO:31	DNA sequence of <i>cry3Bb.11236</i> gene.
	SEQ ID NO:32	Amino acid sequence of Cry3Bb.11236 polypeptide.
	SEQ ID NO:33	DNA sequence of <i>cry3Bb.11237</i> gene.
	SEQ ID NO:34	Amino acid sequence of Cry3Bb.11237 polypeptide.
15	SEQ ID NO:35	DNA sequence of <i>cry3Bb.11238</i> gene.
	SEQ ID NO:36	Amino acid sequence of Cry3Bb.11238 polypeptide.
	SEQ ID NO:37	DNA sequence of <i>cry3Bb.11239</i> gene.
	SEQ ID NO:38	Amino acid sequence of Cry3Bb.11239 polypeptide.
	SEQ ID NO:39	DNA sequence of <i>cry3Bb.11241</i> gene.
20	SEQ ID NO:40	Amino acid sequence of Cry3Bb.11241 polypeptide.
	SEQ ID NO:41	DNA sequence of <i>cry3Bb.11242</i> gene.
	SEQ ID NO:42	Amino acid sequence of Cry3Bb.11242 polypeptide.
	SEQ ID NO:43	DNA sequence of <i>cry3Bb.11032</i> gene.
	SEQ ID NO:44	Amino acid sequence of Cry3Bb.11032 polypeptide.
25	SEQ ID NO:45	DNA sequence of <i>cry3Bb.11035</i> gene.
	SEQ ID NO:46	Amino acid sequence of Cry3Bb.11035 polypeptide.
	SEQ ID NO:47	DNA sequence of <i>cry3Bb.11036</i> gene.
	SEQ ID NO:48	Amino acid sequence of Cry3Bb.11036 polypeptide.
	SEQ ID NO:49	DNA sequence of <i>cry3Bb.11046</i> gene.
30	SEQ ID NO:50	Amino acid sequence of Cry3Bb.11046 polypeptide.

	SEQ ID NO:51	DNA sequence of <i>cry3Bb.11048</i> gene.
	SEQ ID NO:52	Amino acid sequence of Cry3Bb.11048 polypeptide.
	SEQ ID NO:53	DNA sequence of <i>cry3Bb.11051</i> gene.
	SEQ ID NO:54	Amino acid sequence of Cry3Bb.11051 polypeptide.
5	SEQ ID NO:55	DNA sequence of <i>cry3Bb.11057</i> gene.
	SEQ ID NO:56	Amino acid sequence of Cry3Bb.11057 polypeptide.
	SEQ ID NO:57	DNA sequence of <i>cry3Bb.11058</i> gene.
	SEQ ID NO:58	Amino acid sequence of Cry3Bb.11058 polypeptide.
	SEQ ID NO:59	DNA sequence of <i>cry3Bb.11081</i> gene.
10	SEQ ID NO:60	Amino acid sequence of Cry3Bb.11081 polypeptide.
	SEQ ID NO:61	DNA sequence of <i>cry3Bb.11082</i> gene.
	SEQ ID NO:62	Amino acid sequence of Cry3Bb.11082 polypeptide.
	SEQ ID NO:63	DNA sequence of <i>cry3Bb.11083</i> gene.
	SEQ ID NO:64	Amino acid sequence of Cry3Bb.11083 polypeptide.
15	SEQ ID NO:65	DNA sequence of <i>cry3Bb.11084</i> gene.
	SEQ ID NO:66	Amino acid sequence of Cry3Bb.11084 polypeptide.
	SEQ ID NO:67	DNA sequence of <i>cry3Bb.11095</i> gene.
	SEQ ID NO:68	Amino acid sequence of Cry3Bb.11095 polypeptide.
	SEQ ID NO:69	DNA sequence of <i>cry3Bb.60</i> gene.
20	SEQ ID NO:70	Amino acid sequence of Cry3Bb.60 polypeptide.
	SEQ ID NO:71	Primer FW001.
	SEQ ID NO:72	Primer FW006.
	SEQ ID NO:73	Primer MVT095.
	SEQ ID NO:74	Primer MVT097.
25	SEQ ID NO:75	Primer MVT091.
	SEQ ID NO:76	Primer MVT075.
	SEQ ID NO:77	Primer MVT076.
	SEQ ID NO:78	Primer MVT111.
	SEQ ID NO:79	Primer MVT094.
30	SEQ ID NO:80	Primer MVT103.

	SEQ ID NO:81	Primer MVT081.
	SEQ ID NO:82	Primer MVT085.
	SEQ ID NO:83	Primer A.
	SEQ ID NO:84	Primer B.
5	SEQ ID NO:85	Primer C.
	SEQ ID NO:86	Primer D.
	SEQ ID NO:87	Primer E.
	SEQ ID NO:88	Primer F.
	SEQ ID NO:89	Primer G.
10	SEQ ID NO:90	Primer WD112.
	SEQ ID NO:91	Primer WD115.
	SEQ ID NO:92	Primer MVT105.
	SEQ ID NO:93	Primer MVT092.
	SEQ ID NO:94	Primer MVT070.
15	SEQ ID NO:95	Primer MVT083.
	SEQ ID NO:96	N-terminal amino acid of Cry3Bb polypeptide.
	SEQ ID NO:97	DNA sequence of wild-type <i>cry3Bb</i> gene.
	SEQ ID NO:98	Amino acid sequence of wild-type Cry3Bb polypeptide.
	SEQ ID NO:99	Plantized DNA sequence for <i>cry3Bb.11231</i> gene.
20	SEQ ID NO:100	Amino acid sequence of plantized Cry3Bb.11231 polypeptide.
	SEQ ID NO:101	DNA sequence of <i>cry3Bb</i> gene used to prepare SEQ ID NO:99.
	SEQ ID NO:102	DNA sequence of wild-type <i>cry3Bb</i> gene, Genbank #M89794.
	SEQ ID NO:103	DNA sequence of Oligo #1.
	SEQ ID NO:104	DNA sequence of Oligo #2.
25	SEQ ID NO:105	DNA sequence of Oligo #3.
	SEQ ID NO:106	DNA sequence of Oligo #4.
	SEQ ID NO:107	DNA sequence of <i>cry3Bb.11098</i> gene.
	SEQ ID NO:108	Amino acid sequence of Cry3Bb.11098 polypeptide.

30 7.0 REFERENCES

The following references, to the extent that they provide exemplary procedural or other details supplementary to those set forth herein, are specifically incorporated herein by reference.

- U. S. Patent 4,237,224, issued December 2, 1980.
- 5 U. S. Patent 4,332,898, issued Jun. 1, 1982.
U. S. Patent 4,342,832, issued Aug. 3, 1982.
U. S. Patent 4,356,270, issued Oct. 26, 1982.
U. S. Patent 4,362,817, issued Dec. 7, 1982.
U. S. Patent 4,371,625, issued Feb. 1, 1983.
- 10 U. S. Patent 4,448,885, issued May 15, 1984.
U. S. Patent 4,467,036, issued Aug. 21, 1984.
U. S. Patent 4,554,101, issued Nov. 19, 1985.
U. S. Patent 4,683,195, issued Jul. 28, 1987.
U. S. Patent 4,683,202, issued Jul. 28, 1987.
- 15 U. S. Patent 4,757,011, issued Jul. 12, 1988.
U. S. Patent 4,766,203, issued August 23, 1988.
U. S. Patent 4,769,061, issued September 6, 1988.
U. S. Patent 4,797,279, issued January 10, 1989.
U. S. Patent 4,800,159, issued January 24, 1989.
- 20 U. S. Patent 4,883,750, issued November 28, 1989.
U. S. Patent 4,910,016, issued March 20, 1990.
U. S. Patent 4,940,835, issued Feb. 23, 1990.
U. S. Patent 4,965,188, issued Oct. 23, 1990.
U. S. Patent 4,971,908, issued Nov. 20, 1990.
- 25 U. S. Patent 4,987,071, issued Jan. 22, 1991.
U. S. Patent 5, 380, 831, issued Jan. 10, 1995.
U. S. Patent 5,023,179, issued June 11, 1991.
U. S. Patent 5,024,837, issued June 18, 1991.
- 30 U. S. Patent 5,126,133, issued June 30, 1992.
U. S. Patent 5,176,995, issued Oct. 15, 1991.

- U. S. Patent 5,187,091, issued XXXXX, 1993.
U. S. Patent 5,322,687, issued Jun. 21, 1994.
U. S. Patent 5,334,711, issued Aug. 2, 1994.
U. S. Patent 5,378,619, issued January 3, 1995.
5 U. S. Patent 5,424,412, issued June 13, 1995.
U. S. Patent 5,441,884, issued Aug. 15, 1995.
U. S. Patent 5,463,175, issued October 31, 1995.
U. S. Patent 5,500,365, issued Mar 19, 1996.
U. S. Patent 5,591,616, issued January 7, 1997.
10 U. S. Patent 5,631,359, issued May 20, 1997.
U. S. Patent 5,659,123, issued August 19, 1997.
Eur. Pat. No. EP 0120516.
Eur. Pat. No. EP 0360257.
Eur. Pat. Appl. No. 92110298.4.
15 Eur. Pat. Appl. No. 295156A1.
Great Britain Patent 2202328.
Int. Pat. Appl. Publ. No. WO 91/03162.
Int. Pat. Appl. Publ. No. WO 92/07065.
Int. Pat. Appl. Publ. No. WO 93/15187.
20 Int. Pat. Appl. Publ. No. WO 93/23569.
Int. Pat. Appl. Publ. No. WO 94/02595.
Int. Pat. Appl. Publ. No. WO 94/13688.
Intl. Pat. Appl. Publ. No. PCT/US87/00880.
Intl. Pat. Appl. Publ. No. PCT/US89/01025.
25 Intl. Pat. Appl. Publ. No. WO 88/09812.
Intl. Pat. Appl. Publ. No. WO 88/10315.
Intl. Pat. Appl. Publ. No. WO 89/06700.
Intl. Pat. Appl. Publ. No. WO 93/07278.
Abbott, "A method for computing the effectiveness of an insecticide," *J. Econ. Entomol.*,
30 18:265-267, 1925.

- Abdullah *et al.*, *Biotechnology*, 4:1087, 1986.
- Almond and Dean, *Biochemistry*, 32:1040-1046, 1993.
- An *et al.*, *EMBO J.*, 4:277-287, 1985.
- Angsuthanasamnat *et al.*, *FEMS Microbiol. Lett.*, 111:255-262, 1993.
- 5 Armstrong *et al.*, *Plant Cell Rep.*, 9:335-339, 1990.
- Aronson, Wu, Zhang, "Mutagenesis of specificity and toxicity regions of a *Bacillus thuringiensis* protoxin gene." *J. Bacteriol.*, 177:4059-4065, 1995.
- Bagdasarian *et al.*, *Gene*, 16:237, 1981.
- Baum *et al.*, *Appl. Environ. Microbiol.*, 56:3420-3428, 1990.
- 10 Baum, "Tn5401, a new class II transposable element from *Bacillus thuringiensis*," *J. Bacteriol.*, 176:2835-2845, 1994.
- Baum, *J. Bacteriol.*, 177:4036-4042, 1995.
- Baum, Kakefuda, Gawron-Burke, "Engineering *Bacillus thuringiensis* Bioinsecticides with an Indigenous Site-Specific Recombination System," *Appl. Environ. Microbiol.*, 62:XXX-XXX, 1996.
- 15 Benbrook *et al.*, In: *Proceedings Bio Expo 1986*, Butterworth, Stoneham, MA, pp. 27-54, 1986.
- Bevan *et al.*, *Nature*, 304:184, 1983.
- Bolivar *et al.*, *Gene*, 2:95, 1977.
- 20 Branden and Tooze, "Introduction to Protein Structure," Garland Publishing, Inc., New York, NY, 1991.
- Brussock and Currier, "Use of sodium dodecyl sulfate-polacryamide gel electrophoresis to quantify *Bacillus thuringiensis* δ -endotoxins," In: "Analytical Chemistry of *Bacillus thuringiensis*," L.A. Hickie and W.L. Fitch, (Eds), American Chemical Society, Washington D. C., pp. 78-87, 1990.
- 25 Capecchi, "High efficiency transformation by direct microinjection of DNA into cultured mammalian cells," *Cell*, 22(2):479-488, 1980.
- Caramori, Albertini, Galizzi, "In vivo generation of hybrids between two *Bacillus thuringiensis* insect-toxin-encoding genes," *Gene*, 98:37-44, 1991.

- Cashmore *et al.*, *Gen. Eng. of Plants*, Plenum Press, New York, 29-38, 1983.
- Chambers *et al.*, *Appl. Environ. Microbiol.*, 173:3966-3976, 1991.
- Chau *et al.*, *Science*, 244:174-181, 1989.
- Chen *et al.*, *Nucl. Acids Res.*, 20:4581-9, 1992.
- 5 Chen, Curtiss, Alcantara, Dean, "Mutations in domain I of *Bacillus thuringiensis* δ -endotoxin CryIAb reduce the irreversible binding of toxin to *Manduca sexta* brush border membrane vesicles," *J. Biol. Chem.*, 270:6412-6419, 1995.
- Chen, Lee, Dean, "Site-directed mutations in a highly conserved region of *Bacillus thuringiensis* δ -endotoxin affect inhibition of short circuit current across *Bombyx mori* midguts," *Proc. Natl. Acad. Sci. USA*, 90:9041-9045, 1993.
- 10 Chowrira and Burke, *Nucl. Acids Res.*, 20:2835-2840, 1992.
- Clapp, "Somatic gene therapy into hematopoietic cells. Current status and future implications," *Clin. Perinatol.*, 20(1):155-168, 1993.
- Cody, Luft, Jensen, Pangborn English, "Purification and crystallization of insecticidal δ -endotoxin CryIIIB2 from *Bacillus thuringiensis*," *Proteins: Struct. Funct. Genet.*, 14:324, 1992.
- 15 Collins and Olive, *Biochem.*, 32:2795-2799, 1993.
- Conway and Wickens, *In: RNA Processing*, p. 40, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1988.
- 20 Cornelissen *et al.*, "A tobacco mosaic virus-induced tobacco protein is homologous to the sweet-tasting protein thaumatin," *Nature*, 321(6069):531-532, 1986.
- Cramer, Cohen, Merrill, Song, "Structure and dynamics of the colicin E1 channel," *Molec. Microbiol.*, 4:519-526, 1990.
- CRC Handbook of Chemistry and Physics, 58th edition, CRC Press, Inc., Cleveland, Ohio, p. C-769, 1977.
- 25 Cristou *et al.*, *Plant Physiol.*, 87:671-674, 1988.
- Curiel, Agarwal, Wagner, Cotten, "Adenovirus enhancement of transferrin-polylysine-mediated gene delivery," *Proc. Natl. Acad. Sci. USA*, 88(19):8850-8854, 1991.

- Curiel, Wagner, Cotten, Birnstiel, Agarwal, Li, Loechel, Hu, "High-efficiency gene transfer mediated by adenovirus coupled to DNA-polylysine complexes," *Hum. Gen. Ther.*, 3(2):147-154, 1992.
- Daum, "Revision of two computer programs for probit analysis," *Bull. Entomol. Soc. Amer.*, 16:10-15, 1970.
- De Maagd, Kwa, van der Klei, Yamamoto, Schipper, Vlak, Stiekema, Bosch, "Domain III substitution in *Bacillus thuringiensis* delta-endotoxin CryIA(b) results in superior toxicity for *Spodoptera exigua* and altered membrane protein recognition," *Appl. Environ. Microbiol.*, 62:1537-1543, 1996.
- Dean *et al.*, *Nucl. Acids Res.*, 14(5):2229, 1986.
- Dhir *et al.*, *Plant Cell Reports*, 10:97, 1991.
- Diehn *et al.*, *Genet. Engineer.*, 18:83-99, 1996.
- Donovan, Dankocsik, Gilbert, Groat, Gawron-Burke, Carlton, "The P2 protein of *Bacillus thuringiensis* var. *kurstaki*: nucleotide sequence and entomocidal activity," *J. Biol. Chem.*, 263:561-567, 1988.
- Doyle *et al.*, *J. Biol. Chem.*, 261(20):9228-9236, 1986.
- Dropulic *et al.*, *J. Virol.*, 66:1432-41, 1992.
- Dunitz, "The entropic cost of bound water in crystals and biomolecules," *Science*, 264:670-68x, 1994.
- Earp and Ellar, *Nucl. Acids Res.*, 15:3619, 1987.
- Eglitis and Anderson, "Retroviral vectors for introduction of genes into mammalian cells," *Biotechniques*, 6(7):608-614, 1988.
- Eglitis, Kantoff, Kohn, Karson, Moen, Lothrop, Blaese, Anderson, "Retroviral-mediated gene transfer into hemopoietic cells," *Adv. Exp. Med. Biol.*, 241:19-27, 1988.
- Elroy-Stein and Moss, *Proc. Natl. Acad. Sci. USA*, 87:6743-7, 1990.
- English and Slatin, *Insect Biochem. Mol. Biol.*, 22:1-7, 1992.
- English, Readdy, Bastian, "Delta-endotoxin-induced leakage of $^{86}\text{Rb}^+ - \text{K}^+$ and H_2O from phospholipid vesicles is catalyzed by reconstituted midgut membrane," *Insect Biochem.*, 21:177-184, 1991.

- Fischhoff *et al.*, *Bio/Technology*, 5:807-813, 1987.
- Fraley *et al.*, *Bio/Technology*, 3:629-635, 1985.
- Fraley *et al.*, *Proc. Natl. Acad. Sci. USA*, 80:4803, 1983.
- Frohman, PCR™ Protocols, a Guide to Methods and Applications XVIII Ed., Academic
5 Press, New York, 1990.
- Fromm *et al.*, *Bio/Technology*, 8:833-839, 1990.
- Fromm *et al.*, *Nature*, 319:791-793, 1986.
- Fromm, Taylor, Walbot, "Expression of genes transferred into monocot and dicot plant cells
by electroporation," *Proc. Natl. Acad. Sci. USA*, 82(17):5824-5828, 1985.
- 10 Fujimura *et al.*, *Plant Tissue Cult. Lett.*, 2:74, 1985.
- Fynan, Webster, Fuller, Haynes, Santoro, Robinson, "DNA vaccines: protective
immunizations by parenteral, mucosal, and gene gun inoculations," *Proc. Natl.
Acad. Sci. USA*, 90(24):11478-11482, 1993.
- Galitsky, Cody, Wojtczak, Ghosh, Luft, Pangborn, Wawrzak, English, "Crystal and Molecu-
15 lar Structure of the Insecticidal Bacterial δ -Endotoxin CryIIIB2 of *Bacillus
thuringiensis*," Research Communication to Ecogen Inc., Langhorne, PA, 1993.
- Gao and Huang, *Nucl. Acids Res.*, 21:2867-72, 1993.
- Gazit and Shai, "Structural and Functional Characterization of the α -5 segment of *Bacillus
thuringiensis* δ -endotoxin," *Biochemistry*, 32:3429-3436, 1993.
- 20 Gazit and Shai, "The assembly and organization of the α 5 and α 7 helices from the pore-
forming domain of *Bacillus thuringiensis* δ -endotoxin," *J. Biol. Chem.*, 270:2571-
2578, 1995.
- Ge, Rivers, Milne, Dean, "Functional domains of *Bacillus thuringiensis* insecticidal crystal
proteins: refinement of *Heliothis virescens* and *Trichoplusia ni* specificity do-
25 mains on CryIA(c)," *J. Biol. Chem.*, 266:17954-17958, 1991.
- Genovese and Milcarek, *In: RNA Processing*, p. 62, Cold Spring Harbor Laboratory, Cold
Spring Harbor, NY, 1988.
- Gil and Proudfoot, *Nature*, 312:473, 1984.
- Gonzalez Jr. *et al.*, *Proc. Natl. Acad. Sci USA*, 79:6951-6955, 1982.

- Graham and van der Eb, "Transformation of rat cells by DNA of human adenovirus 5," *Virology*, 54(2):536-539, 1973.
- Grochulski, Masson, Borisova, Pusztai-Carey, Schwartz, Brousseau, Cygler, "Bacillus thuringiensis CryIA(a) insecticidal toxin: crystal structure and channel formation," *J. Mol. Biol.*, 254:447-464, 1995.
- 5 Guerrier-Takada *et al.*, *Cell*, 35:849, 1983.
- Hampel and Tritz, *Biochem.*, 28:4929, 1989.
- Hampel *et al.*, *Nucl. Acids Res.*, 18:299, 1990.
- Harlow and Lane, "Antibodies: A Laboratory Manual," Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1988.
- 10 Herrera-Estrella *et al.*, *Nature*, 303:209, 1983.
- Hertel *et al.*, *Nucl. Acids Res.*, 20:3252, 1992.
- Hertig *et al.*, *Plant Mol. Biol.*, 16:171-174, 1991.
- Hess, *Intern Rev. Cytol.*, 107:367, 1987.
- 15 Hills and Peters, *J. Econ. Entomol.*, 64:764-765, 1971.
- Hockema, *In: The Binary Plant Vector System*, Offset-durkkerij, Kanters B.V., Alblaserdam, Chapter 5.
- Höfte and Whitely, *Microbiol. Rev.*, 53:242-255, 1989.
- Holland *et al.*, *Biochemistry*, 17:4900, 1978.
- 20 Holsters *et al.*, *Mol. Gen. Genet.*, 163:181-187, 1978.
- Honee, van der Salm, Visser, *Nucl. Acids Res.*, 16:6240, 1988.
- Horsch *et al.*, *Science*, 227:1229-1231, 1985.
- Humason, *In: Animal Tissue Techniques*, W.H. Freeman and Company, 1967.
- Jaeger *et al.*, *Proc. Natl. Acad. Sci. USA*, 86: 7706-7710, 1989.
- 25 Johnston and Tang, "Gene gun transfection of animal cells and genetic immunization," *Methods Cell. Biol.*, 43(A):353-365, 1994.
- Jorgensen *et al.*, *Mol. Gen. Genet.*, 207:471, 1987.
- Kaiser and Kezdy, *Science*, 223:249-255, 1984.
- Kashani-Saber *et al.*, *Antisense Res. Dev.*, 2:3-15, 1992.
- 30 Keller *et al.*, *EMBO J.*, 8:1309-14, 1989.

- Klee *et al.*, *Bio/Technology*, 3:637-642, 1985.
- Klein *et al.*, *Nature*, 327:70, 1987.
- Klein *et al.*, *Proc. Natl. Acad. Sci. USA*, 85:8502-8505, 1988.
- Kozak, *Nature*, 308:241-246, 1984.
- 5 Krieg *et al.*, *Anzeiger fur Schadlingskunde Pflanzenschutz Umweltschutz*, 57:145-150, 1984.
- Krieg *et al.*, *Z. ang Ent.*, 96:500-508, 1983.
- Kuby, *Immunology 2nd Edition*, W. H. Freeman & Company, NY, 1994
- Kunkle, "Rapid and efficient site-specific mutagenesis without phenotypic selection," *Proc. Natl. Acad. Sci. USA*, 82:488-492, 1985.
- 10 Kunkle, Roberts, Zabour, *Methods Enzymol.*, 154:367-382, 1987.
- Kwak, Lu, Dean, "Exploration of receptor binding of *Bacillus thuringiensis* toxins," *Mem. Inst. Oswaldo*, 90:75-79, 1995.
- Kwoh *et al.*, *Proc. Natl. Acad. Sci. USA*, 86(4):1173-1177, 1989.
- Kyte and Doolittle, *J. Mol. Biol.*, 157:105-132, 1982.
- 15 L'Huillier *et al.*, *EMBO J.*, 11:4411-8, 1992.
- LaBean and Kauffman, "Design of synthetic gene libraries encoding random sequence proteins with desired ensemble characteristics," *Prot. Sci.*, 2:1249-1254, 1993.
- Lambert, Buysse, Decock, Jansens, Piens, Saey, Seurinck, Van Audenhove, Van Rie, Van Vliet, Peferoen, "A *Bacillus thuringiensis* insecticidal crystal protein with a high activity against members of the family *Noctuidae*," *Appl. Environ. Microbiol.*, 62:80-86, 1996.
- 20 Lee, Milne, Ge, Dean, "Location of a *Bombyx mori* receptor binding region on a *Bacillus thuringiensis* δ -endotoxin," *J. Biol. Chem.*, 267:3115-3121, 1992.
- Lee, Young, Dean, "Domain III exchanges of *Bacillus thuringiensis* CryIA toxins affect binding to different gypsy moth midgut receptors," *Biochem. Biophys. Res. Commun.*, 216:306-312, 1995.
- 25 Li, Carroll, Ellar, "Crystal structure of insecticidal δ -endotoxin from *Bacillus thuringiensis* at 2.5Å resolution," *Nature (London)*, 353:815-821, 1991.
- Lieber *et al.*, *Methods Enzymol.*, 217:47-66, 1993.

- Lindstrom *et al.*, *Developmental Genetics*, 11:160, 1990.
- Lisziewicz *et al.*, *Proc. Natl. Acad. Sci. U.S.A.*, 90:8000-4, 1993.
- Lorz *et al.*, *Mol. Gen. Genet.*, 199:178, 1985.
- Lu, Rajamohan, Dean, "Identification of amino acid residues of *Bacillus thuringiensis* δ -endotoxin CryIAa associated with membrane binding and toxicity to *Bombyx mori*," *J. Bacteriol.*, 176:5554-5559, 1994.
- Lu, Xiao, Clapp, Li, Broxmeyer, "High efficiency retroviral mediated gene transduction into single isolated immature and replatable CD34(3+) hematopoietic stem/progenitor cells from human umbilical cord blood," *J. Exp. Med.*, 178(6):2089-2096, 1993.
- 10 Macaluso and Mettus, *J. Bacteriol.*, 173:1353-1356, 1991.
- Maddock *et al.*, *Third International Congress of Plant Molecular Biology*, Abstract 372, 1991.
- Maloy *et al.*, "Microbial Genetics" 2nd Edition. Jones and Bartlett Publishers, Boston, MA, 1994.
- 15 Maloy, "Experimental Techniques in Bacterial Genetics" Jones and Bartlett Publishers, Boston, MA, 1990.
- Maniatis, Fritsch, Sambrook, In: *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1982.
- Marcotte *et al.*, *Nature*, 335:454, 1988.
- 20 McDevitt *et al.*, *Cell*, 37:993-999, 1984.
- McElroy *et al.*, *Plant Cell*, 2:163-171, 1990.
- Mettus and Macaluso, *Appl. Environ. Microbiol.*, 56:1128-1134, 1990.
- Michael, "Mutagenesis by Incorporation of a Phosphorylated Oligo During PCR™ Amplification," *BioTechniques*, 16(3):410-412, 1994.
- 25 Neuhaus *et al.*, *Theor. Appl. Genet.*, 75:30, 1987.
- Odell *et al.*, *Nature*, 313:810, 1985.
- Ohara *et al.*, *Proc. Natl. Acad. Sci. USA*, 86(15):5673-5677, 1989.
- Ohkawa *et al.*, *Nucl. Acids Symp. Ser.*, 27:15-6, 1992.
- Ojwang *et al.*, *Proc. Natl. Acad. Sci. USA*, 89:10802-6, 1992.

- Olson *et al.*, *J. Bacteriol.*, 150:6069, 1982.
- Omirulleh *et al.*, *Plant Molecular Biology*, 21:415-428, 1993.
- Pandey and Marzluff, In "RNA Processing," p. 133, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1987.
- 5 Pena *et al.*, *Nature*, 325:274, 1987.
- Perrault *et al.*, *Nature*, 344:565, 1990.
- Perrotta and Been, *Biochem.*, 31:16, 1992.
- Pieken *et al.*, *Science*, 253:314, 1991.
- Poszkowski *et al.*, *EMBO J.*, 3:2719, 1989.
- 10 Potrykus *et al.*, *Mol. Gen. Genet.*, 199:183, 1985.
- Poulsen *et al.*, *Mol. Gen. Genet.*, 205:193-200, 1986.
- Prokop and Bajpai, "Recombinant DNA Technology I," *Ann. N. Y. Acad. Sci.*, 646:xxx-xxx, 1991.
- Rajamohan, Alcantara, Lee, Chen, Curtiss, Dean, "Single amino acid changes in domain II of
- 15 *Bacillus thuringiensis* CryIAb δ -endotoxin affect irreversible binding to *Manduca sexta* midgut membrane vesicles," *J. Bacteriol.*, 177:2276-2282, 1995.
- Rajamohan, Cotrill, Gould, Dean, "Role of domain II, loop 2 residues of *Bacillus thuringiensis* CryIAb δ -endotoxin in reversible and irreversible binding to *Manduca sexta* and *Heliothis virescens*," *J. Biol. Chem.*, 271:2390-2397, 1996.
- 20 Rogers *et al.*, In: *Methods For Plant Molecular Biology*, A. Weissbach and H. Weissbach, eds., Academic Press Inc., San Diego, CA 1988.
- Rogers *et al.*, *Methods Enzymol.*, 153:253-277, 1987.
- Rossi *et al.*, *Aids Res. Hum. Retrovir.*, 8:183, 1992.
- Sadofsky and Alwine, *Molec. Cell. Biol.*, 4(8):1460-1468, 1984.
- 25 Sambrook *et al.*, "Molecular Cloning: A Laboratory Manual," Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1989.
- Sanchis, Lereclus, Menou, Chaufaux, Guo, Lecadet, *Mol. Microbiol.*, 3:229-238, 1989.
- Sanchis, Lereclus, Menou, Chaufaux, Lecadet, *Mol. Microbiol.*, 2:393-404, 1988.
- Sarver *et al.*, *Science*, 247:1222-1225, 1990.

- Saville and Collins, *Cell*, 61:685-696, 1990.
- Saville and Collins, *Proc. Natl. Acad. Sci. USA*, 88:8826-8830, 1991.
- Scanlon *et al.*, *Proc. Natl. Acad. Sci. USA*, 88:10591-5, 1991.
- Scaringe *et al.*, *Nucl. Acids Res.*, 18:5433-5441, 1990.
- 5 Schnepf and Whitely, *Proc. Natl. Acad. Sci. USA*, 78:2893-2897, 1981.
- Schnepf *et al.*, *J. Biol. Chem.*, 260:6264-6272, 1985.
- Segal, "Biochemical Calculations" 2nd Edition, John Wiley & Sons, New York, 1976.
- Shaw and Kamen, *Cell*, 46:659-667, 1986.
- Shaw and Kamen, *In: "RNA Processing"*, p. 220, Cold Spring Harbor Laboratory, Cold
 10 Spring Harbor, NY, 1987.
- Simpson, *Science*, 233:34, 1986.
- Slaney, Robbins, English, "Mode of action of *Bacillus thuringiensis* toxin CryIIIa: An analysis of toxicity in *Leptinotarsa decemlineata* (Say) and *Diabrotica undecimpunctata howardi* Barber," *Insect Biochem. Molec. Biol.*, 22:9-18, 1992.
- 15 Slatin, Abrams, English, "Delta-endotoxins form cation-selective channels in planar lipid bilayers," *Biochem. Biophys. Res. Comm.*, 169(2):765-772, 1990.
- Smedley and Ellar, "Mutagenesis of three surface-exposed loops of a *Bacillus thuringiensis* insecticidal toxin reveals residues important for toxicity, receptor recognition and possibly membrane insertion," *Microbiology*, 142:1617-1624, 1996.
- 20 Smith and Ellar, "Mutagenesis of two surface-exposed loops of the *Bacillus thuringiensis* Cry1C δ -endotoxin affects insecticidal specificity," *Biochem. J.*, 302:611-616, 1994.
- Smith, Merrick, Bone, Ellar, *Appl. Environ. Microbiol.*, 62:680-684, 1996.
- Spielmann *et al.*, *Mol. Gen. Genet.*, 205:34, 1986.
- 25 Stemmer and Morris, "Enzymatic Inverse PCR™: A Restriction Site Independent, Single-Fragment Method for High-Efficiency, Site-Directed Mutagenesis," *BioTechniques*, 13(2):214-220, 1992.
- Stemmer, *Proc. Natl. Acad. Sci. USA*, 91:10747-1075, 1994.
- Taira *et al.*, *Nucl. Acids Res.*, 19:5125-30, 1991.

- Tomic *et al.*, *Nucl. Acids Res.*, 12:1656, 1990.
- Tomic, Sunjevaric, Savtchenko, Blumenberg, "A rapid and simple method for introducing specific mutations into any position of DNA leaving all other positions unaltered," *Nucleic Acids Res.*, 18(6):1656, 1990.
- 5 Toriyama *et al.*, *Theor Appl. Genet.*, 73:16, 1986.
- Uchimiya *et al.*, *Mol. Gen. Genet.*, 204:204, 1986.
- Upender *et al.*, *Biotechniques*, 18:29-31, 1995.
- Usman and Cedergren, *TIBS*, 17:34, 1992.
- Usman and Cedergren, *Trends in Biochem. Sci.*, 17:334, 1992.
- 10 Usman *et al.*, *J. Am. Chem. Soc.*, 109:7845-7854, 1987.
- Vallette, Merge, Reiss, Adesnik, "Construction of mutant and chimeric genes using the polymerase chain reaction," *Nucl. Acids Res.*, 17:723-733, 1989.
- Vasil *et al.*, "Herbicide-resistant fertile transgenic wheat plants obtained by microprojectile bombardment of regenerable embryogenic callus," *Biotechnology*, 10:667-674,
- 15 1992.
- Vasil, *Biotechnology*, 6:397, 1988.
- Velten and Schell, *Nucl. Acids Res.*, 13:6981-6998, 1985.
- Velten *et al.*, *EMBO J.*, 3:2723-2730, 1984.
- Ventura *et al.*, *Nucl. Acids Res.*, 21:3249-55, 1993.
- 20 Vodkin *et al.*, *Cell*, 34:1023, 1983.
- Vogel *et al.*, *J. Cell Biochem.*, Suppl. 13D:312, 1989.
- Von Tersch, Slatin, Kulesza, English, "Membrane permeabilizing activity of *Bacillus thuringiensis* Coleopteran-active toxins CryIIIB2 and CryIIIB2 domain 1 peptides," *Appl. Env Microbiol.*, 60:3711-3717, 1994.
- 25 Wagner, Zatloukal, Cotten, Kirlappos, Mechtler, Curiel, Birnstiel, "Coupling of adenovirus to transferrin-polylysine/DNA complexes greatly enhances receptor-mediated gene delivery and expression of transfected genes," *Proc. Natl. Acad. Sci. USA*, 89(13):6099-6103, 1992.
- Walker *et al.*, *Proc. Natl. Acad. Sci. USA*, 89(1):392-396, 1992.
- 30 Walters *et al.*, *Biochem. Biophys. Res. Commun.*, 196:921-926, 1993.

- Watson *et al.*, *Molecular Biology of the Gene*, 4th Ed., W. A. Benjamin, Inc., Menlo Park, CA, 1987.
- Weerasinghe *et al.*, *J. Virol.*, 65:5531-4, 1991.
- Weissbach and Weissbach, *Methods for Plant Molecular Biology*, (eds.), Academic Press, Inc., San Diego, CA, 1988.
- Wenzler *et al.*, *Plant Mol. Biol.*, 12:41-50, 1989.
- Wickens and Stephenson, *Science*, 226:1045, 1984.
- Wickens *et al.*, In: "RNA Processing," p. 9, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1987.
- Wolfersberger *et al.*, *Appl. Environ. Microbiol.*, 62:279-282, 1996.
- Wong and Neumann, "Electric field mediated gene transfer," *Biochim. Biophys. Res. Commun.*, 107(2):584-587, 1982.
- Woolf *et al.*, *Proc. Natl. Acad. Sci. USA*, 89:7305-7309, 1992.
- Wu and Aronson, "Localized mutagenesis defines regions of the *Bacillus thuringiensis* δ -endotoxin involved in toxicity and specificity," *J. Biol. Chem.*, 267:2311-2317, 1992.
- Wu and Dean, "Functional significance of loops in the receptor binding domain of *Bacillus thuringiensis* CryIIIA δ -endotoxin," *J. Mol. Biol.*, 255:628-640, 1996.
- Yamada *et al.*, *Plant Cell Rep.*, 4:85, 1986.
- Yang *et al.*, *Proc. Natl. Acad. Sci. USA*, 87:4144-48, 1990.
- Yu *et al.*, *Proc. Natl. Acad. Sci. USA*, 90:6340-4, 1993.
- Zatloukal, Wagner, Cotten, Phillips, Plank, Steinlein, Curiel, Birnstiel, "Transferrinfection: a highly efficient way to express gene constructs in eukaryotic cells," *Ann. N. Y. Acad. Sci.*, 660:136-153, 1992.
- Zhang and Matthews, "Conservations of solvent-binding sites in 10 crystal forms of T4 lysozyme," *Prot. Sci.*, 3:1031-1039, 1994.
- Zhou *et al.*, *Mol. Cell Biol.*, 10:4529-37, 1990.

8.0 SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: English, Leigh H.
Brussock, Susan M.
Malvar, Thomas M.
Bryson, James W.
Kulesza, Caroline A.
Walters, Frederick S.
Slatin, Stephen L.
Von Tersch, Michael A.
Romano, Charles
- (ii) TITLE OF INVENTION: NUCLEIC ACID SEGMENTS ENCODING MODIFIED
COLEOPTERAN-TOXIC CRYSTAL PROTEINS
- (iii) NUMBER OF SEQUENCES: 113
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Arnold, White & Durkee
 - (B) STREET: P.O. Box 4433
 - (C) CITY: Houston
 - (D) STATE: Texas
 - (E) COUNTRY: USA
 - (F) ZIP: 77210
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US Unknown
 - (B) FILING DATE: Concurrently Herewith
 - (C) CLASSIFICATION: Unknown
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Kitchell, Barbara S.
 - (B) REGISTRATION NUMBER: 33,928
 - (C) REFERENCE/DOCKET NUMBER: MECO:149
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 512/418-3106
 - (B) TELEFAX: 512/474-7577

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA TTT CAC CAT TCT CGT CGT TCT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Phe His His Ser Arg Arg Ser	
145 150 155 160	

AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	

CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile 500 505 510	1536
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser 515 520 525	1584
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys 530 535 540	1632
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala 545 550 555 560	1680
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr 565 570 575	1728

AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	

115	120	125
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr		
130	135	140
Val Asn Ala Leu Asn Ser Trp Lys Lys Phe His His Ser Arg Arg Ser		
145	150	155
		160
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser		
	165	170
		175
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val		
	180	185
		190
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu		
	195	200
		205
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu		
	210	215
		220
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr		
225	230	235
		240
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg		
	245	250
		255
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu		
	260	265
		270
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp		
	275	280
		285
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile		
	290	295
		300
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro		
305	310	315
		320
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp		
	325	330
		335
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe		
	340	345
		350
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg		
	355	360
		365
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp		
	370	375
		380
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val		
385	390	395
		400
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys		

405	410	415
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln		
420	425	430
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly		
435	440	445
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr		
450	455	460
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu		
465	470	475
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp		
485	490	495
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile		
500	505	510
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser		
515	520	525
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys		
530	535	540
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala		
545	550	555
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr		
565	570	575
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile		
580	585	590
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr		
595	600	605
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys		
610	615	620
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile		
625	630	635
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu		
645	650	

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	

180										185					190					
CTG	TTT	CTA	CCA	ACA	TAT	GCA	CAA	GCT	GCA	AAT	ACA	CAT	TTA	TTG	CTA		624			
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu					
		195					200					205								
TTA	AAA	GAT	GCT	CAA	GTT	TTT	GGA	GAA	GAA	TGG	GGA	TAT	TCT	TCA	GAA		672			
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu					
	210					215					220									
GAT	GTT	GCT	GAA	TTC	CTT	AGT	AGA	CAA	TTA	AAA	CTT	ACA	CAA	CAA	TAC		720			
Asp	Val	Ala	Glu	Phe	Leu	Ser	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr					
225					230					235					240					
ACT	GAC	CAT	TGT	GTT	AAT	TGG	TAT	AAT	GTT	GGA	TTA	AAT	GGT	TTA	AGA		768			
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg					
			245					250					255							
GGT	TCA	ACT	TAT	GAT	GCA	TGG	GTC	AAA	TTT	AAC	CGT	TTT	CGC	AGA	GAA		816			
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu					
		260					265						270							
ATG	ACT	TTA	ACT	GTA	TTA	GAT	CTA	ATT	GTA	CTT	TTC	CCA	TTT	TAT	GAT		864			
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp					
	275					280						285								
ATT	CGG	TTA	TAC	TCA	AAA	GGG	GTT	AAA	ACA	GAA	CTA	ACA	AGA	GAC	ATT		912			
Ile	Arg	Leu	Tyr	Ser	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	Ile					
	290					295					300									
TTT	ACG	GAT	CCA	ATT	TTT	TCA	CTT	AAT	ACT	CTT	CAG	GAG	TAT	GGA	CCA		960			
Phe	Thr	Asp	Pro	Ile	Phe	Ser	Leu	Asn	Thr	Leu	Gln	Glu	Tyr	Gly	Pro					
305				310					315					320						
ACT	TTT	TTG	AGT	ATA	GAA	AAC	TCT	ATT	CGA	AAA	CCT	CAT	TTA	TTT	GAT		1008			
Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp					
			325					330					335							
TAT	TTA	CAG	GGG	ATT	GAA	TTT	CAT	ACG	CGT	CTT	CAA	CCT	GGT	TAC	TTT		1056			
Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	Phe					
		340					345					350								
GGG	AAA	GAT	TCT	TTC	AAT	TAT	TGG	TCT	GGT	AAT	TAT	GTA	GAA	ACT	AGA		1104			
Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	Arg					
	355					360					365									
CCT	AGT	ATA	GGA	TCT	AGT	AAG	ACA	ATT	ACT	TCC	CCA	TTT	TAT	GGA	GAT		1152			
Pro	Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	Asp					
	370					375				380										
AAA	TCT	ACT	GAA	CCT	GTA	CAA	AAG	CTA	AGC	TTT	GAT	GGA	CAA	AAA	GTT		1200			
Lys	Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	Val					
385				390				395						400						

TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	

TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	

Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Leu Ser Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445

His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr	450	455	460	
Asp	Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	Glu	465	470	475	480
Cys	Phe	Leu	Met	Gln	Asp	Arg	Arg	Gly	Thr	Ile	Pro	Phe	Phe	Thr	Trp	485	490	495	
Thr	His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	Ile	500	505	510	
Thr	Gln	Leu	Pro	Val	Val	Lys	Ala	Tyr	Ala	Leu	Ser	Ser	Gly	Ala	Ser	515	520	525	
Ile	Ile	Glu	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asn	Leu	Leu	Phe	Leu	Lys	530	535	540	
Glu	Ser	Ser	Asn	Ser	Ile	Ala	Lys	Phe	Lys	Val	Thr	Leu	Asn	Ser	Ala	545	550	555	560
Ala	Leu	Leu	Gln	Arg	Tyr	Arg	Val	Arg	Ile	Arg	Tyr	Ala	Ser	Thr	Thr	565	570	575	
Asn	Leu	Arg	Leu	Phe	Val	Gln	Asn	Ser	Asn	Asn	Asp	Phe	Leu	Val	Ile	580	585	590	
Tyr	Ile	Asn	Lys	Thr	Met	Asn	Lys	Asp	Asp	Asp	Leu	Thr	Tyr	Gln	Thr	595	600	605	
Phe	Asp	Leu	Ala	Thr	Thr	Asn	Ser	Asn	Met	Gly	Phe	Ser	Gly	Asp	Lys	610	615	620	
Asn	Glu	Leu	Ile	Ile	Gly	Ala	Glu	Ser	Phe	Val	Ser	Asn	Glu	Lys	Ile	625	630	635	640
Tyr	Ile	Asp	Lys	Ile	Glu	Phe	Ile	Pro	Val	Gln	Leu					645	650		

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	

TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT CCA GAA Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Pro Glu 210 215 220	672
GAT GTT GCT GAA TTC AGT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC Asp Val Ala Glu Phe Ser His Arg Gln Leu Lys Leu Thr Gln Gln Tyr 225 230 235 240	720
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg 245 250 255	768
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu 260 265 270	816
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp 275 280 285	864
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro 305 310 315 320	960
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp 325 330 335	1008
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248

GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	

AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC 1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
165 170 175

His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	180	185	190
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	195	200	205
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Pro	Glu	210	215	220
Asp	Val	Ala	Glu	Phe	Ser	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	225	230	235
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	245	250	255
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu	260	265	270
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp	275	280	285
Ile	Arg	Leu	Tyr	Ser	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	Ile	290	295	300
Phe	Thr	Asp	Pro	Ile	Phe	Ser	Leu	Asn	Thr	Leu	Gln	Glu	Tyr	Gly	Pro	305	310	315
Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp	325	330	335
Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	Phe	340	345	350
Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	Arg	355	360	365
Pro	Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	Asp	370	375	380
Lys	Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	Val	385	390	395
Tyr	Arg	Thr	Ile	Ala	Asn	Thr	Asp	Val	Ala	Ala	Trp	Pro	Asn	Gly	Lys	405	410	415
Val	Tyr	Leu	Gly	Val	Thr	Lys	Val	Asp	Phe	Ser	Gln	Tyr	Asp	Asp	Gln	420	425	430
Lys	Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	Gly	435	440	445
His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr	450	455	460

Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT
 Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
 1 5 10 15

48

AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	

GAT GTT GCT GAA TTC TAT CGT AGA CAA TTA AAA CTT ACA CAA CAA TAC Asp Val Ala Glu Phe Tyr Arg Arg Gln Leu Lys Leu Thr Gln Gln Tyr 225 230 235 240	720
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg 245 250 255	768
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu 260 265 270	816
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp 275 280 285	864
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro 305 310 315 320	960
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp 325 330 335	1008
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296

AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	

TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

1959

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	1	5	10	15
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	20	25	30	
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met	35	40	45	
Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	50	55	60	
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	65	70	75	80
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	85	90	95	
Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	100	105	110	
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	115	120	125	
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	130	135	140	
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	145	150	155	160
Lys	Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	165	170	175	
His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	180	185	190	
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	195	200	205	

Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr Arg Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495

Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	

CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTC TAT AAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr Asn Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	

TCT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA Ser Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg 245 250 255	768
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu 260 265 270	816
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp 275 280 285	864
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro 305 310 315 320	960
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp 325 330 335	1008
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	1392

450	455	460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA			1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu			
465	470	475	480
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG			1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp			
	485	490	495
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT			1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile			
	500	505	510
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC			1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser			
	515	520	525
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA			1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys			
	530	535	540
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA			1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala			
545	550	555	560
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT			1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr			
	565	570	575
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC			1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile			
	580	585	590
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA			1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr			
	595	600	605
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG			1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys			
	610	615	620
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC			1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile			
625	630	635	640
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA			1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu			
	645	650	

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 652 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
35 40 45
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
50 55 60
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
65 70 75 80
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
85 90 95
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
100 105 110
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
115 120 125
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
130 135 140
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
145 150 155 160
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
165 170 175
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
180 185 190
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
195 200 205
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
210 215 220
Asp Val Ala Glu Phe Tyr Asn Arg Gln Leu Lys Leu Thr Gln Gln Tyr

225		230		235		240
Ser Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg						
	245			250		255
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu						
	260			265		270
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp						
	275			280		285
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile						
	290			295		300
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro						
305		310		315		320
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp						
	325			330		335
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe						
	340			345		350
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg						
	355			360		365
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp						
	370			375		380
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val						
385		390		395		400
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys						
	405			410		415
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln						
	420			425		430
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly						
	435			440		445
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr						
	450			455		460
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu						
465		470		475		480
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp						
	485			490		495
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile						
	500			505		510

Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	

ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTC TAT ACC AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr Thr Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	

GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	

465	470	475	480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG				1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp				
	485	490	495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT				1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile				
	500	505	510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC				1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser				
	515	520	525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA				1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys				
	530	535	540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA				1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala				
	545	550	555	560
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT				1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr				
	565	570	575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC				1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile				
	580	585	590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA				1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr				
	595	600	605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG				1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys				
	610	615	620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC				1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile				
	625	630	635	640
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA				1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu				
	645	650		

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	
1				5					10					15		
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	
			20					25					30			
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met	
			35				40					45				
Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	
	50					55					60					
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	
65					70					75					80	
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	
				85					90					95		
Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	
			100					105					110			
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	
	115						120					125				
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	
	130					135					140					
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	
145					150					155				160		
Lys	Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	
				165				170						175		
His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	
			180					185					190			
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	
	195						200					205				
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu	
	210					215					220					
Asp	Val	Ala	Glu	Phe	Tyr	Thr	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	
225					230					235					240	
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	
				245					250					255		
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu	
			260					265					270			

Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560

Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
565 570 575

Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
580 585 590

Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	

GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	

ATT AAT TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Asn Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro 305 310 315 320	960
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp 325 330 335	1008
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488

ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15

Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
 20 25 30
 Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Asn Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300

Phe Thr Asp Pro Ile	Phe Ser Leu Asn Thr	Leu Gln Glu Tyr Gly Pro
305	310	315 320
Thr Phe Leu Ser Ile	Glu Asn Ser Ile Arg	Lys Pro His Leu Phe Asp
325	330	335
Tyr Leu Gln Gly Ile	Glu Phe His Thr Arg	Leu Gln Pro Gly Tyr Phe
340	345	350
Gly Lys Asp Ser Phe	Asn Tyr Trp Ser Gly	Asn Tyr Val Glu Thr Arg
355	360	365
Pro Ser Ile Gly Ser	Ser Lys Thr Ile Thr	Ser Pro Phe Tyr Gly Asp
370	375	380
Lys Ser Thr Glu Pro	Val Gln Lys Leu Ser	Phe Asp Gly Gln Lys Val
385	390	395 400
Tyr Arg Thr Ile Ala	Asn Thr Asp Val Ala	Ala Trp Pro Asn Gly Lys
405	410	415
Val Tyr Leu Gly Val	Thr Lys Val Asp Phe	Ser Gln Tyr Asp Asp Gln
420	425	430
Lys Asn Glu Thr Ser	Thr Gln Thr Tyr Asp	Ser Lys Arg Asn Asn Gly
435	440	445
His Val Ser Ala Gln	Asp Ser Ile Asp Gln	Leu Pro Pro Glu Thr Thr
450	455	460
Asp Glu Pro Leu Glu	Lys Ala Tyr Ser His	Gln Leu Asn Tyr Ala Glu
465	470	475 480
Cys Phe Leu Met Gln	Asp Arg Arg Gly Thr	Ile Pro Phe Phe Thr Trp
485	490	495
Thr His Arg Ser Val	Asp Phe Phe Asn Thr	Ile Asp Ala Glu Lys Ile
500	505	510
Thr Gln Leu Pro Val	Val Lys Ala Tyr Ala	Leu Ser Ser Gly Ala Ser
515	520	525
Ile Ile Glu Gly Pro	Gly Phe Thr Gly Gly	Asn Leu Leu Phe Leu Lys
530	535	540
Glu Ser Ser Asn Ser	Ile Ala Lys Phe Lys	Val Thr Leu Asn Ser Ala
545	550	555 560
Ala Leu Leu Gln Arg	Tyr Arg Val Arg Ile	Arg Tyr Ala Ser Thr Thr
565	570	575
Asn Leu Arg Leu Phe	Val Gln Asn Ser Asn	Asn Asp Phe Leu Val Ile
580	585	590

Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	

AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala 100 105 110	336
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser 115 120 125	384
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr 130 135 140	432
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser 145 150 155 160	480
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser 165 170 175	528
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val 180 185 190	576
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu 195 200 205	624
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu 210 215 220	672
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr 225 230 235 240	720
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg. 245 250 255	768
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu 260 265 270	816
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp 275 280 285	864
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912

TTT ACG GAT CCA ATT TTT TTA CTT ACT ACG CTT CAG AAG TAC GGA CCA Phe Thr Asp Pro Ile Phe Leu Leu Thr Thr Leu Gln Lys Tyr Gly Pro 305 310 315 320	960
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp 325 330 335	1008
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile 500 505 510	1536

ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30

Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Leu Leu Thr Thr Leu Gln Lys Tyr Gly Pro
 305 310 315 320

Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	

115	120	125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT			432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr			
130	135	140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT			480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser			
145	150	155	160
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT			528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser			
165	170	175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG			576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val			
180	185	190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA			624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu			
195	200	205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA			672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu			
210	215	220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC			720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr			
225	230	235	240
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA			768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg			
245	250	255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA			816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu			
260	265	270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT			864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp			
275	280	285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT			912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile			
290	295	300	
TTT ACG GAT CCA ATT TTT ACC CTT AAT ACA CTA CAG AAG TGC GGA CCA			960
Phe Thr Asp Pro Ile Phe Thr Leu Asn Thr Leu Gln Lys Cys Gly Pro			
305	310	315	320
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT			1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp			
325	330	335	

TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile 500 505 510	1536
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser 515 520 525	1584
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys 530 535 540	1632

Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Thr Leu Asn Thr Leu Gln Lys Cys Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365

Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380

Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400

Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415

Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430

Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445

His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460

Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480

Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495

Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510

Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525

Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540

Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560

Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575

Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590

Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	

145		150		155		160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528						
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser							
		165		170		175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576						
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val							
		180		185		190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624						
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu							
		195		200		205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672						
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu							
		210		215		220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720						
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr							
		225		230		235	240
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768						
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg							
		245		250		255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816						
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu							
		260		265		270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864						
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp							
		275		280		285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912						
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile							
		290		295		300	
TTT ACG GAT CCA ATT TTT GCC GTT AAT ACT CTG TGG GAA TAC GGA CCA	960						
Phe Thr Asp Pro Ile Phe Ala Val Asn Thr Leu Trp Glu Tyr Gly Pro							
		305		310		315	320
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008						
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp							
		325		330		335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056						
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe							
		340		345		350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104						
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg							
		355		360		365	

CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	

580	585	590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA			1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr			
595	600	605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG			1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys			
610	615	620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC			1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile			
625	630	635	640
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA			1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu			
645	650		

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro			
1	5	10	15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn			
20	25	30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met			
35	40	45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp			
50	55	60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val			
65	70	75	80
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu			
85	90	95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala			
100	105	110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser			
115	120	125	

Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ala Val Asn Thr Leu Trp Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415

Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
420 425 430
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
435 440 445
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
450 455 460
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
465 470 475 480
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
485 490 495
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
500 505 510
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
515 520 525
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
530 535 540
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
545 550 555 560
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
565 570 575
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
580 585 590
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
595 600 605
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	

CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTC TAT CGT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr Arg Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TTA CTT ACT ACG CTT CAG AAG TAC GGA CCA	960
Phe Thr Asp Pro Ile Phe Leu Leu Thr Thr Leu Gln Lys Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	

TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	

TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	

His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	

TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT ACG CCA ACC ACC CTA CAG GAT TAC GGA CCA	960
Phe Thr Asp Pro Ile Phe Thr Pro Thr Thr Leu Gln Asp Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	

GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	

AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC 1920
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640

TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA 1959
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
 1 5 10 15
 Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
 20 25 30
 Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175

His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	180	185	190
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	195	200	205
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu	210	215	220
Asp	Val	Ala	Glu	Phe	Tyr	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	225	230	235
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	245	250	255
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu	260	265	270
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp	275	280	285
Ile	Arg	Leu	Tyr	Ser	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	Ile	290	295	300
Phe	Thr	Asp	Pro	Ile	Phe	Thr	Pro	Thr	Thr	Leu	Gln	Asp	Tyr	Gly	Pro	305	310	315
Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp	325	330	335
Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	Phe	340	345	350
Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	Arg	355	360	365
Pro	Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	Asp	370	375	380
Lys	Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	Val	385	390	395
Tyr	Arg	Thr	Ile	Ala	Asn	Thr	Asp	Val	Ala	Ala	Trp	Pro	Asn	Gly	Lys	405	410	415
Val	Tyr	Leu	Gly	Val	Thr	Lys	Val	Asp	Phe	Ser	Gln	Tyr	Asp	Asp	Gln	420	425	430
Lys	Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	Gly	435	440	445
His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr	450	455	460

Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT
 Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
 1 5 10 15

48

AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	

GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr 225 230 235 240	720
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg 245 250 255	768
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu 260 265 270	816
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp 275 280 285	864
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912
TTT ACG GAT CCA ATT TTT GCC CTG AAT ACC TTA GAC GAG TAC GGA CCA Phe Thr Asp Pro Ile Phe Ala Leu Asn Thr Leu Asp Glu Tyr Gly Pro 305 310 315 320	960
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp 325 330 335	1008
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	1344

435	440	445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA			1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr			
450	455	460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA			1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu			
465	470	475	480
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG			1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp			
485	490	495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT			1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile			
500	505	510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC			1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser			
515	520	525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA			1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys			
530	535	540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA			1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala			
545	550	555	560
CCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT			1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr			
565	570	575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC			1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile			
580	585	590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA			1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr			
595	600	605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG			1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys			
610	615	620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC			1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile			
625	630	635	640
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA			1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu			
645	650		

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

```
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
 1              5              10              15

Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
      20              25              30

Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
      35              40              45

Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
      50              55              60

Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
      65              70              75              80

Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
      85              90              95

Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
      100             105             110

Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
      115             120             125

Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
      130             135             140

Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
      145             150             155             160

Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
      165             170             175

His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
      180             185             190

Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
      195             200             205

Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
      210             215             220
```

Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ala Leu Asn Thr Leu Asp Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510

Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	

ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	

260										265										270										
ATG	ACT	TTA	ACT	GTA	TTA	GAT	CTA	ATT	GTA	CTT	TTC	CCA	TTT	TAC	GAT	864														
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp															
275					280					285																				
ACT	AGG	CGA	TTC	AGA	AAG	GGG	GTT	AAA	ACA	GAA	CTA	ACA	AGA	GAC	ATT	912														
Thr	Arg	Arg	Phe	Arg	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	Ile															
290					295					300																				
TTT	ACG	GAT	CCA	ATT	TTT	TCA	CTT	AAT	ACT	CTT	CAG	GAG	TAT	GGA	CCA	960														
Phe	Thr	Asp	Pro	Ile	Phe	Ser	Leu	Asn	Thr	Leu	Gln	Glu	Tyr	Gly	Pro															
305					310					315					320															
ACT	TTT	TTG	AGT	ATA	GAA	AAC	TCT	ATT	CGA	AAA	CCT	CAT	TTA	TTT	GAT	1008														
Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp															
325					330					335																				
TAT	TTA	CAG	GGG	ATT	GAA	TTT	CAT	ACG	CGT	CTT	CAA	CCT	GGT	TAC	TTT	1056														
Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	Phe															
340					345					350																				
GGG	AAA	GAT	TCT	TTC	AAT	TAT	TGG	TCT	GGT	AAT	TAT	GTA	GAA	ACT	AGA	1104														
Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	Arg															
355					360					365																				
CCT	AGT	ATA	GGA	TCT	AGT	AAG	ACA	ATT	ACT	TCC	CCA	TTT	TAT	GGA	GAT	1152														
Pro	Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	Asp															
370					375					380																				
AAA	TCT	ACT	GAA	CCT	GTA	CAA	AAG	CTA	AGC	TTT	GAT	GGA	CAA	AAA	GTT	1200														
Lys	Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	Val															
385					390					395					400															
TAT	CGA	ACT	ATA	GCT	AAT	ACA	GAC	GTA	GCG	GCT	TGG	CCG	AAT	GGT	AAG	1248														
Tyr	Arg	Thr	Ile	Ala	Asn	Thr	Asp	Val	Ala	Ala	Trp	Pro	Asn	Gly	Lys															
405					410					415																				
GTA	TAT	TTA	GGT	GTT	ACG	AAA	GTT	GAT	TTT	AGT	CAA	TAT	GAT	GAT	CAA	1296														
Val	Tyr	Leu	Gly	Val	Thr	Lys	Val	Asp	Phe	Ser	Gln	Tyr	Asp	Asp	Gln															
420					425					430																				
AAA	AAT	GAA	ACT	AGT	ACA	CAA	ACA	TAT	GAT	TCA	AAA	AGA	AAC	AAT	GGC	1344														
Lys	Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	Gly															
435					440					445																				
CAT	GTA	AGT	GCA	CAG	GAT	TCT	ATT	GAC	CAA	TTA	CCG	CCA	GAA	ACA	ACA	1392														
His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr															
450					455					460																				
GAT	GAA	CCA	CTT	GAA	AAA	GCA	TAT	AGT	CAT	CAG	CTT	AAT	TAC	GCG	GAA	1440														
Asp	Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	Glu															
465					470					475					480															

TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	
1				5					10					15		
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	
			20					25					30			
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met	
		35					40					45				
Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	
	50					55					60					
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	
65					70					75					80	
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	
				85					90					95		
Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	
			100					105					110			
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	
	115						120					125				
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	
	130					135					140					
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	
145				150						155					160	
Lys	Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	
				165				170						175		
His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	
			180					185					190			
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	
	195						200					205				
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu	
	210					215					220					
Asp	Val	Ala	Glu	Phe	Tyr	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	
225				230						235					240	
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	
			245					250						255		
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu	
		260						265					270			

Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285

Thr Arg Arg Phe Arg Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300

Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320

Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335

Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350

Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365

Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380

Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400

Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415

Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430

Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445

His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460

Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480

Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495

Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510

Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525

Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540

Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560

Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
565 570 575

Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
580 585 590

Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	

GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTC TAT CGT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr Arg Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	

ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TTA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Leu Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	

ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15

Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
 20 25 30
 Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr Arg Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300

Phe Thr Asp Pro Ile Phe Leu Leu Asn Thr Leu Gln Glu Tyr Gly Pro
305 310 315 320
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
325 330 335
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
340 345 350
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
355 360 365
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
370 375 380
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
385 390 395 400
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
405 410 415
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
420 425 430
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
435 440 445
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
450 455 460
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
465 470 475 480
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
485 490 495
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
500 505 510
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
515 520 525
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
530 535 540
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
545 550 555 560
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
565 570 575
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
580 585 590

Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	

AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	

TTT ACG GAT CCA ATT TTT ATC CTC AAT ACG CTA CAG GAG TAC GGA CCA	960
Phe Thr Asp Pro Ile Phe Ile Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	

ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30

Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ile Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320

Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	

CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT ATC CTA CAT ACG CTG CAG GAG TAC GGA CCA	960
Phe Thr Asp Pro Ile Phe Ile Leu His Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	

ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	

ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
35 40 45

Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ile Leu His Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335

Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	

AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCC CTC GTT AAC CTA ATG GTG TAC GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Val Asn Leu Met Val Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	

TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	

GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	

Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Val Asn Leu Met Val Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365

Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	

GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCT CTT AGG ACA CCA CTT GCG TAC GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Arg Thr Pro Leu Ala Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	

GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile 500 505 510	1536
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser 515 520 525	1584
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys 530 535 540	1632
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala 545 550 555 560	1680

GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	

Asn Thr Ile Trp Pro Ser Asp Ala	Asp Pro Trp Lys Ala Phe Met Ala
100	105 110
Gln Val Glu Val Leu Ile Asp Lys	Lys Ile Glu Glu Tyr Ala Lys Ser
115	120 125
Lys Ala Leu Ala Glu Leu Gln Gly	Leu Gln Asn Asn Phe Glu Asp Tyr
130	135 140
Val Asn Ala Leu Asn Ser Trp Lys	Lys Thr Pro Leu Ser Leu Arg Ser
145	150 155 160
Lys Arg Ser Gln Asp Arg Ile Arg	Glu Leu Phe Ser Gln Ala Glu Ser
165	170 175
His Phe Arg Asn Ser Met Pro Ser	Phe Ala Val Ser Lys Phe Glu Val
180	185 190
Leu Phe Leu Pro Thr Tyr Ala Gln	Ala Ala Asn Thr His Leu Leu Leu
195	200 205
Leu Lys Asp Ala Gln Val Phe Gly	Glu Glu Trp Gly Tyr Ser Ser Glu
210	215 220
Asp Val Ala Glu Phe Tyr His Arg	Gln Leu Lys Leu Thr Gln Gln Tyr
225	230 235 240
Thr Asp His Cys Val Asn Trp Tyr	Asn Val Gly Leu Asn Gly Leu Arg
245	250 255
Gly Ser Thr Tyr Asp Ala Trp Val	Lys Phe Asn Arg Phe Arg Arg Glu
260	265 270
Met Thr Leu Thr Val Leu Asp Leu	Ile Val Leu Phe Pro Phe Tyr Asp
275	280 285
Ile Arg Leu Tyr Ser Lys Gly Val	Lys Thr Glu Leu Thr Arg Asp Ile
290	295 300
Phe Thr Asp Pro Ile Phe Ser Leu	Arg Thr Pro Leu Ala Tyr Gly Pro
305	310 315 320
Thr Phe Leu Ser Ile Glu Asn Ser	Ile Arg Lys Pro His Leu Phe Asp
325	330 335
Tyr Leu Gln Gly Ile Glu Phe His	Thr Arg Leu Gln Pro Gly Tyr Phe
340	345 350
Gly Lys Asp Ser Phe Asn Tyr Trp	Ser Gly Asn Tyr Val Glu Thr Arg
355	360 365
Pro Ser Ile Gly Ser Ser Lys Thr	Ile Thr Ser Pro Phe Tyr Gly Asp
370	375 380

Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	

AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TTC AAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Phe Asn	
275 280 285	
ATT TTG CTT TAC AGT AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Leu Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	

CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	

AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	

Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	115	120	125
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	130	135	140
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	145	150	155 160
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	165	170	175
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	180	185	190
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	195	200	205
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	210	215	220
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	225	230	235 240
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	245	250	255
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	260	265	270
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Phe Asn	275	280	285
Ile Leu Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	290	295	300
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	305	310	315 320
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	325	330	335
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	340	345	350
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	355	360	365
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	370	375	380
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	385	390	395 400

Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1959 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	

CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT GTG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Val Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	

AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	

TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	

Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
145 150 155 160
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
165 170 175
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
180 185 190
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
195 200 205
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
210 215 220
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
225 230 235 240
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
245 250 255
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
260 265 270
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
275 280 285
Ile Val Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
290 295 300
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
305 310 315 320
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
325 330 335
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
340 345 350
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
355 360 365
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
370 375 380
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
385 390 395 400
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
405 410 415
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
420 425 430

Lys	Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	Gly	435	440	445	
His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr	450	455	460	
Asp	Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	Glu	465	470	475	480
Cys	Phe	Leu	Met	Gln	Asp	Arg	Arg	Gly	Thr	Ile	Pro	Phe	Phe	Thr	Trp	485	490	495	
Thr	His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	Ile	500	505	510	
Thr	Gln	Leu	Pro	Val	Val	Lys	Ala	Tyr	Ala	Leu	Ser	Ser	Gly	Ala	Ser	515	520	525	
Ile	Ile	Glu	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asn	Leu	Leu	Phe	Leu	Lys	530	535	540	
Glu	Ser	Ser	Asn	Ser	Ile	Ala	Lys	Phe	Lys	Val	Thr	Leu	Asn	Ser	Ala	545	550	555	560
Ala	Leu	Leu	Gln	Arg	Tyr	Arg	Val	Arg	Ile	Arg	Tyr	Ala	Ser	Thr	Thr	565	570	575	
Asn	Leu	Arg	Leu	Phe	Val	Gln	Asn	Ser	Asn	Asn	Asp	Phe	Leu	Val	Ile	580	585	590	
Tyr	Ile	Asn	Lys	Thr	Met	Asn	Lys	Asp	Asp	Asp	Leu	Thr	Tyr	Gln	Thr	595	600	605	
Phe	Asp	Leu	Ala	Thr	Thr	Asn	Ser	Asn	Met	Gly	Phe	Ser	Gly	Asp	Lys	610	615	620	
Asn	Glu	Leu	Ile	Ile	Gly	Ala	Glu	Ser	Phe	Val	Ser	Asn	Glu	Lys	Ile	625	630	635	640
Tyr	Ile	Asp	Lys	Ile	Glu	Phe	Ile	Pro	Val	Gln	Leu					645	650		

(2) INFORMATION FOR SEQ ID NO:43:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GGT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	

CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	

TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	

TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
 AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	 1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
 TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	 1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	

Lys Arg Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445

His Val Ser Ala Gln Asp	Ser Ile Asp Gln Leu Pro	Pro Glu Thr Thr
450	455	460
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His	Gln Leu Asn Tyr Ala Glu	
465	470	475 480
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr	Ile Pro Phe Phe Thr Trp	
485	490	495
Thr His Arg Ser Val Asp Phe Phe Asn Thr	Ile Asp Ala Glu Lys Ile	
500	505	510
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala	Leu Ser Ser Gly Ala Ser	
515	520	525
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly	Asn Leu Leu Phe Leu Lys	
530	535	540
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys	Val Thr Leu Asn Ser Ala	
545	550	555 560
Ala Leu Leu Gln Arg Tyr Arg Val Arg	Ile Arg Tyr Ala Ser Thr Thr	
565	570	575
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn	Asn Asp Phe Leu Val Ile	
580	585	590
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp	Asp Leu Thr Tyr Gln Thr	
595	600	605
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met	Gly Phe Ser Gly Asp Lys	
610	615	620
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe	Val Ser Asn Glu Lys Ile	
625	630	635 640
Tyr Ile Asp Lys Ile Glu Phe Ile Pro	Val Gln Leu	
645	650	

(2) INFORMATION FOR SEQ ID NO:45:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AAT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Asn	
145 150 155 160	
CCA CAC AGC CAA GGT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Pro His Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	

TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu 210 215 220	672
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr 225 230 235 240	720
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg 245 250 255	768
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu 260 265 270	816
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp 275 280 285	864
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro 305 310 315 320	960
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp 325 330 335	1008
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248

GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	

AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC 1920
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640

TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA 1959
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:46:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	1	5	10	15
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	20	25	30	
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met	35	40	45	
Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	50	55	60	
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	65	70	75	80
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	85	90	95	
Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	100	105	110	
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	115	120	125	
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	130	135	140	
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Asn	145	150	155	160
Pro	His	Ser	Gln	Gly	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	165	170	175	

His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460

Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:47:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT
 Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
 1 5 10 15

48

AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	

GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
GTT CGG TTA TAC CCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Val Arg Leu Tyr Pro Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	

AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	

TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

1959

(2) INFORMATION FOR SEQ ID NO:48:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	1	5	10	15
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	20	25	30	
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met	35	40	45	
Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	50	55	60	
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	65	70	75	80
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	85	90	95	
Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	100	105	110	
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	115	120	125	
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	130	135	140	
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	145	150	155	160
Lys	Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	165	170	175	
His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	180	185	190	
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	195	200	205	

Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Val Arg Leu Tyr Pro Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495

Thr	His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	Ile	
			500					505					510			
Thr	Gln	Leu	Pro	Val	Val	Lys	Ala	Tyr	Ala	Leu	Ser	Ser	Gly	Ala	Ser	
		515					520					525				
Ile	Ile	Glu	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asn	Leu	Leu	Phe	Leu	Lys	
	530					535					540					
Glu	Ser	Ser	Asn	Ser	Ile	Ala	Lys	Phe	Lys	Val	Thr	Leu	Asn	Ser	Ala	
545				550					555					560		
Ala	Leu	Leu	Gln	Arg	Tyr	Arg	Val	Arg	Ile	Arg	Tyr	Ala	Ser	Thr	Thr	
			565					570					575			
Asn	Leu	Arg	Leu	Phe	Val	Gln	Asn	Ser	Asn	Asn	Asp	Phe	Leu	Val	Ile	
		580					585						590			
Tyr	Ile	Asn	Lys	Thr	Met	Asn	Lys	Asp	Asp	Asp	Leu	Thr	Tyr	Gln	Thr	
	595					600						605				
Phe	Asp	Leu	Ala	Thr	Thr	Asn	Ser	Asn	Met	Gly	Phe	Ser	Gly	Asp	Lys	
610						615					620					
Asn	Glu	Leu	Ile	Ile	Gly	Ala	Glu	Ser	Phe	Val	Ser	Asn	Glu	Lys	Ile	
625					630					635				640		
Tyr	Ile	Asp	Lys	Ile	Glu	Phe	Ile	Pro	Val	Gln	Leu					
			645					650								

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

ATG	AAT	CCA	AAC	AAT	CGA	AGT	GAA	CAT	GAT	ACG	ATA	AAG	GTT	ACA	CCT	48
Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	
1				5				10						15		
AAC	AGT	GAA	TTG	CAA	ACT	AAC	CAT	AAT	CAA	TAT	CCT	TTA	GCT	GAC	AAT	96
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	
			20					25					30			

CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AAT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Asn	
145 150 155 160	
CCA CAC AGC CAA GGT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Pro His Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	

ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
GTT CGG TTA TAC CCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Val Arg Leu Tyr Pro Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	

CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CGA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile 500 505 510	1536
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser 515 520 525	1584
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys 530 535 540	1632
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala 545 550 555 560	1680
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr 565 570 575	1728
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile 580 585 590	1776
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr 595 600 605	1824
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys 610 615 620	1872
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile 625 630 635 640	1920
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu 645 650	1959

(2) INFORMATION FOR SEQ ID NO:50:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 652 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
35 40 45
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
50 55 60
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
65 70 75 80
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
85 90 95
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
100 105 110
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
115 120 125
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
130 135 140
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Asn
145 150 155 160
Pro His Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
165 170 175
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
180 185 190
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
195 200 205
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
210 215 220

Asp	Val	Ala	Glu	Phe	Tyr	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr		
225						230				235					240		
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg		
				245					250					255			
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu		
			260					265					270				
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp		
		275					280					285					
Val	Arg	Leu	Tyr	Pro	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	Ile		
	290					295					300						
Phe	Thr	Asp	Pro	Ile	Phe	Ser	Leu	Asn	Thr	Leu	Gln	Glu	Tyr	Gly	Pro		
305				310						315					320		
Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp		
			325						330					335			
Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	Phe		
		340						345					350				
Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	Arg		
		355					360					365					
Pro	Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	Asp		
	370					375					380						
Lys	Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	Val		
385					390					395				400			
Tyr	Arg	Thr	Ile	Ala	Asn	Thr	Asp	Val	Ala	Ala	Trp	Pro	Asn	Gly	Lys		
			405					410						415			
Val	Tyr	Leu	Gly	Val	Thr	Lys	Val	Asp	Phe	Ser	Gln	Tyr	Asp	Asp	Gln		
		420						425					430				
Lys	Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	Gly		
		435					440					445					
His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr		
	450					455					460						
Asp	Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	Glu		
465					470					475				480			
Cys	Phe	Leu	Met	Gln	Asp	Arg	Arg	Gly	Thr	Ile	Pro	Phe	Phe	Thr	Trp		
			485					490					495				
Thr	His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	Ile		
			500					505					510				

Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:51:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1956 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1953

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	

ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAA GAC CCA TGG AAG GCT TTT ATG GCA CAA	336
Asn Thr Ile Trp Pro Ser Glu Asp Pro Trp Lys Ala Phe Met Ala Gln	
100 105 110	
GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT AAA	384
Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser Lys	
115 120 125	
GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT GTT	432
Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr Val	
130 135 140	
AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT AAA	480
Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser Lys	
145 150 155 160	
AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT CAT	528
Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser His	
165 170 175	
TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG CTG	576
Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val Leu	
180 185 190	
TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA TTA	624
Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA GAT	672
Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu Asp	
210 215 220	
GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC ACT	720
Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr Thr	
225 230 235 240	
GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA GGT	768
Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg Gly	
245 250 255	

TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA ATG	816
Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu Met	
260 265 270	
ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT ATT	864
Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp Ile	
275 280 285	
CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT TTT	912
Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile Phe	
290 295 300	
ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA ACT	960
Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro Thr	
305 310 315 320	
TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT TAT	1008
Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp Tyr	
325 330 335	
TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT GGG	1056
Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe Gly	
340 345 350	
AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA CCT	1104
Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg Pro	
355 360 365	
AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT AAA	1152
Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp Lys	
370 375 380	
TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT TAT	1200
Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val Tyr	
385 390 395 400	
CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG GTA	1248
Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys Val	
405 410 415	
TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA AAA	1296
Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln Lys	
420 425 430	
AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC CAT	1344
Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly His	
435 440 445	
GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA GAT	1392
Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr Asp	
450 455 460	

GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA TGT	1440
Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu Cys	
465 470 475 480	
TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG ACA	1488
Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp Thr	
485 490 495	
CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT ACT	1536
His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile Thr	
500 505 510	
CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC ATT	1584
Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser Ile	
515 520 525	
ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA GAA	1632
Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys Glu	
530 535 540	
TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA GCC	1680
Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala Ala	
545 550 555 560	
TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT AAC	1728
Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr Asn	
565 570 575	
TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC TAC	1776
Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile Tyr	
580 585 590	
ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA TTT	1824
Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr Phe	
595 600 605	
GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG AAT	1872
Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys Asn	
610 615 620	
GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC TAT	1920
Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile Tyr	
625 630 635 640	
ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1956
Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:52:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 651 amino acids
- (B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	
1				5					10					15		
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	
			20					25					30			
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met	
			35				40					45				
Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	
	50					55					60					
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	
65					70					75					80	
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	
				85					90					95		
Asn	Thr	Ile	Trp	Pro	Ser	Glu	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	Gln	
			100					105					110			
Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	Lys	
		115					120					125				
Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	Val	
		130				135					140					
Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	Lys	
145					150					155					160	
Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	His	
				165					170					175		
Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	Leu	
			180					185					190			
Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	Leu	
		195					200					205				
Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu	Asp	
	210					215					220					
Val	Ala	Glu	Phe	Tyr	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	Thr	
225					230					235					240	
Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	Gly	
				245					250					255		

Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu Met
 260 265 270
 Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp Ile
 275 280 285
 Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile Phe
 290 295 300
 Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro Thr
 305 310 315 320
 Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp Tyr
 325 330 335
 Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe Gly
 340 345 350
 Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg Pro
 355 360 365
 Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp Lys
 370 375 380
 Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val Tyr
 385 390 395 400
 Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys Val
 405 410 415
 Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln Lys
 420 425 430
 Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly His
 435 440 445
 Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr Asp
 450 455 460
 Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu Cys
 465 470 475 480
 Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp Thr
 485 490 495
 His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile Thr
 500 505 510
 Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser Ile
 515 520 525
 Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys Glu
 530 535 540

Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala Ala
 545 550 555 560
 Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr Asn
 565 570 575
 Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile Tyr
 580 585 590
 Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr Phe
 595 600 605
 Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys Asn
 610 615 620
 Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile Tyr
 625 630 635 640
 Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:53:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	

GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC GGA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Gly Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	

ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	

TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:54:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro	
1				5					10					15		
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn	
			20					25					30			
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met	
		35					40					45				
Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	
	50					55					60					
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	
65					70					75					80	
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	
				85					90					95		
Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	
			100					105						110		
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	
	115						120					125				
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	
	130					135					140					
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	
145				150						155					160	
Lys	Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	
			165					170						175		
His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Gly	Phe	Glu	Val	
			180					185					190			
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	
	195						200					205				
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu	
	210					215					220					
Asp	Val	Ala	Glu	Phe	Tyr	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	
225				230						235					240	
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	
			245					250						255		
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu	
			260					265					270			
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp	

275		280		285
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile				
290		295		300
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro				
305		310		315 320
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp				
	325		330	335
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe				
	340		345	350
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg				
	355		360	365
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp				
	370		375	380
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val				
385		390		395 400
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys				
	405		410	415
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln				
	420		425	430
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly				
	435		440	445
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr				
	450		455	460
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu				
465		470		475 480
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp				
	485		490	495
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile				
	500		505	510
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser				
	515		520	525
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys				
	530		535	540
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala				
545		550		555 560

Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
565 570 575

Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
580 585 590

Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:55:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1956 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1953

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	

GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAA GAC CCA TGG AAG GCT TTT ATG GCA CAA	336
Asn Thr Ile Trp Pro Ser Glu Asp Pro Trp Lys Ala Phe Met Ala Gln	
100 105 110	
GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT AAA	384
Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser Lys	
115 120 125	
GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT GTT	432
Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr Val	
130 135 140	
AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AAT CCA	480
Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Asn Pro	
145 150 155 160	
CAC AGC CAA GGT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT CAT	528
His Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser His	
165 170 175	
TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG CTG	576
Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val Leu	
180 185 190	
TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA TTA	624
Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu Leu	
195 200 205	
AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA GAT	672
Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu Asp	
210 215 220	
GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC ACT	720
Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr Thr	
225 230 235 240	
GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA GGT	768
Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg Gly	
245 250 255	
TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA ATG	816
Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu Met	
260 265 270	
ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT ATT	864
Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp Ile	
275 280 285	

CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT TTT Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile Phe 290 295 300	912
ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA ACT Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro Thr 305 310 315 320	960
TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT TAT Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp Tyr 325 330 335	1008
TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT GGG Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe Gly 340 345 350	1056
AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA CCT Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg Pro 355 360 365	1104
AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT AAA Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp Lys 370 375 380	1152
TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT TAT Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val Tyr 385 390 395 400	1200
CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG GTA Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys Val 405 410 415	1248
TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA AAA Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln Lys 420 425 430	1296
AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC CAT Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly His 435 440 445	1344
GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA GAT Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr Asp 450 455 460	1392
GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA TGT Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu Cys 465 470 475 480	1440
TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG ACA Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp Thr 485 490 495	1488

CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT ACT	1536
His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile Thr	
500 505 510	
CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC ATT	1584
Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser Ile	
515 520 525	
ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA GAA	1632
Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Phe Leu Lys Glu	
530 535 540	
TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA GCC	1680
Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala Ala	
545 550 555 560	
TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT AAC	1728
Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr Asn	
565 570 575	
TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC TAC	1776
Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile Tyr	
580 585 590	
ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA TTT	1824
Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr Phe	
595 600 605	
GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG AAT	1872
Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys Asn	
610 615 620	
GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC TAT	1920
Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile Tyr	
625 630 635 640	
ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1956
Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:56:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 651 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15

Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
 20 25 30
 Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Glu Asp Pro Trp Lys Ala Phe Met Ala Gln
 100 105 110
 Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser Lys
 115 120 125
 Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr Val
 130 135 140
 Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Asn Pro
 145 150 155 160
 His Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser His
 165 170 175
 Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val Leu
 180 185 190
 Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu Leu
 195 200 205
 Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu Asp
 210 215 220
 Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr Thr
 225 230 235 240
 Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg Gly
 245 250 255
 Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu Met
 260 265 270
 Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp Ile
 275 280 285
 Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile Phe
 290 295 300

Thr	Asp	Pro	Ile	Phe	Ser	Leu	Asn	Thr	Leu	Gln	Glu	Tyr	Gly	Pro	Thr	305	310	315	320
Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp	Tyr	325	330	335	
Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	Phe	Gly	340	345	350	
Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	Arg	Pro	355	360	365	
Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	Asp	Lys	370	375	380	
Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	Val	Tyr	385	390	395	400
Arg	Thr	Ile	Ala	Asn	Thr	Asp	Val	Ala	Ala	Trp	Pro	Asn	Gly	Lys	Val	405	410	415	
Tyr	Leu	Gly	Val	Thr	Lys	Val	Asp	Phe	Ser	Gln	Tyr	Asp	Asp	Gln	Lys	420	425	430	
Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	Gly	His	435	440	445	
Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr	Asp	450	455	460	
Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	Glu	Cys	465	470	475	480
Phe	Leu	Met	Gln	Asp	Arg	Arg	Gly	Thr	Ile	Pro	Phe	Phe	Thr	Trp	Thr	485	490	495	
His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	Ile	Thr	500	505	510	
Gln	Leu	Pro	Val	Val	Lys	Ala	Tyr	Ala	Leu	Ser	Ser	Gly	Ala	Ser	Ile	515	520	525	
Ile	Glu	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asn	Leu	Leu	Phe	Leu	Lys	Glu	530	535	540	
Ser	Ser	Asn	Ser	Ile	Ala	Lys	Phe	Lys	Val	Thr	Leu	Asn	Ser	Ala	Ala	545	550	555	560
Leu	Leu	Gln	Arg	Tyr	Arg	Val	Arg	Ile	Arg	Tyr	Ala	Ser	Thr	Thr	Asn	565	570	575	
Leu	Arg	Leu	Phe	Val	Gln	Asn	Ser	Asn	Asn	Asp	Phe	Leu	Val	Ile	Tyr	580	585	590	

Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr Phe
595 600 605

Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys Asn
610 615 620

Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile Tyr
625 630 635 640

Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:57:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1956 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1953

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	

AAC ACT ATA TGG CCA AGT GAA GAC CCA TGG AAG GCT TTT ATG GCA CAA Asn Thr Ile Trp Pro Ser Glu Asp Pro Trp Lys Ala Phe Met Ala Gln 100 105 110	336
GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT AAA Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser Lys 115 120 125	384
GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT GTT Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr Val 130 135 140	432
AAT GCG TTA AAT TCC TGG AAG AAA TTT CAC CAT TCT CGT CGT TCT AAA Asn Ala Leu Asn Ser Trp Lys Lys Phe His His Ser Arg Arg Ser Lys 145 150 155 160	480
AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT CAT Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser His 165 170 175	528
TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG CTG Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val Leu 180 185 190	576
TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA TTA Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu Leu 195 200 205	624
AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA GAT Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu Asp 210 215 220	672
GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC ACT Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr Thr 225 230 235 240	720
GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA GGT Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg Gly 245 250 255	768
TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA ATG Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu Met 260 265 270	816
ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT ATT Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp Ile 275 280 285	864
CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT TTT Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile Phe 290 295 300	912

ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA ACT	960
Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro Thr	
305 310 315 320	
TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT TAT	1008
Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp Tyr	
325 330 335	
TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT GGG	1056
Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe Gly	
340 345 350	
AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA CCT	1104
Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg Pro	
355 360 365	
AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT AAA	1152
Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp Lys	
370 375 380	
TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT TAT	1200
Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val Tyr	
385 390 395 400	
CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG GTA	1248
Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys Val	
405 410 415	
TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA AAA	1296
Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln Lys	
420 425 430	
AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC CAT	1344
Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly His	
435 440 445	
GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA GAT	1392
Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr Asp	
450 455 460	
GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA TGT	1440
Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu Cys	
465 470 475 480	
TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG ACA	1488
Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp Thr	
485 490 495	
CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT ACT	1536
His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile Thr	
500 505 510	

CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC ATT	1584
Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser Ile	
515 520 525	
ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA GAA	1632
Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys Glu	
530 535 540	
TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA GCC	1680
Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala Ala	
545 550 555 560	
TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT AAC	1728
Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr Asn	
565 570 575	
TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC TAC	1776
Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile Tyr	
580 585 590	
ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA TTT	1824
Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr Phe	
595 600 605	
GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG AAT	1872
Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys Asn	
610 615 620	
GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC TAT	1920
Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile Tyr	
625 630 635 640	
ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1956
Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:58:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 651 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30

Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Glu Asp Pro Trp Lys Ala Phe Met Ala Gln
 100 105 110
 Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser Lys
 115 120 125
 Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr Val
 130 135 140
 Asn Ala Leu Asn Ser Trp Lys Lys Phe His His Ser Arg Arg Ser Lys
 145 150 155 160
 Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser His
 165 170 175
 Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val Leu
 180 185 190
 Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu Leu
 195 200 205
 Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu Asp
 210 215 220
 Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr Thr
 225 230 235 240
 Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg Gly
 245 250 255
 Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu Met
 260 265 270
 Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp Ile
 275 280 285
 Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile Phe
 290 295 300
 Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro Thr
 305 310 315 320

Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp Tyr
 325 330 335
 Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe Gly
 340 345 350
 Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg Pro
 355 360 365
 Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp Lys
 370 375 380
 Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val Tyr
 385 390 395 400
 Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys Val
 405 410 415
 Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln Lys
 420 425 430
 Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly His
 435 440 445
 Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr Asp
 450 455 460
 Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu Cys
 465 470 475 480
 Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp Thr
 485 490 495
 His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile Thr
 500 505 510
 Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser Ile
 515 520 525
 Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys Glu
 530 535 540
 Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala Ala
 545 550 555 560
 Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr Asn
 565 570 575
 Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile Tyr
 580 585 590
 Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr Phe
 595 600 605

Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys Asn
610 615 620

Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile Tyr
625 630 635 640

Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:59:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	

CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser 115 120 125	384
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr 130 135 140	432
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser 145 150 155 160	480
AAA AGA AGC CAA GGT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT Lys Arg Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser 165 170 175	528
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val 180 185 190	576
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu 195 200 205	624
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu 210 215 220	672
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr 225 230 235 240	720
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg 245 250 255	768
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu 260 265 270	816
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp 275 280 285	864
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile 290 295 300	912
TTT ACG GAT CCA ATT TTT ACC CTT AAT ACA CTA CAG AAG TAC GGA CCA Phe Thr Asp Pro Ile Phe Thr Leu Asn Thr Leu Gln Lys Tyr Gly Pro 305 310 315 320	960

ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	

ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys 530 535 540	1632
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala 545 550 555 560	1680
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr 565 570 575	1728
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile 580 585 590	1776
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr 595 600 605	1824
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys 610 615 620	1872
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile 625 630 635 640	1920
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu 645 650	1959

(2) INFORMATION FOR SEQ ID NO:60:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro 1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn 20 25 30
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met 35 40 45

Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Thr Leu Asn Thr Leu Gln Lys Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335

Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:61:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	

AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GGT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
GTT CGG TTA TAC CCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Val Arg Leu Tyr Pro Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TCT ACG GAT CCA ATT TTT GCC GTT AAT ACT CTG TGG GAA TAC GGA CCA	960
Ser Thr Asp Pro Ile Phe Ala Val Asn Thr Leu Trp Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	

TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CGA CCT GGT TAC TTT Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Arg Pro Gly Tyr Phe 340 345 350	1056
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GCA GAA ACT AGA Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Ala Glu Thr Arg 355 360 365	1104
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile 500 505 510	1536
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser 515 520 525	1584
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys 530 535 540	1632
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	1680

545	550	555	560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT				1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr				
565	570	575		
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC				1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile				
580	585	590		
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA				1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr				
595	600	605		
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG				1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys				
610	615	620		
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC				1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile				
625	630	635	640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA				1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu				
645	650			

(2) INFORMATION FOR SEQ ID NO:62:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro			
1	5	10	15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn			
20	25	30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met			
35	40	45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp			
50	55	60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val			
65	70	75	80

Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	85	90	95
Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	100	105	110
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	115	120	125
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	130	135	140
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	145	150	155
Lys	Arg	Ser	Gln	Gly	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	165	170	175
His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	180	185	190
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	195	200	205
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu	210	215	220
Asp	Val	Ala	Glu	Phe	Tyr	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	225	230	235
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	245	250	255
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu	260	265	270
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp	275	280	285
Val	Arg	Leu	Tyr	Pro	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	Ile	290	295	300
Ser	Thr	Asp	Pro	Ile	Phe	Ala	Val	Asn	Thr	Leu	Trp	Glu	Tyr	Gly	Pro	305	310	315
Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp	325	330	335
Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Arg	Pro	Gly	Tyr	Phe	340	345	350
Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Ala	Glu	Thr	Arg	355	360	365

Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380

Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400

Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415

Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430

Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445

His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460

Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480

Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495

Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510

Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525

Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540

Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560

Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575

Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590

Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:63:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	

AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
GTT CGG TTA TAC CCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Val Arg Leu Tyr Pro Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CGA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Arg Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	

CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp 370 375 380	1152
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val 385 390 395 400	1200
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys 405 410 415	1248
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln 420 425 430	1296
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly 435 440 445	1344
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr 450 455 460	1392
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu 465 470 475 480	1440
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp 485 490 495	1488
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile 500 505 510	1536
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser 515 520 525	1584
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys 530 535 540	1632
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala 545 550 555 560	1680
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr 565 570 575	1728

AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:64:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	

Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser		
115	120	125
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr		
130	135	140
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser		
145	150	155 160
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser		
	165 170	175
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val		
	180 185	190
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu		
195	200	205
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu		
210	215	220
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr		
225	230 235	240
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg		
	245 250	255
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu		
	260 265	270
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp		
	275 280	285
Val Arg Leu Tyr Pro Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile		
290	295	300
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro		
305	310	315 320
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp		
	325 330	335
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Arg Pro Gly Tyr Phe		
	340 345	350
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg		
	355 360	365
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp		
	370 375	380
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val		
385	390 395	400

Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:65:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GGT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	

CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TTA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Leu Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	

AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	

TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:66:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	

Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:67:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1959 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	

CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	
TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CGA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Arg Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	

TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	
ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	

TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:68:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	

Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Arg Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445

His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	Thr	450	455	460	
Asp	Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	Glu	465	470	475	480
Cys	Phe	Leu	Met	Gln	Asp	Arg	Arg	Gly	Thr	Ile	Pro	Phe	Phe	Thr	Trp	485	490	495	
Thr	His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	Ile	500	505	510	
Thr	Gln	Leu	Pro	Val	Val	Lys	Ala	Tyr	Ala	Leu	Ser	Ser	Gly	Ala	Ser	515	520	525	
Ile	Ile	Glu	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asn	Leu	Leu	Phe	Leu	Lys	530	535	540	
Glu	Ser	Ser	Asn	Ser	Ile	Ala	Lys	Phe	Lys	Val	Thr	Leu	Asn	Ser	Ala	545	550	555	560
Ala	Leu	Leu	Gln	Arg	Tyr	Arg	Val	Arg	Ile	Arg	Tyr	Ala	Ser	Thr	Thr	565	570	575	
Asn	Leu	Arg	Leu	Phe	Val	Gln	Asn	Ser	Asn	Asn	Asp	Phe	Leu	Val	Ile	580	585	590	
Tyr	Ile	Asn	Lys	Thr	Met	Asn	Lys	Asp	Asp	Asp	Leu	Thr	Tyr	Gln	Thr	595	600	605	
Phe	Asp	Leu	Ala	Thr	Thr	Asn	Ser	Asn	Met	Gly	Phe	Ser	Gly	Asp	Lys	610	615	620	
Asn	Glu	Leu	Ile	Ile	Gly	Ala	Glu	Ser	Phe	Val	Ser	Asn	Glu	Lys	Ile	625	630	635	640
Tyr	Ile	Asp	Lys	Ile	Glu	Phe	Ile	Pro	Val	Gln	Leu	645	650						

(2) INFORMATION FOR SEQ ID NO:69:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1482 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..1479

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

AGT AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA	48
Ser Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu	
1 5 10 15	
AGT CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA	96
Ser His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu	
20 25 30	
GTG CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG	144
Val Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu	
35 40 45	
CTA TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA	192
Leu Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser	
50 55 60	
GAA GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA	240
Glu Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln	
65 70 75 80	
TAC ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA	288
Tyr Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu	
85 90 95	
AGA GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA	336
Arg Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg	
100 105 110	
GAA ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT	384
Glu Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr	
115 120 125	
GAT ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC	432
Asp Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp	
130 135 140	
ATT TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA	480
Ile Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly	
145 150 155 160	
CCA ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT	528
Pro Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe	
165 170 175	
GAT TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC	576
Asp Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr	
180 185 190	
TTT GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT	624
Phe Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr	
195 200 205	

AGA CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA	672
Arg Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly	
210 215 220	
GAT AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA	720
Asp Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys	
225 230 235 240	
GTT TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT	768
Val Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly	
245 250 255	
AAG GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT	816
Lys Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp	
260 265 270	
CAA AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT	864
Gln Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn	
275 280 285	
GGC CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA	912
Gly His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr	
290 295 300	
ACA GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG	960
Thr Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala	
305 310 315 320	
GAA TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT	1008
Glu Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr	
325 330 335	
TGG ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG	1056
Trp Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys	
340 345 350	
ATT ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT	1104
Ile Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala	
355 360 365	
TCC ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA	1152
Ser Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu	
370 375 380	
AAA GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA	1200
Lys Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser	
385 390 395 400	
GCA GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC	1248
Ala Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr	
405 410 415	

ACT AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC	1296
Thr Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val	
420 425 430	
ATC TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA	1344
Ile Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln	
435 440 445	
ACA TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT	1392
Thr Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp	
450 455 460	
AAG AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA	1440
Lys Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys	
465 470 475 480	
ATC TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1482
Ile Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
485 490	

(2) INFORMATION FOR SEQ ID NO:70:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 493 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

Ser Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu	
1 5 10 15	
Ser His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu	
20 25 30	
Val Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu	
35 40 45	
Leu Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser	
50 55 60	
Glu Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln	
65 70 75 80	
Tyr Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu	
85 90 95	
Arg Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg	
100 105 110	

Glu	Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	115	120	125
Asp	Ile	Arg	Leu	Tyr	Ser	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	130	135	140
Ile	Phe	Thr	Asp	Pro	Ile	Phe	Ser	Leu	Asn	Thr	Leu	Gln	Glu	Tyr	Gly	145	150	155
Pro	Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	165	170	175
Asp	Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	180	185	190
Phe	Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	195	200	205
Arg	Pro	Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	210	215	220
Asp	Lys	Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	225	230	235
Val	Tyr	Arg	Thr	Ile	Ala	Asn	Thr	Asp	Val	Ala	Ala	Trp	Pro	Asn	Gly	245	250	255
Lys	Val	Tyr	Leu	Gly	Val	Thr	Lys	Val	Asp	Phe	Ser	Gln	Tyr	Asp	Asp	260	265	270
Gln	Lys	Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	275	280	285
Gly	His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	290	295	300
Thr	Asp	Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	305	310	315
Glu	Cys	Phe	Leu	Met	Gln	Asp	Arg	Arg	Gly	Thr	Ile	Pro	Phe	Phe	Thr	325	330	335
Trp	Thr	His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	340	345	350
Ile	Thr	Gln	Leu	Pro	Val	Val	Lys	Ala	Tyr	Ala	Leu	Ser	Ser	Gly	Ala	355	360	365
Ser	Ile	Ile	Glu	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asn	Leu	Leu	Phe	Leu	370	375	380
Lys	Glu	Ser	Ser	Asn	Ser	Ile	Ala	Lys	Phe	Lys	Val	Thr	Leu	Asn	Ser	385	390	395

Ala Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr
405 410 415

Thr Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val
420 425 430

Ile Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln
435 440 445

Thr Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp
450 455 460

Lys Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys
465 470 475 480

Ile Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
485 490

(2) INFORMATION FOR SEQ ID NO:71:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

AGACAACTCT ACAGTAAAAG ATG

23

(2) INFORMATION FOR SEQ ID NO:72:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

GGTAATTGGT CAATAGAATC

20

(2) INFORMATION FOR SEQ ID NO:73:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 39 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 21..23
 (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

CAGAAGATGT TGCTGAATTC NNNCATAGAC AATTAAAAC

39

(2) INFORMATION FOR SEQ ID NO:74:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 34 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 19..21
 (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

GATGTTGCTG AATTCTATNN NAGACAATTA AAAC

34

(2) INFORMATION FOR SEQ ID NO:75:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 33 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 17
 (D) OTHER INFORMATION: /note= "N = A, T, C (16% each); G
(52%)"

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 18
 (D) OTHER INFORMATION: /note= "N = T, G, C (10% each); A
(70%)"

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 19
 (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

CCCATTTTAT GATATTNNNT TATACTCAAA AGG

33

(2) INFORMATION FOR SEQ ID NO:76:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 64 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 24
- (D) OTHER INFORMATION: /note= "N = T, G, C (6% each); A

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(25, 27, 28, 30, 34, 36, 39, 43)
- (D) OTHER INFORMATION: /note= "N = A, T, G (6% each); C

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(31, 33, 35, 37, 42, 44)
- (D) OTHER INFORMATION: /note= "N = A, G, C (6% each); T

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 40
- (D) OTHER INFORMATION: /note= "N = A, T, C (6% each); G

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(26, 29, 32, 38, 41)
- (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each)"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

AGCTATGCTG GTCTCGGAAG AAANNNNNNN NNNNNNNNNN NNNNAAAAGA AGCCAAGATC

60

GAAT

64

(2) INFORMATION FOR SEQ ID NO:77:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 40 base pairs
- (B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

GGTCACCTAG GTCTCTCTTC CAGGAATTTA ACGCATTAAC

40

(2) INFORMATION FOR SEQ ID NO:78:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 65 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(22, 27, 29, 30, 37, 42)
- (D) OTHER INFORMATION: /note= "N = A, G, C (6% each); T

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(23, 26, 28, 31, 38, 40, 43, 44)
- (D) OTHER INFORMATION: /note= "N = T, G, C (6% each); A

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(24, 39)
- (D) OTHER INFORMATION: /note= "N = A, T, G (1% each); C

(97%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(25, 32, 33, 41, 46, 47, 48)
- (D) OTHER INFORMATION: /note= "N = A, T, C (6% each); G

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 34
- (D) OTHER INFORMATION: /note= "N = A, T, G (15% each); C

(55%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 45
- (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each)"

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 35..36
 (D) OTHER INFORMATION: /note= "N = A, G, C (15% each); T
 (55%) "

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:
 AGCTATGCTG GTCTCCCAT TNNNNNNNNN NNNNNNNNNN NNNNNNNNGT TAAAACAGAA 60
 CTAAC 65

(2) INFORMATION FOR SEQ ID NO:79:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 36 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:
 ATCCAGTGGG GTCTCAAATG GGAAAAGTAC AATTAG 36

(2) INFORMATION FOR SEQ ID NO:80:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 63 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(23, 27, 31, 36, 44)
 (D) OTHER INFORMATION: /note= "N = A, G, C (6% each); T
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(24, 25, 26, 33, 35, 38)
 (D) OTHER INFORMATION: /note= "N = A, T, G (6% each); C
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(28, 34, 37)
 (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(29, 30, 32, 39, 42, 45)
 (D) OTHER INFORMATION: /note= "N = T, G, C (6% each); A
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(40, 43)
 (D) OTHER INFORMATION: /note= "N = A, T, C (6% each); G
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 41
 (D) OTHER INFORMATION: /note= "N = A, C (8% each); T (1%);
 G (83%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 46
 (D) OTHER INFORMATION: /note= "N = A, T, G (1% each); C
 (97%) "

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:

CATTTTACG GATCCAATTT TTNNNNNNNN NNNNNNNNNN NNNNNNGGAC CAACTTTTTT 60

GAG 63

(2) INFORMATION FOR SEQ ID NO:81:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 62 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(28, 31, 32, 33, 42)
 (D) OTHER INFORMATION: /note= "N = A, G, C (6% each); T
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(29, 38, 39, 41)
 (D) OTHER INFORMATION: /note= "N = T, G, C (6% each); A
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 30
 (D) OTHER INFORMATION: /note= "N = A, T, G (1% each); C
 (97%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(34, 35, 40)
 (D) OTHER INFORMATION: /note= "N = A, T, C (6% each); G
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 36
 (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 37
 (D) OTHER INFORMATION: /note= "N = A (82%); T (2%); G, C
 (8% each) "

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:

GAATTCATA CGCGTCTTCA ACCTGGTNNN NNNNNNNNNN NNTCTTTCAA TTATTGGTCT 60

GG 62

(2) INFORMATION FOR SEQ ID NO:82:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 73 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(41, 49, 52)
 (D) OTHER INFORMATION: /note= "N = A, G, C (6% each); T
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 42..43
 (D) OTHER INFORMATION: /note= "N = A (0%); T, C (9% each);
 G (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 44..45
 (D) OTHER INFORMATION: /note= "N = A, T, G (6% each); C
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 46
 (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each)"

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(47, 48, 53, 54)
 (D) OTHER INFORMATION: /note= "N = T, G, C (6% each); A
 (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(50, 51, 55)
 (D) OTHER INFORMATION: /note= "N = A, T, C (6% each); G
 (82%) "

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

AAAAGTTTAT CGAACTATAG CTAATACAGA CGTAGCGGCT NNNNNNNNNN NNNNNGTATA	60
TTTAGGTGTT ACG	73

(2) INFORMATION FOR SEQ ID NO:83:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 20 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:

GGAGTTCCAT TTGCTGGGGC	20
-----------------------	----

(2) INFORMATION FOR SEQ ID NO:84:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 17 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

ATCTCCATAA AATGGGG	17
--------------------	----

(2) INFORMATION FOR SEQ ID NO:85:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 32 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

GCGAAGTAAA AGAAGCCAAG GTCGAATAAG GG

32

(2) INFORMATION FOR SEQ ID NO:86:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 43 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

CCTTTAAGTT TGCGAAATCC ACACAGCCAA GGTCGAATAA GGG

43

(2) INFORMATION FOR SEQ ID NO:87:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 35 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:

CCCATTTTAT GATGTTTCGGT TATACCCAAA AGGGG

35

(2) INFORMATION FOR SEQ ID NO:88:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 25 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

GGCCAAGTGA AGACCCATGG AAGGC

25

(2) INFORMATION FOR SEQ ID NO:89:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:

GCAGTTTCCG GATTCGAAGT GC

22

(2) INFORMATION FOR SEQ ID NO:90:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

CCGCTACGTC TGTATTA

17

(2) INFORMATION FOR SEQ ID NO:91:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

ATAATGGAAG CACCTGA

17

(2) INFORMATION FOR SEQ ID NO:92:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 60 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(22, 26, 29)
- (D) OTHER INFORMATION: /note= "N = T, G, C (6% each); A (82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(23, 33, 36)
 (D) OTHER INFORMATION: /note= "N = A, G, C (6% each); T
(82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(24, 27, 28, 32, 35, 37, 38)
 (D) OTHER INFORMATION: /note= "N = A, T, C (6% each); G
(82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: one-of(25, 30, 31, 34)
 (D) OTHER INFORMATION: /note= "N = A, T, G (6% each); C
(82%) "

(ix) FEATURE:
 (A) NAME/KEY: modified_base
 (B) LOCATION: 39
 (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each) "

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

AGCTATGCTG GTCTCTTCTT ANNNNNNNNN NNNNNNNNNA CAATTCCATT TTTTACTTGG 60

(2) INFORMATION FOR SEQ ID NO:93:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 40 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

ATCCAGTTGG GTCTCTAAGA AACAAACCGC GTAATTAAGC 40

(2) INFORMATION FOR SEQ ID NO:94:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 20 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:

CCTCAAGGGT TATAACATCC 20

(2) INFORMATION FOR SEQ ID NO:95:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 55 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(19, 22, 23, 31)
- (D) OTHER INFORMATION: /note= "N = A, T, C (6% each); G

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(20, 26, 27, 29, 30, 35)
- (D) OTHER INFORMATION: /note= "N = T, G, C (6% each); A

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(21, 32, 34)
- (D) OTHER INFORMATION: /note= "N = A, G, C (6% each); T

(82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(24, 33)
- (D) OTHER INFORMATION: /note= "N = A, T, G, C (25% each)"

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 25
- (D) OTHER INFORMATION: /note= "N = A, G (8% each); T (2%);

C (82%) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 28
- (D) OTHER INFORMATION: /note= "N = A (82%); T (2%); G, C

(8% each) "

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 36
- (D) OTHER INFORMATION: /note= "N = A, G, C (1% each); T

(97%) "

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

GTACAAAAGC TAAGCTTTNN NNNNNNNNNN NNNNNNCGAA CTATAGCTAA TACAG

55

(2) INFORMATION FOR SEQ ID NO:96:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 7 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

Ser Lys Arg Ser Gln Asp Arg
1 5

(2) INFORMATION FOR SEQ ID NO:97:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1959 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

- (ix) FEATURE:
 (A) NAME/KEY: CDS
 (B) LOCATION: 1..1956

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:

ATG AAT CCA AAC AAT CGA AGT GAA CAT GAT ACG ATA AAG GTT ACA CCT	48
Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro	
1 5 10 15	
AAC AGT GAA TTG CAA ACT AAC CAT AAT CAA TAT CCT TTA GCT GAC AAT	96
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn	
20 25 30	
CCA AAT TCA ACA CTA GAA GAA TTA AAT TAT AAA GAA TTT TTA AGA ATG	144
Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met	
35 40 45	
ACT GAA GAC AGT TCT ACG GAA GTG CTA GAC AAC TCT ACA GTA AAA GAT	192
Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp	
50 55 60	
GCA GTT GGG ACA GGA ATT TCT GTT GTA GGG CAG ATT TTA GGT GTT GTA	240
Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val	
65 70 75 80	
GGA GTT CCA TTT GCT GGG GCA CTC ACT TCA TTT TAT CAA TCA TTT CTT	288
Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu	
85 90 95	

AAC ACT ATA TGG CCA AGT GAT GCT GAC CCA TGG AAG GCT TTT ATG GCA	336
Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala	
100 105 110	
CAA GTT GAA GTA CTG ATA GAT AAG AAA ATA GAG GAG TAT GCT AAA AGT	384
Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser	
115 120 125	
AAA GCT CTT GCA GAG TTA CAG GGT CTT CAA AAT AAT TTC GAA GAT TAT	432
Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr	
130 135 140	
GTT AAT GCG TTA AAT TCC TGG AAG AAA ACA CCT TTA AGT TTG CGA AGT	480
Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser	
145 150 155 160	
AAA AGA AGC CAA GAT CGA ATA AGG GAA CTT TTT TCT CAA GCA GAA AGT	528
Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser	
165 170 175	
CAT TTT CGT AAT TCC ATG CCG TCA TTT GCA GTT TCC AAA TTC GAA GTG	576
His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val	
180 185 190	
CTG TTT CTA CCA ACA TAT GCA CAA GCT GCA AAT ACA CAT TTA TTG CTA	624
Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu	
195 200 205	
TTA AAA GAT GCT CAA GTT TTT GGA GAA GAA TGG GGA TAT TCT TCA GAA	672
Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu	
210 215 220	
GAT GTT GCT GAA TTT TAT CAT AGA CAA TTA AAA CTT ACA CAA CAA TAC	720
Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr	
225 230 235 240	
ACT GAC CAT TGT GTT AAT TGG TAT AAT GTT GGA TTA AAT GGT TTA AGA	768
Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg	
245 250 255	
GGT TCA ACT TAT GAT GCA TGG GTC AAA TTT AAC CGT TTT CGC AGA GAA	816
Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu	
260 265 270	
ATG ACT TTA ACT GTA TTA GAT CTA ATT GTA CTT TTC CCA TTT TAT GAT	864
Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp	
275 280 285	
ATT CGG TTA TAC TCA AAA GGG GTT AAA ACA GAA CTA ACA AGA GAC ATT	912
Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile	
290 295 300	

TTT ACG GAT CCA ATT TTT TCA CTT AAT ACT CTT CAG GAG TAT GGA CCA	960
Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro	
305 310 315 320	
ACT TTT TTG AGT ATA GAA AAC TCT ATT CGA AAA CCT CAT TTA TTT GAT	1008
Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp	
325 330 335	
TAT TTA CAG GGG ATT GAA TTT CAT ACG CGT CTT CAA CCT GGT TAC TTT	1056
Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe	
340 345 350	
GGG AAA GAT TCT TTC AAT TAT TGG TCT GGT AAT TAT GTA GAA ACT AGA	1104
Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg	
355 360 365	
CCT AGT ATA GGA TCT AGT AAG ACA ATT ACT TCC CCA TTT TAT GGA GAT	1152
Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp	
370 375 380	
AAA TCT ACT GAA CCT GTA CAA AAG CTA AGC TTT GAT GGA CAA AAA GTT	1200
Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val	
385 390 395 400	
TAT CGA ACT ATA GCT AAT ACA GAC GTA GCG GCT TGG CCG AAT GGT AAG	1248
Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys	
405 410 415	
GTA TAT TTA GGT GTT ACG AAA GTT GAT TTT AGT CAA TAT GAT GAT CAA	1296
Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln	
420 425 430	
AAA AAT GAA ACT AGT ACA CAA ACA TAT GAT TCA AAA AGA AAC AAT GGC	1344
Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly	
435 440 445	
CAT GTA AGT GCA CAG GAT TCT ATT GAC CAA TTA CCG CCA GAA ACA ACA	1392
His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr	
450 455 460	
GAT GAA CCA CTT GAA AAA GCA TAT AGT CAT CAG CTT AAT TAC GCG GAA	1440
Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu	
465 470 475 480	
TGT TTC TTA ATG CAG GAC CGT CGT GGA ACA ATT CCA TTT TTT ACT TGG	1488
Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp	
485 490 495	
ACA CAT AGA AGT GTA GAC TTT TTT AAT ACA ATT GAT GCT GAA AAG ATT	1536
Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile	
500 505 510	

ACT CAA CTT CCA GTA GTG AAA GCA TAT GCC TTG TCT TCA GGT GCT TCC	1584
Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser	
515 520 525	
ATT ATT GAA GGT CCA GGA TTC ACA GGA GGA AAT TTA CTA TTC CTA AAA	1632
Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys	
530 535 540	
GAA TCT AGT AAT TCA ATT GCT AAA TTT AAA GTT ACA TTA AAT TCA GCA	1680
Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala	
545 550 555 560	
GCC TTG TTA CAA CGA TAT CGT GTA AGA ATA CGC TAT GCT TCT ACC ACT	1728
Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr	
565 570 575	
AAC TTA CGA CTT TTT GTG CAA AAT TCA AAC AAT GAT TTT CTT GTC ATC	1776
Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile	
580 585 590	
TAC ATT AAT AAA ACT ATG AAT AAA GAT GAT GAT TTA ACA TAT CAA ACA	1824
Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr	
595 600 605	
TTT GAT CTC GCA ACT ACT AAT TCT AAT ATG GGG TTC TCG GGT GAT AAG	1872
Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys	
610 615 620	
AAT GAA CTT ATA ATA GGA GCA GAA TCT TTC GTT TCT AAT GAA AAA ATC	1920
Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile	
625 630 635 640	
TAT ATA GAT AAG ATA GAA TTT ATC CCA GTA CAA TTG TAA	1959
Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu	
645 650	

(2) INFORMATION FOR SEQ ID NO:98:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15
Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30

Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45
 Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320

Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605

Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:99:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2000 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

CCATCCATGG CAAACCCTAA CAATCGTTCC GAACACGACA CCATCAAGGT TACTCCAAAC	60
TCTGAGTTGC AAATAATCA CAACCAGTAC CCATTGGCTG ACAATCCTAA CAGTACTCTT	120
GAGGAACTTA ACTACAAGGA GTTCTCCGG ATGACCGAAG ATAGCTCCAC TGAGGTTCTC	180
GATAACTCTA CAGTGAAGGA CGCTGTTGGA ACTGGCATTG GCGTTGTGGG ACAGATTCTT	240
GGAGTGGTTG GTGTTCCATT CGCTGGAGCT TTGACCAGCT TCTACCAGTC CTTTCTCAAC	300
ACCATCTGGC CTTCAGATGC TGATCCCTGG AAGGCTTTCA TGGCCCAAGT GGAAGTCTTG	360
ATCGATAAGA AGATCGAAGA GTATGCCAAG TCTAAAGCCT TGGCTGAGTT GCAAGGTTTG	420
CAGAACAAC TCGAGGATTA CGTCAACGCA CTCAACAGCT GGAAGAAAAC TCCCTTGAGT	480
CTCAGGTCTA AGCGTTCCCA GGACCGTATT CGTGAACCTT TCAGCCAAGC CGAATCCCAC	540
TTCAGAACT CCATGCCTAG CTTTGCCGTT TCTAAGTTCT AGGTGCTCTT CTTGCCAACA	600
TACGCACAAG CTGCCAACAC TCATCTCTTG CTTCTCAAAG ACGCTCAGGT GTTTGGTGAG	660
GAATGGGGTT ACTCCAGTGA AGATGTTGCC GAGTTCTACC GTAGGCAGCT CAAGTTGACT	720
CAACAGTACA CAGACCACTG CGTCAACTGG TACAACGTTG GGCTCAATGG TCTTAGAGGA	780
TCTACCTACG ACGCATGGGT GAAGTTCAAC AGGTTTCGTA GAGAGATGAC CTTGACTGTG	840
CTCGATCTTA TCGTTCCTT TCCATTCTAC GACATTCGTC TTTACTCCAA AGGCGTTAAG	900
ACAGAGCTGA CCAGAGACAT CTTACCGAT CCCATCTTCC TACTTACGAC CCTGCAGAAA	960
TACGGTCCAA CTTTTCTCTC CATTGAGAAC AGCATCAGGA AGCCTCACCT CTTCGACTAT	1020

CTGCAAGGCA TTGAGTTTCA CACCAGGTTG CAACCTGGTT ACTTCGGTAA GGATTCCTTC	1080
AACTACTGGA GCGGAAACTA CGTTGAAACC AGACCATCCA TCGGATCTAG CAAGACCATC	1140
ACTTCTCCAT TCTACGGTGA CAAGAGCACT GAGCCAGTGC AGAAGTTGAG CTTCGATGGG	1200
CAGAAGGTGT ATAGAACCAT CGCCAATACC GATGTTGCAG CTTGGCCTAA TGGCAAGGTC	1260
TACCTTGAG TTAATAAGT GGACTTCTCC CAATACGACG ATCAGAAGAA CGAGACATCT	1320
ACTCAAACCT ACGATAGTAA GAGGAACAAT GGCCATGTTT CCGCACAAGA CTCCATTGAC	1380
CAACTTCCAC CTGAAACCAC TGATGAACCA TTGGAGAAGG CTTACAGTCA CCAACTTAAC	1440
TACGCCGAAT GCTTTCTCAT GCAAGACAGG CGTGGCACCA TTCCGTTCTT TACATGGACT	1500
CACAGGTCTG TCGACTTCTT TAACACTATC GACGCTGAGA AGATTACCCA ACTTCCCGTG	1560
GTCAAGGCTT ATGCCTTGTC CAGCGGAGCT TCCATCATTG AAGGTCCAGG CTTACCGGT	1620
GGCAACTTGC TCTTCCTTAA GGAGTCCAGC AACTCCATCG CCAAGTTCAA AGTGACACTT	1680
AACTCAGCAG CCTTGCTCCA ACGTTACAGG GTTCGTATCA GATACGCAAG CACTACCAAT	1740
CTTCGCCTCT TTGTCCAGAA CAGCAACAAT GATTTCCTTG TCATCTACAT CAACAAGACT	1800
ATGAACAAAG ACGATGACCT CACCTACCAA ACATTCGATC TTGCCACTAC CAATAGTAAC	1860
ATGGGATTCT CTGGTGACAA GAACGAGCTG ATCATAGGTG CTGAGAGCTT TGTCTCTAAT	1920
GAGAAGATTT ACATAGACAA GATCGAGTTC ATTCCAGTTC AACTCTAATA GATCCCCCGG	1980
GCTGCAGGAA TTCGATATCA	2000

(2) INFORMATION FOR SEQ ID NO:100:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 653 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:

Met	Ala	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr
1			5					10					15		
Pro	Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp
			20				25					30			
Asn	Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg
			35				40					45			

Met	Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	50	55	60	
Asp	Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	65	70	75	80
Val	Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	85	90	95	
Leu	Asn	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	100	105	110	
Ala	Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	115	120	125	
Ser	Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	130	135	140	
Tyr	Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	145	150	155	160
Ser	Lys	Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	165	170	175	
Ser	His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	180	185	190	
Val	Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	195	200	205	
Leu	Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	210	215	220	
Glu	Asp	Val	Ala	Glu	Phe	Tyr	Arg	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	225	230	235	240
Tyr	Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	245	250	255	
Arg	Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	260	265	270	
Glu	Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	275	280	285	
Asp	Ile	Arg	Leu	Tyr	Ser	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	290	295	300	
Ile	Phe	Thr	Asp	Pro	Ile	Phe	Leu	Leu	Thr	Thr	Leu	Gln	Lys	Tyr	Gly	305	310	315	320
Pro	Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	325	330	335	

Asp	Tyr	Leu	Gln	Gly	Ile	Glu	Phe	His	Thr	Arg	Leu	Gln	Pro	Gly	Tyr	340	345	350	
Phe	Gly	Lys	Asp	Ser	Phe	Asn	Tyr	Trp	Ser	Gly	Asn	Tyr	Val	Glu	Thr	355	360	365	
Arg	Pro	Ser	Ile	Gly	Ser	Ser	Lys	Thr	Ile	Thr	Ser	Pro	Phe	Tyr	Gly	370	375	380	
Asp	Lys	Ser	Thr	Glu	Pro	Val	Gln	Lys	Leu	Ser	Phe	Asp	Gly	Gln	Lys	385	390	395	400
Val	Tyr	Arg	Thr	Ile	Ala	Asn	Thr	Asp	Val	Ala	Ala	Trp	Pro	Asn	Gly	405	410	415	
Lys	Val	Tyr	Leu	Gly	Val	Thr	Lys	Val	Asp	Phe	Ser	Gln	Tyr	Asp	Asp	420	425	430	
Gln	Lys	Asn	Glu	Thr	Ser	Thr	Gln	Thr	Tyr	Asp	Ser	Lys	Arg	Asn	Asn	435	440	445	
Gly	His	Val	Ser	Ala	Gln	Asp	Ser	Ile	Asp	Gln	Leu	Pro	Pro	Glu	Thr	450	455	460	
Thr	Asp	Glu	Pro	Leu	Glu	Lys	Ala	Tyr	Ser	His	Gln	Leu	Asn	Tyr	Ala	465	470	475	480
Glu	Cys	Phe	Leu	Met	Gln	Asp	Arg	Arg	Gly	Thr	Ile	Pro	Phe	Phe	Thr	485	490	495	
Trp	Thr	His	Arg	Ser	Val	Asp	Phe	Phe	Asn	Thr	Ile	Asp	Ala	Glu	Lys	500	505	510	
Ile	Thr	Gln	Leu	Pro	Val	Val	Lys	Ala	Tyr	Ala	Leu	Ser	Ser	Gly	Ala	515	520	525	
Ser	Ile	Ile	Glu	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asn	Leu	Leu	Phe	Leu	530	535	540	
Lys	Glu	Ser	Ser	Asn	Ser	Ile	Ala	Lys	Phe	Lys	Val	Thr	Leu	Asn	Ser	545	550	555	560
Ala	Ala	Leu	Leu	Gln	Arg	Tyr	Arg	Val	Arg	Ile	Arg	Tyr	Ala	Ser	Thr	565	570	575	
Thr	Asn	Leu	Arg	Leu	Phe	Val	Gln	Asn	Ser	Asn	Asn	Asp	Phe	Leu	Val	580	585	590	
Ile	Tyr	Ile	Asn	Lys	Thr	Met	Asn	Lys	Asp	Asp	Asp	Leu	Thr	Tyr	Gln	595	600	605	
Thr	Phe	Asp	Leu	Ala	Thr	Thr	Asn	Ser	Asn	Met	Gly	Phe	Ser	Gly	Asp	610	615	620	

Lys Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys
625 630 635 640

Ile Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:101:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2050 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:101:

TGGAGCTCCA CCGCGGTGGC GGCCGCTCTA GAACTAGTGG ATCTAGGCCT CCATATGAAC	60
CCTAACAATC GTTCCGAACA CGACACCATC AAGGTTACTC CAAACTCTGA GTTGCAAAC	120
AATCACAACC AGTACCCATT GGCTGACAAT CCTAACAGTA CTCTTGAGGA ACTTAACTAC	180
AAGGAGTTTC TCCGGATGAC CGAAGATAGC TCCACTGAGG TTCTCGATAA CTCTACAGTG	240
AAGGACGCTG TTGGAAGTGG CATTAGCGTT GTGGGACAGA TTCTTGAGT GGTGGTGT	300
CCATTCGCTG GAGCTTTGAC CAGCTTCTAC CAGTCCTTTC TCAACACCAT CTGGCCTTCA	360
GATGCTGATC CCTGGAAGGC TTTCATGGCC CAAGTGAAG TCTTGATCGA TAAGAAGATC	420
GAAGAGTATG CCAAGTCTAA AGCCTTGGCT GAGTTGCAAG GTTGCAGAA CAACTTCGAG	480
GATTACGTCA ACGCACTCAA CAGCTGGAAG AAAACTCCCT TGAGTCTCAG GTCTAAGCGT	540
TCCCAGGACC GTATTCGTGA ACTTTTCAGC CAAGCCGAAT CCCACTTCAG AAACCTCATG	600
CCTAGCTTTG CCGTTTCTAA GTTCGAGGTG CTCTTCTTGC CAACATACGC ACAAGCTGCC	660
AACACTCATC TCTTGCTTCT CAAAGACGCT CAGGTGTTTG GTGAGGAATG GGGTTACTCC	720
AGTGAAGATG TTGCCGAGTT CTACCATAGG CAGCTCAAGT TGACTCAACA GTACACAGAC	780
CACTGCGTCA ACTGGTACAA CGTTGGGCTC AATGGTCTTA GAGGATCTAC CTACGACGCA	840
TGGGTGAAGT TCAACAGGTT TCGTAGAGAG ATGACCTTGA CTGTGCTCGA TCTTATCGTT	900
CTCTTTCCAT TCTACGACAT TCGTCTTTAC TCCAAAGGCG TTAAGACAGA GCTGACCAGA	960
GACATCTTCA CCGATCCCAT CTTCTCACTT AACACCCTGC AGGAATACGG TCCAACTTTT	1020
CTCTCCATTG AGAACAGCAT CAGGAAGCCT CACCTCTTCG ACTATCTGCA AGGCATTGAG	1080
TTTCACACCA GGTTGCAACC TGGTTACTTC GGTAAGGATT CCTTCAACTA CTGGAGCGGA	1140

AACTACGTTG AAACCAGACC ATCCATCGGA TCTAGCAAGA CCATCACTTC TCCATTCTAC	1200
GGTGACAAGA GCACTGAGCC AGTGCAGAAG TTGAGCTTCG ATGGGCAGAA GGTGTATAGA	1260
ACCATCGCCA ATACCGATGT TGCAGCTTGG CCTAATGGCA AGGTCTACCT TGGAGTTACT	1320
AAAGTGGACT TCTCCCAATA CGACGATCAG AAGAACGAGA CATCTACTCA AACCTACGAT	1380
AGTAAGAGGA ACAATGGCCA TGTTTCCGCA CAAGACTCCA TTGACCAACT TCCACCTGAA	1440
ACCACTGATG AACCATTGGA GAAGGCTTAC AGTCACCAAC TTA ACTACGC CGAATGCTTT	1500
CTCATGCAAG ACAGGCGTGG CACCATTCCG TTCTTTACAT GGA CTACAG GTCTGTGAC	1560
TTCTTTAACA CTATCGACGC TGAGAAGATT ACCCAACTTC CCGTGGTCAA GGCTTATGCC	1620
TTGTCCAGCG GAGCTTCCAT CATTGAAGGT CCAGGCTTCA CCGGTGGCAA CTTGCTCTTC	1680
CTTAAGGAGT CCAGCAACTC CATCGCCAAG TTCAAAGTGA CACTTAACTC AGCAGCCTTG	1740
CTCCAACGTT ACAGGGTTCG TATCAGATAC GCAAGCACTA CCAATCTTCG CCTCTTTGTC	1800
CAGAACAGCA ACAATGATTT CCTTGTCATC TACATCAACA AGACTATGAA CAAAGACGAT	1860
GACCTCACCT ACAACACATT CGATCTTGCC ACTACCAATA GTAACATGGG ATTCTCTGGT	1920
GACAAGAACG AGCTGATCAT AGGTGCTGAG AGCTTTGTCT CTAATGAGAA GATTTACATA	1980
GACAAGATCG AGTTCATTCC AGTTCAACTC TAATAGATCC CCCGGGCTGC AGGAATTCGA	2040
TATCAAGCTT	2050

(2) INFORMATION FOR SEQ ID NO:102:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2280 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:

TTAAAATTAA TTTTGTATAC TTTTCATTGT AATAATATGA TTTTAAAAAC GAAAAAGTGC	60
ATATACA ACT TATCAGGAGG GGGGGGATGC ACAAAGAAGA AAAGAATAAG AAGTGAATGT	120
TTATAATGTT CAATAGTTTT ATGGGAAGGC ATTTTATCAG GTAGAAAGTT ATGTATTATG	180
ATAAGAATGG GAGGAAGAAA AATGAATCCA AACAATCGAA GTGAACATGA TACGATAAAG	240
GTTACACCTA ACAGTGAATT GCAAAC TAAC CATAATCAAT ATCCTTTAGC TGACAATCCA	300

AATTCAACAC TAGAAGAATT AAATTATAAA GAATTTTTTAA GAATGACTGA AGACAGTTCT	360
ACGGAAGTGC TAGACAAC TC TACAGTAAAA GATGCAGTTG GGACAGGAAT TTCTGTTGTA	420
GGGCAGATTT TAGGTGTTGT AGGAGTTCCA TTTGCTGGGG CACTCACTTC ATTTTATCAA	480
TCATTTCTTA AACTATATG GCCAAGTGAT GCTGACCCAT GGAAGGCTTT TATGGCACAA	540
GTTGAAGTAC TGATAGATAA GAAAATAGAG GAGTATGCTA AAAGTAAAGC TCTTGCAGAG	600
TTACAGGGTC TTCAAATAA TTTCGAAGAT TATGTTAATG CGTTAAATTC CTGGAAGAAA	660
ACACCTTTAA GTTTGCGAAG TAAAAGAAGC CAAGATCGAA TAAGGGAAC TTTTCTCAA	720
GCAGAAAGTC ATTTTCGTAA TTCCATGCCG TCATTTGCAG TTTCCAAATT CGAAGTGCTG	780
TTTCTACCAA CATATGCACA AGCTGCAAAT ACACATTTAT TGCTATTAAA AGATGCTCAA	840
GTTTTTGGAG AAGAATGGGG ATATTCTTCA GAAGATGTTG CTGAATTTTA TCATAGACAA	900
TTAAACTTA CACAACAATA CACTGACCAT TGTGTTAATT GGTATAATGT TGGATTAAAT	960
GGTTTAAGAG GTTCAACTTA TGATGCATGG GTCAAATTTA ACCGTTTTTCG CAGAGAAATG	1020
ACTTTAACTG TATTAGATCT AATTGTACTT TTCCCATTTT ATGATATTCG GTTATACTCA	1080
AAAGGGGTTA AAACAGAACT AACAAGAGAC ATTTTTACGG ATCCAATTTT TTCACTTAAT	1140
ACTCTTCAGG AGTATGGACC AACTTTTTTTG AGTATAGAAA ACTCTATTTCG AAAACCTCAT	1200
TTATTTGATT ATTTACAGGG GATTGAATTT CATACGCGTC TTCAACCTGG TTACTTTGGG	1260
AAAGATTCTT TCAATTATTG GTCTGGTAAT TATGTAGAAA CTAGACCTAG TATAGGATCT	1320
AGTAAGACAA TTACTTCCCC ATTTTATGGA GATAAATCTA CTGAACCTGT ACAAAGCTA	1380
AGCTTTGATG GACAAAAAGT TTATCGAACT ATAGCTAATA CAGACGTAGC GGCTTGCCG	1440
AATGGTAAGG TATATTTAGG TGTTACGAAA GTTGATTTTA GTCAATATGA TGATCAAAAA	1500
AATGAACTA GTACACAAAC ATATGATTCA AAAAGAAACA ATGGCCATGT AAGTGCACAG	1560
GATTCTATTG ACCAATTACC GCCAGAAACA ACAGATGAAC CACTTGAAAA AGCATATAGT	1620
CATCAGCTTA ATTACGCGGA ATGTTTCTTA ATGCAGGACC GTCGTGGAAC AATTCCATTT	1680
TTTACTTGGA CACATAGAAG TGTAGACTTT TTTAATACAA TTGATGCTGA AAAGATTACT	1740
CAACTTCCAG TAGTGAAAGC ATATGCCTTG TCTTCAGGTG CTTCCATTAT TGAAGGTCCA	1800
GGATTCACAG GAGGAAATTT ACTATTCCTA AAAGAATCTA GTAATTCAAT TGCTAAATTT	1860
AAAGTTACAT TAAATTCAGC AGCCTTGTTA CAACGATATC GTGTAAGAAT ACGCTATGCT	1920

TCTACCACTA ACTTACGACT TTTTGTGCAA AATTCAAACA ATGATTTTCT TGTCATCTAC	1980
ATTAATAAAAA CTATGAATAA AGATGATGAT TTAACATATC AACATTGGA TCTCGCAACT	2040
ACTAATTCTA ATATGGGGTT CTCGGGTGAT AAGAATGAAC TTATAATAGG AGCAGAATCT	2100
TTCGTTTCTA ATGAAAAAAT CTATATAGAT AAGATAGAAT TTATCCCAGT ACAATTGTAA	2160
GGAGATTTTA AAATGTTGGG TGATGGTCAA AATGAAAGAA TAGGAAGGTG AATTTTGATG	2220
GTTAGGAAAAG ATTCTTTTAA CAAAAGCAAC ATGGAAAAGT ATACAGTACA AATATTAACC	2280

(2) INFORMATION FOR SEQ ID NO:103:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:103:

TAGGCCTCCA TCCATGGCAA ACCCTAACAA TC	32
-------------------------------------	----

(2) INFORMATION FOR SEQ ID NO:104:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:

TCCCATCTTC CTAATTACGA CCCTGCAGAA ATACGGTCCA AC	42
------------------------------------------------	----

(2) INFORMATION FOR SEQ ID NO:105:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 28 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:

GACCTCACCT ACCAAACATT CGATCTTG	28
--------------------------------	----

(2) INFORMATION FOR SEQ ID NO:106:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 25 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:

CGAGTTCTAC CGTAGGCAGC TCAAG

25

(2) INFORMATION FOR SEQ ID NO:107:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1959 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:

ATGAATCCAA ACAATCGAAG TGAACATGAT ACGATAAAGG TTACACCTAA CAGTGAATTG	60
CAAAC TAACC ATAATCAATA TCCTTTAGCT GACAATCCAA ATTCAACACT AGAAGAATTA	120
AATTATAAAG AATTTTAAAG AATGACTGAA GACAGTTCTA CGGAAGTGCT AGACAAC TCT	180
ACAGTAAAAG ATGCAGTTGG GACAGGAATT TCTGTTGTAG GGCAGATTTT AGGTGTTGTA	240
GGAGTTCCAT TTGCTGGGGC ACTCACTTCA TTTTATCAAT CATTTCTTAA CACTATATGG	300
CCAAGTGATG CTGACCCATG GAAGGCTTTT ATGGCACAAG TTGAAGTACT GATAGATAAG	360
AAAATAGAGG AGTATGCTAA AAGTAAAGCT CTTGCAGAGT TACAGGGTCT TCAAAATAAT	420
TTCGAAGATT ATGTTAATGC GTTAAATTCC TGGAAGAAAA CACCTTTAAG TTTGCGAAGT	480
AAAAGAAGCC AAGGTCGAAT AAGGGAAC TT TTTCTCAAG CAGAAAGTCA TTTTCGTAAT	540
TCCATGCCGT CATTTGCAGT TTCCAAATTC GAAGTGCTGT TTCTACCAAC ATATGCACAA	600
GCTGCAAATA CACATTTATT GCTATTAAAA GATGCTCAAG TTTTGGAGA AGAATGGGGA	660
TATTCTTCAG AAGATGTTGC TGAATTCTAT CGTAGACAAT TAAACTTAC ACAACAATAC	720
ACTGACCATT GTGTTAATTG GTATAATGTT GGATTAAATG GTTTAAGAGG TTCAACTTAT	780
GATGCATGGG TCAAATTTAA CCGTTTTCGC AGAGAAATGA CTTTAACTGT ATTAGATCTA	840
ATTGTACTTT TCCCATTTTA TGATATTCGG TTATACTCAA AAGGGGT TAA AACAGAACTA	900
ACAAGAGACA TTTTACGGA TCCAATTTTT TTA CT TACTACTA CGCTTCAGAA GTACGGACCA	960

ACTTTTTTGA GTATAGAAAA CTCTATTCGA AAACCTCATT TATTTGATTA TTTACAGGGG 1020
 ATTGAATTTT ATACGCGTCT TCAACCTGGT TACTTTGGGA AAGATTCTTT CAATTATTGG 1080
 TCTGGTAATT ATGTAGAAAC TAGACCTAGT ATAGGATCTA GTAAGACAAT TACTTCCCCA 1140
 TTTTATGGAG ATAAATCTAC TGAACCTGTA CAAAAGCTAA GCTTTGATGG ACAAAAAGTT 1200
 TATCGAACTA TAGCTAATAC AGACGTAGCG GCTTGGCCGA ATGGTAAGGT ATATTTAGGT 1260
 GTTACGAAAG TTGATTTTAG TCAATATGAT GATCAAAAAA ATGAACTAG TACACAAACA 1320
 TATGATTCAA AAAGAAACAA TGGCCATGTA AGTGCACAGG ATTCTATTGA CCAATTACCG 1380
 CCAGAAACAA CAGATGAACC ACTTGAAAAA GCATATAGTC ATCAGCTTAA TTACGCGGAA 1440
 TGTTTCTTAA TGCAGGACCG TCGTGGAACA ATTCCATTTT TTAATTGGAC ACATAGAAGT 1500
 GTAGACTTTT TTAATACAAT TGATGCTGAA AAGATTACTC AACTTCCAGT AGTGAAAGCA 1560
 TATGCCTTGT CTTCAGGTGC TTCCATTATT GAAGGTCCAG GATTCACAGG AGGAAATTTA 1620
 CTATTCCTAA AAGAATCTAG TAATTCAATT GCTAAATTTA AAGTTACATT AAATTCAGCA 1680
 GCCTTGTTAC AACGATATCG TGTAAGAATA CGCTATGCTT CTACCACTAA CTTACGACTT 1740
 TTTGTGCAAA ATTCAAACAA TGATTTTCTT GTCATCTACA TTAATAAAAC TATGAATAAA 1800
 GATGATGATT TAACATATCA AACATTTGAT CTCGCAACTA CTAATTCTAA TATGGGGTTC 1860
 TCGGGTGATA AGAATGAACT TATAATAGGA GCAGAATCTT TCGTTTCTAA TGAAAAAATC 1920
 TATATAGATA AGATAGAATT TATCCCAGTA CAATTGTAA 1959

(2) INFORMATION FOR SEQ ID NO:108:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:

Met	Asn	Pro	Asn	Asn	Arg	Ser	Glu	His	Asp	Thr	Ile	Lys	Val	Thr	Pro
1				5					10				15		
Asn	Ser	Glu	Leu	Gln	Thr	Asn	His	Asn	Gln	Tyr	Pro	Leu	Ala	Asp	Asn
			20					25					30		
Pro	Asn	Ser	Thr	Leu	Glu	Glu	Leu	Asn	Tyr	Lys	Glu	Phe	Leu	Arg	Met
			35					40					45		

Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
 50 55 60
 Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
 65 70 75 80
 Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
 85 90 95
 Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
 100 105 110
 Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
 115 120 125
 Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
 130 135 140
 Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
 145 150 155 160
 Lys Arg Ser Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
 165 170 175
 His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
 180 185 190
 Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr Arg Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Leu Leu Thr Thr Leu Gln Lys Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335

Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:109:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 649 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:109:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Ala Thr Glu
1 5 10 15

Asn Asn Glu Val Ser Asn Asn His Ala Gln Tyr Pro Leu Ala Asp Thr
20 25 30

Pro Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Arg Thr Thr
35 40 45

Asp Asn Asn Val Glu Ala Leu Asp Ser Ser Thr Thr Lys Asp Ala Ile
50 55 60

Gln Lys Gly Ile Ser Ile Ile Gly Asp Leu Leu Gly Val Val Gly Phe
65 70 75 80

Pro Tyr Gly Gly Ala Leu Val Ser Phe Tyr Thr Asn Leu Leu Asn Thr
85 90 95

Ile Trp Pro Gly Glu Asp Pro Leu Lys Ala Phe Met Gln Gln Val Glu
100 105 110

Ala Leu Ile Asp Gln Lys Ile Ala Asp Tyr Ala Lys Asp Lys Ala Thr
115 120 125

Ala Glu Leu Gln Gly Leu Lys Asn Val Phe Lys Asp Tyr Val Ser Ala
130 135 140

Leu Asp Ser Trp Asp Lys Thr Pro Leu Thr Leu Arg Asp Gly Arg Ser
145 150 155 160

Gln Gly Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser His Phe Arg
165 170 175

Arg Ser Met Pro Ser Phe Ala Val Ser Gly Tyr Glu Val Leu Phe Leu
180 185 190

Cys Phe Leu Leu Gln Gly Gly Arg Gly Ile Ile Pro Val Phe Thr Trp .
 485 490 495
 Thr His Lys Ser Val Asp Phe Tyr Asn Thr Leu Asp Ser Glu Lys Ile
 500 505 510
 Thr Gln Ile Pro Phe Val Lys Ala Phe Ile Leu Val Asn Ser Thr Ser
 515 520 525
 Val Val Ala Gly Pro Gly Phe Thr Gly Gly Asp Ile Ile Lys Cys Thr
 530 535 540
 Asn Gly Ser Gly Leu Thr Leu Tyr Val Thr Pro Ala Pro Asp Leu Thr
 545 550 555 560
 Tyr Ser Lys Thr Tyr Lys Ile Arg Ile Arg Tyr Ala Ser Thr Ser Gln
 565 570 575
 Val Arg Phe Gly Ile Asp Leu Gly Ser Tyr Thr His Ser Ile Ser Tyr
 580 585 590
 Phe Asp Lys Thr Met Asp Lys Gly Asn Thr Leu Thr Tyr Asn Ser Phe
 595 600 605
 Asn Leu Ser Ser Val Ser Arg Pro Ile Glu Ile Ser Gly Gly Asn Lys
 610 615 620
 Ile Gly Val Ser Val Gly Gly Ile Gly Ser Gly Asp Glu Val Tyr Ile
 625 630 635 640
 Asp Lys Ile Glu Phe Ile Pro Met Asp
 645

(2) INFORMATION FOR SEQ ID NO:110:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:110:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
 1 5 10 15
 Asn Ser Glu Leu Pro Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
 20 25 30
 Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
 35 40 45

Thr	Glu	Asp	Ser	Ser	Thr	Glu	Val	Leu	Asp	Asn	Ser	Thr	Val	Lys	Asp	50	55	60	
Ala	Val	Gly	Thr	Gly	Ile	Ser	Val	Val	Gly	Gln	Ile	Leu	Gly	Val	Val	65	70	75	80
Gly	Val	Pro	Phe	Ala	Gly	Ala	Leu	Thr	Ser	Phe	Tyr	Gln	Ser	Phe	Leu	85	90	95	
Asp	Thr	Ile	Trp	Pro	Ser	Asp	Ala	Asp	Pro	Trp	Lys	Ala	Phe	Met	Ala	100	105	110	
Gln	Val	Glu	Val	Leu	Ile	Asp	Lys	Lys	Ile	Glu	Glu	Tyr	Ala	Lys	Ser	115	120	125	
Lys	Ala	Leu	Ala	Glu	Leu	Gln	Gly	Leu	Gln	Asn	Asn	Phe	Glu	Asp	Tyr	130	135	140	
Val	Asn	Ala	Leu	Asn	Ser	Trp	Lys	Lys	Thr	Pro	Leu	Ser	Leu	Arg	Ser	145	150	155	160
Lys	Arg	Ser	Gln	Asp	Arg	Ile	Arg	Glu	Leu	Phe	Ser	Gln	Ala	Glu	Ser	165	170	175	
His	Phe	Arg	Asn	Ser	Met	Pro	Ser	Phe	Ala	Val	Ser	Lys	Phe	Glu	Val	180	185	190	
Leu	Phe	Leu	Pro	Thr	Tyr	Ala	Gln	Ala	Ala	Asn	Thr	His	Leu	Leu	Leu	195	200	205	
Leu	Lys	Asp	Ala	Gln	Val	Phe	Gly	Glu	Glu	Trp	Gly	Tyr	Ser	Ser	Glu	210	215	220	
Asp	Val	Ala	Glu	Phe	Tyr	His	Arg	Gln	Leu	Lys	Leu	Thr	Gln	Gln	Tyr	225	230	235	240
Thr	Asp	His	Cys	Val	Asn	Trp	Tyr	Asn	Val	Gly	Leu	Asn	Gly	Leu	Arg	245	250	255	
Gly	Ser	Thr	Tyr	Asp	Ala	Trp	Val	Lys	Phe	Asn	Arg	Phe	Arg	Arg	Glu	260	265	270	
Met	Thr	Leu	Thr	Val	Leu	Asp	Leu	Ile	Val	Leu	Phe	Pro	Phe	Tyr	Asp	275	280	285	
Val	Arg	Leu	Tyr	Ser	Lys	Gly	Val	Lys	Thr	Glu	Leu	Thr	Arg	Asp	Ile	290	295	300	
Phe	Thr	Asp	Pro	Ile	Phe	Ser	Leu	Asn	Thr	Leu	Gln	Glu	Tyr	Gly	Pro	305	310	315	320
Thr	Phe	Leu	Ser	Ile	Glu	Asn	Ser	Ile	Arg	Lys	Pro	His	Leu	Phe	Asp	325	330	335	

Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Ser
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Ile Tyr Phe Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Gly Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480
 Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Ile Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Ile Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Thr
 610 615 620

Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
625 630 635 640

Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
645 650

(2) INFORMATION FOR SEQ ID NO:111:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 652 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:

Met Asn Pro Asn Asn Arg Ser Glu His Asp Thr Ile Lys Val Thr Pro
1 5 10 15

Asn Ser Glu Leu Gln Thr Asn His Asn Gln Tyr Pro Leu Ala Asp Asn
20 25 30

Pro Asn Ser Thr Leu Glu Glu Leu Asn Tyr Lys Glu Phe Leu Arg Met
35 40 45

Thr Glu Asp Ser Ser Thr Glu Val Leu Asp Asn Ser Thr Val Lys Asp
50 55 60

Ala Val Gly Thr Gly Ile Ser Val Val Gly Gln Ile Leu Gly Val Val
65 70 75 80

Gly Val Pro Phe Ala Gly Ala Leu Thr Ser Phe Tyr Gln Ser Phe Leu
85 90 95

Asn Thr Ile Trp Pro Ser Asp Ala Asp Pro Trp Lys Ala Phe Met Ala
100 105 110

Gln Val Glu Val Leu Ile Asp Lys Lys Ile Glu Glu Tyr Ala Lys Ser
115 120 125

Lys Ala Leu Ala Glu Leu Gln Gly Leu Gln Asn Asn Phe Glu Asp Tyr
130 135 140

Val Asn Ala Leu Asn Ser Trp Lys Lys Thr Pro Leu Ser Leu Arg Ser
145 150 155 160

Lys Arg Ser Gln Asp Arg Ile Arg Glu Leu Phe Ser Gln Ala Glu Ser
165 170 175

His Phe Arg Asn Ser Met Pro Ser Phe Ala Val Ser Lys Phe Glu Val
180 185 190

Leu Phe Leu Pro Thr Tyr Ala Gln Ala Ala Asn Thr His Leu Leu Leu
 195 200 205
 Leu Lys Asp Ala Gln Val Phe Gly Glu Glu Trp Gly Tyr Ser Ser Glu
 210 215 220
 Asp Val Ala Glu Phe Tyr His Arg Gln Leu Lys Leu Thr Gln Gln Tyr
 225 230 235 240
 Thr Asp His Cys Val Asn Trp Tyr Asn Val Gly Leu Asn Gly Leu Arg
 245 250 255
 Gly Ser Thr Tyr Asp Ala Trp Val Lys Phe Asn Arg Phe Arg Arg Glu
 260 265 270
 Met Thr Leu Thr Val Leu Asp Leu Ile Val Leu Phe Pro Phe Tyr Asp
 275 280 285
 Ile Arg Leu Tyr Ser Lys Gly Val Lys Thr Glu Leu Thr Arg Asp Ile
 290 295 300
 Phe Thr Asp Pro Ile Phe Ser Leu Asn Thr Leu Gln Glu Tyr Gly Pro
 305 310 315 320
 Thr Phe Leu Ser Ile Glu Asn Ser Ile Arg Lys Pro His Leu Phe Asp
 325 330 335
 Tyr Leu Gln Gly Ile Glu Phe His Thr Arg Leu Gln Pro Gly Tyr Phe
 340 345 350
 Gly Lys Asp Ser Phe Asn Tyr Trp Ser Gly Asn Tyr Val Glu Thr Arg
 355 360 365
 Pro Ser Ile Gly Ser Ser Lys Thr Ile Thr Ser Pro Phe Tyr Gly Asp
 370 375 380
 Lys Ser Thr Glu Pro Val Gln Lys Leu Ser Phe Asp Gly Gln Lys Val
 385 390 395 400
 Tyr Arg Thr Ile Ala Asn Thr Asp Val Ala Ala Trp Pro Asn Gly Lys
 405 410 415
 Val Tyr Leu Gly Val Thr Lys Val Asp Phe Ser Gln Tyr Asp Asp Gln
 420 425 430
 Lys Asn Glu Thr Ser Thr Gln Thr Tyr Asp Ser Lys Arg Asn Asn Gly
 435 440 445
 His Val Ser Ala Gln Asp Ser Ile Asp Gln Leu Pro Pro Glu Thr Thr
 450 455 460
 Asp Glu Pro Leu Glu Lys Ala Tyr Ser His Gln Leu Asn Tyr Ala Glu
 465 470 475 480

Cys Phe Leu Met Gln Asp Arg Arg Gly Thr Ile Pro Phe Phe Thr Trp
 485 490 495
 Thr His Arg Ser Val Asp Phe Phe Asn Thr Ile Asp Ala Glu Lys Ile
 500 505 510
 Thr Gln Leu Pro Val Val Lys Ala Tyr Ala Leu Ser Ser Gly Ala Ser
 515 520 525
 Ile Ile Glu Gly Pro Gly Phe Thr Gly Gly Asn Leu Leu Phe Leu Lys
 530 535 540
 Glu Ser Ser Asn Ser Ile Ala Lys Phe Lys Val Thr Leu Asn Ser Ala
 545 550 555 560
 Ala Leu Leu Gln Arg Tyr Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr
 565 570 575
 Asn Leu Arg Leu Phe Val Gln Asn Ser Asn Asn Asp Phe Leu Val Ile
 580 585 590
 Tyr Ile Asn Lys Thr Met Asn Lys Asp Asp Asp Leu Thr Tyr Gln Thr
 595 600 605
 Phe Asp Leu Ala Thr Thr Asn Ser Asn Met Gly Phe Ser Gly Asp Lys
 610 615 620
 Asn Glu Leu Ile Ile Gly Ala Glu Ser Phe Val Ser Asn Glu Lys Ile
 625 630 635 640
 Tyr Ile Asp Lys Ile Glu Phe Ile Pro Val Gln Leu
 645 650

(2) INFORMATION FOR SEQ ID NO:112:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 659 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:112:

Met Ile Arg Met Gly Gly Arg Lys Met Asn Pro Asn Asn Arg Ser Glu
 1 5 10 15
 Tyr Asp Thr Ile Lys Val Thr Pro Asn Ser Glu Leu Pro Thr Asn His
 20 25 30
 Asn Gln Tyr Pro Leu Ala Asp Asn Pro Asn Ser Thr Leu Glu Glu Leu
 35 40 45

Asn Tyr Lys Glu Phe Leu Arg Met Thr Ala Asp Asn Ser Thr Glu Val
 50 55 60
 Leu Asp Ser Ser Thr Val Lys Asp Ala Val Gly Thr Gly Ile Ser Val
 65 70 75 80
 Val Gly Gln Ile Leu Gly Val Val Gly Val Pro Phe Ala Gly Ala Leu
 85 90 95
 Thr Ser Phe Tyr Gln Ser Phe Leu Asn Ala Ile Trp Pro Ser Asp Ala
 100 105 110
 Asp Pro Trp Lys Ala Phe Met Ala Gln Val Glu Val Leu Ile Asp Lys
 115 120 125
 Lys Ile Glu Glu Tyr Ala Lys Ser Lys Ala Leu Ala Glu Leu Gln Gly
 130 135 140
 Leu Gln Asn Asn Phe Glu Asp Tyr Val Asn Ala Leu Asp Ser Trp Lys
 145 150 155 160
 Lys Ala Pro Val Asn Leu Arg Ser Arg Arg Ser Gln Asp Arg Ile Arg
 165 170 175
 Glu Leu Phe Ser Gln Ala Glu Ser His Phe Arg Asn Ser Met Pro Ser
 180 185 190
 Phe Ala Val Ser Lys Phe Glu Val Leu Phe Leu Pro Thr Tyr Ala Gln
 195 200 205
 Ala Ala Asn Thr His Leu Leu Leu Leu Lys Asp Ala Gln Val Phe Gly
 210 215 220
 Glu Glu Trp Gly Tyr Ser Ser Glu Asp Ile Ala Glu Phe Tyr Gln Arg
 225 230 235 240
 Gln Leu Lys Leu Thr Gln Gln Tyr Thr Asp His Cys Val Asn Trp Tyr
 245 250 255
 Asn Val Gly Leu Asn Ser Leu Arg Gly Ser Thr Tyr Asp Ala Trp Val
 260 265 270
 Lys Phe Asn Arg Phe Arg Arg Glu Met Thr Leu Thr Val Leu Asp Leu
 275 280 285
 Ile Val Leu Phe Pro Phe Tyr Asp Val Arg Leu Tyr Ser Lys Gly Val
 290 295 300
 Lys Thr Glu Leu Thr Arg Asp Ile Phe Thr Asp Pro Ile Phe Thr Leu
 305 310 315 320
 Asn Ala Leu Gln Glu Tyr Gly Pro Thr Phe Ser Ser Ile Glu Asn Ser
 325 330 335

Ile Arg Lys Pro His Leu Phe Asp Tyr Leu Arg Gly Ile Glu Phe His
 340 345 350
 Thr Arg Leu Arg Pro Gly Tyr Ser Gly Lys Asp Ser Phe Asn Tyr Trp
 355 360 365
 Ser Gly Asn Tyr Val Glu Thr Arg Pro Ser Ile Gly Ser Asn Asp Thr
 370 375 380
 Ile Thr Ser Pro Phe Tyr Gly Asp Lys Ser Ile Glu Pro Ile Gln Lys
 385 390 395 400
 Leu Ser Phe Asp Gly Gln Lys Val Tyr Arg Thr Ile Ala Asn Thr Asp
 405 410 415
 Ile Ala Ala Phe Pro Asp Gly Lys Ile Tyr Phe Gly Val Thr Lys Val
 420 425 430
 Asp Phe Ser Gln Tyr Asp Asp Gln Lys Asn Glu Thr Ser Thr Gln Thr
 435 440 445
 Tyr Asp Ser Lys Arg Tyr Asn Gly Tyr Leu Gly Ala Gln Asp Ser Ile
 450 455 460
 Asp Gln Leu Pro Pro Glu Thr Thr Asp Glu Pro Leu Glu Lys Ala Tyr
 465 470 475 480
 Ser His Gln Leu Asn Tyr Ala Glu Cys Phe Leu Met Gln Asp Arg Arg
 485 490 495
 Gly Thr Ile Pro Phe Phe Thr Trp Thr His Arg Ser Val Asp Phe Phe
 500 505 510
 Asn Thr Ile Asp Ala Glu Lys Ile Thr Gln Leu Pro Val Val Lys Ala
 515 520 525
 Tyr Ala Leu Ser Ser Gly Ala Ser Ile Ile Glu Gly Pro Gly Phe Thr
 530 535 540
 Gly Gly Asn Leu Leu Phe Leu Lys Glu Ser Ser Asn Ser Ile Ala Lys
 545 550 555 560
 Phe Lys Val Thr Leu Asn Ser Ala Ala Leu Leu Gln Arg Tyr Arg Val
 565 570 575
 Arg Ile Arg Tyr Ala Ser Thr Thr Asn Leu Arg Leu Phe Val Gln Asn
 580 585 590
 Ser Asn Asn Asp Phe Leu Val Ile Tyr Ile Asn Lys Thr Met Asn Ile
 595 600 605
 Asp Gly Asp Leu Thr Tyr Gln Thr Phe Asp Phe Ala Thr Ser Asn Ser
 610 615 620

Leu Phe Ser Gln Ala Glu Ser His Phe Arg Asn Ser Met Pro Ser Phe
 180 185 190
 Ala Ile Ser Gly Tyr Glu Val Leu Phe Leu Thr Thr Tyr Ala Gln Ala
 195 200 205
 Ala Asn Thr His Leu Phe Leu Leu Lys Asp Ala Gln Ile Tyr Gly Glu
 210 215 220
 Glu Trp Gly Tyr Glu Lys Glu Asp Ile Ala Glu Phe Tyr Lys Arg Gln
 225 230 235 240
 Leu Lys Leu Thr Gln Glu Tyr Thr Asp His Cys Val Lys Trp Tyr Asn
 245 250 255
 Val Gly Leu Asp Lys Leu Arg Gly Ser Ser Tyr Glu Ser Trp Val Asn
 260 265 270
 Phe Asn Arg Tyr Arg Arg Glu Met Thr Leu Thr Val Leu Asp Leu Ile
 275 280 285
 Ala Leu Phe Pro Leu Tyr Asp Val Arg Leu Tyr Pro Lys Glu Val Lys
 290 295 300
 Thr Glu Leu Thr Arg Asp Val Leu Thr Asp Pro Ile Val Gly Val Asn
 305 310 315 320
 Asn Leu Arg Gly Tyr Gly Thr Thr Phe Ser Asn Ile Glu Asn Tyr Ile
 325 330 335
 Arg Lys Pro His Leu Phe Asp Tyr Leu His Arg Ile Gln Phe His Thr
 340 345 350
 Arg Phe Gln Pro Gly Tyr Tyr Gly Asn Asp Ser Phe Asn Tyr Trp Ser
 355 360 365
 Gly Asn Tyr Val Ser Thr Arg Pro Ser Ile Gly Ser Asn Asp Ile Ile
 370 375 380
 Thr Ser Pro Phe Tyr Gly Asn Lys Ser Ser Glu Pro Val Gln Asn Leu
 385 390 395 400
 Glu Phe Asn Gly Glu Lys Val Tyr Arg Ala Val Ala Asn Thr Asn Leu
 405 410 415
 Ala Val Trp Pro Ser Ala Val Tyr Ser Gly Val Thr Lys Val Glu Phe
 420 425 430
 Ser Gln Tyr Asn Asp Gln Thr Asp Glu Ala Ser Thr Gln Thr Tyr Asp
 435 440 445
 Ser Lys Arg Asn Val Gly Ala Val Ser Trp Asp Ser Ile Asp Gln Leu
 450 455 460

Pro	Pro	Glu	Thr	Thr	Asp	Glu	Pro	Leu	Glu	Lys	Gly	Tyr	Ser	His	Gln	465	470	475	480
Leu	Asn	Tyr	Val	Met	Cys	Phe	Leu	Met	Gln	Gly	Ser	Arg	Gly	Thr	Ile	485	490	495	
Pro	Val	Leu	Thr	Trp	Thr	His	Lys	Ser	Val	Asp	Phe	Phe	Asn	Met	Ile	500	505	510	
Asp	Ser	Lys	Lys	Ile	Thr	Gln	Leu	Pro	Leu	Val	Lys	Ala	Tyr	Lys	Leu	515	520	525	
Gln	Ser	Gly	Ala	Ser	Val	Val	Ala	Gly	Pro	Arg	Phe	Thr	Gly	Gly	Asp	530	535	540	
Ile	Ile	Gln	Cys	Thr	Glu	Asn	Gly	Ser	Ala	Ala	Thr	Ile	Tyr	Val	Thr	545	550	555	560
Pro	Asp	Val	Ser	Tyr	Ser	Gln	Lys	Tyr	Arg	Ala	Arg	Ile	His	Tyr	Ala	565	570	575	
Ser	Thr	Ser	Gln	Ile	Thr	Phe	Thr	Leu	Ser	Leu	Asp	Gly	Ala	Pro	Phe	580	585	590	
Asn	Gln	Tyr	Tyr	Phe	Asp	Lys	Thr	Ile	Asn	Lys	Gly	Asp	Thr	Leu	Thr	595	600	605	
Tyr	Asn	Ser	Phe	Asn	Leu	Ala	Ser	Phe	Ser	Thr	Pro	Phe	Glu	Leu	Ser	610	615	620	
Gly	Asn	Asn	Leu	Gln	Ile	Gly	Val	Thr	Gly	Leu	Ser	Ala	Gly	Asp	Lys	625	630	635	640
Val	Tyr	Ile	Asp	Lys	Ile	Glu	Phe	Ile	Pro	Val	Asn					645	650		

9.0

APPENDIX

9.1

CRYSTAL COORDINATES OF CRY3Bb

5 HEADER TOXIN 01-DEC-94
 5 COMPND DELTA-ENDOTOXIN CRYIIIB2
 SOURCE (BACILLUS THURINGIENSIS, SUBSPECIES KUMAMOTOENSIS)
 AUTHOR N.GALITSKY, V.CODY
 REVDAT 1 01-DEC-94
 REMARK 1
 10 REMARK 1 REFERENCE 1
 REMARK 1 AUTH NIKOLAI GALITSKY, VIVIAN CODY, ANDREZEJ WOJTCZAK,
 REMARKS 1 AUTH DEBASHIS GHOSH, JOSEPH R. LUFT, WALTER PANGBORN,
 REMARKS 1 AUTH ZDZISLAW WAWRZAK AND LEIGH ENGLISH.
 REMARK 1 TITL CRYSTAL AND MOLECULAR STRUCTURE OF THE BACTERIAL
 15 REMARK 1 TITL 2 DELTA-ENDOTOXIN CRYIIIB2.
 REMARK 1 REF
 REMARK 1 REFN
 REMARK 1 REFERENCE 2
 REMARK 1 AUTH CODY, V., LUFT, J.R., JENSEN, E., PANGBORG, W., &
 20 REMARKS 1 AUTH ENGLISH, L.
 REMARK 1 TITL PURIFICATION AND CRYSTALLIZATION OF INSECTICIDAL
 REMARKS 1 TITL 1 DELTA-ENDOTOXIN CRYIIIB2 FROM BACILLUS THURINGIENSIS
 REMARK 1 REF PROTEINS: STRUC.FUNC.GENETICS, (1992), 14, 324.
 REMARK 2
 25 REMARK 2
 REMARK 2 RESOLUTION. 2.4 ANGSTROMS.
 REMARK 3
 REMARK 3
 REMARK 3 REFINEMENT.
 30 REMARK 3 PROGRAM X-PLOR
 REMARK 3 AUTHORS BRUNGER
 REMARK 3 R VALUE 0.18
 REMARK 3 RFREE VALUE 0.253
 REMARK 3 RMSD BOND DISTANCES 0.009 ANGSTROMS
 35 REMARK 3 RMSD BOND ANGLES 1.30 DEGREES
 REMARK 3
 REMARK 3 NUMBER OF REFLECTIONS 29069
 REMARK 3 RESOLUTION RANGE 8.0 - 2.4 ANGSTROMS
 REMARK 3 DATA CUTOFF 2.0 SIGMA(F)
 40 REMARK 3
 REMARK 3 NUMBER OF PROTEIN ATOMS 4750
 REMARK 3 NUMBER OF SOLVENT ATOMS 251
 REMARK 3
 REMARK 3 THE ATOMIC MODEL INCLUDES RESIDUES 64 - 652 OF THE PROTEIN
 45 REMARK 3 AND 251 BOUND WATER MOLECULES.
 REMARK 3
 REMARK 4
 REMARK 4 Bacillus thuringiensis (Bt) is a gram-positive soil
 REMARK 4 bacterium characterized by its ability to produce
 50 REMARK 4 crystalline inclusions during sporulation which consist of
 REMARK 4 proteins exhibiting a highly specific insecticidal activity.
 REMARK 4 There are a variety of toxins present in Bt which have
 REMARK 4 different characteristics, for example, α -exotoxin
 REMARK 4 (phospholipase C) and d-endotoxin (the crystal protein).
 55 REMARK 4
 REMARK 5
 REMARK 6 REMARK 6 HERE RESULTED FROM LAST REFINEMENT.
 REMARK 6 R=18.0%, Rfree=24.3% by X-PLOR

REMARK	5	
SEQRES	1	ASP ALA VAL GLY THR GLY ILE SER VAL VAL GLY GLN ILE
5	SEQRES 2	LEU GLY VAL VAL GLY VAL PRO PHE ALA GLY ALA LEU THR
	SEQRES 3	SER PHE TYR GLN SER PHE LEU ASN THR ILE TRP PRO SER
	SEQRES 4	ASP ALA ASP PRO TRP LYS ALA PHE MET ALA GLN VAL GLU
	SEQRES 5	VAL LEU ILE ASP LYS LYS ILE GLU GLU TYR ALA LYS SER
	SEQRES 6	LYS ALA LEU ALA GLU LEU GLN GLY LEU GLN ASN ASN PHE
	SEQRES 7	GLU ASP TYR TYR VAL ASN VAL LEU ASN TRP LYS LYS THR
10	SEQRES 8	PRO LEU SER LEU ARG SER LYS ARG SER GLN ASP ARG ILE
	SEQRES 9	ARG GLU LEU PHE SER GLN ALA GLU SER HIS PHE PHE ARG
	SEQRES 10	ASN SER MET PRO SER PHE ALA VAL SER LYS PHE GLU VAL
	SEQRES 11	LEU PHE LEU PRO THR TYR ALA GLN ALA ALA ASN THR HIS
	SEQRES 12	LEU LEU LEU LEU LYS ASP ALA GLN VAL PHE GLY GLU GLU
	SEQRES 13	TRP GLY TYR SER SER GLU ASP VAL ALA GLU PHE TYR HIS
15	SEQRES 14	ARG GLN LEU LYS LEU THR GLN GLN TYR THR ASP HIS CYS
	SEQRES 15	VAL ASP TRP TYR ASN VAL GLY LEU ASN GLY LEU ARG GLY
	SEQRES 16	SER THR TYR ASP ALA TRP VAL LYS PHE ASN ARG PHE ARG
	SEQRES 17	ARG GLU MET THR LEU THR VAL LEU ASP LEU ILE VAL LEU
	SEQRES 18	PHE PRO PHE TYR ASP ILE ARG LEU TYR SER LYS GLY VAL
20	SEQRES 19	LYS THR GLU LEU THR ARG ASP ILE PHE THR ASP PRO ILE
	SEQRES 20	PHE SER ILE ASN THR LEU GLN GLU TYR GLY PRO THR PHE
	SEQRES 21	LEU SER ILE GLU ASN SER ILE ARG LYS PRO HIS LEU PHE
	SEQRES 22	ASP TYR LEU GLN GLY ILE GLU PHE THR ARG LEU GLN PRO
25	SEQRES 23	GLY TYR PHE GLY LYS ASP SER PHE ASN TYR TRP SER GLY
	SEQRES 24	ASN TYR VAL GLU THR ARG PRO SER ILE GLY SER SER LYS
	SEQRES 25	THR ILE THR SER PRO PHE TYR GLY ASP LYS SER THR GLU
	SEQRES 26	PRO VAL GLN LYS LEU SER PHE ASP GLY GLN LYS VAL TYR
	SEQRES 27	ARG THR ILE ALA ASN THR ASP VAL ALA ALA TRP PRO ASN
	SEQRES 28	GLY LYS VAL TYR LEU GLY VAL THR LYS VAL ASP PHE SER
30	SEQRES 29	GLN TYR ASP ASP GLN LYS ASN GLU THR SER THR GLN THR
	SEQRES 30	TYR ASP SER LYS ARG ASN ASN GLY HIS VAL SER ALA GLN
	SEQRES 31	ASP SER ILE ASP GLN LEU PRO PRO GLU THR THR ASP GLU
	SEQRES 32	PRO LEU GLU LYS ALA TYR SER HIS GLN LEU ASN TYR ALA
	SEQRES 33	GLU CYS PHE LEU MET GLN ASP ARG ARG GLY THR ILE PRO
35	SEQRES 34	PHE PHE THR TRP THR HIS ARG SER VAL ASP PHE PHE ASN
	SEQRES 35	THR ILE ASP ALA GLU LYS ILE THR GLN LEU PRO VAL VAL
	SEQRES 36	LYS ALA TYR ALA LEU SER SER GLY ALA SER ILE ILE GLU
	SEQRES 37	GLY PRO GLY PHE THR GLY GLY ASN LEU LEU PHE LEU LYS
	SEQRES 38	GLU SER SER ASN SER ILE ALA LYS PHE LYS VAL THR LEU
40	SEQRES 39	ASN SER ALA ALA LEU LEU GLN ARG TYR ARG VAL ARG ILE
	SEQRES 40	ARG TYR ALA SER THR THR ASN LEU ARG LEU PHE VAL GLN
	SEQRES 41	ASN SER ASN ASN ASP PHE LEU VAL ILE TYR ILE ASN LYS
	SEQRES 42	THR MET ASN LYS ASP ASP ASP LEU THR TYR GLN THR PHE
	SEQRES 43	ASP LEU ALA THR THR ASN SER ASN MET GLY PHE SER GLY
45	SEQRES 44	ASP LYS ASN GLU LEU ILE ILE GLY ALA GLU SER PHE VAL
	SEQRES 45	SER ASN GLU LYS ILE TYR ILE ASP LYS ILE GLU PHE ILE
	SEQRES 46	PRO VAL GLN LEU
	CRYST1	122.440 131.810 105.370 90.00 90.00 90.00 C 2 2 21 8
50	ORIGX1	1.000000 0.000000 0.000000 0.000000
	ORIGX2	0.000000 1.000000 0.000000 0.000000
	ORIGX3	0.000000 0.000000 1.000000 0.000000
	SCALE1	0.00817 0.00000 0.000000 0.000000
	SCALE2	0.00000 0.00759 0.00000 0.000000
	SCALE3	0.00000 0.00000 0.00949 0.000000
55	ATOM 1	CB ASP 64 38.002 27.615 24.114 1.00 41.41
	ATOM 2	CG ASP 64 36.543 27.914 23.755 1.00 52.75
	ATOM 3	OD1 ASP 64 35.629 27.527 24.530 1.00 57.53
	ATOM 4	OD2 ASP 64 36.313 28.570 22.707 1.00 55.49
	ATOM 5	C ASP 64 38.189 25.132 23.609 1.00 31.24
60	ATOM 6	O ASP 64 39.200 24.940 22.931 1.00 32.62

	ATOM	7	N	ASP	64	39.547	26.161	25.357	1.00	28.94
	ATOM	8	CA	ASP	64	38.204	26.213	24.712	1.00	33.24
	ATOM	9	N	ALA	65	37.061	24.450	23.398	1.00	26.89
5	ATOM	10	CA	ALA	65	37.015	23.396	22.384	1.00	24.54
	ATOM	11	CB	ALA	65	35.695	22.650	22.456	1.00	25.47
	ATOM	12	C	ALA	65	37.289	23.923	20.965	1.00	24.59
	ATOM	13	O	ALA	65	38.208	23.470	20.298	1.00	28.06
	ATOM	14	N	VAL	66	36.549	24.933	20.533	1.00	24.47
10	ATOM	15	CA	VAL	66	36.756	25.504	19.203	1.00	23.48
	ATOM	16	CB	VAL	66	35.728	26.617	18.903	1.00	21.61
	ATOM	17	CG1	VAL	66	36.030	27.331	17.611	1.00	22.39
	ATOM	18	CG2	VAL	66	34.351	25.996	18.820	1.00	26.75
	ATOM	19	C	VAL	66	38.187	26.004	19.045	1.00	19.98
15	ATOM	20	O	VAL	66	38.833	25.670	18.077	1.00	23.77
	ATOM	21	N	GLY	67	38.713	26.713	20.034	1.00	21.48
	ATOM	22	CA	GLY	67	40.081	27.219	19.954	1.00	20.29
	ATOM	23	C	GLY	67	41.138	26.133	19.879	1.00	24.27
	ATOM	24	O	GLY	67	42.192	26.309	19.265	1.00	23.94
20	ATOM	25	N	THR	68	40.866	25.002	20.515	1.00	24.20
	ATOM	26	CA	THR	68	41.799	23.896	20.492	1.00	24.14
	ATOM	27	CB	THR	68	41.461	22.851	21.597	1.00	23.58
	ATOM	28	OG1	THR	68	41.688	23.440	22.875	1.00	31.21
	ATOM	29	CG2	THR	68	42.340	21.613	21.500	1.00	27.97
25	ATOM	30	C	THR	68	41.694	23.304	19.103	1.00	20.97
	ATOM	31	O	THR	68	42.705	23.072	18.454	1.00	21.45
	ATOM	32	N	GLY	69	40.461	23.174	18.618	1.00	19.58
	ATOM	33	CA	GLY	69	40.215	22.622	17.293	1.00	19.83
	ATOM	34	C	GLY	69	40.958	23.401	16.229	1.00	21.30
30	ATOM	35	O	GLY	69	41.668	22.836	15.387	1.00	27.17
	ATOM	36	N	ILE	70	40.803	24.714	16.292	1.00	17.89
	ATOM	37	CA	ILE	70	41.439	25.637	15.380	1.00	14.96
	ATOM	38	CB	ILE	70	40.985	27.081	15.669	1.00	10.04
	ATOM	39	CG2	ILE	70	41.955	28.068	15.070	1.00	12.80
35	ATOM	40	CG1	ILE	70	39.577	27.287	15.087	1.00	17.46
	ATOM	41	CD1	ILE	70	38.902	28.609	15.424	1.00	11.32
	ATOM	42	C	ILE	70	42.941	25.539	15.476	1.00	15.70
	ATOM	43	O	ILE	70	43.620	25.618	14.480	1.00	14.84
	ATOM	44	N	SER	71	43.456	25.322	16.675	1.00	20.78
40	ATOM	45	CA	SER	71	44.886	25.235	16.865	1.00	21.23
	ATOM	46	CB	SER	71	45.203	25.328	18.342	1.00	27.06
	ATOM	47	OG	SER	71	46.602	25.359	18.562	1.00	38.25
	ATOM	48	C	SER	71	45.472	23.958	16.271	1.00	21.51
	ATOM	49	O	SER	71	46.528	23.993	15.634	1.00	25.89
45	ATOM	50	N	VAL	72	44.800	22.835	16.494	1.00	22.02
	ATOM	51	CA	VAL	72	45.234	21.543	15.966	1.00	21.27
	ATOM	52	CB	VAL	72	44.307	20.400	16.439	1.00	18.56
	ATOM	53	CG1	VAL	72	44.732	19.096	15.847	1.00	23.45
	ATOM	54	CG2	VAL	72	44.350	20.282	17.908	1.00	24.48
50	ATOM	55	C	VAL	72	45.230	21.580	14.431	1.00	22.84
	ATOM	56	O	VAL	72	46.224	21.210	13.806	1.00	26.65
	ATOM	57	N	VAL	73	44.127	22.028	13.822	1.00	19.72
	ATOM	58	CA	VAL	73	44.050	22.105	12.359	1.00	20.44
	ATOM	59	CB	VAL	73	42.619	22.492	11.872	1.00	20.13
	ATOM	60	CG1	VAL	73	42.619	22.896	10.378	1.00	13.81
55	ATOM	61	CG2	VAL	73	41.680	21.308	12.095	1.00	18.37
	ATOM	62	C	VAL	73	45.152	22.995	11.752	1.00	20.22
	ATOM	63	O	VAL	73	45.557	22.797	10.615	1.00	24.33
	ATOM	64	N	GLY	74	45.663	23.939	12.532	1.00	21.00
60	ATOM	65	CA	GLY	74	46.743	24.784	12.072	1.00	16.98
	ATOM	66	C	GLY	74	48.049	24.028	12.226	1.00	20.80

	ATOM	67	O	GLY	74	48.950	24.221	11.434	1.00	23.14
	ATOM	68	N	GLN	75	48.183	23.179	13.247	1.00	22.46
	ATOM	69	CA	GLN	75	49.438	22.410	13.434	1.00	25.26
5	ATOM	70	CB	GLN	75	49.561	21.810	14.856	1.00	27.10
	ATOM	71	CG	GLN	75	49.713	22.859	15.996	1.00	29.45
	ATOM	72	CD	GLN	75	50.044	22.259	17.361	1.00	31.13
	ATOM	73	OE1	GLN	75	51.122	21.706	17.557	1.00	40.11
	ATOM	74	NE2	GLN	75	49.140	22.408	18.320	1.00	30.96
10	ATOM	75	C	GLN	75	49.566	21.308	12.389	1.00	24.92
	ATOM	76	O	GLN	75	50.629	21.109	11.793	1.00	26.68
	ATOM	77	N	ILE	76	48.466	20.601	12.159	1.00	23.54
	ATOM	78	CA	ILE	76	48.432	19.541	11.174	1.00	23.61
	ATOM	79	CB	ILE	76	47.092	18.760	11.249	1.00	22.99
	ATOM	80	CG2	ILE	76	47.186	17.503	10.408	1.00	26.43
15	ATOM	81	CG1	ILE	76	46.744	18.375	12.700	1.00	19.22
	ATOM	82	CD1	ILE	76	47.392	17.129	13.202	1.00	12.10
	ATOM	83	C	ILE	76	48.659	20.118	9.733	1.00	24.28
	ATOM	84	O	ILE	76	49.445	19.557	8.968	1.00	25.09
20	ATOM	85	N	LEU	77	48.004	21.224	9.363	1.00	18.82
	ATOM	86	CA	LEU	77	48.195	21.810	8.021	1.00	19.38
	ATOM	87	CB	LEU	77	47.438	23.142	7.864	1.00	19.61
	ATOM	88	CG	LEU	77	46.056	23.261	7.195	1.00	17.45
	ATOM	89	CD1	LEU	77	45.474	24.653	7.434	1.00	13.22
25	ATOM	90	CD2	LEU	77	46.148	22.973	5.711	1.00	11.85
	ATOM	91	C	LEU	77	49.680	22.050	7.762	1.00	23.62
	ATOM	92	O	LEU	77	50.181	21.881	6.642	1.00	28.58
	ATOM	93	N	GLY	78	50.378	22.474	8.802	1.00	21.75
	ATOM	94	CA	GLY	78	51.792	22.711	8.676	1.00	21.63
30	ATOM	95	C	GLY	78	52.564	21.405	8.563	1.00	25.33
	ATOM	96	O	GLY	78	53.384	21.263	7.665	1.00	28.22
	ATOM	97	N	VAL	79	52.287	20.443	9.449	1.00	24.06
	ATOM	98	CA	VAL	79	52.998	19.164	9.452	1.00	18.58
	ATOM	99	CB	VAL	79	52.551	18.244	10.651	1.00	16.10
35	ATOM	100	CG1	VAL	79	51.241	17.506	10.369	1.00	10.60
	ATOM	101	CG2	VAL	79	53.637	17.275	10.986	1.00	9.60
	ATOM	102	C	VAL	79	52.856	18.464	8.100	1.00	22.38
	ATOM	103	O	VAL	79	53.835	17.989	7.512	1.00	24.19
	ATOM	104	N	VAL	80	51.649	18.516	7.563	1.00	19.05
40	ATOM	105	CA	VAL	80	51.330	17.917	6.289	1.00	19.02
	ATOM	106	CB	VAL	80	49.817	18.051	6.073	1.00	16.18
	ATOM	107	CG1	VAL	80	49.453	18.035	4.624	1.00	25.56
	ATOM	108	CG2	VAL	80	49.123	16.931	6.820	1.00	14.84
	ATOM	109	C	VAL	80	52.172	18.488	5.140	1.00	16.87
45	ATOM	110	O	VAL	80	52.399	17.827	4.140	1.00	20.45
	ATOM	111	N	GLY	81	52.668	19.704	5.319	1.00	16.74
	ATOM	112	CA	GLY	81	53.499	20.337	4.318	1.00	11.13
	ATOM	113	C	GLY	81	54.941	19.919	4.468	1.00	13.55
	ATOM	114	O	GLY	81	55.812	20.383	3.738	1.00	16.53
50	ATOM	115	N	VAL	82	55.200	19.022	5.409	1.00	15.12
	ATOM	116	CA	VAL	82	56.556	18.526	5.665	1.00	16.31
	ATOM	117	CB	VAL	82	56.861	18.482	7.176	1.00	14.83
	ATOM	118	CG1	VAL	82	58.245	17.911	7.438	1.00	14.94
	ATOM	119	CG2	VAL	82	56.758	19.879	7.759	1.00	15.19
55	ATOM	120	C	VAL	82	56.632	17.125	5.094	1.00	14.65
	ATOM	121	O	VAL	82	55.702	16.348	5.232	1.00	15.48
	ATOM	122	N	PRO	83	57.754	16.762	4.481	1.00	19.00
	ATOM	123	CD	PRO	83	58.996	17.501	4.237	1.00	18.29
	ATOM	124	CA	PRO	83	57.845	15.418	3.917	1.00	22.61
60	ATOM	125	CB	PRO	83	59.296	15.336	3.482	1.00	18.37
	ATOM	126	CG	PRO	83	59.574	16.726	3.089	1.00	21.28

	ATOM	127	C	PRO	83	57.526	14.372	4.953	1.00	24.83
	ATOM	128	O	PRO	83	57.892	14.532	6.124	1.00	29.53
	ATOM	129	N	PHE	84	56.815	13.335	4.521	1.00	24.14
5	ATOM	130	CA	PHE	84	56.430	12.238	5.382	1.00	25.82
	ATOM	131	CB	PHE	84	57.675	11.577	5.954	1.00	27.96
	ATOM	132	CG	PHE	84	58.498	10.908	4.926	1.00	34.74
	ATOM	133	CD1	PHE	84	59.878	11.046	4.924	1.00	39.61
	ATOM	134	CD2	PHE	84	57.890	10.147	3.937	1.00	35.01
10	ATOM	135	CE1	PHE	84	60.645	10.431	3.946	1.00	40.72
	ATOM	136	CE2	PHE	84	58.638	9.534	2.967	1.00	38.56
	ATOM	137	CZ	PHE	84	60.023	9.673	2.964	1.00	40.66
	ATOM	138	C	PHE	84	55.520	12.692	6.493	1.00	27.58
	ATOM	139	O	PHE	84	55.566	12.154	7.595	1.00	27.77
15	ATOM	140	N	ALA	85	54.689	13.690	6.204	1.00	29.68
	ATOM	141	CA	ALA	85	53.764	14.220	7.193	1.00	24.88
	ATOM	142	CB	ALA	85	52.627	13.226	7.437	1.00	21.36
	ATOM	143	C	ALA	85	54.515	14.562	8.496	1.00	24.27
	ATOM	144	O	ALA	85	54.003	14.356	9.596	1.00	23.70
20	ATOM	145	N	GLY	86	55.737	15.081	8.338	1.00	22.37
	ATOM	146	CA	GLY	86	56.560	15.491	9.465	1.00	20.63
	ATOM	147	C	GLY	86	57.025	14.410	10.409	1.00	22.40
	ATOM	148	O	GLY	86	57.475	14.705	11.509	1.00	23.81
	ATOM	149	N	ALA	87	56.976	13.161	9.965	1.00	24.78
25	ATOM	150	CA	ALA	87	57.383	12.030	10.789	1.00	23.69
	ATOM	151	CB	ALA	87	57.223	10.728	10.041	1.00	23.32
	ATOM	152	C	ALA	87	58.789	12.145	11.295	1.00	25.85
	ATOM	153	O	ALA	87	59.114	11.536	12.300	1.00	28.57
	ATOM	154	N	LEU	88	59.625	12.932	10.629	1.00	24.24
30	ATOM	155	CA	LEU	88	60.995	13.056	11.087	1.00	27.43
	ATOM	156	CB	LEU	88	61.980	12.910	9.934	1.00	25.11
	ATOM	157	CG	LEU	88	61.986	11.535	9.297	1.00	24.44
	ATOM	158	CD1	LEU	88	63.143	11.477	8.368	1.00	30.54
	ATOM	159	CD2	LEU	88	62.115	10.462	10.333	1.00	24.31
35	ATOM	160	C	LEU	88	61.326	14.315	11.872	1.00	32.71
	ATOM	161	O	LEU	88	62.508	14.586	12.138	1.00	36.61
	ATOM	162	N	THR	89	60.305	15.074	12.263	1.00	34.99
	ATOM	163	CA	THR	89	60.530	16.303	13.017	1.00	31.40
	ATOM	164	CB	THR	89	59.828	17.505	12.335	1.00	31.27
40	ATOM	165	OG1	THR	89	58.410	17.351	12.419	1.00	36.54
	ATOM	166	CG2	THR	89	60.200	17.572	10.860	1.00	26.51
	ATOM	167	C	THR	89	60.067	16.114	14.467	1.00	30.59
	ATOM	168	O	THR	89	59.862	14.984	14.913	1.00	29.02
	ATOM	169	N	SER	90	59.899	17.206	15.206	1.00	30.64
45	ATOM	170	CA	SER	90	59.474	17.091	16.605	1.00	32.41
	ATOM	171	CB	SER	90	60.435	17.853	17.517	1.00	34.87
	ATOM	172	OG	SER	90	60.308	19.248	17.313	1.00	42.94
	ATOM	173	C	SER	90	58.024	17.513	16.871	1.00	28.38
	ATOM	174	O	SER	90	57.630	17.790	18.010	1.00	25.58
50	ATOM	175	N	PHE	91	57.235	17.519	15.806	1.00	25.68
	ATOM	176	CA	PHE	91	55.827	17.856	15.871	1.00	27.47
	ATOM	177	CB	PHE	91	55.147	17.476	14.535	1.00	26.68
	ATOM	178	CG	PHE	91	53.635	17.344	14.615	1.00	20.42
	ATOM	179	CD1	PHE	91	52.825	18.470	14.693	1.00	21.17
55	ATOM	180	CD2	PHE	91	53.035	16.085	14.615	1.00	21.20
	ATOM	181	CE1	PHE	91	51.454	18.351	14.766	1.00	24.02
	ATOM	182	CE2	PHE	91	51.665	15.953	14.689	1.00	21.82
	ATOM	183	CZ	PHE	91	50.867	17.089	14.764	1.00	23.87
	ATOM	184	C	PHE	91	55.101	17.187	17.050	1.00	28.20
60	ATOM	185	O	PHE	91	54.310	17.841	17.735	1.00	36.57
	ATOM	186	N	TYR	92	55.375	15.913	17.320	1.00	27.08

	ATOM	187	CA	TYR	92	54.681	15.220	18.406	1.00	25.16
	ATOM	188	CB	TYR	92	55.192	13.300	19.545	1.00	25.42
	ATOM	189	CG	TYR	92	54.629	12.344	17.543	1.00	21.49
5	ATOM	190	CD1	TYR	92	55.357	11.734	17.146	1.00	24.41
	ATOM	191	CE1	TYR	92	54.850	10.833	16.227	1.00	23.54
	ATOM	192	CD2	TYR	92	53.370	13.038	16.992	1.00	24.88
	ATOM	193	CE2	TYR	92	52.851	12.136	16.060	1.00	22.72
	ATOM	194	CZ	TYR	92	53.598	11.034	15.688	1.00	22.21
10	ATOM	195	OH	TYR	92	53.085	10.100	14.810	1.00	19.19
	ATOM	196	C	TYR	92	54.686	15.906	19.763	1.00	25.24
	ATOM	197	O	TYR	92	53.754	15.738	20.539	1.00	22.91
	ATOM	198	N	GLN	93	55.725	16.684	20.039	1.00	27.18
	ATOM	199	CA	GLN	93	55.842	17.399	21.303	1.00	30.97
	ATOM	200	CB	GLN	93	57.202	18.081	21.397	1.00	39.48
15	ATOM	201	CG	GLN	93	58.371	17.110	21.318	1.00	51.60
	ATOM	202	CD	GLN	93	58.464	16.206	22.541	1.00	58.73
	ATOM	203	OE1	GLN	93	58.420	14.978	22.430	1.00	63.86
	ATOM	204	NE2	GLN	93	58.593	16.814	23.716	1.00	61.76
20	ATOM	205	C	GLN	93	54.744	18.441	21.430	1.00	31.82
	ATOM	206	O	GLN	93	54.101	18.539	22.481	1.00	31.42
	ATOM	207	N	SER	94	54.535	19.215	20.361	1.00	31.11
	ATOM	208	CA	SER	94	53.498	20.244	20.341	1.00	29.17
	ATOM	209	CB	SER	94	53.567	21.108	19.082	1.00	27.65
25	ATOM	210	OG	SER	94	54.701	21.944	19.083	1.00	36.29
	ATOM	211	C	SER	94	52.153	19.563	20.388	1.00	30.39
	ATOM	212	O	SER	94	51.294	19.937	21.194	1.00	32.51
	ATOM	213	N	PHE	95	51.985	18.549	19.537	1.00	28.11
	ATOM	214	CA	PHE	95	50.739	17.791	19.483	1.00	28.46
30	ATOM	215	CB	PHE	95	50.832	16.657	18.454	1.00	27.56
	ATOM	216	CG	PHE	95	49.502	16.068	18.086	1.00	28.26
	ATOM	217	CD1	PHE	95	48.473	16.883	17.610	1.00	24.62
	ATOM	218	CD2	PHE	95	49.270	14.703	18.224	1.00	25.73
	ATOM	219	CE1	PHE	95	47.234	16.340	17.282	1.00	22.34
	ATOM	220	CE2	PHE	95	48.031	14.153	17.895	1.00	22.66
35	ATOM	221	CZ	PHE	95	47.011	14.971	17.424	1.00	18.98
	ATOM	222	C	PHE	95	50.390	17.241	20.875	1.00	26.55
	ATOM	223	O	PHE	95	49.230	17.306	21.287	1.00	29.64
	ATOM	224	N	LEU	96	51.384	16.752	21.617	1.00	26.06
40	ATOM	225	CA	LEU	96	51.133	16.232	22.959	1.00	25.65
	ATOM	226	CB	LEU	96	52.395	15.670	23.587	1.00	25.73
	ATOM	227	CG	LEU	96	52.764	14.221	23.325	1.00	28.75
	ATOM	228	CD1	LEU	96	53.909	13.824	24.246	1.00	31.30
	ATOM	229	CD2	LEU	96	51.583	13.334	23.583	1.00	33.49
45	ATOM	230	C	LEU	96	50.581	17.294	23.895	1.00	25.90
	ATOM	231	O	LEU	96	49.566	17.079	24.554	1.00	24.48
	ATOM	232	N	ASN	97	51.240	18.444	23.951	1.00	28.33
	ATOM	233	CA	ASN	97	50.785	19.512	24.840	1.00	32.74
	ATOM	234	CB	ASN	97	51.680	20.753	24.742	1.00	36.47
	ATOM	235	CG	ASN	97	53.154	20.434	24.807	1.00	47.89
50	ATOM	236	OD1	ASN	97	53.985	21.175	24.248	1.00	53.39
	ATOM	237	ND2	ASN	97	53.507	19.351	25.504	1.00	52.31
	ATOM	238	C	ASN	97	49.355	19.967	24.535	1.00	34.80
	ATOM	239	O	ASN	97	48.555	20.198	25.444	1.00	38.94
55	ATOM	240	N	THR	98	49.048	20.122	23.254	1.00	31.52
	ATOM	241	CA	THR	98	47.755	20.608	22.849	1.00	27.60
	ATOM	242	CB	THR	98	47.855	21.264	21.458	1.00	32.02
	ATOM	243	OG1	THR	98	46.576	21.759	21.047	1.00	35.15
	ATOM	244	CG2	THR	98	48.389	20.301	20.449	1.00	31.67
	ATOM	245	C	THR	98	46.597	19.632	22.954	1.00	26.56
60	ATOM	246	O	THR	98	45.568	19.985	23.504	1.00	26.90

	ATOM	247	N	ILE	99	46.771	13.398	22.495	1.00	25.90
	ATOM	248	CA	ILE	99	45.694	17.414	22.542	1.00	22.63
	ATOM	249	CB	ILE	99	45.495	16.771	21.138	1.00	21.44
5	ATOM	250	CG2	ILE	99	44.567	15.567	21.204	1.00	21.56
	ATOM	251	CG1	ILE	99	44.888	17.780	20.176	1.00	18.21
	ATOM	252	CD1	ILE	99	43.507	18.260	20.597	1.00	21.58
	ATOM	253	C	ILE	99	45.823	16.317	23.638	1.00	26.20
	ATOM	254	O	ILE	99	44.823	15.947	24.283	1.00	19.95
10	ATOM	255	N	TRP	100	47.036	15.824	23.896	1.00	25.49
	ATOM	256	CA	TRP	100	47.195	14.775	24.907	1.00	29.32
	ATOM	257	CB	TRP	100	47.826	13.507	24.301	1.00	21.69
	ATOM	258	CG	TRP	100	47.076	12.975	23.125	1.00	19.06
	ATOM	259	CD2	TRP	100	45.988	12.031	23.134	1.00	18.83
15	ATOM	260	CE2	TRP	100	45.564	11.866	21.798	1.00	14.99
	ATOM	261	CE3	TRP	100	45.325	11.316	24.139	1.00	18.15
	ATOM	262	CD1	TRP	100	47.262	13.324	21.818	1.00	21.00
	ATOM	263	NE1	TRP	100	46.357	12.667	21.018	1.00	19.19
	ATOM	264	CZ2	TRP	100	44.517	11.022	21.440	1.00	14.21
20	ATOM	265	CZ3	TRP	100	44.278	10.471	23.777	1.00	18.67
	ATOM	266	CH2	TRP	100	43.886	10.334	22.441	1.00	14.87
	ATOM	267	C	TRP	100	47.945	15.199	26.176	1.00	31.48
	ATOM	268	O	TRP	100	48.938	14.585	26.560	1.00	32.21
	ATOM	269	N	PRO	101	47.465	16.250	26.854	1.00	34.11
25	ATOM	270	CD	PRO	101	46.288	17.090	26.574	1.00	34.77
	ATOM	271	CA	PRO	101	48.135	16.694	28.074	1.00	38.53
	ATOM	272	CB	PRO	101	47.586	18.105	28.248	1.00	38.92
	ATOM	273	CG	PRO	101	46.169	17.937	27.818	1.00	37.10
	ATOM	274	C	PRO	101	47.713	15.771	29.219	1.00	39.63
30	ATOM	275	O	PRO	101	46.600	15.224	29.192	1.00	39.50
	ATOM	276	N	SER	102	48.567	15.633	30.235	1.00	41.84
	ATOM	277	CA	SER	102	48.283	14.754	31.372	1.00	42.97
	ATOM	278	CB	SER	102	49.412	14.819	32.397	1.00	44.81
	ATOM	279	OG	SER	102	50.492	13.979	32.036	1.00	48.18
35	ATOM	280	C	SER	102	46.935	14.949	32.072	1.00	46.58
	ATOM	281	O	SER	102	46.304	13.965	32.470	1.00	47.97
	ATOM	282	N	ASP	103	46.487	16.199	32.211	1.00	47.92
	ATOM	283	CA	ASP	103	45.209	16.500	32.872	1.00	48.48
	ATOM	284	CB	ASP	103	45.213	17.935	33.379	1.00	51.18
40	ATOM	285	CG	ASP	103	45.529	18.936	32.289	1.00	54.93
	ATOM	286	OD1	ASP	103	44.942	18.862	31.177	1.00	53.60
	ATOM	287	OD2	ASP	103	46.375	19.813	32.558	1.00	61.10
	ATOM	288	C	ASP	103	43.932	16.268	32.049	1.00	48.05
	ATOM	289	O	ASP	103	42.835	16.518	32.542	1.00	52.24
45	ATOM	290	N	ALA	104	44.085	15.863	30.788	1.00	45.10
	ATOM	291	CA	ALA	104	42.971	15.591	29.873	1.00	39.51
	ATOM	292	CB	ALA	104	42.393	14.204	30.114	1.00	40.01
	ATOM	293	C	ALA	104	41.863	16.630	29.850	1.00	39.09
	ATOM	294	O	ALA	104	40.698	16.314	29.606	1.00	34.52
50	ATOM	295	N	ASP	105	42.235	17.881	30.074	1.00	38.82
	ATOM	296	CA	ASP	105	41.266	18.964	30.028	1.00	39.02
	ATOM	297	CB	ASP	105	41.930	20.288	30.370	1.00	43.59
	ATOM	298	CG	ASP	105	42.173	20.445	31.846	1.00	52.33
	ATOM	299	OD1	ASP	105	43.073	21.242	32.199	1.00	57.65
55	ATOM	300	OD2	ASP	105	41.465	19.781	32.650	1.00	54.73
	ATOM	301	C	ASP	105	40.613	19.072	28.657	1.00	34.78
	ATOM	302	O	ASP	105	39.385	19.155	28.551	1.00	35.07
	ATOM	303	N	PRO	106	41.423	19.017	27.582	1.00	30.97
	ATOM	304	CD	PRO	106	42.876	18.735	27.539	1.00	27.68
60	ATOM	305	CA	PRO	106	40.882	19.116	26.226	1.00	27.20
	ATOM	306	CB	PRO	106	42.044	18.617	25.371	1.00	26.38

	ATOM	307	CG	PRO	106	43.232	19.059	25.125	1.00	27.63
	ATOM	308	C	PRO	106	39.639	18.259	25.990	1.00	25.44
	ATOM	309	O	PRO	106	38.660	18.711	25.416	1.00	32.50
5	ATOM	310	N	TRP	107	39.684	17.025	26.457	1.00	22.67
	ATOM	311	CA	TRP	107	38.604	16.080	26.270	1.00	21.40
	ATOM	312	CB	TRP	107	39.090	14.697	26.695	1.00	21.20
	ATOM	313	CG	TRP	107	40.377	14.367	26.011	1.00	21.35
	ATOM	314	CD2	TRP	107	40.549	14.025	24.630	1.00	23.47
10	ATOM	315	CE2	TRP	107	41.926	13.818	24.418	1.00	26.19
	ATOM	316	CE3	TRP	107	39.666	13.859	23.552	1.00	22.11
	ATOM	317	CD1	TRP	107	41.617	14.367	26.558	1.00	22.90
	ATOM	318	NE1	TRP	107	42.560	14.040	25.610	1.00	23.51
	ATOM	319	CZ2	TRP	107	42.442	13.453	23.171	1.00	27.67
15	ATOM	320	CZ3	TRP	107	40.175	13.499	22.326	1.00	14.25
	ATOM	321	CH2	TRP	107	41.551	13.294	22.144	1.00	23.37
	ATOM	322	C	TRP	107	37.305	16.463	26.944	1.00	22.55
	ATOM	323	O	TRP	107	36.249	16.431	26.323	1.00	17.29
	ATOM	324	N	LYS	108	37.375	16.879	28.200	1.00	28.78
20	ATOM	325	CA	LYS	108	36.156	17.274	28.902	1.00	31.84
	ATOM	326	CB	LYS	108	36.463	17.711	30.334	1.00	33.26
	ATOM	327	CG	LYS	108	37.016	16.622	31.215	1.00	38.45
	ATOM	328	CD	LYS	108	38.128	17.191	32.086	1.00	48.94
	ATOM	329	CE	LYS	108	38.924	16.104	32.803	1.00	54.01
25	ATOM	330	NZ	LYS	108	40.202	16.621	33.392	1.00	55.46
	ATOM	331	C	LYS	108	35.513	18.416	28.120	1.00	30.68
	ATOM	332	O	LYS	108	34.296	18.572	28.130	1.00	35.50
	ATOM	333	N	ALA	109	36.342	19.190	27.428	1.00	28.04
	ATOM	334	CA	ALA	109	35.885	20.306	26.609	1.00	27.59
30	ATOM	335	CB	ALA	109	37.064	21.153	26.194	1.00	33.31
	ATOM	336	C	ALA	109	35.144	19.817	25.372	1.00	26.82
	ATOM	337	O	ALA	109	34.100	20.362	24.999	1.00	28.89
	ATOM	338	N	PHE	110	35.688	18.796	24.723	1.00	23.59
	ATOM	339	CA	PHE	110	35.043	18.245	23.548	1.00	21.61
35	ATOM	340	CB	PHE	110	35.998	17.325	22.801	1.00	22.67
	ATOM	341	CG	PHE	110	37.166	18.041	22.180	1.00	24.76
	ATOM	342	CD1	PHE	110	38.474	17.607	22.421	1.00	22.40
	ATOM	343	CD2	PHE	110	36.960	19.151	21.361	1.00	19.11
	ATOM	344	CE1	PHE	110	39.555	18.274	21.859	1.00	25.16
40	ATOM	345	CE2	PHE	110	38.033	19.818	20.796	1.00	24.29
	ATOM	346	CZ	PHE	110	39.334	19.383	21.044	1.00	24.30
	ATOM	347	C	PHE	110	33.791	17.482	23.965	1.00	25.43
	ATOM	348	O	PHE	110	32.754	17.566	23.304	1.00	26.45
	ATOM	349	N	MET	111	33.883	16.801	25.109	1.00	29.94
45	ATOM	350	CA	MET	111	32.788	16.020	25.687	1.00	30.42
	ATOM	351	CB	MET	111	33.255	15.316	26.957	1.00	28.69
	ATOM	352	CG	MET	111	34.336	14.297	26.747	1.00	32.84
	ATOM	353	SD	MET	111	33.729	12.637	26.927	1.00	32.93
	ATOM	354	CE	MET	111	35.263	11.745	26.874	1.00	35.32
50	ATOM	355	C	MET	111	31.591	16.886	26.058	1.00	31.28
	ATOM	356	O	MET	111	30.478	16.375	26.195	1.00	35.76
	ATOM	357	N	ALA	112	31.821	18.180	26.276	1.00	33.59
	ATOM	358	CA	ALA	112	30.737	19.103	26.650	1.00	36.25
	ATOM	359	CB	ALA	112	31.117	19.895	27.908	1.00	37.41
55	ATOM	360	C	ALA	112	30.348	20.073	25.536	1.00	35.59
	ATOM	361	O	ALA	112	29.274	20.690	25.578	1.00	36.38
	ATOM	362	N	GLN	113	31.192	20.153	24.517	1.00	29.50
	ATOM	363	CA	GLN	113	30.958	21.070	23.438	1.00	25.32
	ATOM	364	CB	GLN	113	32.137	21.034	22.459	1.00	28.47
	ATOM	365	CG	GLN	113	31.821	21.592	21.091	1.00	22.47
60	ATOM	366	CD	GLN	113	33.006	21.581	20.152	1.00	22.91

	ATOM	367	OE1	GLN	113	33.272	22.581	19.471	1.00	13.94
	ATOM	368	NE2	GLN	113	33.722	20.450	20.091	1.00	16.92
	ATOM	369	C	GLN	113	29.659	20.830	22.714	1.00	23.43
5	ATOM	370	O	GLN	113	28.956	21.770	22.387	1.00	24.46
	ATOM	371	N	VAL	114	29.306	19.583	22.472	1.00	23.56
	ATOM	372	CA	VAL	114	28.091	19.362	21.721	1.00	22.74
	ATOM	373	CB	VAL	114	28.206	18.138	20.835	1.00	24.34
	ATOM	374	CG1	VAL	114	27.267	18.280	19.657	1.00	24.59
10	ATOM	375	CG2	VAL	114	29.630	17.968	20.349	1.00	18.65
	ATOM	376	C	VAL	114	26.818	19.322	22.563	1.00	26.29
	ATOM	377	O	VAL	114	25.756	19.710	22.083	1.00	27.22
	ATOM	378	N	GLU	115	26.927	18.897	23.820	1.00	26.49
	ATOM	379	CA	GLU	115	25.778	18.857	24.719	1.00	23.95
15	ATOM	380	CB	GLU	115	26.230	18.527	26.148	1.00	26.34
	ATOM	381	CG	GLU	115	26.726	17.072	26.345	1.00	27.76
	ATOM	382	CD	GLU	115	27.170	16.764	27.780	1.00	34.27
	ATOM	383	OE1	GLU	115	27.688	17.665	28.494	1.00	34.36
	ATOM	384	OE2	GLU	115	27.005	15.604	28.200	1.00	34.20
	ATOM	385	C	GLU	115	25.170	20.250	24.665	1.00	24.85
20	ATOM	386	O	GLU	115	23.971	20.405	24.453	1.00	26.55
	ATOM	387	N	VAL	116	26.041	21.254	24.740	1.00	23.84
	ATOM	388	CA	VAL	116	25.675	22.675	24.680	1.00	26.40
	ATOM	389	CB	VAL	116	26.963	23.573	24.910	1.00	26.32
25	ATOM	390	CG1	VAL	116	26.732	25.017	24.498	1.00	22.18
	ATOM	391	CG2	VAL	116	27.417	23.519	26.378	1.00	22.96
	ATOM	392	C	VAL	116	24.982	23.087	23.354	1.00	31.33
	ATOM	393	O	VAL	116	24.060	23.912	23.357	1.00	30.41
	ATOM	394	N	LEU	117	25.428	22.516	22.233	1.00	34.23
30	ATOM	395	CA	LEU	117	24.884	22.852	20.912	1.00	33.73
	ATOM	396	CB	LEU	117	25.917	22.601	19.801	1.00	28.04
	ATOM	397	CG	LEU	117	27.208	23.430	19.781	1.00	29.91
	ATOM	398	CD1	LEU	117	28.256	22.795	18.853	1.00	24.06
	ATOM	399	CD2	LEU	117	26.906	24.848	19.368	1.00	25.56
	ATOM	400	C	LEU	117	23.585	22.144	20.568	1.00	35.30
35	ATOM	401	O	LEU	117	22.852	22.593	19.692	1.00	41.08
	ATOM	402	N	ILE	118	23.315	20.998	21.171	1.00	32.43
	ATOM	403	CA	ILE	118	22.056	20.350	20.861	1.00	34.23
	ATOM	404	CB	ILE	118	22.219	18.996	20.103	1.00	33.52
40	ATOM	405	CG2	ILE	118	22.754	19.223	18.688	1.00	34.50
	ATOM	406	CG1	ILE	118	23.104	18.030	20.880	1.00	31.03
	ATOM	407	CD1	ILE	118	23.022	16.619	20.353	1.00	28.15
	ATOM	408	C	ILE	118	21.268	20.161	22.140	1.00	38.68
	ATOM	409	O	ILE	118	20.284	19.420	22.174	1.00	40.44
45	ATOM	410	N	ASP	119	21.668	20.898	23.173	1.00	42.31
	ATOM	411	CA	ASP	119	21.037	20.819	24.487	1.00	48.51
	ATOM	412	CB	ASP	119	19.998	21.936	24.690	1.00	53.59
	ATOM	413	CG	ASP	119	20.619	23.201	25.331	1.00	63.54
	ATOM	414	OD1	ASP	119	20.738	23.251	26.582	1.00	67.03
50	ATOM	415	OD2	ASP	119	21.023	24.133	24.588	1.00	66.97
	ATOM	416	C	ASP	119	20.515	19.416	24.824	1.00	47.46
	ATOM	417	O	ASP	119	19.316	19.175	25.000	1.00	46.57
	ATOM	418	N	LYS	120	21.474	18.499	24.884	1.00	45.37
	ATOM	419	CA	LYS	120	21.247	17.099	25.180	1.00	43.83
55	ATOM	420	CB	LYS	120	21.220	16.296	23.874	1.00	48.35
	ATOM	421	CG	LYS	120	20.134	15.228	23.781	1.00	54.30
	ATOM	422	CD	LYS	120	20.675	14.015	23.024	1.00	64.38
	ATOM	423	CE	LYS	120	19.703	12.838	22.981	1.00	66.37
	ATOM	424	NZ	LYS	120	20.427	11.562	22.663	1.00	65.78
60	ATOM	425	C	LYS	120	22.465	16.724	26.022	1.00	40.72
	ATOM	426	O	LYS	120	23.413	17.504	26.103	1.00	36.78

	ATOM	427	N	LYS	121	22.446	15.552	26.650	1.00	40.37
	ATOM	428	CA	LYS	121	23.558	15.121	27.499	1.00	44.88
	ATOM	429	CB	LYS	121	23.203	15.298	28.984	1.00	52.11
5	ATOM	430	CG	LYS	121	22.708	16.683	29.408	1.00	62.07
	ATOM	431	CD	LYS	121	23.801	17.739	29.350	1.00	69.11
	ATOM	432	CE	LYS	121	23.201	19.140	29.325	1.00	73.00
	ATOM	433	NZ	LYS	121	24.267	20.155	29.145	1.00	75.31
	ATOM	434	C	LYS	121	23.918	13.656	27.293	1.00	42.40
10	ATOM	435	O	LYS	121	23.043	12.839	26.977	1.00	40.70
	ATOM	436	N	ILE	122	25.207	13.344	27.464	1.00	39.16
	ATOM	437	CA	ILE	122	25.722	11.972	27.363	1.00	38.99
	ATOM	438	CB	ILE	122	27.239	11.901	27.043	1.00	36.73
	ATOM	439	CG2	ILE	122	27.612	10.470	26.694	1.00	33.96
	ATOM	440	CG1	ILE	122	27.617	12.828	25.893	1.00	34.62
15	ATOM	441	CD1	ILE	122	29.092	13.137	25.858	1.00	27.87
	ATOM	442	C	ILE	122	25.575	11.413	28.777	1.00	39.57
	ATOM	443	O	ILE	122	26.043	12.018	29.743	1.00	39.64
	ATOM	444	N	GLU	123	24.978	10.245	28.921	1.00	40.10
20	ATOM	445	CA	GLU	123	24.814	9.750	30.259	1.00	44.03
	ATOM	446	CB	GLU	123	23.874	8.566	30.281	1.00	49.74
	ATOM	447	CG	GLU	123	22.459	8.971	29.925	1.00	60.66
	ATOM	448	CD	GLU	123	21.423	7.983	30.411	1.00	71.25
	ATOM	449	OE1	GLU	123	21.199	6.953	29.724	1.00	75.21
	ATOM	450	OE2	GLU	123	20.830	8.246	31.486	1.00	77.91
25	ATOM	451	C	GLU	123	26.138	9.462	30.922	1.00	45.02
	ATOM	452	O	GLU	123	27.136	9.236	30.249	1.00	46.99
	ATOM	453	N	GLU	124	26.143	9.520	32.248	1.00	45.66
	ATOM	454	CA	GLU	124	27.336	9.291	33.050	1.00	46.67
	ATOM	455	CB	GLU	124	26.985	9.301	34.547	1.00	58.31
30	ATOM	456	CG	GLU	124	26.307	8.014	35.136	1.00	79.38
	ATOM	457	CD	GLU	124	24.862	7.728	34.639	1.00	88.11
	ATOM	458	OE1	GLU	124	24.036	8.669	34.506	1.00	93.57
	ATOM	459	OE2	GLU	124	24.545	6.535	34.414	1.00	92.35
	ATOM	460	C	GLU	124	28.184	8.059	32.716	1.00	43.44
35	ATOM	461	O	GLU	124	29.398	8.182	32.541	1.00	41.19
	ATOM	462	N	TYR	125	27.564	6.882	32.624	1.00	39.19
	ATOM	463	CA	TYR	125	28.305	5.654	32.342	1.00	38.90
	ATOM	464	CB	TYR	125	27.362	4.460	32.153	1.00	41.22
	ATOM	465	CG	TYR	125	26.336	4.629	31.048	1.00	52.24
40	ATOM	466	CD1	TYR	125	26.540	4.059	29.789	1.00	57.21
	ATOM	467	CE1	TYR	125	25.616	4.229	28.750	1.00	62.24
	ATOM	468	CD2	TYR	125	25.169	5.373	31.251	1.00	54.99
	ATOM	469	CE2	TYR	125	24.236	5.548	30.224	1.00	60.71
	ATOM	470	CZ	TYR	125	24.464	4.976	28.970	1.00	65.04
45	ATOM	471	OH	TYR	125	23.562	5.164	27.932	1.00	65.65
	ATOM	472	C	TYR	125	29.176	5.833	31.120	1.00	38.81
	ATOM	473	O	TYR	125	30.398	5.774	31.198	1.00	39.40
	ATOM	474	N	ALA	126	28.529	6.200	30.025	1.00	38.18
	ATOM	475	CA	ALA	126	29.189	6.395	28.759	1.00	35.81
50	ATOM	476	CB	ALA	126	28.160	6.777	27.715	1.00	36.47
	ATOM	477	C	ALA	126	30.300	7.438	28.836	1.00	35.33
	ATOM	478	O	ALA	126	31.416	7.184	28.390	1.00	39.00
	ATOM	479	N	LYS	127	30.015	8.575	29.457	1.00	33.83
	ATOM	480	CA	LYS	127	30.979	9.666	29.580	1.00	36.03
55	ATOM	481	CB	LYS	127	30.264	10.897	30.143	1.00	37.06
	ATOM	482	CG	LYS	127	30.934	12.227	29.859	1.00	44.50
	ATOM	483	CD	LYS	127	29.936	13.399	30.033	1.00	50.75
	ATOM	484	CE	LYS	127	30.562	14.783	29.762	1.00	49.31
	ATOM	485	NZ	LYS	127	29.576	15.897	29.940	1.00	48.23
60	ATOM	486	C	LYS	127	32.235	9.330	30.412	1.00	38.28

	ATOM	487	O	LYS	127	33.350	9.752	30.084	1.00	39.37
	ATOM	488	N	SER	128	32.086	8.557	31.479	1.00	38.74
	ATOM	489	CA	SER	128	33.262	8.242	32.281	1.00	40.98
5	ATOM	490	CB	SER	128	32.863	7.861	33.705	1.00	43.21
	ATOM	491	OG	SER	128	31.778	6.953	33.707	1.00	54.17
	ATOM	492	C	SER	128	34.102	7.155	31.621	1.00	39.36
	ATOM	493	O	SER	128	35.335	7.178	31.674	1.00	38.65
	ATOM	494	N	LYS	129	33.421	6.238	30.946	1.00	37.47
10	ATOM	495	CA	LYS	129	34.081	5.145	30.254	1.00	35.27
	ATOM	496	CB	LYS	129	33.027	4.216	29.643	1.00	37.51
	ATOM	497	CG	LYS	129	33.446	2.768	29.510	1.00	41.85
	ATOM	498	CD	LYS	129	34.432	2.565	28.374	1.00	51.04
	ATOM	499	CE	LYS	129	35.429	1.457	28.704	1.00	55.30
	ATOM	500	NZ	LYS	129	36.243	1.784	29.934	1.00	58.49
15	ATOM	501	C	LYS	129	34.967	5.782	29.186	1.00	33.07
	ATOM	502	O	LYS	129	36.155	5.469	29.070	1.00	33.07
	ATOM	503	N	ALA	130	34.415	6.740	28.460	1.00	29.50
	ATOM	504	CA	ALA	130	35.192	7.414	27.438	1.00	26.51
	ATOM	505	CB	ALA	130	34.335	8.429	26.699	1.00	27.54
20	ATOM	506	C	ALA	130	36.425	8.081	28.055	1.00	25.32
	ATOM	507	O	ALA	130	37.531	7.871	27.566	1.00	29.93
	ATOM	508	N	LEU	131	36.262	8.868	29.119	1.00	21.01
	ATOM	509	CA	LEU	131	37.420	9.508	29.745	1.00	18.71
	ATOM	510	CB	LEU	131	36.993	10.317	30.944	1.00	19.17
25	ATOM	511	CG	LEU	131	36.275	11.598	30.568	1.00	28.02
	ATOM	512	CD1	LEU	131	35.753	12.262	31.826	1.00	32.84
	ATOM	513	CD2	LEU	131	37.217	12.538	29.844	1.00	26.14
	ATOM	514	C	LEU	131	38.480	8.503	30.189	1.00	21.44
	ATOM	515	O	LEU	131	39.676	8.813	30.234	1.00	22.24
30	ATOM	516	N	ALA	132	38.030	7.311	30.557	1.00	22.62
	ATOM	517	CA	ALA	132	38.917	6.236	30.997	1.00	27.46
	ATOM	518	CB	ALA	132	38.089	5.090	31.584	1.00	24.97
	ATOM	519	C	ALA	132	39.780	5.720	29.838	1.00	28.21
	ATOM	520	O	ALA	132	41.021	5.616	29.962	1.00	28.54
35	ATOM	521	N	GLU	133	39.113	5.395	28.725	1.00	24.88
	ATOM	522	CA	GLU	133	39.788	4.906	27.534	1.00	21.77
	ATOM	523	CB	GLU	133	38.806	4.655	26.394	1.00	20.10
	ATOM	524	CG	GLU	133	37.982	3.382	26.535	1.00	22.13
	ATOM	525	CD	GLU	133	38.836	2.133	26.735	1.00	29.26
40	ATOM	526	OE1	GLU	133	39.035	1.721	27.897	1.00	32.94
	ATOM	527	OE2	GLU	133	39.303	1.555	25.733	1.00	33.24
	ATOM	528	C	GLU	133	40.798	5.938	27.135	1.00	22.44
	ATOM	529	O	GLU	133	41.963	5.613	26.908	1.00	25.37
	ATOM	530	N	LEU	134	40.367	7.198	27.137	1.00	25.68
45	ATOM	531	CA	LEU	134	41.237	8.330	26.794	1.00	27.08
	ATOM	532	CB	LEU	134	40.439	9.650	26.759	1.00	25.70
	ATOM	533	CG	LEU	134	39.500	9.925	25.573	1.00	24.82
	ATOM	534	CD1	LEU	134	38.672	11.152	25.847	1.00	26.04
	ATOM	535	CD2	LEU	134	40.285	10.101	24.281	1.00	23.46
50	ATOM	536	C	LEU	134	42.452	8.459	27.732	1.00	28.99
	ATOM	537	O	LEU	134	43.526	8.874	27.296	1.00	31.43
	ATOM	538	N	GLN	135	42.298	8.100	29.007	1.00	29.30
	ATOM	539	CA	GLN	135	43.416	8.184	29.933	1.00	24.79
	ATOM	540	CB	GLN	135	42.984	7.936	31.359	1.00	37.17
55	ATOM	541	CG	GLN	135	44.183	7.664	32.243	1.00	50.15
	ATOM	542	CD	GLN	135	43.898	7.810	33.710	1.00	57.04
	ATOM	543	OE1	GLN	135	44.561	8.593	34.395	1.00	60.77
	ATOM	544	NE2	GLN	135	42.938	7.036	34.218	1.00	62.19
	ATOM	545	C	GLN	135	44.445	7.154	29.565	1.00	19.79
60	ATOM	546	O	GLN	135	45.643	7.431	29.595	1.00	19.13

	ATOM	547	N	GLY	136	43.983	5.944	29.286	1.00	19.03
	ATOM	548	CA	GLY	136	44.901	4.890	28.379	1.00	21.15
	ATOM	549	C	GLY	136	45.595	5.199	27.543	1.00	21.95
5	ATOM	550	O	GLY	136	46.760	4.862	27.338	1.00	20.39
	ATOM	551	N	LEU	137	44.887	5.863	26.636	1.00	17.33
	ATOM	552	CA	LEU	137	45.450	6.204	25.348	1.00	17.93
	ATOM	553	CB	LEU	137	44.346	6.640	24.382	1.00	20.38
	ATOM	554	CG	LEU	137	43.472	5.486	23.897	1.00	17.15
10	ATOM	555	CD1	LEU	137	42.219	5.983	23.217	1.00	22.09
	ATOM	556	CD2	LEU	137	44.292	4.635	22.970	1.00	19.05
	ATOM	557	C	LEU	137	46.527	7.259	25.439	1.00	18.12
	ATOM	558	O	LEU	137	47.564	7.143	24.799	1.00	20.83
	ATOM	559	N	GLN	138	46.294	8.293	26.231	1.00	19.01
15	ATOM	560	CA	GLN	138	47.274	9.364	26.373	1.00	23.17
	ATOM	561	CB	GLN	138	46.756	10.428	27.354	1.00	29.42
	ATOM	562	CG	GLN	138	47.680	11.615	27.608	1.00	33.61
	ATOM	563	CD	GLN	138	48.671	11.359	28.736	1.00	38.81
	ATOM	564	OE1	GLN	138	49.881	11.383	28.525	1.00	43.59
20	ATOM	565	NE2	GLN	138	48.161	11.112	29.938	1.00	40.08
	ATOM	566	C	GLN	138	48.581	8.777	26.854	1.00	24.66
	ATOM	567	O	GLN	138	49.654	9.111	26.359	1.00	26.00
	ATOM	568	N	ASN	139	48.464	7.858	27.796	1.00	24.89
	ATOM	569	CA	ASN	139	49.614	7.203	28.376	1.00	26.38
25	ATOM	570	CB	ASN	139	49.127	6.275	29.474	1.00	28.88
	ATOM	571	CG	ASN	139	50.211	5.915	30.436	1.00	33.91
	ATOM	572	OD1	ASN	139	50.747	4.798	30.407	1.00	29.67
	ATOM	573	ND2	ASN	139	50.554	6.863	31.305	1.00	34.35
	ATOM	574	C	ASN	139	50.432	6.422	27.328	1.00	29.07
30	ATOM	575	O	ASN	139	51.619	6.706	27.106	1.00	30.84
	ATOM	576	N	ASN	140	49.788	5.453	26.674	1.00	27.61
	ATOM	577	CA	ASN	140	50.425	4.631	25.647	1.00	26.41
	ATOM	578	CB	ASN	140	49.382	3.763	24.947	1.00	28.07
	ATOM	579	CG	ASN	140	49.055	2.524	25.706	1.00	26.17
35	ATOM	580	OD1	ASN	140	47.969	1.982	25.586	1.00	33.30
	ATOM	581	ND2	ASN	140	50.001	2.042	26.471	1.00	34.68
	ATOM	582	C	ASN	140	51.102	5.492	24.594	1.00	30.46
	ATOM	583	O	ASN	140	52.269	5.266	24.217	1.00	31.28
	ATOM	584	N	PHE	141	50.332	6.462	24.106	1.00	30.47
40	ATOM	585	CA	PHE	141	50.777	7.375	23.083	1.00	26.60
	ATOM	586	CB	PHE	141	49.643	8.294	22.656	1.00	23.65
	ATOM	587	CG	PHE	141	50.001	9.127	21.500	1.00	23.59
	ATOM	588	CD1	PHE	141	50.354	8.523	20.302	1.00	19.79
	ATOM	589	CD2	PHE	141	50.123	10.503	21.631	1.00	25.06
45	ATOM	590	CE1	PHE	141	50.840	9.269	19.254	1.00	21.84
	ATOM	591	CE2	PHE	141	50.612	11.264	20.582	1.00	22.29
	ATOM	592	CZ	PHE	141	50.974	10.640	19.391	1.00	18.99
	ATOM	593	C	PHE	141	51.970	8.192	23.519	1.00	26.32
	ATOM	594	O	PHE	141	52.962	8.285	22.790	1.00	28.72
50	ATOM	595	N	GLU	142	51.900	8.774	24.710	1.00	26.35
	ATOM	596	CA	GLU	142	53.025	9.568	25.197	1.00	26.18
	ATOM	597	CB	GLU	142	52.657	10.297	26.484	1.00	26.40
	ATOM	598	CG	GLU	142	53.828	11.060	27.085	1.00	34.98
	ATOM	599	CD	GLU	142	53.429	12.038	28.189	1.00	38.85
55	ATOM	600	OE1	GLU	142	52.358	11.876	28.826	1.00	40.50
	ATOM	601	OE2	GLU	142	54.209	12.985	28.417	1.00	41.79
	ATOM	602	C	GLU	142	54.265	8.680	25.387	1.00	25.06
	ATOM	603	O	GLU	142	55.394	9.097	25.125	1.00	26.60
	ATOM	604	N	ASP	143	54.045	7.451	25.836	1.00	25.61
60	ATOM	605	CA	ASP	143	55.118	6.494	26.029	1.00	22.86
	ATOM	606	CB	ASP	143	54.521	5.161	26.422	1.00	29.76

5	ATOM	607	CG	ASP	143	54.827	4.793	27.835	1.00	32.34
	ATOM	608	OD1	ASP	143	55.385	5.646	28.546	1.00	35.38
	ATOM	609	OD2	ASP	143	54.524	3.647	28.236	1.00	38.26
	ATOM	610	C	ASP	143	55.820	6.341	24.704	1.00	24.52
	ATOM	611	O	ASP	143	57.009	6.642	24.576	1.00	28.26
10	ATOM	612	N	TYR	144	55.039	5.970	23.693	1.00	22.82
	ATOM	613	CA	TYR	144	55.536	5.783	22.346	1.00	17.47
	ATOM	614	CB	TYR	144	54.379	5.515	21.384	1.00	18.87
	ATOM	615	CG	TYR	144	54.755	5.589	19.914	1.00	20.91
	ATOM	616	CD1	TYR	144	55.499	4.573	19.303	1.00	24.91
15	ATOM	617	CE1	TYR	144	55.859	4.653	17.944	1.00	17.76
	ATOM	618	CD2	TYR	144	54.376	6.685	19.128	1.00	26.29
	ATOM	619	CE2	TYR	144	54.730	6.764	17.770	1.00	19.32
	ATOM	620	CZ	TYR	144	55.470	5.746	17.200	1.00	16.89
	ATOM	621	OH	TYR	144	55.844	5.836	15.895	1.00	19.87
20	ATOM	622	C	TYR	144	56.330	6.977	21.865	1.00	17.93
	ATOM	623	O	TYR	144	57.437	6.822	21.371	1.00	17.85
	ATOM	624	N	VAL	145	55.776	8.173	21.987	1.00	17.19
	ATOM	625	CA	VAL	145	56.507	9.328	21.509	1.00	15.32
	ATOM	626	CB	VAL	145	55.734	10.599	21.731	1.00	15.48
25	ATOM	627	CG1	VAL	145	56.622	11.814	21.404	1.00	13.94
	ATOM	628	CG2	VAL	145	54.487	10.570	20.850	1.00	9.58
	ATOM	629	C	VAL	145	57.896	9.437	22.110	1.00	20.37
	ATOM	630	O	VAL	145	58.856	9.754	21.405	1.00	21.53
	ATOM	631	N	ASN	146	58.011	9.115	23.397	1.00	19.99
30	ATOM	632	CA	ASN	146	59.297	9.165	24.082	1.00	22.23
	ATOM	633	CB	ASN	146	59.138	9.071	25.592	1.00	26.65
	ATOM	634	CG	ASN	146	58.687	10.375	26.192	1.00	23.52
	ATOM	635	OD1	ASN	146	58.612	11.393	25.506	1.00	32.61
	ATOM	636	ND2	ASN	146	58.371	10.356	27.461	1.00	33.71
35	ATOM	637	C	ASN	146	60.239	8.117	23.584	1.00	18.20
	ATOM	638	O	ASN	146	61.409	8.405	23.380	1.00	21.90
	ATOM	639	N	ALA	147	59.743	6.902	23.393	1.00	17.72
	ATOM	640	CA	ALA	147	60.559	5.823	22.839	1.00	17.53
	ATOM	641	CB	ALA	147	59.754	4.519	22.779	1.00	17.05
40	ATOM	642	C	ALA	147	60.970	6.222	21.417	1.00	22.69
	ATOM	643	O	ALA	147	62.035	5.828	20.933	1.00	27.83
	ATOM	644	N	LEU	148	60.142	7.026	20.752	1.00	24.44
	ATOM	645	CA	LEU	148	60.442	7.423	19.388	1.00	25.40
	ATOM	646	CB	LEU	148	59.180	7.831	18.619	1.00	22.84
45	ATOM	647	CG	LEU	148	59.406	8.092	17.125	1.00	22.68
	ATOM	648	CD1	LEU	148	59.589	6.805	16.325	1.00	18.18
	ATOM	649	CD2	LEU	148	58.268	8.886	16.582	1.00	20.06
	ATOM	650	C	LEU	148	61.480	8.508	19.308	1.00	24.34
	ATOM	651	O	LEU	148	62.312	8.462	18.435	1.00	27.64
50	ATOM	652	N	ASN	149	61.474	9.465	20.222	1.00	28.78
	ATOM	653	CA	ASN	149	62.475	10.523	20.146	1.00	31.28
	ATOM	654	CB	ASN	149	62.232	11.613	21.192	1.00	43.55
	ATOM	655	CG	ASN	149	60.975	12.457	20.898	1.00	55.36
	ATOM	656	OD1	ASN	149	60.817	13.032	19.802	1.00	60.56
55	ATOM	657	ND2	ASN	149	60.085	12.545	21.883	1.00	62.05
	ATOM	658	C	ASN	149	63.863	9.936	20.299	1.00	27.77
	ATOM	659	O	ASN	149	64.797	10.369	19.641	1.00	25.49
	ATOM	660	N	SER	150	63.965	8.917	21.145	1.00	27.48
	ATOM	661	CA	SER	150	65.212	8.206	21.414	1.00	29.75
60	ATOM	662	CB	SER	150	64.979	7.102	22.445	1.00	32.71
	ATOM	663	OG	SER	150	64.942	7.628	23.756	1.00	35.48
	ATOM	664	C	SER	150	65.686	7.543	20.150	1.00	29.64
	ATOM	665	O	SER	150	66.781	7.814	19.661	1.00	32.57
	ATOM	666	N	TRP	151	64.841	6.652	19.645	1.00	27.07

	ATOM	667	CA	TRP	151	65.092	5.909	18.428	1.00	25.09
	ATOM	668	CB	TRP	151	63.811	5.254	17.953	1.00	24.27
	ATOM	669	CG	TRP	151	64.046	4.513	16.726	1.00	25.31
5	ATOM	670	CD2	TRP	151	64.627	3.213	16.629	1.00	26.75
	ATOM	671	CE2	TRP	151	64.741	2.911	15.259	1.00	26.58
	ATOM	672	CE3	TRP	151	65.068	2.273	17.572	1.00	30.19
	ATOM	673	CD1	TRP	151	63.828	4.940	15.455	1.00	23.89
	ATOM	674	NE1	TRP	151	64.251	3.984	14.560	1.00	27.19
10	ATOM	675	CZ2	TRP	151	65.277	1.708	14.804	1.00	31.26
	ATOM	676	CZ3	TRP	151	65.600	1.080	17.127	1.00	29.51
	ATOM	677	CH2	TRP	151	65.702	0.807	15.754	1.00	32.46
	ATOM	678	C	TRP	151	65.606	6.787	17.310	1.00	26.40
	ATOM	679	O	TRP	151	66.545	6.421	16.590	1.00	30.03
15	ATOM	680	N	LYS	152	64.935	7.913	17.111	1.00	27.05
	ATOM	681	CA	LYS	152	65.321	8.844	16.072	1.00	27.57
	ATOM	682	CB	LYS	152	64.293	9.955	15.937	1.00	27.96
	ATOM	683	CG	LYS	152	63.159	9.635	15.008	1.00	30.45
	ATOM	684	CD	LYS	152	62.571	10.919	14.428	1.00	36.04
20	ATOM	685	CE	LYS	152	61.524	11.548	15.340	1.00	36.97
	ATOM	686	NZ	LYS	152	61.646	13.036	15.381	1.00	44.84
	ATOM	687	C	LYS	152	66.694	9.439	16.310	1.00	28.93
	ATOM	688	O	LYS	152	67.394	9.733	15.345	1.00	26.55
	ATOM	689	N	LYS	153	67.041	9.670	17.580	1.00	30.64
25	ATOM	690	CA	LYS	153	68.340	10.245	17.974	1.00	36.17
	ATOM	691	CB	LYS	153	68.280	10.789	19.406	1.00	44.14
	ATOM	692	CG	LYS	153	67.324	11.951	19.642	1.00	56.90
	ATOM	693	CD	LYS	153	67.670	12.702	20.941	1.00	62.05
	ATOM	694	CE	LYS	153	69.028	13.431	20.818	1.00	65.84
30	ATOM	695	NZ	LYS	153	69.403	14.260	22.014	1.00	64.03
	ATOM	696	C	LYS	153	69.533	9.282	17.935	1.00	34.62
	ATOM	697	O	LYS	153	70.681	9.709	17.901	1.00	35.40
	ATOM	698	N	THR	154	69.254	7.989	17.993	1.00	35.88
	ATOM	699	CA	THR	154	70.279	6.950	18.024	1.00	34.95
35	ATOM	700	CB	THR	154	69.638	5.639	18.516	1.00	35.22
	ATOM	701	OG1	THR	154	68.842	5.912	19.685	1.00	39.37
	ATOM	702	CG2	THR	154	70.694	4.616	18.877	1.00	38.14
	ATOM	703	C	THR	154	71.081	6.675	16.748	1.00	34.92
	ATOM	704	O	THR	154	70.503	6.360	15.704	1.00	34.58
40	ATOM	705	N	PRO	155	72.431	6.800	16.813	1.00	35.68
	ATOM	706	CD	PRO	155	73.289	7.214	17.941	1.00	32.28
	ATOM	707	CA	PRO	155	73.245	6.534	15.621	1.00	34.83
	ATOM	708	CB	PRO	155	74.675	6.588	16.169	1.00	31.93
	ATOM	709	CG	PRO	155	74.582	7.589	17.249	1.00	30.75
45	ATOM	710	C	PRO	155	72.906	5.122	15.160	1.00	35.09
	ATOM	711	O	PRO	155	72.585	4.266	15.983	1.00	35.97
	ATOM	712	N	LEU	156	72.949	4.888	13.852	1.00	40.23
	ATOM	713	CA	LEU	156	72.653	3.572	13.284	1.00	40.64
	ATOM	714	CB	LEU	156	72.996	3.536	11.799	1.00	43.18
50	ATOM	715	CG	LEU	156	72.262	4.560	10.936	1.00	46.77
	ATOM	716	CD1	LEU	156	72.581	4.315	9.462	1.00	50.39
	ATOM	717	CD2	LEU	156	70.763	4.465	11.186	1.00	50.02
	ATOM	718	C	LEU	156	73.488	2.546	14.004	1.00	40.37
	ATOM	719	O	LEU	156	72.967	1.569	14.514	1.00	43.12
55	ATOM	720	N	SER	157	74.782	2.832	14.097	1.00	41.57
	ATOM	721	CA	SER	157	75.768	1.982	14.772	1.00	39.37
	ATOM	722	CB	SER	157	77.108	2.720	14.810	1.00	42.46
	ATOM	723	OG	SER	157	76.917	4.128	14.988	1.00	48.99
	ATOM	724	C	SER	157	75.380	1.580	16.195	1.00	36.81
60	ATOM	725	O	SER	157	75.728	0.495	16.662	1.00	34.45
	ATOM	726	N	LEU	158	74.646	2.443	16.881	1.00	34.52

5	ATOM	727	CA	LEU	158	74.264	2.133	18.242	1.00	35.24
	ATOM	728	CB	LEU	158	74.391	3.371	19.121	1.00	33.75
	ATOM	729	CG	LEU	158	75.760	4.029	19.172	1.00	28.13
	ATOM	730	CD1	LEU	158	75.699	5.261	20.058	1.00	28.41
	ATOM	731	CD2	LEU	158	76.758	3.025	19.703	1.00	28.88
10	ATOM	732	C	LEU	158	72.877	1.535	18.402	1.00	36.64
	ATOM	733	O	LEU	158	72.450	1.284	19.530	1.00	43.40
	ATOM	734	N	ARG	159	72.156	1.315	17.309	1.00	34.12
	ATOM	735	CA	ARG	159	70.816	0.726	17.416	1.00	34.54
	ATOM	736	CB	ARG	159	70.002	1.061	16.178	1.00	35.15
15	ATOM	737	CG	ARG	159	69.756	2.533	16.051	1.00	36.06
	ATOM	738	CD	ARG	159	69.290	2.938	14.676	1.00	35.14
	ATOM	739	NE	ARG	159	68.887	4.331	14.741	1.00	38.24
	ATOM	740	CZ	ARG	159	68.047	4.902	13.899	1.00	42.17
	ATOM	741	NH1	ARG	159	67.731	6.181	14.043	1.00	44.23
20	ATOM	742	NH2	ARG	159	67.537	4.191	12.906	1.00	45.95
	ATOM	743	C	ARG	159	70.886	-0.790	17.653	1.00	32.88
	ATOM	744	O	ARG	159	71.503	-1.518	16.877	1.00	36.83
	ATOM	745	N	SER	160	70.249	-1.253	18.723	1.00	27.95
	ATOM	746	CA	SER	160	70.280	-2.659	19.105	1.00	24.33
25	ATOM	747	CB	SER	160	70.578	-2.744	20.595	1.00	26.10
	ATOM	748	OG	SER	160	69.572	-2.088	21.356	1.00	24.55
	ATOM	749	C	SER	160	68.982	-3.386	18.856	1.00	26.96
	ATOM	750	O	SER	160	67.957	-2.749	18.632	1.00	31.18
	ATOM	751	N	LYS	161	68.997	-4.713	18.980	1.00	27.03
30	ATOM	752	CA	LYS	161	67.781	-5.503	18.793	1.00	27.02
	ATOM	753	CB	LYS	161	68.109	-6.990	18.781	1.00	28.66
	ATOM	754	CG	LYS	161	69.045	-7.392	17.649	1.00	40.43
	ATOM	755	CD	LYS	161	68.316	-7.505	16.298	1.00	49.88
	ATOM	756	CE	LYS	161	69.283	-7.711	15.104	1.00	52.99
35	ATOM	757	NZ	LYS	161	68.622	-8.340	13.896	1.00	55.88
	ATOM	758	C	LYS	161	66.810	-5.196	19.934	1.00	26.74
	ATOM	759	O	LYS	161	65.596	-5.320	19.789	1.00	25.11
	ATOM	760	N	ARG	162	67.369	-4.805	21.073	1.00	25.21
	ATOM	761	CA	ARG	162	66.591	-4.459	22.257	1.00	25.16
40	ATOM	762	CB	ARG	162	67.536	-4.141	23.420	1.00	27.16
	ATOM	763	CG	ARG	162	66.939	-4.222	24.815	1.00	27.89
	ATOM	764	CD	ARG	162	67.605	-3.206	25.743	1.00	29.60
	ATOM	765	NE	ARG	162	67.109	-1.850	25.492	1.00	28.75
	ATOM	766	CZ	ARG	162	67.830	-0.859	24.963	1.00	30.83
45	ATOM	767	NH1	ARG	162	69.101	-1.050	24.615	1.00	35.66
	ATOM	768	NH2	ARG	162	67.279	0.329	24.765	1.00	21.66
	ATOM	769	C	ARG	162	65.766	-3.218	21.909	1.00	25.08
	ATOM	770	O	ARG	162	64.568	-3.169	22.173	1.00	22.87
	ATOM	771	N	SER	163	66.421	-2.236	21.293	1.00	25.20
50	ATOM	772	CA	SER	163	65.768	-0.997	20.890	1.00	27.25
	ATOM	773	CB	SER	163	66.762	-0.043	20.233	1.00	28.12
	ATOM	774	OG	SER	163	67.671	0.494	21.170	1.00	33.02
	ATOM	775	C	SER	163	64.648	-1.279	19.911	1.00	30.21
	ATOM	776	O	SER	163	63.576	-0.691	20.009	1.00	35.47
55	ATOM	777	N	GLN	164	64.913	-2.159	18.946	1.00	30.80
	ATOM	778	CA	GLN	164	63.919	-2.520	17.938	1.00	29.81
	ATOM	779	CB	GLN	164	64.499	-3.481	16.903	1.00	31.88
	ATOM	780	CG	GLN	164	65.539	-2.859	15.992	1.00	35.34
	ATOM	781	CD	GLN	164	65.955	-3.784	14.866	1.00	35.38
60	ATOM	782	OE1	GLN	164	66.055	-4.994	15.049	1.00	36.50
	ATOM	783	NE2	GLN	164	66.185	-3.219	13.690	1.00	37.36
	ATOM	784	C	GLN	164	62.723	-3.176	18.588	1.00	27.06
	ATOM	785	O	GLN	164	61.599	-2.696	18.465	1.00	28.49
	ATOM	786	N	ASP	165	62.984	-4.290	19.260	1.00	27.83

	ATOM	787	CA	ASP	165	61.962	-5.043	19.956	1.00	28.49
	ATOM	788	CB	ASP	165	62.588	-6.148	20.822	1.00	33.50
	ATOM	789	CG	ASP	165	63.140	-7.321	20.004	1.00	38.35
5	ATOM	790	OD1	ASP	165	62.828	-7.442	18.802	1.00	43.20
	ATOM	791	OD2	ASP	165	63.886	-8.152	20.573	1.00	41.86
	ATOM	792	C	ASP	165	61.123	-4.118	20.820	1.00	28.33
	ATOM	793	O	ASP	165	59.900	-4.146	20.719	1.00	29.40
	ATOM	794	N	ARG	166	61.748	-3.267	21.635	1.00	26.02
10	ATOM	795	CA	ARG	166	60.928	-2.404	22.453	1.00	30.80
	ATOM	796	CB	ARG	166	61.638	-1.826	23.703	1.00	41.63
	ATOM	797	CG	ARG	166	62.815	-0.854	23.491	1.00	63.41
	ATOM	798	CD	ARG	166	62.451	0.565	22.887	1.00	74.62
	ATOM	799	NE	ARG	166	63.602	1.218	22.219	1.00	79.94
	ATOM	800	CZ	ARG	166	63.505	2.185	21.299	1.00	80.41
15	ATOM	801	NH1	ARG	166	64.607	2.721	20.751	1.00	81.58
	ATOM	802	NH2	ARG	166	62.308	2.607	20.911	1.00	81.81
	ATOM	803	C	ARG	166	60.132	-1.356	21.699	1.00	29.00
	ATOM	804	O	ARG	166	58.930	-1.280	21.909	1.00	29.60
	ATOM	805	N	ILE	167	60.738	-0.608	20.777	1.00	26.06
20	ATOM	806	CA	ILE	167	59.963	0.394	20.066	1.00	23.75
	ATOM	807	CB	ILE	167	60.810	1.191	19.093	1.00	20.38
	ATOM	808	CG2	ILE	167	61.452	0.280	18.112	1.00	25.06
	ATOM	809	CG1	ILE	167	59.951	2.228	18.385	1.00	20.43
	ATOM	810	CD1	ILE	167	60.140	3.600	18.837	1.00	18.35
25	ATOM	811	C	ILE	167	58.753	-0.248	19.363	1.00	28.10
	ATOM	812	O	ILE	167	57.628	0.240	19.495	1.00	29.42
	ATOM	813	N	ARG	168	58.945	-1.384	18.698	1.00	28.88
	ATOM	814	CA	ARG	168	57.817	-2.048	18.033	1.00	32.17
	ATOM	815	CB	ARG	168	58.232	-3.386	17.437	1.00	31.63
30	ATOM	816	CG	ARG	168	58.640	-3.323	16.009	1.00	37.29
	ATOM	817	CD	ARG	168	58.832	-4.719	15.462	1.00	37.37
	ATOM	818	NE	ARG	168	60.200	-5.185	15.647	1.00	34.57
	ATOM	819	CZ	ARG	168	60.529	-6.378	16.122	1.00	33.36
	ATOM	820	NH1	ARG	168	61.810	-6.699	16.249	1.00	34.45
35	ATOM	821	NH2	ARG	168	59.584	-7.235	16.487	1.00	35.04
	ATOM	822	C	ARG	168	56.674	-2.321	19.000	1.00	34.64
	ATOM	823	O	ARG	168	55.541	-1.914	18.769	1.00	39.25
	ATOM	824	N	GLU	169	56.998	-3.021	20.079	1.00	37.29
	ATOM	825	CA	GLU	169	56.059	-3.410	21.129	1.00	39.87
40	ATOM	826	CB	GLU	169	56.860	-3.956	22.320	1.00	48.72
	ATOM	827	CG	GLU	169	56.049	-4.600	23.449	1.00	55.06
	ATOM	828	CD	GLU	169	56.945	-5.101	24.578	1.00	57.67
	ATOM	829	OE1	GLU	169	57.900	-4.379	24.949	1.00	55.59
	ATOM	830	OE2	GLU	169	56.692	-6.214	25.091	1.00	58.16
45	ATOM	831	C	GLU	169	55.181	-2.250	21.580	1.00	36.09
	ATOM	832	O	GLU	169	54.004	-2.425	21.898	1.00	33.57
	ATOM	833	N	LEU	170	55.781	-1.069	21.615	1.00	32.71
	ATOM	834	CA	LEU	170	55.093	0.135	22.005	1.00	29.32
	ATOM	835	CB	LEU	170	56.097	1.231	22.321	1.00	27.42
50	ATOM	836	CG	LEU	170	56.464	1.321	23.795	1.00	29.26
	ATOM	837	CD1	LEU	170	57.580	2.378	24.032	1.00	20.06
	ATOM	838	CD2	LEU	170	55.165	1.641	24.552	1.00	25.26
	ATOM	839	C	LEU	170	54.197	0.595	20.893	1.00	28.58
	ATOM	840	O	LEU	170	53.050	0.943	21.135	1.00	37.18
55	ATOM	841	N	PHE	171	54.709	0.611	19.671	1.00	24.66
	ATOM	842	CA	PHE	171	53.899	1.063	18.563	1.00	22.29
	ATOM	843	CB	PHE	171	54.699	1.053	17.247	1.00	19.78
	ATOM	844	CG	PHE	171	53.874	1.411	16.018	1.00	17.53
	ATOM	845	CD1	PHE	171	53.766	2.731	15.590	1.00	11.80
60	ATOM	846	CD2	PHE	171	53.148	0.422	15.330	1.00	14.77

5	ATOM	847	CE1	PHE	171	52.941	3.067	14.504	1.00	11.46
	ATOM	848	CE2	PHE	171	52.315	0.758	14.242	1.00	10.44
	ATOM	849	CZ	PHE	171	52.214	2.085	13.836	1.00	6.72
	ATOM	850	C	PHE	171	52.659	0.183	18.471	1.00	21.88
	ATOM	851	O	PHE	171	51.556	0.693	18.381	1.00	23.54
10	ATOM	852	N	SER	172	52.839	-1.129	18.540	1.00	23.14
	ATOM	853	CA	SER	172	51.729	-2.069	18.428	1.00	27.99
	ATOM	854	CB	SER	172	52.228	-3.504	18.485	1.00	27.59
	ATOM	855	OG	SER	172	53.331	-3.669	17.624	1.00	31.04
	ATOM	856	C	SER	172	50.751	-1.875	19.547	1.00	33.07
15	ATOM	857	O	SER	172	49.564	-2.166	19.392	1.00	38.22
	ATOM	858	N	GLN	173	51.276	-1.425	20.684	1.00	36.24
	ATOM	859	CA	GLN	173	50.509	-1.166	21.903	1.00	37.57
	ATOM	860	CB	GLN	173	51.499	-0.888	23.068	1.00	44.34
	ATOM	861	CG	GLN	173	50.894	-0.718	24.476	1.00	54.23
20	ATOM	862	CD	GLN	173	51.291	-1.831	25.447	1.00	60.34
	ATOM	863	OE1	GLN	173	51.402	-1.609	26.659	1.00	57.52
	ATOM	864	NE2	GLN	173	51.482	-3.040	24.921	1.00	66.46
	ATOM	865	C	GLN	173	49.557	0.031	21.692	1.00	32.96
	ATOM	866	O	GLN	173	48.324	-0.078	21.833	1.00	30.70
25	ATOM	867	N	ALA	174	50.142	1.166	21.342	1.00	25.13
	ATOM	868	CA	ALA	174	49.371	2.356	21.124	1.00	23.49
	ATOM	869	CB	ALA	174	50.288	3.499	20.814	1.00	20.35
	ATOM	870	C	ALA	174	48.368	2.139	20.008	1.00	22.23
	ATOM	871	O	ALA	174	47.176	2.342	20.208	1.00	28.71
30	ATOM	872	N	GLU	175	48.833	1.646	18.866	1.00	23.39
	ATOM	873	CA	GLU	175	47.973	1.415	17.700	1.00	24.62
	ATOM	874	CB	GLU	175	48.790	0.901	16.506	1.00	23.76
	ATOM	875	CG	GLU	175	48.055	0.935	15.154	1.00	28.00
	ATOM	876	CD	GLU	175	47.069	-0.208	14.953	1.00	24.81
35	ATOM	877	OE1	GLU	175	47.415	-1.356	15.249	1.00	30.25
	ATOM	878	OE2	GLU	175	45.944	0.031	14.499	1.00	25.54
	ATOM	879	C	GLU	175	46.815	0.465	17.975	1.00	23.05
	ATOM	880	O	GLU	175	45.680	0.718	17.549	1.00	23.75
	ATOM	881	N	SER	176	47.117	-0.658	18.610	1.00	23.70
40	ATOM	882	CA	SER	176	46.093	-1.633	18.939	1.00	25.29
	ATOM	883	CB	SER	176	46.720	-2.904	19.483	1.00	27.82
	ATOM	884	OG	SER	176	45.715	-3.746	20.007	1.00	37.64
	ATOM	885	C	SER	176	45.113	-1.066	19.955	1.00	27.15
	ATOM	886	O	SER	176	43.911	-1.266	19.827	1.00	29.62
45	ATOM	887	N	HIS	177	45.616	-0.343	20.953	1.00	27.84
	ATOM	888	CA	HIS	177	44.736	0.231	21.947	1.00	29.40
	ATOM	889	CB	HIS	177	45.525	0.880	23.083	1.00	35.05
	ATOM	890	CG	HIS	177	44.670	1.358	24.221	1.00	39.71
	ATOM	891	CD2	HIS	177	43.330	1.519	24.331	1.00	39.99
50	ATOM	892	ND1	HIS	177	45.195	1.730	25.442	1.00	45.29
	ATOM	893	CE1	HIS	177	44.215	2.098	26.251	1.00	43.30
	ATOM	894	NE2	HIS	177	43.072	1.979	25.598	1.00	41.68
	ATOM	895	C	HIS	177	43.827	1.248	21.262	1.00	31.02
	ATOM	896	O	HIS	177	42.624	1.300	21.534	1.00	35.22
55	ATOM	897	N	PHE	178	44.369	2.050	20.359	1.00	28.97
	ATOM	898	CA	PHE	178	43.525	3.023	19.683	1.00	28.86
	ATOM	899	CB	PHE	178	44.358	3.929	18.779	1.00	25.66
	ATOM	900	CG	PHE	178	44.816	5.209	19.441	1.00	22.69
	ATOM	901	CD1	PHE	178	46.085	5.312	19.993	1.00	25.93
60	ATOM	902	CD2	PHE	178	44.019	6.347	19.411	1.00	23.46
	ATOM	903	CE1	PHE	178	46.560	6.537	20.490	1.00	20.31
	ATOM	904	CE2	PHE	178	44.485	7.567	19.906	1.00	21.41
	ATOM	905	CZ	PHE	178	45.757	7.654	20.439	1.00	21.04
	ATOM	906	C	PHE	178	42.457	2.290	18.875	1.00	29.52

5	ATOM	907	O	PHE	178	41.268	2.545	19.022	1.00	25.37
	ATOM	908	N	ARG	179	42.888	1.299	18.105	1.00	32.49
	ATOM	909	CA	ARG	179	41.989	0.525	17.269	1.00	30.66
	ATOM	910	CB	ARG	179	42.733	-0.654	16.646	1.00	31.64
	ATOM	911	CG	ARG	179	41.976	-1.291	15.519	1.00	34.21
10	ATOM	912	CD	ARG	179	42.831	-2.263	14.759	1.00	41.71
	ATOM	913	NE	ARG	179	42.897	-3.560	15.417	1.00	45.91
	ATOM	914	CZ	ARG	179	44.010	-4.095	15.909	1.00	52.23
	ATOM	915	NH1	ARG	179	45.166	-3.448	15.815	1.00	48.56
	ATOM	916	NH2	ARG	179	43.961	-5.278	16.518	1.00	60.56
15	ATOM	917	C	ARG	179	40.780	0.018	18.026	1.00	29.30
	ATOM	918	O	ARG	179	39.656	0.169	17.574	1.00	34.87
	ATOM	919	N	ASN	180	41.004	-0.537	19.201	1.00	29.94
	ATOM	920	CA	ASN	180	39.911	-1.077	19.992	1.00	32.10
	ATOM	921	CB	ASN	180	40.418	-2.277	20.804	1.00	36.87
20	ATOM	922	CG	ASN	180	41.000	-3.393	19.917	1.00	38.96
	ATOM	923	OD1	ASN	180	40.358	-3.861	18.981	1.00	40.44
	ATOM	924	ND2	ASN	180	42.214	-3.821	20.224	1.00	42.74
	ATOM	925	C	ASN	180	39.125	-0.073	20.875	1.00	32.03
	ATOM	926	O	ASN	180	38.036	-0.387	21.337	1.00	34.18
25	ATOM	927	N	SER	181	39.661	1.126	21.106	1.00	32.59
	ATOM	928	CA	SER	181	38.965	2.150	21.904	1.00	26.92
	ATOM	929	CB	SER	181	39.939	3.211	22.429	1.00	27.48
	ATOM	930	OG	SER	181	40.884	2.658	23.324	1.00	31.01
	ATOM	931	C	SER	181	37.883	2.902	21.134	1.00	25.45
30	ATOM	932	O	SER	181	36.871	3.288	21.705	1.00	25.81
	ATOM	933	N	MET	182	38.111	3.143	19.847	1.00	23.99
	ATOM	934	CA	MET	182	37.169	3.898	19.014	1.00	24.66
	ATOM	935	CB	MET	182	37.418	3.676	17.519	1.00	25.35
	ATOM	936	CG	MET	182	38.588	4.436	16.936	1.00	22.11
35	ATOM	937	SD	MET	182	38.582	6.169	17.397	1.00	31.27
	ATOM	938	CE	MET	182	40.288	6.254	17.748	1.00	28.00
	ATOM	939	C	MET	182	35.697	3.699	19.298	1.00	22.86
	ATOM	940	O	MET	182	34.946	4.674	19.354	1.00	26.55
	ATOM	941	N	PRO	183	35.257	2.448	19.504	1.00	20.02
40	ATOM	942	CD	PRO	183	35.911	1.131	19.367	1.00	17.72
	ATOM	943	CA	PRO	183	33.814	2.311	19.771	1.00	20.18
	ATOM	944	CB	PRO	183	33.626	0.790	19.918	1.00	19.03
	ATOM	945	CG	PRO	183	34.758	0.210	19.057	1.00	15.96
	ATOM	946	C	PRO	183	33.306	3.109	20.990	1.00	21.68
45	ATOM	947	O	PRO	183	32.167	3.557	20.995	1.00	27.17
	ATOM	948	N	SER	184	34.166	3.342	21.986	1.00	22.98
	ATOM	949	CA	SER	184	33.813	4.107	23.186	1.00	18.39
	ATOM	950	CB	SER	184	34.968	4.066	24.198	1.00	15.92
	ATOM	951	OG	SER	184	35.328	2.729	24.522	1.00	15.22
50	ATOM	952	C	SER	184	33.432	5.568	22.895	1.00	21.41
	ATOM	953	O	SER	184	32.924	6.254	23.776	1.00	17.59
	ATOM	954	N	PHE	185	33.702	6.057	21.682	1.00	20.87
	ATOM	955	CA	PHE	185	33.367	7.435	21.342	1.00	21.72
	ATOM	956	CB	PHE	185	34.591	8.195	20.843	1.00	19.91
55	ATOM	957	CG	PHE	185	35.865	7.857	21.578	1.00	23.10
	ATOM	958	CD1	PHE	185	37.033	7.561	20.875	1.00	20.78
	ATOM	959	CD2	PHE	185	35.909	7.840	22.960	1.00	19.79
	ATOM	960	CE1	PHE	185	38.226	7.252	21.546	1.00	23.07
	ATOM	961	CE2	PHE	185	37.106	7.529	23.633	1.00	25.58
60	ATOM	962	CZ	PHE	185	38.262	7.235	22.920	1.00	16.31
	ATOM	963	C	PHE	185	32.306	7.429	20.261	1.00	24.33
	ATOM	964	O	PHE	185	32.075	8.432	19.599	1.00	24.66
	ATOM	965	N	ALA	186	31.613	6.306	20.134	1.00	28.12
	ATOM	966	CA	ALA	186	30.581	6.146	19.116	1.00	27.05

	ATOM	967	CB	ALA	186	31.189	5.473	17.870	1.00	29.72
	ATOM	968	C	ALA	186	29.469	5.283	19.684	1.00	26.76
	ATOM	969	O	ALA	186	28.840	4.492	18.969	1.00	26.03
5	ATOM	970	N	VAL	187	29.265	5.415	20.986	1.00	27.16
	ATOM	971	CA	VAL	187	28.238	4.661	21.689	1.00	29.69
	ATOM	972	CB	VAL	187	28.175	5.047	23.170	1.00	29.53
	ATOM	973	CG1	VAL	187	27.451	3.986	23.923	1.00	32.69
	ATOM	974	CG2	VAL	187	29.555	5.282	23.730	1.00	31.55
	ATOM	975	C	VAL	187	26.867	4.963	21.092	1.00	30.99
10	ATOM	976	O	VAL	187	26.544	6.121	20.818	1.00	32.51
	ATOM	977	N	SER	188	26.045	3.933	20.944	1.00	33.95
	ATOM	978	CA	SER	188	24.703	4.094	20.392	1.00	39.13
	ATOM	979	CB	SER	188	23.924	2.782	20.524	1.00	37.12
	ATOM	980	OG	SER	188	23.056	2.573	19.415	1.00	42.00
15	ATOM	981	C	SER	188	23.960	5.228	21.104	1.00	40.12
	ATOM	982	O	SER	188	24.106	5.401	22.316	1.00	42.73
	ATOM	983	N	LYS	189	23.231	6.038	20.338	1.00	42.68
	ATOM	984	CA	LYS	189	22.468	7.158	20.883	1.00	43.93
	ATOM	985	CB	LYS	189	21.718	6.715	22.151	1.00	51.42
20	ATOM	986	CG	LYS	189	20.770	7.737	22.743	1.00	65.46
	ATOM	987	CD	LYS	189	20.195	7.249	24.074	1.00	75.80
	ATOM	988	CE	LYS	189	19.366	8.343	24.769	1.00	83.02
	ATOM	989	NZ	LYS	189	18.929	7.964	26.159	1.00	86.33
	ATOM	990	C	LYS	189	23.322	8.395	21.177	1.00	39.73
25	ATOM	991	O	LYS	189	22.799	9.507	21.251	1.00	40.92
	ATOM	992	N	PHE	190	24.633	8.220	21.297	1.00	36.45
	ATOM	993	CA	PHE	190	25.532	9.339	21.596	1.00	32.97
	ATOM	994	CB	PHE	190	26.266	9.053	22.906	1.00	35.66
	ATOM	995	CG	PHE	190	25.349	8.799	24.059	1.00	37.16
30	ATOM	996	CD1	PHE	190	25.169	7.510	24.544	1.00	37.15
	ATOM	997	CD2	PHE	190	24.620	9.841	24.623	1.00	37.31
	ATOM	998	CE1	PHE	190	24.279	7.259	25.568	1.00	36.95
	ATOM	999	CE2	PHE	190	23.722	9.602	25.652	1.00	37.94
	ATOM	1000	CZ	PHE	190	23.551	8.310	26.124	1.00	37.75
35	ATOM	1001	C	PHE	190	26.554	9.640	20.499	1.00	28.22
	ATOM	1002	O	PHE	190	27.573	10.285	20.746	1.00	27.75
	ATOM	1003	N	GLU	191	26.270	9.210	19.280	1.00	27.87
	ATOM	1004	CA	GLU	191	27.212	9.420	18.196	1.00	25.18
	ATOM	1005	CB	GLU	191	26.823	8.642	16.961	1.00	23.69
40	ATOM	1006	CG	GLU	191	26.809	7.147	17.187	1.00	25.09
	ATOM	1007	CD	GLU	191	25.416	6.613	17.376	1.00	26.96
	ATOM	1008	OE1	GLU	191	25.157	5.496	16.884	1.00	31.29
	ATOM	1009	OE2	GLU	191	24.575	7.304	18.000	1.00	27.39
	ATOM	1010	C	GLU	191	27.439	10.865	17.869	1.00	25.02
45	ATOM	1011	O	GLU	191	28.576	11.247	17.631	1.00	27.85
	ATOM	1012	N	VAL	192	26.391	11.686	17.898	1.00	27.84
	ATOM	1013	CA	VAL	192	26.557	13.114	17.620	1.00	25.95
	ATOM	1014	CB	VAL	192	25.232	13.804	17.352	1.00	26.44
	ATOM	1015	CG1	VAL	192	25.468	15.283	17.037	1.00	24.26
50	ATOM	1016	CG2	VAL	192	24.489	13.089	16.240	1.00	22.90
	ATOM	1017	C	VAL	192	27.245	13.824	18.793	1.00	28.20
	ATOM	1018	O	VAL	192	28.198	14.584	18.605	1.00	33.10
	ATOM	1019	N	LEU	193	26.805	13.541	20.010	1.00	24.52
	ATOM	1020	CA	LEU	193	27.408	14.174	21.178	1.00	25.78
55	ATOM	1021	CB	LEU	193	26.669	13.706	22.436	1.00	25.22
	ATOM	1022	CG	LEU	193	25.241	14.207	22.612	1.00	17.24
	ATOM	1023	CD1	LEU	193	24.489	13.345	23.599	1.00	24.15
	ATOM	1024	CD2	LEU	193	25.303	15.634	23.111	1.00	22.79
	ATOM	1025	C	LEU	193	28.936	13.937	21.316	1.00	27.53
60	ATOM	1026	O	LEU	193	29.675	14.798	21.835	1.00	22.52

	ATOM	1027	N	PHE	194	29.394	12.767	20.860	1.00	28.95
	ATOM	1028	CA	PHE	194	30.809	12.371	20.912	1.00	27.24
	ATOM	1029	CB	PHE	194	30.926	10.938	21.023	1.00	23.99
5	ATOM	1030	CG	PHE	194	30.883	10.302	22.424	1.00	19.23
	ATOM	1031	CD1	PHE	194	29.946	9.331	22.771	1.00	16.74
	ATOM	1032	CD2	PHE	194	31.806	10.734	23.381	1.00	12.01
	ATOM	1033	CE1	PHE	194	29.924	8.790	24.058	1.00	20.23
	ATOM	1034	CE2	PHE	194	31.807	10.213	24.670	1.00	15.47
10	ATOM	1035	CZ	PHE	194	30.862	9.233	25.019	1.00	21.85
	ATOM	1036	C	PHE	194	31.597	12.769	19.653	1.00	30.35
	ATOM	1037	O	PHE	194	32.771	12.413	19.540	1.00	33.71
	ATOM	1038	N	LEU	195	30.990	13.512	18.730	1.00	27.41
	ATOM	1039	CA	LEU	195	31.659	13.845	17.466	1.00	23.44
15	ATOM	1040	CB	LEU	195	30.755	14.704	16.592	1.00	24.37
	ATOM	1041	CG	LEU	195	30.899	14.393	15.109	1.00	30.12
	ATOM	1042	CD1	LEU	195	30.651	12.891	14.842	1.00	26.11
	ATOM	1043	CD2	LEU	195	29.922	15.244	14.338	1.00	30.52
	ATOM	1044	C	LEU	195	33.074	14.407	17.465	1.00	18.68
20	ATOM	1045	O	LEU	195	33.954	13.869	16.809	1.00	20.43
	ATOM	1046	N	PRO	196	33.316	15.503	18.173	1.00	16.00
	ATOM	1047	CD	PRO	196	32.351	16.380	18.850	1.00	13.80
	ATOM	1048	CA	PRO	196	34.668	16.072	18.193	1.00	14.01
	ATOM	1049	CB	PRO	196	34.491	17.343	18.993	1.00	14.53
25	ATOM	1050	CG	PRO	196	33.026	17.698	18.756	1.00	16.77
	ATOM	1051	C	PRO	196	35.683	15.150	18.848	1.00	17.13
	ATOM	1052	O	PRO	196	36.828	15.048	18.395	1.00	19.94
	ATOM	1053	N	THR	197	35.268	14.499	19.929	1.00	18.61
	ATOM	1054	CA	THR	197	36.118	13.557	20.659	1.00	20.79
30	ATOM	1055	CB	THR	197	35.320	12.890	21.797	1.00	24.29
	ATOM	1056	OG1	THR	197	34.828	13.892	22.688	1.00	26.50
	ATOM	1057	CG2	THR	197	36.182	11.905	22.554	1.00	20.17
	ATOM	1058	C	THR	197	36.588	12.453	19.699	1.00	23.61
	ATOM	1059	O	THR	197	37.780	12.111	19.663	1.00	26.22
35	ATOM	1060	N	TYR	198	35.631	11.891	18.946	1.00	21.68
	ATOM	1061	CA	TYR	198	35.870	10.837	17.953	1.00	15.60
	ATOM	1062	CB	TYR	198	34.545	10.373	17.342	1.00	12.95
	ATOM	1063	CG	TYR	198	34.661	9.276	16.294	1.00	18.00
	ATOM	1064	CD1	TYR	198	34.391	7.946	16.613	1.00	14.34
40	ATOM	1065	CE1	TYR	198	34.482	6.948	15.659	1.00	21.67
	ATOM	1066	CD2	TYR	198	35.029	9.569	14.975	1.00	20.14
	ATOM	1067	CE2	TYR	198	35.121	8.564	14.010	1.00	20.73
	ATOM	1068	CZ	TYR	198	34.848	7.268	14.360	1.00	18.41
	ATOM	1069	OH	TYR	198	34.917	6.287	13.407	1.00	24.92
45	ATOM	1070	C	TYR	198	36.807	11.342	16.850	1.00	19.32
	ATOM	1071	O	TYR	198	37.813	10.700	16.554	1.00	19.54
	ATOM	1072	N	ALA	199	36.494	12.487	16.251	1.00	14.36
	ATOM	1073	CA	ALA	199	37.342	13.020	15.205	1.00	14.32
	ATOM	1074	CB	ALA	199	36.818	14.357	14.748	1.00	16.43
50	ATOM	1075	C	ALA	199	38.789	13.146	15.694	1.00	16.89
	ATOM	1076	O	ALA	199	39.714	12.639	15.044	1.00	16.56
	ATOM	1077	N	GLN	200	38.964	13.765	16.868	1.00	18.58
	ATOM	1078	CA	GLN	200	40.281	13.984	17.492	1.00	18.04
	ATOM	1079	CB	GLN	200	40.151	14.844	18.744	1.00	16.98
55	ATOM	1080	CG	GLN	200	39.629	16.239	18.489	1.00	16.64
	ATOM	1081	CD	GLN	200	40.593	17.109	17.709	1.00	17.76
	ATOM	1082	OE1	GLN	200	41.811	16.965	17.821	1.00	20.73
	ATOM	1083	NE2	GLN	200	40.051	18.032	16.926	1.00	16.40
	ATOM	1084	C	GLN	200	41.067	12.721	17.833	1.00	16.13
	ATOM	1085	O	GLN	200	42.287	12.732	17.758	1.00	18.50
60	ATOM	1086	N	ALA	201	40.393	11.665	18.276	1.00	15.14

5	ATOM	1087	CA	ALA	201	41.093	10.414	18.578	1.00	15.80
	ATOM	1088	CB	ALA	201	40.244	9.507	19.463	1.00	11.71
	ATOM	1089	C	ALA	201	41.447	9.696	17.277	1.00	15.73
	ATOM	1090	O	ALA	201	42.521	9.110	17.155	1.00	23.19
	ATOM	1091	N	ALA	202	40.528	9.724	16.315	1.00	16.63
10	ATOM	1092	CA	ALA	202	40.714	9.105	15.007	1.00	10.64
	ATOM	1093	CB	ALA	202	39.519	9.386	14.120	1.00	12.27
	ATOM	1094	C	ALA	202	41.954	9.686	14.376	1.00	11.25
	ATOM	1095	O	ALA	202	42.855	8.966	13.963	1.00	12.02
	ATOM	1096	N	ASN	203	42.005	11.005	14.328	1.00	10.25
15	ATOM	1097	CA	ASN	203	43.143	11.684	13.767	1.00	14.32
	ATOM	1098	CB	ASN	203	43.015	13.167	14.008	1.00	14.52
	ATOM	1099	CG	ASN	203	44.207	13.926	13.501	1.00	15.52
	ATOM	1100	OD1	ASN	203	44.459	13.939	12.310	1.00	23.18
	ATOM	1101	ND2	ASN	203	44.934	14.566	14.390	1.00	12.62
20	ATOM	1102	C	ASN	203	44.473	11.205	14.338	1.00	19.00
	ATOM	1103	O	ASN	203	45.457	11.116	13.613	1.00	27.47
	ATOM	1104	N	THR	204	44.518	10.882	15.628	1.00	19.90
	ATOM	1105	CA	THR	204	45.765	10.433	16.249	1.00	19.76
	ATOM	1106	CB	THR	204	45.691	10.527	17.761	1.00	19.43
25	ATOM	1107	OG1	THR	204	45.409	11.882	18.129	1.00	23.03
	ATOM	1108	CG2	THR	204	47.001	10.115	18.364	1.00	22.47
	ATOM	1109	C	THR	204	46.119	9.008	15.851	1.00	20.39
	ATOM	1110	O	THR	204	47.300	8.673	15.663	1.00	11.64
	ATOM	1111	N	HIS	205	45.079	8.179	15.718	1.00	15.29
30	ATOM	1112	CA	HIS	205	45.246	6.793	15.329	1.00	12.93
	ATOM	1113	CB	HIS	205	43.890	6.119	15.300	1.00	9.41
	ATOM	1114	CG	HIS	205	43.960	4.648	15.077	1.00	11.32
	ATOM	1115	CD2	HIS	205	45.012	3.796	15.056	1.00	12.67
	ATOM	1116	ND1	HIS	205	42.842	3.881	14.841	1.00	11.26
35	ATOM	1117	CE1	HIS	205	43.198	2.616	14.686	1.00	11.39
	ATOM	1118	NE2	HIS	205	44.509	2.536	14.810	1.00	10.23
	ATOM	1119	C	HIS	205	45.914	6.731	13.954	1.00	14.03
	ATOM	1120	O	HIS	205	46.788	5.912	13.711	1.00	17.30
	ATOM	1121	N	LEU	206	45.471	7.605	13.063	1.00	17.93
40	ATOM	1122	CA	LEU	206	45.988	7.716	11.705	1.00	20.38
	ATOM	1123	CB	LEU	206	45.030	8.552	10.837	1.00	15.00
	ATOM	1124	CG	LEU	206	43.611	7.985	10.669	1.00	17.79
	ATOM	1125	CD1	LEU	206	42.902	8.815	9.643	1.00	16.39
	ATOM	1126	CD2	LEU	206	43.606	6.519	10.256	1.00	7.72
45	ATOM	1127	C	LEU	206	47.394	8.333	11.670	1.00	22.16
	ATOM	1128	O	LEU	206	48.200	7.964	10.811	1.00	26.75
	ATOM	1129	N	LEU	207	47.652	9.315	12.541	1.00	18.99
	ATOM	1130	CA	LEU	207	48.959	9.965	12.637	1.00	17.75
	ATOM	1131	CB	LEU	207	48.953	11.016	13.716	1.00	18.85
50	ATOM	1132	CG	LEU	207	48.829	12.451	13.261	1.00	26.70
	ATOM	1133	CD1	LEU	207	48.941	13.280	14.541	1.00	20.06
	ATOM	1134	CD2	LEU	207	49.924	12.829	12.198	1.00	20.90
	ATOM	1135	C	LEU	207	49.982	8.960	13.077	1.00	19.69
	ATOM	1136	O	LEU	207	51.156	9.075	12.767	1.00	25.73
55	ATOM	1137	N	LEU	208	49.534	8.035	13.901	1.00	20.55
	ATOM	1138	CA	LEU	208	50.377	6.989	14.433	1.00	21.59
	ATOM	1139	CB	LEU	208	49.719	6.449	15.683	1.00	22.51
	ATOM	1140	CG	LEU	208	50.338	5.240	16.322	1.00	25.67
	ATOM	1141	CD1	LEU	208	51.707	5.621	16.833	1.00	25.95
60	ATOM	1142	CD2	LEU	208	49.403	4.792	17.428	1.00	24.34
	ATOM	1143	C	LEU	208	50.607	5.874	13.411	1.00	21.91
	ATOM	1144	O	LEU	208	51.758	5.505	13.173	1.00	25.74
	ATOM	1145	N	LEU	209	49.535	5.367	12.787	1.00	19.26
	ATOM	1146	CA	LEU	209	49.635	4.286	11.777	1.00	16.77

	ATOM	1147	CB	LEU	209	48.271	3.966	11.168	1.00	13.38
	ATOM	1148	CG	LEU	209	47.330	3.000	11.874	1.00	13.06
	ATOM	1149	CD1	LEU	209	45.921	3.206	11.379	1.00	7.67
5	ATOM	1150	CD2	LEU	209	47.779	1.568	11.664	1.00	14.89
	ATOM	1151	C	LEU	209	50.621	4.596	10.639	1.00	16.38
	ATOM	1152	O	LEU	209	51.370	3.721	10.186	1.00	17.07
	ATOM	1153	N	LYS	210	50.635	5.842	10.187	1.00	13.88
	ATOM	1154	CA	LYS	210	51.536	6.208	9.129	1.00	14.30
10	ATOM	1155	CB	LYS	210	51.220	7.624	8.608	1.00	11.99
	ATOM	1156	CG	LYS	210	51.477	8.779	9.526	1.00	7.35
	ATOM	1157	CD	LYS	210	52.797	9.443	9.221	1.00	6.42
	ATOM	1158	CE	LYS	210	53.002	10.669	10.085	1.00	6.47
	ATOM	1159	NZ	LYS	210	53.263	10.313	11.513	1.00	14.19
	ATOM	1160	C	LYS	210	53.008	6.020	9.523	1.00	17.24
15	ATOM	1161	O	LYS	210	53.845	5.688	8.670	1.00	21.95
	ATOM	1162	N	ASP	211	53.306	6.139	10.819	1.00	19.90
	ATOM	1163	CA	ASP	211	54.670	5.983	11.336	1.00	16.45
	ATOM	1164	CB	ASP	211	54.685	6.109	12.854	1.00	11.34
20	ATOM	1165	CG	ASP	211	54.823	7.529	13.326	1.00	13.51
	ATOM	1166	OD1	ASP	211	55.048	8.445	12.522	1.00	11.47
	ATOM	1167	OD2	ASP	211	54.742	7.740	14.545	1.00	19.85
	ATOM	1168	C	ASP	211	55.219	4.628	10.945	1.00	16.72
	ATOM	1169	O	ASP	211	56.424	4.461	10.749	1.00	21.07
25	ATOM	1170	N	ALA	212	54.307	3.679	10.778	1.00	15.96
	ATOM	1171	CA	ALA	212	54.638	2.317	10.395	1.00	13.35
	ATOM	1172	CB	ALA	212	53.406	1.453	10.450	1.00	9.60
	ATOM	1173	C	ALA	212	55.246	2.251	9.001	1.00	17.10
	ATOM	1174	O	ALA	212	56.055	1.368	8.735	1.00	21.49
30	ATOM	1175	N	GLN	213	54.860	3.181	8.122	1.00	17.33
	ATOM	1176	CA	GLN	213	55.345	3.228	6.740	1.00	14.16
	ATOM	1177	CB	GLN	213	54.295	3.896	5.838	1.00	13.57
	ATOM	1178	CG	GLN	213	52.895	3.233	5.913	1.00	8.05
	ATOM	1179	CD	GLN	213	52.956	1.733	5.680	1.00	9.09
35	ATOM	1180	OE1	GLN	213	53.641	1.288	4.777	1.00	13.24
	ATOM	1181	NE2	GLN	213	52.284	0.950	6.518	1.00	7.98
	ATOM	1182	C	GLN	213	56.681	3.948	6.661	1.00	17.76
	ATOM	1183	O	GLN	213	57.479	3.716	5.752	1.00	22.36
	ATOM	1184	N	VAL	214	56.918	4.838	7.614	1.00	16.49
40	ATOM	1185	CA	VAL	214	58.181	5.567	7.689	1.00	16.94
	ATOM	1186	CB	VAL	214	58.008	6.922	8.418	1.00	17.23
	ATOM	1187	CG1	VAL	214	59.328	7.615	8.598	1.00	17.53
	ATOM	1188	CG2	VAL	214	57.076	7.809	7.631	1.00	17.23
	ATOM	1189	C	VAL	214	59.261	4.731	8.396	1.00	15.03
45	ATOM	1190	O	VAL	214	60.314	4.506	7.833	1.00	12.50
	ATOM	1191	N	PHE	215	58.961	4.188	9.576	1.00	18.28
	ATOM	1192	CA	PHE	215	59.943	3.422	10.350	1.00	13.37
	ATOM	1193	CB	PHE	215	59.892	3.849	11.805	1.00	14.35
	ATOM	1194	CG	PHE	215	60.044	5.306	12.011	1.00	12.08
50	ATOM	1195	CD1	PHE	215	58.932	6.092	12.281	1.00	13.84
	ATOM	1196	CD2	PHE	215	61.284	5.903	11.895	1.00	11.02
	ATOM	1197	CE1	PHE	215	59.052	7.459	12.425	1.00	11.98
	ATOM	1198	CE2	PHE	215	61.420	7.264	12.038	1.00	16.66
	ATOM	1199	CZ	PHE	215	60.294	8.052	12.302	1.00	17.15
55	ATOM	1200	C	PHE	215	59.854	1.906	10.341	1.00	15.97
	ATOM	1201	O	PHE	215	60.826	1.243	10.675	1.00	19.35
	ATOM	1202	N	GLY	216	58.700	1.355	9.981	1.00	16.28
	ATOM	1203	CA	GLY	216	58.505	-0.087	9.975	1.00	16.57
	ATOM	1204	C	GLY	216	59.707	-0.955	9.654	1.00	21.88
60	ATOM	1205	O	GLY	216	60.073	-1.849	10.433	1.00	19.41
	ATOM	1206	N	GLU	217	60.342	-0.672	8.521	1.00	24.90

5	ATOM	1207	CA	GLU	217	61.488	-1.439	8.085	1.00	28.00
	ATOM	1208	CB	GLU	217	61.919	-1.027	6.688	1.00	35.93
	ATOM	1209	CG	GLU	217	63.039	-1.914	6.163	1.00	51.31
	ATOM	1210	CD	GLU	217	63.279	-1.749	4.683	1.00	59.93
	ATOM	1211	OE1	GLU	217	62.298	-1.817	3.904	1.00	65.77
10	ATOM	1212	OE2	GLU	217	64.456	-1.556	4.302	1.00	68.04
	ATOM	1213	C	GLU	217	62.679	-1.407	9.025	1.00	27.28
	ATOM	1214	O	GLU	217	63.299	-2.446	9.260	1.00	31.56
	ATOM	1215	N	GLU	218	63.029	-0.229	9.535	1.00	22.80
	ATOM	1216	CA	GLU	218	64.149	-0.126	10.462	1.00	19.69
15	ATOM	1217	CB	GLU	218	64.705	1.302	10.527	1.00	19.03
	ATOM	1218	CG	GLU	218	63.743	2.371	10.982	1.00	23.93
	ATOM	1219	CD	GLU	218	64.270	3.783	10.738	1.00	31.49
	ATOM	1220	OE1	GLU	218	64.001	4.706	11.543	1.00	29.38
	ATOM	1221	OE2	GLU	218	64.949	3.977	9.718	1.00	38.81
20	ATOM	1222	C	GLU	218	63.794	-0.646	11.850	1.00	17.19
	ATOM	1223	O	GLU	218	64.669	-0.990	12.608	1.00	25.19
	ATOM	1224	N	TRP	219	62.514	-0.735	12.168	1.00	13.68
	ATOM	1225	CA	TRP	219	62.078	-1.230	13.452	1.00	11.22
	ATOM	1226	CB	TRP	219	60.638	-0.816	13.740	1.00	15.63
25	ATOM	1227	CG	TRP	219	60.475	0.563	14.192	1.00	19.27
	ATOM	1228	CD2	TRP	219	59.249	1.297	14.263	1.00	17.84
	ATOM	1229	CE2	TRP	219	59.555	2.568	14.791	1.00	16.01
	ATOM	1230	CE3	TRP	219	57.918	1.000	13.924	1.00	22.82
	ATOM	1231	CD1	TRP	219	61.450	1.395	14.658	1.00	20.82
30	ATOM	1232	NE1	TRP	219	60.903	2.600	15.021	1.00	21.26
	ATOM	1233	CZ2	TRP	219	58.589	3.547	14.992	1.00	17.84
	ATOM	1234	CZ3	TRP	219	56.945	1.982	14.121	1.00	20.61
	ATOM	1235	CH2	TRP	219	57.289	3.238	14.651	1.00	24.23
	ATOM	1236	C	TRP	219	62.093	-2.729	13.468	1.00	12.69
35	ATOM	1237	O	TRP	219	61.905	-3.326	14.498	1.00	20.36
	ATOM	1238	N	GLY	220	62.215	-3.370	12.331	1.00	14.83
	ATOM	1239	CA	GLY	220	62.209	-4.816	12.384	1.00	15.91
	ATOM	1240	C	GLY	220	60.923	-5.447	11.862	1.00	19.27
	ATOM	1241	O	GLY	220	60.858	-6.662	11.767	1.00	23.97
40	ATOM	1242	N	TYR	221	59.884	-4.679	11.563	1.00	13.12
	ATOM	1243	CA	TYR	221	58.684	-5.297	11.010	1.00	15.79
	ATOM	1244	CB	TYR	221	57.579	-4.281	10.897	1.00	14.40
	ATOM	1245	CG	TYR	221	56.915	-3.953	12.186	1.00	13.85
	ATOM	1246	CD1	TYR	221	56.823	-2.645	12.607	1.00	15.85
45	ATOM	1247	CE1	TYR	221	56.110	-2.315	13.725	1.00	17.59
	ATOM	1248	CD2	TYR	221	56.283	-4.941	12.939	1.00	13.29
	ATOM	1249	CE2	TYR	221	55.564	-4.623	14.063	1.00	14.03
	ATOM	1250	CZ	TYR	221	55.489	-3.301	14.443	1.00	16.10
	ATOM	1251	OH	TYR	221	54.791	-2.942	15.554	1.00	26.08
50	ATOM	1252	C	TYR	221	58.972	-5.817	9.595	1.00	20.08
	ATOM	1253	O	TYR	221	59.828	-5.291	8.905	1.00	25.54
	ATOM	1254	N	SER	222	58.253	-6.832	9.140	1.00	22.90
	ATOM	1255	CA	SER	222	58.481	-7.354	7.790	1.00	25.01
	ATOM	1256	CB	SER	222	58.412	-8.881	7.807	1.00	25.19
55	ATOM	1257	OG	SER	222	57.154	-9.300	8.332	1.00	30.91
	ATOM	1258	C	SER	222	57.437	-6.787	6.818	1.00	23.30
	ATOM	1259	O	SER	222	56.534	-6.062	7.241	1.00	24.16
	ATOM	1260	N	SER	223	57.542	-7.159	5.539	1.00	24.20
	ATOM	1261	CA	SER	223	56.613	-6.705	4.486	1.00	22.69
60	ATOM	1262	CB	SER	223	56.827	-7.473	3.162	1.00	25.01
	ATOM	1263	OG	SER	223	57.699	-6.777	2.293	1.00	30.78
	ATOM	1264	C	SER	223	55.178	-6.882	4.910	1.00	18.96
	ATOM	1265	O	SER	223	54.408	-5.924	4.904	1.00	24.83
	ATOM	1266	N	GLU	224	54.849	-8.100	5.331	1.00	14.34

5	ATOM	1267	CA	GLU	224	53.510	-8.430	5.768	1.00	14.70
	ATOM	1268	CB	GLU	224	53.452	-9.881	6.241	1.00	11.94
	ATOM	1269	CG	GLU	224	53.594	-10.917	5.139	1.00	6.62
	ATOM	1270	CD	GLU	224	55.008	-11.084	4.574	1.00	11.92
	ATOM	1271	OE1	GLU	224	56.032	-10.939	5.277	1.00	17.07
10	ATOM	1272	OE2	GLU	224	55.100	-11.431	3.392	1.00	19.14
	ATOM	1273	C	GLU	224	53.020	-7.494	6.860	1.00	16.93
	ATOM	1274	O	GLU	224	51.982	-6.859	6.719	1.00	23.58
	ATOM	1275	N	ASP	225	53.794	-7.368	7.928	1.00	21.13
	ATOM	1276	CA	ASP	225	53.423	-6.518	9.037	1.00	14.44
15	ATOM	1277	CB	ASP	225	54.554	-6.451	10.050	1.00	20.30
	ATOM	1278	CG	ASP	225	54.686	-7.712	10.863	1.00	22.22
	ATOM	1279	OD1	ASP	225	53.700	-8.071	11.531	1.00	22.32
	ATOM	1280	OD2	ASP	225	55.782	-8.315	10.861	1.00	18.56
	ATOM	1281	C	ASP	225	53.156	-5.127	8.534	1.00	19.11
20	ATOM	1282	O	ASP	225	52.081	-4.583	8.761	1.00	22.45
	ATOM	1283	N	VAL	226	54.130	-4.547	7.843	1.00	17.57
	ATOM	1284	CA	VAL	226	53.972	-3.206	7.332	1.00	18.36
	ATOM	1285	CB	VAL	226	55.266	-2.702	6.681	1.00	17.30
	ATOM	1286	CG1	VAL	226	55.029	-1.374	6.029	1.00	16.11
25	ATOM	1287	CG2	VAL	226	56.345	-2.540	7.739	1.00	16.32
	ATOM	1288	C	VAL	226	52.762	-3.050	6.392	1.00	20.92
	ATOM	1289	O	VAL	226	52.072	-2.031	6.467	1.00	24.32
	ATOM	1290	N	ALA	227	52.472	-4.051	5.551	1.00	19.82
	ATOM	1291	CA	ALA	227	51.314	-3.986	4.634	1.00	19.35
30	ATOM	1292	CB	ALA	227	51.397	-5.063	3.574	1.00	15.70
	ATOM	1293	C	ALA	227	49.962	-4.081	5.380	1.00	19.98
	ATOM	1294	O	ALA	227	48.943	-3.530	4.945	1.00	21.24
	ATOM	1295	N	GLU	228	49.947	-4.797	6.493	1.00	16.52
	ATOM	1296	CA	GLU	228	48.735	-4.905	7.275	1.00	15.88
35	ATOM	1297	CB	GLU	228	48.932	-5.920	8.395	1.00	18.82
	ATOM	1298	CG	GLU	228	48.725	-7.341	7.906	1.00	23.82
	ATOM	1299	CD	GLU	228	49.723	-8.330	8.473	1.00	28.53
	ATOM	1300	OE1	GLU	228	50.241	-9.159	7.694	1.00	30.67
	ATOM	1301	OE2	GLU	228	49.979	-8.296	9.692	1.00	32.83
40	ATOM	1302	C	GLU	228	48.381	-3.535	7.812	1.00	12.58
	ATOM	1303	O	GLU	228	47.222	-3.150	7.817	1.00	15.95
	ATOM	1304	N	PHE	229	49.398	-2.785	8.222	1.00	13.17
	ATOM	1305	CA	PHE	229	49.207	-1.438	8.730	1.00	13.77
	ATOM	1306	CB	PHE	229	50.512	-0.911	9.340	1.00	13.96
45	ATOM	1307	CG	PHE	229	50.856	-1.526	10.682	1.00	12.34
	ATOM	1308	CD1	PHE	229	52.140	-2.010	10.944	1.00	12.39
	ATOM	1309	CD2	PHE	229	49.890	-1.636	11.686	1.00	12.04
	ATOM	1310	CE1	PHE	229	52.454	-2.597	12.171	1.00	8.60
	ATOM	1311	CE2	PHE	229	50.207	-2.224	12.928	1.00	9.34
50	ATOM	1312	CZ	PHE	229	51.479	-2.701	13.164	1.00	6.27
	ATOM	1313	C	PHE	229	48.698	-0.501	7.623	1.00	16.58
	ATOM	1314	O	PHE	229	47.732	0.240	7.829	1.00	17.11
	ATOM	1315	N	TYR	230	49.321	-0.545	6.443	1.00	17.83
	ATOM	1316	CA	TYR	230	48.889	0.306	5.308	1.00	18.63
55	ATOM	1317	CB	TYR	230	49.775	0.095	4.085	1.00	17.05
	ATOM	1318	CG	TYR	230	49.660	1.160	3.027	1.00	19.90
	ATOM	1319	CD1	TYR	230	50.175	2.435	3.245	1.00	20.56
	ATOM	1320	CE1	TYR	230	50.141	3.410	2.266	1.00	17.60
	ATOM	1321	CD2	TYR	230	49.092	0.887	1.786	1.00	20.54
60	ATOM	1322	CE2	TYR	230	49.048	1.858	0.798	1.00	21.92
	ATOM	1323	CZ	TYR	230	49.583	3.121	1.047	1.00	24.08
	ATOM	1324	OH	TYR	230	49.569	4.100	0.079	1.00	22.12
	ATOM	1325	C	TYR	230	47.452	-0.014	4.941	1.00	14.05
	ATOM	1326	O	TYR	230	46.630	0.873	4.867	1.00	18.48

	ATOM	1327	N	HIS	231	47.152	-1.288	4.724	1.00	15.20
	ATOM	1328	CA	HIS	231	45.789	-1.698	4.408	1.00	16.34
	ATOM	1329	CB	HIS	231	45.657	-3.218	4.400	1.00	19.85
5	ATOM	1330	CG	HIS	231	46.101	-3.869	3.126	1.00	27.74
	ATOM	1331	CD2	HIS	231	47.267	-3.787	2.433	1.00	30.71
	ATOM	1332	ND1	HIS	231	45.308	-4.754	2.423	1.00	28.38
	ATOM	1333	CE1	HIS	231	45.963	-5.185	1.361	1.00	29.98
	ATOM	1334	NE2	HIS	231	47.155	-4.612	1.343	1.00	22.31
10	ATOM	1335	C	HIS	231	44.846	-1.125	5.466	1.00	18.40
	ATOM	1336	O	HIS	231	43.840	-0.507	5.141	1.00	27.16
	ATOM	1337	N	ARG	232	45.192	-1.281	6.735	1.00	18.07
	ATOM	1338	CA	ARG	232	44.354	-0.766	7.806	1.00	15.74
	ATOM	1339	CB	ARG	232	44.940	-1.137	9.171	1.00	22.99
15	ATOM	1340	CG	ARG	232	44.049	-0.764	10.379	1.00	22.30
	ATOM	1341	CD	ARG	232	44.601	-1.380	11.641	1.00	25.70
	ATOM	1342	NE	ARG	232	44.646	-2.838	11.520	1.00	33.18
	ATOM	1343	CZ	ARG	232	45.690	-3.613	11.826	1.00	33.26
	ATOM	1344	NH1	ARG	232	46.835	-3.093	12.292	1.00	22.03
20	ATOM	1345	NH2	ARG	232	45.572	-4.932	11.658	1.00	35.05
	ATOM	1346	C	ARG	232	44.202	0.738	7.727	1.00	17.28
	ATOM	1347	O	ARG	232	43.099	1.246	7.931	1.00	15.75
	ATOM	1348	N	GLN	233	45.300	1.448	7.431	1.00	16.95
	ATOM	1349	CA	GLN	233	45.272	2.903	7.343	1.00	10.93
25	ATOM	1350	CB	GLN	233	46.656	3.455	7.062	1.00	12.92
	ATOM	1351	CG	GLN	233	46.688	4.957	6.820	1.00	7.74
	ATOM	1352	CD	GLN	233	48.094	5.498	6.787	1.00	9.89
	ATOM	1353	OE1	GLN	233	49.047	4.762	6.991	1.00	7.65
	ATOM	1354	NE2	GLN	233	48.227	6.795	6.603	1.00	10.54
30	ATOM	1355	C	GLN	233	44.310	3.360	6.264	1.00	15.42
	ATOM	1356	O	GLN	233	43.520	4.295	6.480	1.00	17.48
	ATOM	1357	N	LEU	234	44.360	2.707	5.104	1.00	11.75
	ATOM	1358	CA	LEU	234	43.467	3.080	4.018	1.00	11.38
	ATOM	1359	CB	LEU	234	43.788	2.276	2.753	1.00	15.07
35	ATOM	1360	CG	LEU	234	45.197	2.340	2.165	1.00	16.15
	ATOM	1361	CD1	LEU	234	45.214	1.734	0.753	1.00	16.02
	ATOM	1362	CD2	LEU	234	45.639	3.778	2.121	1.00	15.26
	ATOM	1363	C	LEU	234	42.003	2.849	4.420	1.00	12.48
	ATOM	1364	O	LEU	234	41.157	3.716	4.243	1.00	19.53
40	ATOM	1365	N	LYS	235	41.727	1.681	4.982	1.00	13.76
	ATOM	1366	CA	LYS	235	40.396	1.277	5.413	1.00	15.08
	ATOM	1367	CB	LYS	235	40.483	-0.131	5.970	1.00	20.96
	ATOM	1368	CG	LYS	235	39.259	-0.982	5.768	1.00	30.47
	ATOM	1369	CD	LYS	235	39.452	-2.367	6.394	1.00	40.95
45	ATOM	1370	CE	LYS	235	40.776	-3.043	5.947	1.00	49.89
	ATOM	1371	NZ	LYS	235	41.705	-3.351	7.117	1.00	50.92
	ATOM	1372	C	LYS	235	39.802	2.186	6.470	1.00	18.56
	ATOM	1373	O	LYS	235	38.613	2.442	6.462	1.00	22.95
	ATOM	1374	N	LEU	236	40.619	2.649	7.410	1.00	21.51
50	ATOM	1375	CA	LEU	236	40.134	3.538	8.462	1.00	14.99
	ATOM	1376	CB	LEU	236	41.000	3.415	9.708	1.00	19.28
	ATOM	1377	CG	LEU	236	40.947	1.987	10.248	1.00	17.90
	ATOM	1378	CD1	LEU	236	41.728	1.889	11.495	1.00	22.07
	ATOM	1379	CD2	LEU	236	39.531	1.624	10.530	1.00	21.26
55	ATOM	1380	C	LEU	236	40.028	4.981	8.019	1.00	17.01
	ATOM	1381	O	LEU	236	39.148	5.701	8.477	1.00	20.51
	ATOM	1382	N	THR	237	40.907	5.427	7.129	1.00	16.17
	ATOM	1383	CA	THR	237	40.808	6.803	6.642	1.00	15.50
	ATOM	1384	CB	THR	237	41.824	7.070	5.543	1.00	15.39
60	ATOM	1385	OG1	THR	237	43.144	6.962	6.077	1.00	17.24
	ATOM	1386	CG2	THR	237	41.627	8.446	4.968	1.00	16.40

	ATOM	1387	C	THR	237	39.414	6.972	6.028	1.00	20.09
	ATOM	1388	O	THR	237	38.776	8.002	6.162	1.00	20.01
	ATOM	1389	N	GLN	238	38.960	5.933	5.343	1.00	23.44
5	ATOM	1390	CA	GLN	238	37.670	5.948	4.714	1.00	24.58
	ATOM	1391	CB	GLN	238	37.559	4.775	3.738	1.00	24.07
	ATOM	1392	CG	GLN	238	36.197	4.628	3.068	1.00	28.51
	ATOM	1393	CD	GLN	238	35.322	3.583	3.724	1.00	31.81
	ATOM	1394	OE1	GLN	238	34.185	3.857	4.136	1.00	34.84
10	ATOM	1395	NE2	GLN	238	35.840	2.367	3.816	1.00	34.59
	ATOM	1396	C	GLN	238	36.614	5.861	5.801	1.00	26.68
	ATOM	1397	O	GLN	238	35.709	6.685	5.855	1.00	28.24
	ATOM	1398	N	GLN	239	36.750	4.889	6.693	1.00	28.41
	ATOM	1399	CA	GLN	239	35.777	4.718	7.768	1.00	26.98
15	ATOM	1400	CB	GLN	239	36.138	3.536	8.644	1.00	34.27
	ATOM	1401	CG	GLN	239	35.788	2.203	8.062	1.00	42.96
	ATOM	1402	CD	GLN	239	35.792	1.116	9.118	1.00	51.22
	ATOM	1403	OE1	GLN	239	35.586	1.383	10.318	1.00	51.30
	ATOM	1404	NE2	GLN	239	36.012	-0.118	8.685	1.00	54.93
20	ATOM	1405	C	GLN	239	35.585	5.933	8.644	1.00	22.08
	ATOM	1406	O	GLN	239	34.460	6.397	8.793	1.00	24.27
	ATOM	1407	N	TYR	240	36.669	6.420	9.257	1.00	22.64
	ATOM	1408	CA	TYR	240	36.626	7.607	10.139	1.00	20.71
	ATOM	1409	CB	TYR	240	38.010	7.923	10.729	1.00	16.77
25	ATOM	1410	CG	TYR	240	38.618	6.840	11.637	1.00	17.42
	ATOM	1411	CD1	TYR	240	37.821	6.001	12.432	1.00	17.36
	ATOM	1412	CE1	TYR	240	38.400	5.024	13.262	1.00	17.77
	ATOM	1413	CD2	TYR	240	40.004	6.667	11.703	1.00	19.31
	ATOM	1414	CE2	TYR	240	40.585	5.698	12.525	1.00	19.41
30	ATOM	1415	CZ	TYR	240	39.781	4.881	13.295	1.00	19.35
	ATOM	1416	OH	TYR	240	40.373	3.879	14.031	1.00	19.37
	ATOM	1417	C	TYR	240	36.038	8.858	9.463	1.00	19.71
	ATOM	1418	O	TYR	240	35.248	9.588	10.077	1.00	18.91
	ATOM	1419	N	THR	241	36.422	9.082	8.205	1.00	20.29
35	ATOM	1420	CA	THR	241	35.938	10.195	7.397	1.00	16.59
	ATOM	1421	CB	THR	241	36.619	10.194	5.995	1.00	21.67
	ATOM	1422	OG1	THR	241	38.003	10.546	6.133	1.00	19.88
	ATOM	1423	CG2	THR	241	35.923	11.168	4.990	1.00	20.34
	ATOM	1424	C	THR	241	34.427	10.065	7.222	1.00	16.73
40	ATOM	1425	O	THR	241	33.672	10.988	7.536	1.00	20.54
	ATOM	1426	N	ASP	242	33.982	8.916	6.734	1.00	17.09
	ATOM	1427	CA	ASP	242	32.563	8.690	6.533	1.00	21.69
	ATOM	1428	CB	ASP	242	32.299	7.300	5.954	1.00	21.39
	ATOM	1429	CG	ASP	242	32.603	7.197	4.465	1.00	20.65
45	ATOM	1430	OD1	ASP	242	32.855	8.232	3.813	1.00	18.80
	ATOM	1431	OD2	ASP	242	32.575	6.058	3.951	1.00	19.59
	ATOM	1432	C	ASP	242	31.790	8.839	7.847	1.00	25.51
	ATOM	1433	O	ASP	242	30.699	9.423	7.855	1.00	28.83
	ATOM	1434	N	HIS	243	32.344	8.354	8.961	1.00	21.95
50	ATOM	1435	CA	HIS	243	31.615	8.463	10.220	1.00	18.92
	ATOM	1436	CB	HIS	243	32.309	7.708	11.352	1.00	17.61
	ATOM	1437	CG	HIS	243	31.690	7.935	12.700	1.00	12.62
	ATOM	1438	CD2	HIS	243	31.795	8.970	13.562	1.00	14.95
	ATOM	1439	ND1	HIS	243	30.935	6.981	13.349	1.00	16.29
55	ATOM	1440	CE1	HIS	243	30.620	7.411	14.557	1.00	9.95
	ATOM	1441	NE2	HIS	243	31.130	8.616	14.709	1.00	16.91
	ATOM	1442	C	HIS	243	31.383	9.904	10.628	1.00	21.10
	ATOM	1443	O	HIS	243	30.301	10.249	11.070	1.00	25.20
	ATOM	1444	N	CYS	244	32.413	10.734	10.539	1.00	20.17
60	ATOM	1445	CA	CYS	244	32.271	12.128	10.916	1.00	20.48
	ATOM	1446	CB	CYS	244	33.624	12.819	10.883	1.00	18.34

	ATOM	1447	SG	CYS	244	34.760	12.105	12.050	1.00	16.47
	ATOM	1448	C	CYS	244	31.269	12.890	10.058	1.00	21.21
	ATOM	1449	O	CYS	244	30.462	13.654	10.576	1.00	22.28
5	ATOM	1450	N	VAL	245	31.312	12.683	8.746	1.00	22.25
	ATOM	1451	CA	VAL	245	30.395	13.376	7.841	1.00	22.33
	ATOM	1452	CB	VAL	245	30.781	13.140	6.359	1.00	19.36
	ATOM	1453	CG1	VAL	245	29.816	13.827	5.446	1.00	21.10
	ATOM	1454	CG2	VAL	245	32.171	13.691	6.093	1.00	17.45
	ATOM	1455	C	VAL	245	28.957	12.942	8.118	1.00	21.40
10	ATOM	1456	O	VAL	245	28.055	13.770	8.214	1.00	22.33
	ATOM	1457	N	ASN	246	28.780	11.651	8.348	1.00	21.90
	ATOM	1458	CA	ASN	246	27.477	11.063	8.620	1.00	23.19
	ATOM	1459	CB	ASN	246	27.639	9.557	8.771	1.00	34.68
	ATOM	1460	CG	ASN	246	26.366	8.855	9.237	1.00	44.33
15	ATOM	1461	OD1	ASN	246	25.741	9.220	10.248	1.00	48.73
	ATOM	1462	ND2	ASN	246	26.015	7.790	8.530	1.00	50.65
	ATOM	1463	C	ASN	246	26.790	11.631	9.854	1.00	22.82
	ATOM	1464	O	ASN	246	25.626	12.038	9.797	1.00	24.79
	ATOM	1465	N	TRP	247	27.487	11.615	10.981	1.00	20.19
20	ATOM	1466	CA	TRP	247	26.906	12.120	12.208	1.00	18.58
	ATOM	1467	CB	TRP	247	27.694	11.620	13.418	1.00	17.89
	ATOM	1468	CG	TRP	247	27.467	10.185	13.549	1.00	21.14
	ATOM	1469	CD2	TRP	247	26.199	9.532	13.782	1.00	22.32
	ATOM	1470	CE2	TRP	247	26.388	8.158	13.537	1.00	22.60
25	ATOM	1471	CE3	TRP	247	24.920	9.982	14.167	1.00	22.25
	ATOM	1472	CD1	TRP	247	28.337	9.210	13.222	1.00	23.88
	ATOM	1473	NE1	TRP	247	27.701	7.991	13.194	1.00	25.03
	ATOM	1474	CZ2	TRP	247	25.348	7.214	13.659	1.00	22.59
	ATOM	1475	CZ3	TRP	247	23.883	9.045	14.289	1.00	15.92
30	ATOM	1476	CH2	TRP	247	24.107	7.679	14.036	1.00	21.52
	ATOM	1477	C	TRP	247	26.734	13.619	12.203	1.00	21.26
	ATOM	1478	O	TRP	247	25.872	14.151	12.888	1.00	23.07
	ATOM	1479	N	TYR	248	27.530	14.291	11.385	1.00	22.21
	ATOM	1480	CA	TYR	248	27.469	15.733	11.270	1.00	19.44
35	ATOM	1481	CB	TYR	248	28.634	16.262	10.397	1.00	22.06
	ATOM	1482	CG	TYR	248	28.500	17.715	9.992	1.00	15.39
	ATOM	1483	CD1	TYR	248	28.656	18.733	10.924	1.00	18.30
	ATOM	1484	CE1	TYR	248	28.429	20.049	10.589	1.00	19.55
	ATOM	1485	CD2	TYR	248	28.120	18.059	8.700	1.00	17.91
40	ATOM	1486	CE2	TYR	248	27.883	19.376	8.354	1.00	15.27
	ATOM	1487	CZ	TYR	248	28.037	20.369	9.299	1.00	17.78
	ATOM	1488	OH	TYR	248	27.793	21.684	8.965	1.00	25.83
	ATOM	1489	C	TYR	248	26.158	16.041	10.611	1.00	20.61
	ATOM	1490	O	TYR	248	25.378	16.842	11.111	1.00	22.05
45	ATOM	1491	N	ASN	249	25.892	15.369	9.500	1.00	23.02
	ATOM	1492	CA	ASN	249	24.664	15.626	8.778	1.00	23.67
	ATOM	1493	CB	ASN	249	24.597	14.835	7.483	1.00	21.11
	ATOM	1494	CG	ASN	249	25.513	15.393	6.422	1.00	22.16
	ATOM	1495	OD1	ASN	249	25.870	16.560	6.461	1.00	29.65
50	ATOM	1496	ND2	ASN	249	25.918	14.556	5.478	1.00	23.60
	ATOM	1497	C	ASN	249	23.490	15.315	9.655	1.00	25.98
	ATOM	1498	O	ASN	249	22.552	16.119	9.737	1.00	28.81
	ATOM	1499	N	VAL	250	23.581	14.197	10.378	1.00	25.43
	ATOM	1500	CA	VAL	250	22.507	13.792	11.270	1.00	23.20
55	ATOM	1501	CB	VAL	250	22.777	12.430	11.913	1.00	22.17
	ATOM	1502	CG1	VAL	250	21.826	12.188	13.069	1.00	17.43
	ATOM	1503	CG2	VAL	250	22.594	11.343	10.894	1.00	18.80
	ATOM	1504	C	VAL	250	22.247	14.833	12.345	1.00	25.76
	ATOM	1505	O	VAL	250	21.101	15.166	12.599	1.00	34.35
60	ATOM	1506	N	GLY	251	23.292	15.373	12.955	1.00	24.96

	ATOM	1507	CA	GLY	251	23.092	16.373	13.986	1.00	23.97
	ATOM	1508	C	GLY	251	22.657	17.701	13.402	1.00	28.06
	ATOM	1509	O	GLY	251	21.793	18.396	13.947	1.00	31.01
5	ATOM	1510	N	LEU	252	23.273	18.070	12.290	1.00	29.10
	ATOM	1511	CA	LEU	252	22.957	19.321	11.628	1.00	28.66
	ATOM	1512	CB	LEU	252	23.704	19.424	10.309	1.00	23.77
	ATOM	1513	CG	LEU	252	23.320	20.699	9.575	1.00	22.56
	ATOM	1514	CD1	LEU	252	23.869	21.892	10.323	1.00	26.59
10	ATOM	1515	CD2	LEU	252	23.816	20.672	8.152	1.00	24.48
	ATOM	1516	C	LEU	252	21.474	19.391	11.342	1.00	30.41
	ATOM	1517	O	LEU	252	20.801	20.344	11.716	1.00	32.91
	ATOM	1518	N	ASN	253	20.966	18.347	10.711	1.00	30.60
	ATOM	1519	CA	ASN	253	19.569	18.295	10.351	1.00	33.65
15	ATOM	1520	CB	ASN	253	19.316	17.160	9.372	1.00	35.63
	ATOM	1521	CG	ASN	253	19.862	17.463	7.994	1.00	42.54
	ATOM	1522	OD1	ASN	253	20.855	18.186	7.835	1.00	42.40
	ATOM	1523	ND2	ASN	253	19.203	16.930	6.981	1.00	50.55
	ATOM	1524	C	ASN	253	18.599	18.235	11.507	1.00	33.58
20	ATOM	1525	O	ASN	253	17.414	18.515	11.336	1.00	37.79
	ATOM	1526	N	GLY	254	19.085	17.900	12.693	1.00	31.74
	ATOM	1527	CA	GLY	254	18.189	17.842	13.839	1.00	29.82
	ATOM	1528	C	GLY	254	17.844	19.241	14.310	1.00	29.07
	ATOM	1529	O	GLY	254	16.876	19.454	15.024	1.00	29.77
25	ATOM	1530	N	LEU	255	18.645	20.208	13.885	1.00	28.00
	ATOM	1531	CA	LEU	255	18.448	21.586	14.269	1.00	26.04
	ATOM	1532	CB	LEU	255	19.804	22.200	14.577	1.00	22.14
	ATOM	1533	CG	LEU	255	20.563	21.304	15.563	1.00	27.96
	ATOM	1534	CD1	LEU	255	22.068	21.563	15.626	1.00	26.56
30	ATOM	1535	CD2	LEU	255	19.938	21.483	16.905	1.00	27.86
	ATOM	1536	C	LEU	255	17.687	22.391	13.209	1.00	30.33
	ATOM	1537	O	LEU	255	17.556	23.608	13.330	1.00	35.36
	ATOM	1538	N	ARG	256	17.187	21.726	12.169	1.00	31.16
	ATOM	1539	CA	ARG	256	16.436	22.438	11.145	1.00	32.82
35	ATOM	1540	CB	ARG	256	16.244	21.610	9.865	1.00	31.47
	ATOM	1541	CG	ARG	256	17.508	21.568	9.000	1.00	35.00
	ATOM	1542	CD	ARG	256	17.291	21.321	7.501	1.00	30.02
	ATOM	1543	NE	ARG	256	18.344	22.019	6.759	1.00	34.65
	ATOM	1544	CZ	ARG	256	19.515	21.489	6.394	1.00	40.31
40	ATOM	1545	NH1	ARG	256	20.404	22.236	5.758	1.00	47.05
	ATOM	1546	NH2	ARG	256	19.788	20.205	6.587	1.00	44.05
	ATOM	1547	C	ARG	256	15.106	22.738	11.775	1.00	36.39
	ATOM	1548	O	ARG	256	14.455	21.844	12.325	1.00	39.88
	ATOM	1549	N	GLY	257	14.772	24.020	11.792	1.00	37.32
45	ATOM	1550	CA	GLY	257	13.522	24.492	12.359	1.00	37.66
	ATOM	1551	C	GLY	257	13.120	25.647	11.475	1.00	39.38
	ATOM	1552	O	GLY	257	13.795	25.892	10.466	1.00	45.14
	ATOM	1553	N	SER	258	12.069	26.377	11.830	1.00	39.54
	ATOM	1554	CA	SER	258	11.625	27.496	10.989	1.00	40.17
50	ATOM	1555	CB	SER	258	10.131	27.380	10.721	1.00	39.14
	ATOM	1556	OG	SER	258	9.461	27.094	11.930	1.00	43.54
	ATOM	1557	C	SER	258	11.921	28.885	11.518	1.00	37.11
	ATOM	1558	O	SER	258	11.872	29.862	10.779	1.00	35.66
	ATOM	1559	N	THR	259	12.259	28.957	12.790	1.00	37.79
55	ATOM	1560	CA	THR	259	12.518	30.215	13.455	1.00	41.44
	ATOM	1561	CB	THR	259	12.301	30.043	14.951	1.00	45.91
	ATOM	1562	OG1	THR	259	11.504	28.874	15.180	1.00	55.55
	ATOM	1563	CG2	THR	259	11.600	31.273	15.530	1.00	55.48
	ATOM	1564	C	THR	259	13.899	30.826	13.285	1.00	38.35
	ATOM	1565	O	THR	259	14.813	30.213	12.739	1.00	41.82
60	ATOM	1566	N	TYR	260	14.020	32.057	13.771	1.00	35.05

	ATOM	1567	CA	TYR	260	15.269	32.786	13.777	1.00	31.66
	ATOM	1568	CB	TYR	260	15.049	34.194	14.305	1.00	26.91
	ATOM	1569	CG	TYR	260	16.340	34.934	14.460	1.00	26.27
5	ATOM	1570	CD1	TYR	260	16.998	35.438	13.349	1.00	28.25
	ATOM	1571	CE1	TYR	260	18.205	36.077	13.463	1.00	26.96
	ATOM	1572	CD2	TYR	260	16.933	35.097	15.702	1.00	28.45
	ATOM	1573	CE2	TYR	260	18.152	35.740	15.828	1.00	26.78
	ATOM	1574	CZ	TYR	260	18.770	36.224	14.696	1.00	27.71
10	ATOM	1575	OH	TYR	260	19.957	36.878	14.774	1.00	36.80
	ATOM	1576	C	TYR	260	16.160	32.065	14.773	1.00	34.78
	ATOM	1577	O	TYR	260	17.357	31.917	14.557	1.00	37.21
	ATOM	1578	N	ASP	261	15.566	31.656	15.891	1.00	37.42
	ATOM	1579	CA	ASP	261	16.295	30.961	16.942	1.00	40.44
15	ATOM	1580	CB	ASP	261	15.413	30.745	18.165	1.00	46.19
	ATOM	1581	CG	ASP	261	16.204	30.322	19.386	1.00	52.07
	ATOM	1582	OD1	ASP	261	17.336	30.836	19.573	1.00	55.53
	ATOM	1583	OD2	ASP	261	15.692	29.482	20.159	1.00	54.28
	ATOM	1584	C	ASP	261	16.734	29.626	16.411	1.00	40.15
20	ATOM	1585	O	ASP	261	17.863	29.195	16.644	1.00	40.37
	ATOM	1586	N	ALA	262	15.823	28.974	15.697	1.00	40.43
	ATOM	1587	CA	ALA	262	16.113	27.679	15.104	1.00	39.06
	ATOM	1588	CB	ALA	262	14.936	27.183	14.297	1.00	36.99
	ATOM	1589	C	ALA	262	17.324	27.863	14.209	1.00	38.56
25	ATOM	1590	O	ALA	262	18.222	27.031	14.213	1.00	42.67
	ATOM	1591	N	TRP	263	17.372	28.972	13.475	1.00	34.48
	ATOM	1592	CA	TRP	263	18.501	29.200	12.612	1.00	30.51
	ATOM	1593	CB	TRP	263	18.254	30.341	11.647	1.00	29.10
	ATOM	1594	CG	TRP	263	19.279	30.344	10.580	1.00	27.55
30	ATOM	1595	CD2	TRP	263	20.493	31.087	10.566	1.00	26.16
	ATOM	1596	CE2	TRP	263	21.195	30.722	9.389	1.00	27.70
	ATOM	1597	CE3	TRP	263	21.063	32.022	11.434	1.00	25.40
	ATOM	1598	CD1	TRP	263	19.281	29.586	9.447	1.00	30.08
	ATOM	1599	NE1	TRP	263	20.429	29.803	8.727	1.00	25.78
35	ATOM	1600	CZ2	TRP	263	22.441	31.264	9.050	1.00	26.88
	ATOM	1601	CZ3	TRP	263	22.307	32.565	11.105	1.00	32.51
	ATOM	1602	CH2	TRP	263	22.986	32.178	9.912	1.00	33.60
	ATOM	1603	C	TRP	263	19.800	29.438	13.373	1.00	31.82
	ATOM	1604	O	TRP	263	20.761	28.703	13.176	1.00	33.27
40	ATOM	1605	N	VAL	264	19.838	30.415	14.269	1.00	29.96
	ATOM	1606	CA	VAL	264	21.088	30.704	14.981	1.00	33.08
	ATOM	1607	CB	VAL	264	20.955	31.885	15.992	1.00	35.92
	ATOM	1608	CG1	VAL	264	20.488	33.142	15.272	1.00	35.34
	ATOM	1609	CG2	VAL	264	19.991	31.534	17.130	1.00	40.92
45	ATOM	1610	C	VAL	264	21.726	29.488	15.651	1.00	33.22
	ATOM	1611	O	VAL	264	22.948	29.417	15.762	1.00	33.90
	ATOM	1612	N	LYS	265	20.907	28.521	16.059	1.00	33.23
	ATOM	1613	CA	LYS	265	21.414	27.303	16.697	1.00	34.85
	ATOM	1614	CB	LYS	265	20.343	26.643	17.564	1.00	37.37
50	ATOM	1615	CG	LYS	265	20.023	27.416	18.819	1.00	44.29
	ATOM	1616	CD	LYS	265	19.068	26.626	19.676	1.00	55.75
	ATOM	1617	CE	LYS	265	18.503	27.475	20.813	1.00	63.56
	ATOM	1618	NZ	LYS	265	17.404	26.772	21.560	1.00	68.84
	ATOM	1619	C	LYS	265	21.912	26.317	15.652	1.00	32.74
55	ATOM	1620	O	LYS	265	22.906	25.631	15.855	1.00	31.29
	ATOM	1621	N	PHE	266	21.189	26.259	14.545	1.00	30.50
	ATOM	1622	CA	PHE	266	21.515	25.422	13.411	1.00	27.65
	ATOM	1623	CB	PHE	266	20.411	25.601	12.373	1.00	23.05
	ATOM	1624	CG	PHE	266	20.742	25.066	11.028	1.00	26.10
60	ATOM	1625	CD1	PHE	266	20.494	23.727	10.714	1.00	23.77
	ATOM	1626	CD2	PHE	266	21.253	25.915	10.036	1.00	27.75

5	ATOM	1627	CE1	PHE	266	20.746	23.235	9.426	1.00	20.79
	ATOM	1628	CE2	PHE	266	21.506	25.434	9.748	1.00	25.12
	ATOM	1629	CZ	PHE	266	21.247	24.079	9.447	1.00	20.14
	ATOM	1630	C	PHE	266	22.868	25.865	12.843	1.00	28.95
	ATOM	1631	O	PHE	266	23.705	25.034	12.494	1.00	33.21
10	ATOM	1632	N	ASN	267	23.080	27.177	12.769	1.00	27.02
	ATOM	1633	CA	ASN	267	24.323	27.716	12.244	1.00	26.43
	ATOM	1634	CB	ASN	267	24.175	29.175	11.812	1.00	25.78
	ATOM	1635	CG	ASN	267	25.484	29.752	11.261	1.00	30.92
	ATOM	1636	OD1	ASN	267	25.979	29.315	10.216	1.00	34.66
15	ATOM	1637	ND2	ASN	267	26.061	30.707	11.975	1.00	31.20
	ATOM	1638	C	ASN	267	25.497	27.609	13.197	1.00	28.55
	ATOM	1639	O	ASN	267	26.640	27.638	12.760	1.00	35.77
	ATOM	1640	N	ARG	268	25.246	27.537	14.498	1.00	30.56
	ATOM	1641	CA	ARG	268	26.345	27.433	15.452	1.00	26.63
20	ATOM	1642	CB	ARG	268	25.851	27.773	16.844	1.00	31.27
	ATOM	1643	CG	ARG	268	26.959	28.125	17.764	1.00	42.83
	ATOM	1644	CD	ARG	268	26.452	28.417	19.139	1.00	52.31
	ATOM	1645	NE	ARG	268	27.563	28.446	20.076	1.00	61.73
	ATOM	1646	CZ	ARG	268	27.510	27.929	21.295	1.00	68.05
25	ATOM	1647	NH1	ARG	268	28.574	27.980	22.086	1.00	71.21
	ATOM	1648	NH2	ARG	268	26.382	27.374	21.725	1.00	75.05
	ATOM	1649	C	ARG	268	26.955	26.028	15.407	1.00	25.08
	ATOM	1650	O	ARG	268	28.157	25.861	15.470	1.00	24.26
	ATOM	1651	N	PHE	269	26.106	25.020	15.284	1.00	21.54
30	ATOM	1652	CA	PHE	269	26.547	23.645	15.194	1.00	20.29
	ATOM	1653	CB	PHE	269	25.315	22.731	15.080	1.00	17.88
	ATOM	1654	CG	PHE	269	25.631	21.252	14.947	1.00	23.71
	ATOM	1655	CD1	PHE	269	25.620	20.419	16.063	1.00	22.41
	ATOM	1656	CD2	PHE	269	25.870	20.677	13.691	1.00	25.94
35	ATOM	1657	CE1	PHE	269	25.838	19.062	15.937	1.00	20.65
	ATOM	1658	CE2	PHE	269	26.091	19.315	13.552	1.00	17.14
	ATOM	1659	CZ	PHE	269	26.071	18.509	14.679	1.00	25.30
	ATOM	1660	C	PHE	269	27.361	23.588	13.917	1.00	22.39
	ATOM	1661	O	PHE	269	28.492	23.108	13.910	1.00	22.31
40	ATOM	1662	N	ARG	270	26.794	24.133	12.841	1.00	24.10
	ATOM	1663	CA	ARG	270	27.461	24.132	11.547	1.00	22.53
	ATOM	1664	CB	ARG	270	26.638	24.864	10.482	1.00	21.20
	ATOM	1665	CG	ARG	270	27.412	25.170	9.196	1.00	17.05
	ATOM	1666	CD	ARG	270	26.472	25.476	8.036	1.00	20.10
45	ATOM	1667	NE	ARG	270	25.772	26.749	8.190	1.00	24.43
	ATOM	1668	CZ	ARG	270	24.661	27.094	7.541	1.00	19.92
	ATOM	1669	NH1	ARG	270	24.131	28.286	7.754	1.00	16.84
	ATOM	1670	NH2	ARG	270	24.069	26.257	6.695	1.00	18.36
	ATOM	1671	C	ARG	270	28.839	24.730	11.667	1.00	21.46
50	ATOM	1672	O	ARG	270	29.810	24.131	11.230	1.00	25.30
	ATOM	1673	N	ARG	271	28.943	25.893	12.286	1.00	24.12
	ATOM	1674	CA	ARG	271	30.258	26.509	12.435	1.00	27.33
	ATOM	1675	CB	ARG	271	30.155	27.931	13.005	1.00	23.38
	ATOM	1676	CG	ARG	271	31.492	28.628	13.101	1.00	19.25
55	ATOM	1677	CD	ARG	271	31.372	30.006	13.673	1.00	15.09
	ATOM	1678	NE	ARG	271	30.776	30.008	15.006	1.00	23.57
	ATOM	1679	CZ	ARG	271	29.518	30.367	15.281	1.00	24.60
	ATOM	1680	NH1	ARG	271	28.683	30.753	14.326	1.00	23.54
	ATOM	1681	NH2	ARG	271	29.095	30.371	16.531	1.00	27.57
60	ATOM	1682	C	ARG	271	31.177	25.654	13.306	1.00	27.87
	ATOM	1683	O	ARG	271	32.185	25.115	12.827	1.00	32.35
	ATOM	1684	N	GLU	272	30.812	25.516	14.574	1.00	25.58
	ATOM	1685	CA	GLU	272	31.603	24.761	15.525	1.00	23.38
	ATOM	1686	CB	GLU	272	30.882	24.679	16.864	1.00	21.26

5	ATOM	1687	CG	GLU	272	30.754	26.023	17.597	1.00	24.09
	ATOM	1688	CD	GLU	272	30.583	25.877	19.126	1.00	28.18
	ATOM	1689	OE1	GLU	272	30.578	24.731	19.638	1.00	27.43
	ATOM	1690	OE2	GLU	272	30.475	26.912	19.926	1.00	22.15
	ATOM	1691	C	GLU	272	32.041	23.376	15.044	1.00	24.71
10	ATOM	1692	O	GLU	272	33.213	23.038	15.171	1.00	29.53
	ATOM	1693	N	MET	273	31.152	22.600	14.425	1.00	24.06
	ATOM	1694	CA	MET	273	31.550	21.267	13.963	1.00	21.72
	ATOM	1695	CB	MET	273	30.346	20.369	13.702	1.00	18.83
	ATOM	1696	CG	MET	273	29.513	20.153	14.957	1.00	25.80
15	ATOM	1697	SD	MET	273	30.469	19.573	16.380	1.00	26.36
	ATOM	1698	CE	MET	273	30.020	18.024	16.296	1.00	25.30
	ATOM	1699	C	MET	273	32.486	21.291	12.766	1.00	19.58
	ATOM	1700	O	MET	273	33.248	20.352	12.542	1.00	22.39
	ATOM	1701	N	THR	274	32.444	22.367	12.001	1.00	20.73
20	ATOM	1702	CA	THR	274	33.326	22.506	10.857	1.00	20.99
	ATOM	1703	CB	THR	274	32.921	23.696	9.929	1.00	23.08
	ATOM	1704	OG1	THR	274	31.617	23.470	9.369	1.00	16.49
	ATOM	1705	CG2	THR	274	33.934	23.835	8.788	1.00	21.44
	ATOM	1706	C	THR	274	34.730	22.765	11.395	1.00	23.86
25	ATOM	1707	O	THR	274	35.666	22.034	11.055	1.00	25.97
	ATOM	1708	N	LEU	275	34.869	23.779	12.251	1.00	21.98
	ATOM	1709	CA	LEU	275	36.175	24.142	12.813	1.00	20.62
	ATOM	1710	CB	LEU	275	36.035	25.349	13.741	1.00	17.97
	ATOM	1711	CG	LEU	275	35.412	26.626	13.158	1.00	20.11
30	ATOM	1712	CD1	LEU	275	35.130	27.603	14.269	1.00	15.23
	ATOM	1713	CD2	LEU	275	36.304	27.264	12.143	1.00	15.87
	ATOM	1714	C	LEU	275	36.845	22.996	13.584	1.00	21.58
	ATOM	1715	O	LEU	275	38.058	22.839	13.539	1.00	19.28
	ATOM	1716	N	THR	276	36.029	22.168	14.226	1.00	21.92
35	ATOM	1717	CA	THR	276	36.489	21.067	15.050	1.00	20.54
	ATOM	1718	CB	THR	276	35.589	20.941	16.302	1.00	20.03
	ATOM	1719	OG1	THR	276	35.488	22.205	16.964	1.00	27.51
	ATOM	1720	CG2	THR	276	36.174	19.971	17.264	1.00	27.26
	ATOM	1721	C	THR	276	36.545	19.692	14.413	1.00	18.29
40	ATOM	1722	O	THR	276	37.294	18.850	14.864	1.00	24.41
	ATOM	1723	N	VAL	277	35.728	19.424	13.411	1.00	18.63
	ATOM	1724	CA	VAL	277	35.738	18.103	12.819	1.00	17.30
	ATOM	1725	CB	VAL	277	34.433	17.375	13.124	1.00	18.32
	ATOM	1726	CG1	VAL	277	34.492	15.951	12.616	1.00	15.85
45	ATOM	1727	CG2	VAL	277	34.166	17.401	14.605	1.00	13.45
	ATOM	1728	C	VAL	277	35.974	18.079	11.313	1.00	24.98
	ATOM	1729	O	VAL	277	36.990	17.559	10.832	1.00	29.29
	ATOM	1730	N	LEU	278	35.027	18.619	10.558	1.00	26.28
	ATOM	1731	CA	LEU	278	35.135	18.639	9.100	1.00	23.05
50	ATOM	1732	CB	LEU	278	33.947	19.402	8.480	1.00	19.55
	ATOM	1733	CG	LEU	278	32.553	18.888	8.879	1.00	22.14
	ATOM	1734	CD1	LEU	278	31.469	19.721	8.211	1.00	21.08
	ATOM	1735	CD2	LEU	278	32.375	17.427	8.536	1.00	13.56
	ATOM	1736	C	LEU	278	36.473	19.220	8.641	1.00	20.62
55	ATOM	1737	O	LEU	278	37.100	18.691	7.731	1.00	21.36
	ATOM	1738	N	ASP	279	36.932	20.269	9.312	1.00	19.88
	ATOM	1739	CA	ASP	279	38.205	20.904	8.965	1.00	22.41
	ATOM	1740	CB	ASP	279	38.353	22.254	9.683	1.00	24.41
	ATOM	1741	CG	ASP	279	37.817	23.425	8.871	1.00	24.32
60	ATOM	1742	OD1	ASP	279	37.241	23.210	7.777	1.00	23.54
	ATOM	1743	OD2	ASP	279	38.015	24.575	9.323	1.00	23.55
	ATOM	1744	C	ASP	279	39.428	20.016	9.242	1.00	23.05
	ATOM	1745	O	ASP	279	40.492	20.198	8.657	1.00	27.31
	ATOM	1746	N	LEU	280	39.263	19.032	10.113	1.00	23.67

5	ATOM	1747	CA	LEU	280	40.345	18.116	10.453	1.00	17.95
	ATOM	1748	CB	LEU	280	40.188	17.700	11.908	1.00	12.01
	ATOM	1749	CG	LEU	280	41.302	16.835	12.494	1.00	14.79
	ATOM	1750	CD1	LEU	280	42.512	17.735	12.874	1.00	14.08
	ATOM	1751	CD2	LEU	280	40.761	16.090	13.692	1.00	2.29
10	ATOM	1752	C	LEU	280	40.324	16.879	9.531	1.00	14.80
	ATOM	1753	O	LEU	280	41.348	16.453	9.015	1.00	14.17
	ATOM	1754	N	ILE	281	39.136	16.322	9.365	1.00	12.91
	ATOM	1755	CA	ILE	281	38.832	15.173	8.533	1.00	13.11
	ATOM	1756	CB	ILE	281	37.272	15.034	8.580	1.00	16.92
15	ATOM	1757	CG2	ILE	281	36.583	15.195	7.244	1.00	12.65
	ATOM	1758	CG1	ILE	281	36.890	13.820	9.397	1.00	21.95
	ATOM	1759	CD1	ILE	281	37.394	13.892	10.805	1.00	26.87
	ATOM	1760	C	ILE	281	39.427	15.268	7.089	1.00	18.88
	ATOM	1761	O	ILE	281	39.820	14.243	6.490	1.00	15.78
20	ATOM	1762	N	VAL	282	39.530	16.494	6.555	1.00	17.36
	ATOM	1763	CA	VAL	282	40.089	16.771	5.209	1.00	14.13
	ATOM	1764	CB	VAL	282	40.002	18.262	4.876	1.00	14.53
	ATOM	1765	CG1	VAL	282	40.212	18.503	3.418	1.00	14.65
	ATOM	1766	CG2	VAL	282	38.751	18.844	5.403	1.00	18.35
25	ATOM	1767	C	VAL	282	41.598	16.479	5.106	1.00	17.65
	ATOM	1768	O	VAL	282	42.124	16.243	4.014	1.00	17.42
	ATOM	1769	N	LEU	283	42.304	16.627	6.221	1.00	18.73
	ATOM	1770	CA	LEU	283	43.745	16.415	6.261	1.00	16.39
	ATOM	1771	CB	LEU	283	44.326	17.141	7.461	1.00	14.57
30	ATOM	1772	CG	LEU	283	44.022	18.624	7.450	1.00	13.01
	ATOM	1773	CD1	LEU	283	44.519	19.279	8.693	1.00	12.84
	ATOM	1774	CD2	LEU	283	44.674	19.230	6.256	1.00	16.22
	ATOM	1775	C	LEU	283	44.170	14.953	6.301	1.00	17.30
	ATOM	1776	O	LEU	283	45.294	14.644	5.929	1.00	22.88
35	ATOM	1777	N	PHE	284	43.277	14.053	6.709	1.00	15.61
	ATOM	1778	CA	PHE	284	43.603	12.626	6.804	1.00	15.45
	ATOM	1779	CB	PHE	284	42.359	11.777	7.096	1.00	14.83
	ATOM	1780	CG	PHE	284	41.812	11.897	8.507	1.00	18.52
	ATOM	1781	CD1	PHE	284	42.400	12.723	9.451	1.00	14.14
40	ATOM	1782	CD2	PHE	284	40.646	11.184	8.864	1.00	16.50
	ATOM	1783	CE1	PHE	284	41.825	12.837	10.714	1.00	15.64
	ATOM	1784	CE2	PHE	284	40.090	11.295	10.092	1.00	7.62
	ATOM	1785	CZ	PHE	284	40.670	12.122	11.019	1.00	9.46
	ATOM	1786	C	PHE	284	44.310	12.002	5.592	1.00	18.21
45	ATOM	1787	O	PHE	284	45.276	11.266	5.760	1.00	23.49
	ATOM	1788	N	PRO	285	43.851	12.276	4.352	1.00	20.88
	ATOM	1789	CD	PRO	285	42.694	13.049	3.863	1.00	15.13
	ATOM	1790	CA	PRO	285	44.556	11.644	3.225	1.00	17.86
	ATOM	1791	CB	PRO	285	43.763	12.122	2.008	1.00	14.52
50	ATOM	1792	CG	PRO	285	42.390	12.350	2.575	1.00	15.75
	ATOM	1793	C	PRO	285	46.052	11.942	3.079	1.00	14.50
	ATOM	1794	O	PRO	285	46.769	11.186	2.424	1.00	14.19
	ATOM	1795	N	PHE	286	46.534	12.995	3.722	1.00	14.02
	ATOM	1796	CA	PHE	286	47.937	13.353	3.602	1.00	11.79
55	ATOM	1797	CB	PHE	286	48.089	14.849	3.714	1.00	11.85
	ATOM	1798	CG	PHE	286	47.175	15.597	2.800	1.00	13.93
	ATOM	1799	CD1	PHE	286	47.188	15.346	1.436	1.00	14.94
	ATOM	1800	CD2	PHE	286	46.257	16.502	3.302	1.00	11.76
	ATOM	1801	CE1	PHE	286	46.281	15.990	0.576	1.00	14.08
60	ATOM	1802	CE2	PHE	286	45.348	17.150	2.455	1.00	14.35
	ATOM	1803	CZ	PHE	286	45.365	16.887	1.089	1.00	13.45
	ATOM	1804	C	PHE	286	48.849	12.631	4.571	1.00	16.19
	ATOM	1805	O	PHE	286	50.038	12.936	4.670	1.00	21.52
	ATOM	1806	N	TYR	287	48.291	11.685	5.315	1.00	19.21

5	ATOM	1807	CA	TYR	287	49.077	10.892	6.256	1.00	20.55
	ATOM	1808	CB	TYR	287	48.225	10.397	7.441	1.00	19.17
	ATOM	1809	CG	TYR	287	47.739	11.484	8.362	1.00	16.07
	ATOM	1810	CD1	TYR	287	48.456	12.671	8.498	1.00	20.52
	ATOM	1811	CE1	TYR	287	48.005	13.696	9.351	1.00	24.03
10	ATOM	1812	CD2	TYR	287	46.560	11.335	9.097	1.00	15.61
	ATOM	1813	CE2	TYR	287	46.101	12.339	9.943	1.00	16.01
	ATOM	1814	CZ	TYR	287	46.820	13.517	10.064	1.00	20.29
	ATOM	1815	OH	TYR	287	46.359	14.558	10.833	1.00	21.44
	ATOM	1816	C	TYR	287	49.579	9.699	5.457	1.00	21.38
15	ATOM	1817	O	TYR	287	50.471	8.979	5.898	1.00	23.27
	ATOM	1818	N	ASP	288	48.971	9.469	4.298	1.00	17.30
	ATOM	1819	CA	ASP	288	49.378	8.368	3.430	1.00	17.56
	ATOM	1820	CB	ASP	288	48.270	8.102	2.397	1.00	17.03
	ATOM	1821	CG	ASP	288	48.601	6.972	1.427	1.00	19.23
20	ATOM	1822	OD1	ASP	288	47.665	6.510	0.764	1.00	16.04
	ATOM	1823	OD2	ASP	288	49.766	6.541	1.309	1.00	19.93
	ATOM	1824	C	ASP	288	50.666	8.884	2.774	1.00	17.17
	ATOM	1825	O	ASP	288	50.652	9.342	1.634	1.00	15.73
	ATOM	1826	N	ILE	289	51.788	8.743	3.479	1.00	18.54
25	ATOM	1827	CA	ILE	289	53.066	9.246	3.001	1.00	18.37
	ATOM	1828	CB	ILE	289	54.042	9.459	4.194	1.00	19.04
	ATOM	1829	CG2	ILE	289	53.428	10.472	5.175	1.00	19.10
	ATOM	1830	CG1	ILE	289	54.324	8.143	4.926	1.00	12.09
	ATOM	1831	CD1	ILE	289	55.331	7.259	4.239	1.00	11.61
30	ATOM	1832	C	ILE	289	53.721	8.564	1.782	1.00	21.85
	ATOM	1833	O	ILE	289	54.834	8.930	1.363	1.00	23.95
	ATOM	1834	N	ARG	290	53.037	7.567	1.224	1.00	19.57
	ATOM	1835	CA	ARG	290	53.514	6.884	0.029	1.00	18.74
	ATOM	1836	CB	ARG	290	53.182	5.394	0.051	1.00	17.14
35	ATOM	1837	CG	ARG	290	54.014	4.639	1.056	1.00	23.48
	ATOM	1838	CD	ARG	290	53.876	3.149	0.876	1.00	34.60
	ATOM	1839	NE	ARG	290	54.451	2.353	1.973	1.00	46.59
	ATOM	1840	CZ	ARG	290	55.735	2.347	2.346	1.00	47.76
	ATOM	1841	NH1	ARG	290	56.626	3.117	1.725	1.00	51.55
40	ATOM	1842	NH2	ARG	290	56.149	1.501	3.292	1.00	45.76
	ATOM	1843	C	ARG	290	52.847	7.567	-1.151	1.00	16.63
	ATOM	1844	O	ARG	290	53.488	7.832	-2.144	1.00	19.86
	ATOM	1845	N	LEU	291	51.578	7.914	-1.011	1.00	13.74
	ATOM	1846	CA	LEU	291	50.849	8.592	-2.084	1.00	15.52
45	ATOM	1847	CB	LEU	291	49.355	8.420	-1.874	1.00	13.32
	ATOM	1848	CG	LEU	291	48.362	8.707	-2.984	1.00	16.72
	ATOM	1849	CD1	LEU	291	48.440	7.651	-4.049	1.00	17.92
	ATOM	1850	CD2	LEU	291	47.010	8.654	-2.355	1.00	17.47
	ATOM	1851	C	LEU	291	51.231	10.077	-2.104	1.00	18.05
50	ATOM	1852	O	LEU	291	51.168	10.722	-3.145	1.00	20.46
	ATOM	1853	N	TYR	292	51.564	10.638	-0.941	1.00	16.65
	ATOM	1854	CA	TYR	292	51.995	12.028	-0.857	1.00	15.57
	ATOM	1855	CB	TYR	292	50.999	12.900	-0.118	1.00	13.30
	ATOM	1856	CG	TYR	292	49.652	13.041	-0.770	1.00	17.69
55	ATOM	1857	CD1	TYR	292	48.642	12.118	-0.519	1.00	14.60
	ATOM	1858	CE1	TYR	292	47.386	12.269	-1.084	1.00	11.38
	ATOM	1859	CD2	TYR	292	49.372	14.125	-1.614	1.00	14.26
	ATOM	1860	CE2	TYR	292	48.125	14.279	-2.186	1.00	9.45
	ATOM	1861	CZ	TYR	292	47.136	13.349	-1.913	1.00	13.74
60	ATOM	1862	OH	TYR	292	45.880	13.498	-2.464	1.00	19.44
	ATOM	1863	C	TYR	292	53.248	12.005	-0.040	1.00	17.77
	ATOM	1864	O	TYR	292	53.188	12.265	1.140	1.00	21.18
	ATOM	1865	N	SER	293	54.388	11.715	-0.652	1.00	17.12
	ATOM	1866	CA	SER	293	55.630	11.650	0.098	1.00	18.41

	ATOM	1867	CB	SER	293	56.527	10.586	-0.502	1.00	22.40
	ATOM	1868	OG	SER	293	57.151	11.100	-1.661	1.00	17.65
	ATOM	1869	C	SER	293	56.437	12.927	0.177	1.00	20.90
5	ATOM	1870	O	SER	293	57.334	13.013	1.008	1.00	27.08
	ATOM	1871	N	LYS	294	56.134	13.911	-0.672	1.00	21.04
	ATOM	1872	CA	LYS	294	56.899	15.174	-0.741	1.00	21.20
	ATOM	1873	CB	LYS	294	56.888	15.687	-2.188	1.00	24.69
	ATOM	1874	CG	LYS	294	57.667	14.826	-3.155	1.00	30.89
10	ATOM	1875	CD	LYS	294	57.400	15.182	-4.601	1.00	36.85
	ATOM	1876	CE	LYS	294	58.381	14.457	-5.546	1.00	40.74
	ATOM	1877	NZ	LYS	294	58.259	12.949	-5.574	1.00	49.08
	ATOM	1878	C	LYS	294	56.464	16.329	0.148	1.00	21.21
	ATOM	1879	O	LYS	294	57.117	17.375	0.194	1.00	24.04
15	ATOM	1880	N	GLY	295	55.374	16.150	0.863	1.00	19.05
	ATOM	1881	CA	GLY	295	54.852	17.243	1.660	1.00	23.45
	ATOM	1882	C	GLY	295	53.652	17.716	0.870	1.00	19.08
	ATOM	1883	O	GLY	295	53.586	17.408	-0.305	1.00	25.31
	ATOM	1884	N	VAL	296	52.691	18.410	1.466	1.00	16.95
20	ATOM	1885	CA	VAL	296	51.539	18.844	0.690	1.00	17.59
	ATOM	1886	CB	VAL	296	50.299	17.958	0.980	1.00	15.37
	ATOM	1887	CG1	VAL	296	49.139	18.372	0.110	1.00	11.50
	ATOM	1888	CG2	VAL	296	50.612	16.502	0.708	1.00	18.57
	ATOM	1889	C	VAL	296	51.182	20.302	0.956	1.00	20.48
25	ATOM	1890	O	VAL	296	51.102	20.722	2.108	1.00	27.73
	ATOM	1891	N	LYS	297	50.985	21.077	-0.106	1.00	19.95
	ATOM	1892	CA	LYS	297	50.604	22.472	0.027	1.00	19.51
	ATOM	1893	CB	LYS	297	51.444	23.358	-0.888	1.00	21.95
	ATOM	1894	CG	LYS	297	51.011	24.799	-0.891	1.00	23.34
30	ATOM	1895	CD	LYS	297	51.814	25.617	-1.892	1.00	24.37
	ATOM	1896	CE	LYS	297	51.247	27.021	-2.068	1.00	24.23
	ATOM	1897	NZ	LYS	297	49.881	27.038	-2.664	1.00	23.46
	ATOM	1898	C	LYS	297	49.143	22.532	-0.371	1.00	20.96
	ATOM	1899	O	LYS	297	48.816	22.330	-1.533	1.00	21.98
35	ATOM	1900	N	THR	298	48.268	22.633	0.626	1.00	21.00
	ATOM	1901	CA	THR	298	46.839	22.728	0.400	1.00	22.17
	ATOM	1902	CB	THR	298	46.094	21.394	0.679	1.00	24.36
	ATOM	1903	OG1	THR	298	44.705	21.551	0.328	1.00	21.16
	ATOM	1904	CG2	THR	298	46.242	20.949	2.132	1.00	13.02
40	ATOM	1905	C	THR	298	46.203	23.850	1.210	1.00	21.58
	ATOM	1906	O	THR	298	46.881	24.562	1.936	1.00	22.42
	ATOM	1907	N	GLU	299	44.897	24.020	1.069	1.00	20.01
	ATOM	1908	CA	GLU	299	44.202	25.069	1.790	1.00	23.19
	ATOM	1909	CB	GLU	299	44.394	26.388	1.028	1.00	21.52
45	ATOM	1910	CG	GLU	299	44.111	26.241	-0.457	1.00	24.08
	ATOM	1911	CD	GLU	299	44.281	27.511	-1.246	1.00	21.25
	ATOM	1912	OE1	GLU	299	43.347	27.904	-1.952	1.00	23.36
	ATOM	1913	OE2	GLU	299	45.363	28.099	-1.199	1.00	25.32
	ATOM	1914	C	GLU	299	42.709	24.689	1.942	1.00	22.52
50	ATOM	1915	O	GLU	299	42.226	23.799	1.218	1.00	21.89
	ATOM	1916	N	LEU	300	42.031	25.288	2.935	1.00	18.80
	ATOM	1917	CA	LEU	300	40.599	25.057	3.208	1.00	17.80
	ATOM	1918	CB	LEU	300	40.346	24.957	4.716	1.00	18.20
	ATOM	1919	CG	LEU	300	41.052	23.781	5.409	1.00	18.16
55	ATOM	1920	CD1	LEU	300	41.281	24.050	6.878	1.00	22.65
	ATOM	1921	CD2	LEU	300	40.232	22.548	5.238	1.00	21.52
	ATOM	1922	C	LEU	300	39.835	26.246	2.626	1.00	15.99
	ATOM	1923	O	LEU	300	40.070	27.384	3.019	1.00	15.87
	ATOM	1924	N	THR	301	38.920	25.988	1.697	1.00	16.43
60	ATOM	1925	CA	THR	301	38.198	27.078	1.039	1.00	16.67
	ATOM	1926	CB	THR	301	38.204	26.860	-0.486	1.00	15.99

	ATOM	1927	OG1	THR	301	37.397	25.725	-0.795	1.00	17.35
	ATOM	1928	CG2	THR	301	39.629	26.604	-1.001	1.00	12.86
	ATOM	1929	C	THR	301	36.750	27.381	1.451	1.00	16.97
5	ATOM	1930	O	THR	301	36.115	28.216	0.349	1.00	20.08
	ATOM	1931	N	ARG	302	36.239	26.775	2.509	1.00	20.61
	ATOM	1932	CA	ARG	302	34.849	27.007	2.891	1.00	21.32
	ATOM	1933	CB	ARG	302	34.287	25.864	3.750	1.00	18.48
	ATOM	1934	CG	ARG	302	34.722	25.893	5.198	1.00	14.88
10	ATOM	1935	CD	ARG	302	36.172	25.671	5.287	1.00	9.35
	ATOM	1936	NE	ARG	302	36.696	25.844	6.621	1.00	20.42
	ATOM	1937	CZ	ARG	302	37.108	27.008	7.107	1.00	22.97
	ATOM	1938	NH1	ARG	302	37.594	27.070	8.346	1.00	22.13
	ATOM	1939	NH2	ARG	302	36.999	28.107	6.368	1.00	17.69
	ATOM	1940	C	ARG	302	34.591	28.299	3.621	1.00	20.20
15	ATOM	1941	O	ARG	302	35.471	28.855	4.271	1.00	17.57
	ATOM	1942	N	ASP	303	33.346	28.737	3.495	1.00	25.15
	ATOM	1943	CA	ASP	303	32.809	29.930	4.140	1.00	26.98
	ATOM	1944	CB	ASP	303	31.470	30.313	3.515	1.00	26.18
20	ATOM	1945	CG	ASP	303	31.601	30.933	2.177	1.00	29.18
	ATOM	1946	OD1	ASP	303	32.703	31.375	1.800	1.00	37.69
	ATOM	1947	OD2	ASP	303	30.568	31.017	1.497	1.00	35.54
	ATOM	1948	C	ASP	303	32.469	29.534	5.571	1.00	28.25
	ATOM	1949	O	ASP	303	31.989	28.421	5.828	1.00	31.50
25	ATOM	1950	N	ILE	304	32.606	30.486	6.475	1.00	26.71
	ATOM	1951	CA	ILE	304	32.283	30.267	7.862	1.00	25.31
	ATOM	1952	CB	ILE	304	33.569	30.156	8.723	1.00	22.72
	ATOM	1953	CG2	ILE	304	33.322	30.558	10.144	1.00	20.05
	ATOM	1954	CG1	ILE	304	34.034	28.714	8.723	1.00	19.75
30	ATOM	1955	CD1	ILE	304	32.954	27.806	9.196	1.00	14.92
	ATOM	1956	C	ILE	304	31.423	31.448	8.250	1.00	26.33
	ATOM	1957	O	ILE	304	31.748	32.595	7.922	1.00	25.80
	ATOM	1958	N	PHE	305	30.268	31.152	8.835	1.00	28.50
	ATOM	1959	CA	PHE	305	29.344	32.188	9.293	1.00	31.16
35	ATOM	1960	CB	PHE	305	27.912	31.852	8.877	1.00	36.40
	ATOM	1961	CG	PHE	305	27.662	32.026	7.432	1.00	42.07
	ATOM	1962	CD1	PHE	305	27.899	30.985	6.549	1.00	46.03
	ATOM	1963	CD2	PHE	305	27.261	33.254	6.938	1.00	49.89
	ATOM	1964	CE1	PHE	305	27.752	31.156	5.185	1.00	49.49
40	ATOM	1965	CE2	PHE	305	27.106	33.446	5.571	1.00	54.89
	ATOM	1966	CZ	PHE	305	27.357	32.389	4.689	1.00	54.32
	ATOM	1967	C	PHE	305	29.375	32.382	10.814	1.00	29.64
	ATOM	1968	O	PHE	305	28.992	31.475	11.567	1.00	25.99
	ATOM	1969	N	THR	306	29.882	33.533	11.261	1.00	28.12
45	ATOM	1970	CA	THR	306	29.873	33.837	12.679	1.00	28.81
	ATOM	1971	CB	THR	306	30.779	35.048	13.049	1.00	26.16
	ATOM	1972	OG1	THR	306	30.624	36.078	12.082	1.00	27.19
	ATOM	1973	CG2	THR	306	32.246	34.647	13.127	1.00	20.81
	ATOM	1974	C	THR	306	28.387	34.136	12.965	1.00	30.50
50	ATOM	1975	O	THR	306	27.599	34.289	12.034	1.00	32.53
	ATOM	1976	N	ASP	307	27.981	34.164	14.229	1.00	30.85
	ATOM	1977	CA	ASP	307	26.582	34.411	14.551	1.00	28.56
	ATOM	1978	CB	ASP	307	26.331	34.154	16.028	1.00	27.80
	ATOM	1979	CG	ASP	307	26.639	32.741	16.427	1.00	25.34
55	ATOM	1980	OD1	ASP	307	26.394	31.814	15.621	1.00	27.45
	ATOM	1981	OD2	ASP	307	27.126	32.565	17.556	1.00	26.95
	ATOM	1982	C	ASP	307	26.203	35.830	14.234	1.00	29.47
	ATOM	1983	O	ASP	307	27.060	36.690	14.098	1.00	32.38
	ATOM	1984	N	PRO	308	24.905	36.104	14.119	1.00	32.45
60	ATOM	1985	CD	PRO	308	23.768	35.163	14.163	1.00	31.35
	ATOM	1986	CA	PRO	308	24.467	37.472	13.815	1.00	34.04

5	ATOM	1987	CB	PRO	308	22.958	37.360	13.956	1.00	34.15
	ATOM	1988	CG	PRO	308	22.694	35.936	13.472	1.00	32.95
	ATOM	1989	C	PRO	308	25.098	38.483	14.800	1.00	37.93
	ATOM	1990	O	PRO	308	25.202	38.187	15.998	1.00	37.44
	ATOM	1991	N	ILE	309	25.503	39.659	14.296	1.00	40.34
10	ATOM	1992	CA	ILE	309	26.182	40.696	15.097	1.00	43.93
	ATOM	1993	CB	ILE	309	26.369	42.034	14.319	1.00	48.28
	ATOM	1994	CG2	ILE	309	26.862	43.148	15.252	1.00	51.65
	ATOM	1995	CG1	ILE	309	27.437	41.892	13.240	1.00	49.09
	ATOM	1996	CD1	ILE	309	27.842	43.242	12.649	1.00	46.27
15	ATOM	1997	C	ILE	309	25.651	40.995	16.506	1.00	44.62
	ATOM	1998	O	ILE	309	26.432	41.296	17.431	1.00	41.13
	ATOM	1999	N	PHE	310	24.341	41.003	16.675	1.00	42.38
	ATOM	2000	CA	PHE	310	23.843	41.236	18.003	1.00	41.16
	ATOM	2001	CB	PHE	310	23.491	42.705	18.235	1.00	44.88
20	ATOM	2002	CG	PHE	310	22.411	43.235	17.351	1.00	44.58
	ATOM	2003	CD1	PHE	310	21.077	43.166	17.747	1.00	44.20
	ATOM	2004	CD2	PHE	310	22.724	43.860	16.159	1.00	38.66
	ATOM	2005	CE1	PHE	310	20.076	43.717	16.967	1.00	42.71
	ATOM	2006	CE2	PHE	310	21.735	44.406	15.386	1.00	41.33
25	ATOM	2007	CZ	PHE	310	20.404	44.337	15.789	1.00	42.16
	ATOM	2008	C	PHE	310	22.717	40.301	18.347	1.00	44.75
	ATOM	2009	O	PHE	310	21.985	39.837	17.482	1.00	43.78
	ATOM	2010	N	SER	311	22.633	39.981	19.627	1.00	51.28
	ATOM	2011	CA	SER	311	21.629	39.064	20.151	1.00	56.76
30	ATOM	2012	CB	SER	311	22.166	38.462	21.440	1.00	58.74
	ATOM	2013	OG	SER	311	23.083	39.374	22.031	1.00	61.15
	ATOM	2014	C	SER	311	20.271	39.696	20.410	1.00	57.21
	ATOM	2015	O	SER	311	20.125	40.505	21.328	1.00	59.60
	ATOM	2016	N	LEU	312	19.275	39.303	19.625	1.00	57.51
35	ATOM	2017	CA	LEU	312	17.921	39.828	19.779	1.00	58.49
	ATOM	2018	CB	LEU	312	17.065	39.425	18.573	1.00	53.40
	ATOM	2019	CG	LEU	312	17.575	39.521	17.136	1.00	49.68
	ATOM	2020	CD1	LEU	312	16.401	39.249	16.208	1.00	45.27
	ATOM	2021	CD2	LEU	312	18.174	40.885	16.843	1.00	49.90
40	ATOM	2022	C	LEU	312	17.316	39.231	21.057	1.00	60.36
	ATOM	2023	O	LEU	312	16.569	38.269	21.001	1.00	64.66
	ATOM	2024	N	ASN	313	17.651	39.786	22.210	1.00	60.93
	ATOM	2025	CA	ASN	313	17.137	39.258	23.471	1.00	63.91
	ATOM	2026	CB	ASN	313	17.737	40.037	24.667	1.00	71.17
45	ATOM	2027	CG	ASN	313	17.813	41.566	24.434	1.00	75.38
	ATOM	2028	OD1	ASN	313	16.997	42.160	23.718	1.00	78.86
	ATOM	2029	ND2	ASN	313	18.789	42.199	25.067	1.00	76.26
	ATOM	2030	C	ASN	313	15.601	39.188	23.555	1.00	62.62
	ATOM	2031	O	ASN	313	14.989	38.133	23.364	1.00	59.81
50	ATOM	2032	N	THR	314	14.990	40.330	23.839	1.00	61.63
	ATOM	2033	CA	THR	314	13.549	40.458	23.948	1.00	57.86
	ATOM	2034	CB	THR	314	13.217	41.790	24.674	1.00	58.51
	ATOM	2035	OG1	THR	314	13.881	41.819	25.946	1.00	58.32
	ATOM	2036	CG2	THR	314	11.724	41.947	24.888	1.00	59.87
55	ATOM	2037	C	THR	314	12.970	40.457	22.523	1.00	55.92
	ATOM	2038	O	THR	314	11.767	40.260	22.327	1.00	55.62
	ATOM	2039	N	LEU	315	13.856	40.624	21.537	1.00	52.11
	ATOM	2040	CA	LEU	315	13.486	40.683	20.122	1.00	49.01
	ATOM	2041	CB	LEU	315	14.320	41.757	19.404	1.00	50.14
60	ATOM	2042	CG	LEU	315	14.328	43.217	19.874	1.00	50.23
	ATOM	2043	CD1	LEU	315	14.815	44.078	18.718	1.00	51.73
	ATOM	2044	CD2	LEU	315	12.933	43.680	20.328	1.00	47.63
	ATOM	2045	C	LEU	315	13.621	39.375	19.347	1.00	47.16
	ATOM	2046	O	LEU	315	13.292	39.312	18.157	1.00	43.27

	ATOM	2047	N	GLN	316	14.097	38.340	20.023	1.00	47.36
	ATOM	2048	CA	GLN	316	14.311	37.036	19.414	1.00	48.53
	ATOM	2049	CB	GLN	316	14.411	35.977	20.510	1.00	51.64
5	ATOM	2050	CG	GLN	316	15.051	34.673	20.073	1.00	57.31
	ATOM	2051	CD	GLN	316	16.565	34.769	19.894	1.00	60.35
	ATOM	2052	OE1	GLN	316	17.108	35.810	19.506	1.00	60.96
	ATOM	2053	NE2	GLN	316	17.254	33.665	20.169	1.00	63.62
	ATOM	2054	C	GLN	316	13.200	36.663	18.451	1.00	49.57
	ATOM	2055	O	GLN	316	13.454	36.241	17.320	1.00	50.18
10	ATOM	2056	N	GLU	317	11.968	36.870	18.901	1.00	48.85
	ATOM	2057	CA	GLU	317	10.775	36.544	18.126	1.00	52.71
	ATOM	2058	CB	GLU	317	9.501	36.796	18.953	1.00	60.20
	ATOM	2059	CG	GLU	317	9.493	36.204	20.377	1.00	70.71
	ATOM	2060	CD	GLU	317	9.881	37.227	21.456	1.00	76.72
15	ATOM	2061	OE1	GLU	317	9.273	38.333	21.480	1.00	77.12
	ATOM	2062	OE2	GLU	317	10.787	36.920	22.274	1.00	77.99
	ATOM	2063	C	GLU	317	10.657	37.293	16.799	1.00	48.71
	ATOM	2064	O	GLU	317	10.071	36.780	15.844	1.00	48.70
	ATOM	2065	N	TYR	318	11.214	38.494	16.739	1.00	43.49
20	ATOM	2066	CA	TYR	318	11.129	39.300	15.538	1.00	39.92
	ATOM	2067	CB	TYR	318	10.999	40.761	15.918	1.00	42.45
	ATOM	2068	CG	TYR	318	9.803	40.971	16.782	1.00	42.68
	ATOM	2069	CD1	TYR	318	9.946	41.197	18.144	1.00	40.60
	ATOM	2070	CE1	TYR	318	8.849	41.304	18.969	1.00	40.01
25	ATOM	2071	CD2	TYR	318	8.526	40.860	16.260	1.00	38.85
	ATOM	2072	CE2	TYR	318	7.424	40.969	17.078	1.00	40.89
	ATOM	2073	CZ	TYR	318	7.593	41.189	18.437	1.00	39.14
	ATOM	2074	OH	TYR	318	6.503	41.297	19.273	1.00	45.54
	ATOM	2075	C	TYR	318	12.233	39.130	14.522	1.00	37.64
30	ATOM	2076	O	TYR	318	12.303	39.886	13.561	1.00	38.76
	ATOM	2077	N	GLY	319	13.093	38.141	14.703	1.00	35.33
	ATOM	2078	CA	GLY	319	14.154	37.962	13.733	1.00	31.25
	ATOM	2079	C	GLY	319	13.662	37.273	12.476	1.00	30.50
	ATOM	2080	O	GLY	319	12.575	36.689	12.500	1.00	32.90
35	ATOM	2081	N	PRO	320	14.385	37.395	11.344	1.00	26.91
	ATOM	2082	CD	PRO	320	15.499	38.333	11.174	1.00	23.64
	ATOM	2083	CA	PRO	320	14.061	36.776	10.053	1.00	29.07
	ATOM	2084	CB	PRO	320	15.295	37.106	9.210	1.00	29.08
	ATOM	2085	CG	PRO	320	16.336	37.590	10.207	1.00	28.14
40	ATOM	2086	C	PRO	320	13.880	35.251	10.152	1.00	30.61
	ATOM	2087	O	PRO	320	14.650	34.591	10.831	1.00	32.60
	ATOM	2088	N	THR	321	12.899	34.685	9.451	1.00	32.83
	ATOM	2089	CA	THR	321	12.676	33.245	9.523	1.00	36.83
	ATOM	2090	CB	THR	321	11.362	32.782	8.776	1.00	41.13
45	ATOM	2091	OG1	THR	321	11.482	32.904	7.346	1.00	35.95
	ATOM	2092	CG2	THR	321	10.177	33.597	9.267	1.00	40.68
	ATOM	2093	C	THR	321	13.871	32.438	9.041	1.00	37.20
	ATOM	2094	O	THR	321	14.789	32.985	8.429	1.00	41.10
	ATOM	2095	N	PHE	322	13.873	31.149	9.369	1.00	38.20
50	ATOM	2096	CA	PHE	322	14.941	30.216	8.993	1.00	36.64
	ATOM	2097	CB	PHE	322	14.548	28.794	9.455	1.00	35.09
	ATOM	2098	CG	PHE	322	15.669	27.776	9.400	1.00	37.60
	ATOM	2099	CD1	PHE	322	16.356	27.416	10.554	1.00	36.41
	ATOM	2100	CD2	PHE	322	16.016	27.157	8.204	1.00	36.13
55	ATOM	2101	CE1	PHE	322	17.359	26.466	10.505	1.00	32.41
	ATOM	2102	CE2	PHE	322	17.012	26.216	8.159	1.00	25.56
	ATOM	2103	CZ	PHE	322	17.682	25.872	9.307	1.00	28.83
	ATOM	2104	C	PHE	322	15.139	30.260	7.470	1.00	34.25
	ATOM	2105	O	PHE	322	16.191	30.671	6.987	1.00	26.49
60	ATOM	2106	N	LEU	323	14.081	29.907	6.739	1.00	36.36

5	ATOM	2107	CA	LEU	323	14.078	29.376	5.281	1.00	39.50
	ATOM	2108	CB	LEU	323	12.713	29.427	4.739	1.00	46.13
	ATOM	2109	CG	LEU	323	12.323	27.951	4.927	1.00	50.61
	ATOM	2110	CD1	LEU	323	10.873	27.714	4.506	1.00	52.63
	ATOM	2111	CD2	LEU	323	13.267	27.041	4.131	1.00	52.44
10	ATOM	2112	C	LEU	323	14.486	31.183	4.627	1.00	41.16
	ATOM	2113	O	LEU	323	15.230	31.174	3.651	1.00	45.33
	ATOM	2114	N	SER	324	14.006	32.310	5.132	1.00	40.97
	ATOM	2115	CA	SER	324	14.400	33.583	4.545	1.00	43.00
	ATOM	2116	CB	SER	324	13.565	34.730	5.111	1.00	47.79
15	ATOM	2117	OG	SER	324	13.504	34.673	6.527	1.00	60.21
	ATOM	2118	C	SER	324	15.892	33.840	4.774	1.00	40.32
	ATOM	2119	O	SER	324	16.524	34.581	4.031	1.00	40.93
	ATOM	2120	N	ILE	325	16.457	33.237	5.808	1.00	38.03
	ATOM	2121	CA	ILE	325	17.863	33.420	6.060	1.00	35.42
20	ATOM	2122	CB	ILE	325	18.206	33.218	7.502	1.00	32.99
	ATOM	2123	CG2	ILE	325	19.698	33.445	7.696	1.00	32.52
	ATOM	2124	CG1	ILE	325	17.402	34.213	8.338	1.00	29.14
	ATOM	2125	CD1	ILE	325	17.483	33.959	9.785	1.00	28.48
	ATOM	2126	C	ILE	325	18.647	32.464	5.204	1.00	36.75
25	ATOM	2127	O	ILE	325	19.540	32.893	4.493	1.00	35.77
	ATOM	2128	N	GLU	326	18.280	31.181	5.228	1.00	41.70
	ATOM	2129	CA	GLU	326	18.958	30.159	4.420	1.00	45.37
	ATOM	2130	CB	GLU	326	18.567	28.733	4.849	1.00	44.39
	ATOM	2131	CG	GLU	326	19.363	28.140	6.032	1.00	46.63
30	ATOM	2132	CD	GLU	326	20.865	27.938	5.771	1.00	48.09
	ATOM	2133	OE1	GLU	326	21.672	28.753	6.258	1.00	47.88
	ATOM	2134	OE2	GLU	326	21.253	26.941	5.126	1.00	50.34
	ATOM	2135	C	GLU	326	18.733	30.312	2.908	1.00	47.91
	ATOM	2136	O	GLU	326	19.515	29.795	2.113	1.00	52.83
35	ATOM	2137	N	ASN	327	17.667	30.992	2.503	1.00	49.53
	ATOM	2138	CA	ASN	327	17.392	31.186	1.077	1.00	50.26
	ATOM	2139	CB	ASN	327	15.883	31.067	0.785	1.00	57.24
	ATOM	2140	CG	ASN	327	15.348	29.639	0.923	1.00	63.35
	ATOM	2141	OD1	ASN	327	14.362	29.271	0.272	1.00	65.72
40	ATOM	2142	ND2	ASN	327	15.973	28.838	1.787	1.00	66.61
	ATOM	2143	C	ASN	327	17.885	32.557	0.602	1.00	49.12
	ATOM	2144	O	ASN	327	17.732	32.910	-0.566	1.00	48.41
	ATOM	2145	N	SER	328	18.460	33.336	1.513	1.00	48.24
	ATOM	2146	CA	SER	328	18.940	34.666	1.177	1.00	44.37
45	ATOM	2147	CB	SER	328	18.354	35.682	2.141	1.00	43.90
	ATOM	2148	OG	SER	328	18.337	36.973	1.573	1.00	53.23
	ATOM	2149	C	SER	328	20.448	34.713	1.234	1.00	42.82
	ATOM	2150	O	SER	328	21.068	35.599	0.662	1.00	44.52
	ATOM	2151	N	ILE	329	21.043	33.789	1.973	1.00	41.88
50	ATOM	2152	CA	ILE	329	22.489	33.739	2.053	1.00	43.60
	ATOM	2153	CB	ILE	329	23.002	32.593	2.976	1.00	47.00
	ATOM	2154	CG2	ILE	329	24.519	32.637	3.053	1.00	51.01
	ATOM	2155	CG1	ILE	329	22.439	32.700	4.395	1.00	45.80
	ATOM	2156	CD1	ILE	329	23.249	33.560	5.348	1.00	51.95
55	ATOM	2157	C	ILE	329	22.993	33.464	0.632	1.00	44.62
	ATOM	2158	O	ILE	329	22.281	32.911	-0.215	1.00	42.08
	ATOM	2159	N	ARG	330	24.244	33.838	0.409	1.00	47.30
	ATOM	2160	CA	ARG	330	24.963	33.693	-0.851	1.00	46.81
	ATOM	2161	CB	ARG	330	26.279	34.416	-0.638	1.00	45.98
60	ATOM	2162	CG	ARG	330	27.046	34.848	-1.827	1.00	44.32
	ATOM	2163	CD	ARG	330	28.355	35.373	-1.277	1.00	42.48
	ATOM	2164	NE	ARG	330	29.270	35.765	-2.322	1.00	38.20
	ATOM	2165	CZ	ARG	330	30.584	35.790	-2.188	1.00	34.54
	ATOM	2166	NH1	ARG	330	31.303	36.170	-3.213	1.00	39.28

	ATOM	2167	NH2	ARG	330	31.172	35.436	-1.056	1.00	32.79
	ATOM	2168	C	ARG	330	25.214	32.203	-1.154	1.00	47.48
	ATOM	2169	O	ARG	330	25.815	31.492	-0.345	1.00	49.75
5	ATOM	2170	N	LYS	331	24.788	31.735	-2.323	1.00	44.85
	ATOM	2171	CA	LYS	331	24.965	30.321	-2.677	1.00	45.45
	ATOM	2172	CB	LYS	331	23.947	29.905	-3.755	1.00	47.94
	ATOM	2173	CG	LYS	331	23.989	30.723	-5.023	1.00	58.90
	ATOM	2174	CD	LYS	331	22.834	30.357	-5.938	1.00	66.64
10	ATOM	2175	CE	LYS	331	22.853	31.194	-7.215	1.00	71.89
	ATOM	2176	NZ	LYS	331	21.564	31.088	-7.969	1.00	75.69
	ATOM	2177	C	LYS	331	26.413	29.994	-3.086	1.00	39.16
	ATOM	2178	O	LYS	331	27.229	30.912	-3.208	1.00	35.42
	ATOM	2179	N	PRO	332	26.759	28.687	-3.243	1.00	36.88
15	ATOM	2180	CD	PRO	332	25.907	27.510	-2.988	1.00	34.11
	ATOM	2181	CA	PRO	332	28.113	28.249	-3.627	1.00	35.07
	ATOM	2182	CB	PRO	332	27.952	26.732	-3.834	1.00	31.43
	ATOM	2183	CG	PRO	332	26.465	26.521	-3.945	1.00	34.71
	ATOM	2184	C	PRO	332	28.695	28.993	-4.837	1.00	33.27
20	ATOM	2185	O	PRO	332	28.069	29.092	-5.891	1.00	32.47
	ATOM	2186	N	HIS	333	29.927	29.464	-4.675	1.00	31.69
	ATOM	2187	CA	HIS	333	30.592	30.283	-5.677	1.00	29.36
	ATOM	2188	CB	HIS	333	30.345	31.755	-5.284	1.00	29.61
	ATOM	2189	CG	HIS	333	30.759	32.078	-3.874	1.00	31.85
25	ATOM	2190	CD2	HIS	333	31.978	32.349	-3.343	1.00	30.11
	ATOM	2191	ND1	HIS	333	29.879	32.052	-2.811	1.00	32.89
	ATOM	2192	CE1	HIS	333	30.540	32.282	-1.688	1.00	33.67
	ATOM	2193	NE2	HIS	333	31.815	32.467	-1.984	1.00	27.12
	ATOM	2194	C	HIS	333	32.106	30.062	-5.781	1.00	25.03
30	ATOM	2195	O	HIS	333	32.719	29.414	-4.936	1.00	25.48
	ATOM	2196	N	LEU	334	32.706	30.630	-6.817	1.00	23.62
	ATOM	2197	CA	LEU	334	34.156	30.561	-6.982	1.00	25.27
	ATOM	2198	CB	LEU	334	34.615	31.210	-8.298	1.00	20.89
	ATOM	2199	CG	LEU	334	34.198	30.552	-9.612	1.00	21.30
35	ATOM	2200	CD1	LEU	334	34.810	31.273	-10.809	1.00	16.30
	ATOM	2201	CD2	LEU	334	34.625	29.094	-9.573	1.00	19.51
	ATOM	2202	C	LEU	334	34.668	31.415	-5.837	1.00	25.83
	ATOM	2203	O	LEU	334	34.023	32.389	-5.461	1.00	27.82
40	ATOM	2204	N	PHE	335	35.832	31.077	-5.306	1.00	27.75
	ATOM	2205	CA	PHE	335	36.413	31.821	-4.195	1.00	24.44
	ATOM	2206	CB	PHE	335	37.718	31.140	-3.764	1.00	25.26
	ATOM	2207	CG	PHE	335	38.196	31.546	-2.403	1.00	27.14
	ATOM	2208	CD1	PHE	335	37.761	30.866	-1.269	1.00	27.42
	ATOM	2209	CD2	PHE	335	39.077	32.609	-2.249	1.00	29.95
45	ATOM	2210	CE1	PHE	335	38.191	31.246	-0.002	1.00	31.73
	ATOM	2211	CE2	PHE	335	39.514	32.997	-0.983	1.00	31.29
	ATOM	2212	CZ	PHE	335	39.073	32.318	0.141	1.00	29.70
	ATOM	2213	C	PHE	335	36.719	33.250	-4.601	1.00	21.92
	ATOM	2214	O	PHE	335	37.287	33.463	-5.653	1.00	23.54
50	ATOM	2215	N	ASP	336	36.340	34.217	-3.772	1.00	21.21
	ATOM	2216	CA	ASP	336	36.652	35.623	-4.018	1.00	21.48
	ATOM	2217	CB	ASP	336	35.525	36.386	-4.718	1.00	23.79
	ATOM	2218	CG	ASP	336	34.172	36.174	-4.083	1.00	23.35
	ATOM	2219	OD1	ASP	336	34.038	36.239	-2.844	1.00	22.38
55	ATOM	2220	OD2	ASP	336	33.228	35.955	-4.868	1.00	31.58
	ATOM	2221	C	ASP	336	37.061	36.300	-2.715	1.00	22.29
	ATOM	2222	O	ASP	336	36.904	35.720	-1.661	1.00	25.71
	ATOM	2223	N	TYR	337	37.518	37.544	-2.788	1.00	20.76
	ATOM	2224	CA	TYR	337	38.037	38.268	-1.632	1.00	21.98
	ATOM	2225	CB	TYR	337	39.538	38.538	-1.877	1.00	17.10
60	ATOM	2226	CG	TYR	337	40.339	37.311	-2.313	1.00	17.63

5	ATOM	2227	CD1	TYR	337	40.203	36.764	-3.590	1.00	20.68
	ATOM	2228	CE1	TYR	337	40.875	35.572	-3.955	1.00	23.11
	ATOM	2229	CD2	TYR	337	41.178	36.648	-1.415	1.00	23.13
	ATOM	2230	CE2	TYR	337	41.854	35.466	-1.766	1.00	23.39
	ATOM	2231	CZ	TYR	337	41.694	34.934	-3.030	1.00	24.50
10	ATOM	2232	OH	TYR	337	42.330	33.758	-3.332	1.00	26.47
	ATOM	2233	C	TYR	337	37.305	39.586	-1.400	1.00	22.36
	ATOM	2234	O	TYR	337	36.807	40.175	-2.333	1.00	24.56
	ATOM	2235	N	LEU	338	37.283	40.079	-0.170	1.00	26.34
	ATOM	2236	CA	LEU	338	36.590	41.342	0.121	1.00	29.06
15	ATOM	2237	CB	LEU	338	36.422	41.557	1.642	1.00	28.21
	ATOM	2238	CG	LEU	338	35.501	42.690	2.150	1.00	25.11
	ATOM	2239	CD1	LEU	338	34.056	42.386	1.828	1.00	24.92
	ATOM	2240	CD2	LEU	338	35.645	42.872	3.652	1.00	24.77
	ATOM	2241	C	LEU	338	37.318	42.542	-0.480	1.00	29.54
20	ATOM	2242	O	LEU	338	38.543	42.674	-0.332	1.00	32.83
	ATOM	2243	N	GLN	339	36.562	43.389	-1.178	1.00	28.15
	ATOM	2244	CA	GLN	339	37.101	44.605	-1.793	1.00	31.21
	ATOM	2245	CB	GLN	339	36.617	44.766	-3.242	1.00	40.03
	ATOM	2246	CG	GLN	339	37.561	44.246	-4.307	1.00	49.91
25	ATOM	2247	CD	GLN	339	38.935	44.882	-4.220	1.00	55.33
	ATOM	2248	OE1	GLN	339	39.718	44.570	-3.316	1.00	58.04
	ATOM	2249	NE2	GLN	339	39.235	45.786	-5.155	1.00	57.36
	ATOM	2250	C	GLN	339	36.640	45.818	-1.007	1.00	27.69
	ATOM	2251	O	GLN	339	37.430	46.720	-0.715	1.00	26.69
30	ATOM	2252	N	GLY	340	35.340	45.869	-0.744	1.00	21.87
	ATOM	2253	CA	GLY	340	34.800	46.972	0.008	1.00	23.38
	ATOM	2254	C	GLY	340	33.382	46.720	0.460	1.00	24.89
	ATOM	2255	O	GLY	340	32.747	45.762	-0.010	1.00	19.77
	ATOM	2256	N	ILE	341	32.918	47.555	1.400	1.00	27.43
35	ATOM	2257	CA	ILE	341	31.557	47.502	1.942	1.00	27.30
	ATOM	2258	CB	ILE	341	31.492	47.019	3.422	1.00	27.82
	ATOM	2259	CG2	ILE	341	30.028	46.858	3.859	1.00	26.82
	ATOM	2260	CG1	ILE	341	32.208	45.678	3.611	1.00	28.32
	ATOM	2261	CD1	ILE	341	32.064	45.102	5.021	1.00	20.98
40	ATOM	2262	C	ILE	341	30.975	48.918	1.915	1.00	29.75
	ATOM	2263	O	ILE	341	31.653	49.893	2.265	1.00	30.81
	ATOM	2264	N	GLU	342	29.727	49.011	1.471	1.00	29.58
	ATOM	2265	CA	GLU	342	29.002	50.263	1.393	1.00	29.98
	ATOM	2266	CB	GLU	342	28.396	50.451	0.001	1.00	33.94
45	ATOM	2267	CG	GLU	342	27.313	51.535	-0.052	1.00	44.76
	ATOM	2268	CD	GLU	342	26.970	52.004	-1.457	1.00	47.49
	ATOM	2269	OE1	GLU	342	27.893	52.466	-2.164	1.00	50.86
	ATOM	2270	OE2	GLU	342	25.780	51.935	-1.841	1.00	48.19
	ATOM	2271	C	GLU	342	27.896	50.242	2.441	1.00	30.01
50	ATOM	2272	O	GLU	342	26.846	49.619	2.267	1.00	30.06
	ATOM	2273	N	PHE	343	28.135	50.965	3.515	1.00	29.93
	ATOM	2274	CA	PHE	343	27.213	51.059	4.624	1.00	29.27
	ATOM	2275	CB	PHE	343	27.986	51.523	5.836	1.00	29.40
	ATOM	2276	CG	PHE	343	29.021	50.555	6.278	1.00	35.00
55	ATOM	2277	CD1	PHE	343	30.344	50.708	5.888	1.00	34.33
	ATOM	2278	CD2	PHE	343	28.668	49.471	7.087	1.00	34.94
	ATOM	2279	CE1	PHE	343	31.301	49.795	6.297	1.00	32.19
	ATOM	2280	CE2	PHE	343	29.619	48.555	7.501	1.00	33.61
	ATOM	2281	CZ	PHE	343	30.940	48.720	7.104	1.00	34.76
60	ATOM	2282	C	PHE	343	26.050	51.998	4.414	1.00	30.11
	ATOM	2283	O	PHE	343	26.243	53.182	4.128	1.00	31.52
	ATOM	2284	N	HIS	344	24.841	51.475	4.580	1.00	30.38
	ATOM	2285	CA	HIS	344	23.624	52.280	4.450	1.00	32.05
	ATOM	2286	CB	HIS	344	22.596	51.571	3.553	1.00	32.38

	ATOM	2287	CG	HIS	344	22.806	51.818	2.083	1.00	33.83
	ATOM	2288	CD2	HIS	344	23.922	51.755	1.317	1.00	32.02
	ATOM	2289	ND1	HIS	344	21.788	52.209	1.238	1.00	30.81
5	ATOM	2290	CE1	HIS	344	22.265	52.376	0.020	1.00	29.92
	ATOM	2291	NE2	HIS	344	23.558	52.106	0.040	1.00	32.00
	ATOM	2292	C	HIS	344	23.076	52.567	5.855	1.00	30.97
	ATOM	2293	O	HIS	344	22.927	51.648	6.648	1.00	31.67
	ATOM	2294	N	THR	345	22.753	53.830	6.142	1.00	31.95
10	ATOM	2295	CA	THR	345	22.290	54.248	7.471	1.00	31.87
	ATOM	2296	CB	THR	345	23.297	55.247	8.060	1.00	30.01
	ATOM	2297	OG1	THR	345	24.621	54.713	7.937	1.00	37.38
	ATOM	2298	CG2	THR	345	23.012	55.496	9.513	1.00	34.79
	ATOM	2299	C	THR	345	20.900	54.861	7.656	1.00	30.45
15	ATOM	2300	O	THR	345	20.481	55.707	6.907	1.00	30.35
	ATOM	2301	N	ARG	346	20.239	54.514	8.742	1.00	29.47
	ATOM	2302	CA	ARG	346	18.931	55.064	9.021	1.00	33.75
	ATOM	2303	CB	ARG	346	17.846	54.082	8.623	1.00	31.11
	ATOM	2304	CG	ARG	346	17.570	54.113	7.156	1.00	37.30
20	ATOM	2305	CD	ARG	346	16.698	52.963	6.778	1.00	40.39
	ATOM	2306	NE	ARG	346	15.435	53.390	6.214	1.00	45.12
	ATOM	2307	CZ	ARG	346	14.267	53.208	6.816	1.00	53.06
	ATOM	2308	NH1	ARG	346	13.159	53.615	6.225	1.00	59.78
	ATOM	2309	NH2	ARG	346	14.197	52.647	8.015	1.00	55.83
25	ATOM	2310	C	ARG	346	18.791	55.423	10.490	1.00	35.43
	ATOM	2311	O	ARG	346	19.589	54.982	11.323	1.00	36.81
	ATOM	2312	N	LEU	347	17.823	56.288	10.788	1.00	37.54
	ATOM	2313	CA	LEU	347	17.548	56.712	12.156	1.00	36.68
	ATOM	2314	CB	LEU	347	17.019	58.138	12.180	1.00	38.30
30	ATOM	2315	CG	LEU	347	16.484	58.548	13.554	1.00	41.60
	ATOM	2316	CD1	LEU	347	17.617	58.883	14.514	1.00	42.74
	ATOM	2317	CD2	LEU	347	15.558	59.708	13.397	1.00	42.70
	ATOM	2318	C	LEU	347	16.515	55.776	12.800	1.00	37.67
	ATOM	2319	O	LEU	347	15.596	55.282	12.136	1.00	39.32
35	ATOM	2320	N	GLN	348	16.699	55.528	14.090	1.00	35.33
	ATOM	2321	CA	GLN	348	15.829	54.669	14.881	1.00	32.60
	ATOM	2322	CB	GLN	348	16.666	53.583	15.546	1.00	33.20
	ATOM	2323	CG	GLN	348	15.908	52.659	16.428	1.00	36.04
	ATOM	2324	CD	GLN	348	14.852	51.898	15.687	1.00	41.50
40	ATOM	2325	OE1	GLN	348	13.702	52.330	15.616	1.00	40.24
	ATOM	2326	NE2	GLN	348	15.219	50.731	15.162	1.00	43.99
	ATOM	2327	C	GLN	348	15.321	55.653	15.905	1.00	31.09
	ATOM	2328	O	GLN	348	16.075	56.120	16.753	1.00	32.14
	ATOM	2329	N	PRO	349	14.058	56.060	15.784	1.00	31.17
45	ATOM	2330	CD	PRO	349	13.063	55.775	14.740	1.00	32.17
	ATOM	2331	CA	PRO	349	13.533	57.021	16.739	1.00	33.71
	ATOM	2332	CB	PRO	349	12.323	57.590	15.993	1.00	33.92
	ATOM	2333	CG	PRO	349	11.799	56.401	15.298	1.00	29.74
	ATOM	2334	C	PRO	349	13.140	56.460	18.082	1.00	35.91
50	ATOM	2335	O	PRO	349	12.549	55.381	18.177	1.00	39.64
	ATOM	2336	N	GLY	350	13.527	57.183	19.124	1.00	34.78
	ATOM	2337	CA	GLY	350	13.145	56.802	20.463	1.00	29.91
	ATOM	2338	C	GLY	350	11.810	57.502	20.645	1.00	28.68
	ATOM	2339	O	GLY	350	11.538	58.539	20.041	1.00	28.73
55	ATOM	2340	N	TYR	351	10.968	56.949	21.492	1.00	31.04
	ATOM	2341	CA	TYR	351	9.659	57.522	21.748	1.00	28.15
	ATOM	2342	CB	TYR	351	8.939	56.667	22.782	1.00	25.11
	ATOM	2343	CG	TYR	351	7.527	57.070	23.026	1.00	28.78
	ATOM	2344	CD1	TYR	351	6.530	56.806	22.090	1.00	29.11
60	ATOM	2345	CE1	TYR	351	5.210	57.197	22.325	1.00	36.47
	ATOM	2346	CD2	TYR	351	7.181	57.727	24.199	1.00	32.05

5	ATOM	2347	CE2	TYR	351	5.379	58.125	24.451	1.00	37.99
	ATOM	2348	CZ	TYR	351	4.392	57.866	23.517	1.00	40.84
	ATOM	2349	OH	TYR	351	3.609	58.316	23.786	1.00	43.75
	ATOM	2350	C	TYR	351	9.751	58.974	22.194	1.00	26.00
	ATOM	2351	O	TYR	351	8.934	59.786	21.809	1.00	29.53
10	ATOM	2352	N	PHE	352	10.785	59.307	22.952	1.00	28.14
	ATOM	2353	CA	PHE	352	10.978	60.669	23.442	1.00	30.63
	ATOM	2354	CB	PHE	352	11.465	60.650	24.891	1.00	34.55
	ATOM	2355	CG	PHE	352	10.616	59.802	25.810	1.00	40.51
	ATOM	2356	CD1	PHE	352	10.934	58.454	26.027	1.00	39.36
15	ATOM	2357	CD2	PHE	352	9.512	60.356	26.476	1.00	39.04
	ATOM	2358	CE1	PHE	352	10.174	57.670	26.891	1.00	40.28
	ATOM	2359	CE2	PHE	352	8.743	59.589	27.341	1.00	40.04
	ATOM	2360	CZ	PHE	352	9.073	58.241	27.551	1.00	43.17
	ATOM	2361	C	PHE	352	11.942	61.513	22.613	1.00	35.71
20	ATOM	2362	O	PHE	352	12.403	62.556	23.083	1.00	39.58
	ATOM	2363	N	GLY	353	12.317	61.033	21.426	1.00	36.10
	ATOM	2364	CA	GLY	353	13.201	61.791	20.549	1.00	37.76
	ATOM	2365	C	GLY	353	14.656	62.037	20.933	1.00	40.10
	ATOM	2366	O	GLY	353	15.544	62.011	20.072	1.00	41.93
25	ATOM	2367	N	LYS	354	14.928	62.314	22.196	1.00	37.55
	ATOM	2368	CA	LYS	354	16.308	62.558	22.585	1.00	40.81
	ATOM	2369	CB	LYS	354	16.381	63.243	23.966	1.00	46.62
	ATOM	2370	CG	LYS	354	17.574	64.209	24.106	1.00	50.82
	ATOM	2371	CD	LYS	354	17.955	64.543	25.558	1.00	55.27
30	ATOM	2372	CE	LYS	354	19.409	65.106	25.624	1.00	59.06
	ATOM	2373	NZ	LYS	354	19.989	65.226	27.011	1.00	61.08
	ATOM	2374	C	LYS	354	17.097	61.243	22.597	1.00	39.24
	ATOM	2375	O	LYS	354	18.321	61.243	22.467	1.00	39.45
	ATOM	2376	N	ASP	355	16.387	60.130	22.746	1.00	36.63
35	ATOM	2377	CA	ASP	355	17.014	58.811	22.784	1.00	36.64
	ATOM	2378	CB	ASP	355	16.433	57.956	23.918	1.00	38.81
	ATOM	2379	CG	ASP	355	14.899	57.893	23.905	1.00	39.86
	ATOM	2380	OD1	ASP	355	14.329	57.075	24.666	1.00	39.20
	ATOM	2381	OD2	ASP	355	14.258	58.674	23.174	1.00	41.91
40	ATOM	2382	C	ASP	355	16.921	58.048	21.467	1.00	36.41
	ATOM	2383	O	ASP	355	16.687	56.839	21.459	1.00	39.46
	ATOM	2384	N	SER	356	17.033	58.767	20.358	1.00	32.11
	ATOM	2385	CA	SER	356	16.985	58.155	19.049	1.00	31.06
	ATOM	2386	CB	SER	356	16.313	59.112	18.075	1.00	32.06
45	ATOM	2387	OG	SER	356	15.076	59.546	18.599	1.00	35.15
	ATOM	2388	C	SER	356	18.426	57.884	18.613	1.00	32.46
	ATOM	2389	O	SER	356	19.356	58.546	19.091	1.00	33.43
	ATOM	2390	N	PHE	357	18.635	56.914	17.730	1.00	31.20
	ATOM	2391	CA	PHE	357	19.994	56.635	17.280	1.00	30.41
50	ATOM	2392	CB	PHE	357	20.662	55.552	18.150	1.00	26.65
	ATOM	2393	CG	PHE	357	20.023	54.184	18.032	1.00	26.35
	ATOM	2394	CD1	PHE	357	20.538	53.228	17.146	1.00	24.89
	ATOM	2395	CD2	PHE	357	18.915	53.852	18.797	1.00	25.64
	ATOM	2396	CE1	PHE	357	19.963	51.973	17.024	1.00	20.16
55	ATOM	2397	CE2	PHE	357	18.323	52.588	18.685	1.00	23.45
	ATOM	2398	CZ	PHE	357	18.851	51.649	17.794	1.00	25.99
	ATOM	2399	C	PHE	357	20.008	56.223	15.825	1.00	30.71
	ATOM	2400	O	PHE	357	18.985	55.809	15.275	1.00	29.78
	ATOM	2401	N	ASN	358	21.155	56.405	15.187	1.00	32.57
60	ATOM	2402	CA	ASN	358	21.326	56.021	13.795	1.00	33.87
	ATOM	2403	CB	ASN	358	22.252	57.010	13.070	1.00	35.37
	ATOM	2404	CG	ASN	358	21.633	58.398	12.892	1.00	37.55
	ATOM	2405	OD1	ASN	358	22.327	59.358	12.511	1.00	38.07
	ATOM	2406	ND2	ASN	358	20.336	58.517	13.162	1.00	37.72

	ATOM	2407	C	ASN	358	21.954	54.622	13.846	1.00	33.48
	ATOM	2408	O	ASN	358	22.761	54.341	14.736	1.00	31.32
	ATOM	2409	N	TYR	359	21.570	53.744	12.924	1.00	33.09
5	ATOM	2410	CA	TYR	359	22.093	52.381	12.901	1.00	33.75
	ATOM	2411	CB	TYR	359	21.098	51.434	13.563	1.00	33.52
	ATOM	2412	CG	TYR	359	19.782	51.352	12.818	1.00	34.92
	ATOM	2413	CD1	TYR	359	19.449	50.224	12.055	1.00	33.07
	ATOM	2414	CE1	TYR	359	18.265	50.165	11.326	1.00	29.76
10	ATOM	2415	CD2	TYR	359	18.889	52.420	12.834	1.00	37.77
	ATOM	2416	CE2	TYR	359	17.696	52.374	12.104	1.00	38.88
	ATOM	2417	CZ	TYR	359	17.396	51.246	11.354	1.00	36.77
	ATOM	2418	OH	TYR	359	16.235	51.223	10.618	1.00	35.92
	ATOM	2419	C	TYR	359	22.231	51.978	11.454	1.00	35.05
15	ATOM	2420	O	TYR	359	21.526	52.545	10.615	1.00	36.86
	ATOM	2421	N	TRP	360	23.110	51.022	11.128	1.00	34.37
	ATOM	2422	CA	TRP	360	23.178	50.647	9.731	1.00	32.80
	ATOM	2423	CB	TRP	360	24.568	50.271	9.210	1.00	38.80
	ATOM	2424	CG	TRP	360	25.172	48.996	9.571	1.00	40.63
20	ATOM	2425	CD2	TRP	360	25.669	48.006	8.655	1.00	39.06
	ATOM	2426	CE2	TRP	360	26.392	47.049	9.423	1.00	40.29
	ATOM	2427	CE3	TRP	360	25.591	47.840	7.275	1.00	27.60
	ATOM	2428	CD1	TRP	360	25.564	48.606	10.808	1.00	46.32
	ATOM	2429	NE1	TRP	360	26.307	47.437	10.732	1.00	48.10
25	ATOM	2430	CZ2	TRP	360	27.033	45.945	8.852	1.00	36.63
	ATOM	2431	CZ3	TRP	360	26.224	46.743	6.708	1.00	33.68
	ATOM	2432	CH2	TRP	360	26.942	45.810	7.498	1.00	36.39
	ATOM	2433	C	TRP	360	22.091	49.678	9.390	1.00	29.48
	ATOM	2434	O	TRP	360	21.916	48.662	10.043	1.00	28.40
30	ATOM	2435	N	SER	361	21.291	50.100	8.422	1.00	24.82
	ATOM	2436	CA	SER	361	20.118	49.390	7.966	1.00	25.01
	ATOM	2437	CB	SER	361	19.040	50.417	7.657	1.00	25.02
	ATOM	2438	OG	SER	361	19.534	51.372	6.728	1.00	28.01
	ATOM	2439	C	SER	361	20.272	48.481	6.770	1.00	25.86
35	ATOM	2440	O	SER	361	19.452	47.584	6.563	1.00	28.24
	ATOM	2441	N	GLY	362	21.287	48.721	5.955	1.00	26.61
	ATOM	2442	CA	GLY	362	21.470	47.893	4.775	1.00	26.68
	ATOM	2443	C	GLY	362	22.843	48.075	4.174	1.00	24.88
	ATOM	2444	O	GLY	362	23.624	48.876	4.681	1.00	25.16
40	ATOM	2445	N	ASN	363	23.135	47.385	3.078	1.00	24.77
	ATOM	2446	CA	ASN	363	24.459	47.503	2.494	1.00	25.21
	ATOM	2447	CB	ASN	363	25.510	46.904	3.453	1.00	21.78
	ATOM	2448	CG	ASN	363	25.509	45.366	3.479	1.00	24.03
	ATOM	2449	OD1	ASN	363	26.521	44.736	3.172	1.00	24.61
45	ATOM	2450	ND2	ASN	363	24.396	44.762	3.893	1.00	26.86
	ATOM	2451	C	ASN	363	24.598	46.810	1.166	1.00	28.38
	ATOM	2452	O	ASN	363	23.737	46.009	0.783	1.00	27.10
	ATOM	2453	N	TYR	364	25.684	47.158	0.477	1.00	29.28
	ATOM	2454	CA	TYR	364	26.101	46.545	-0.782	1.00	30.49
50	ATOM	2455	CB	TYR	364	26.241	47.570	-1.888	1.00	30.92
	ATOM	2456	CG	TYR	364	24.976	47.958	-2.584	1.00	35.24
	ATOM	2457	CD1	TYR	364	24.508	49.266	-2.504	1.00	37.00
	ATOM	2458	CE1	TYR	364	23.391	49.671	-3.198	1.00	37.99
	ATOM	2459	CD2	TYR	364	24.280	47.047	-3.380	1.00	33.35
55	ATOM	2460	CE2	TYR	364	23.152	47.443	-4.082	1.00	38.54
	ATOM	2461	CZ	TYR	364	22.717	48.766	-3.983	1.00	38.50
	ATOM	2462	OH	TYR	364	21.612	49.214	-4.665	1.00	45.95
	ATOM	2463	C	TYR	364	27.522	46.055	-0.488	1.00	32.98
	ATOM	2464	O	TYR	364	28.281	46.720	0.230	1.00	33.48
60	ATOM	2465	N	VAL	365	27.899	44.898	-1.005	1.00	34.46
	ATOM	2466	CA	VAL	365	29.266	44.442	-0.779	1.00	35.26

	ATOM	2467	CB	VAL	365	29.324	43.174	0.132	1.00	35.22
	ATOM	2468	CG1	VAL	365	28.544	42.064	-0.479	1.00	36.06
	ATOM	2469	CG2	VAL	365	30.774	42.761	0.415	1.00	32.31
5	ATOM	2470	C	VAL	365	29.946	44.221	-2.124	1.00	32.82
	ATOM	2471	O	VAL	365	29.287	43.928	-3.127	1.00	29.89
	ATOM	2472	N	GLU	366	31.239	44.490	-2.164	1.00	30.38
	ATOM	2473	CA	GLU	366	32.002	44.298	-3.378	1.00	34.07
	ATOM	2474	CB	GLU	366	32.648	45.606	-3.814	1.00	37.91
10	ATOM	2475	CG	GLU	366	31.688	46.701	-4.249	1.00	41.21
	ATOM	2476	CD	GLU	366	32.428	47.937	-4.782	1.00	43.61
	ATOM	2477	OE1	GLU	366	31.836	48.651	-5.635	1.00	40.82
	ATOM	2478	OE2	GLU	366	33.591	48.184	-4.350	1.00	37.47
	ATOM	2479	C	GLU	366	33.104	43.272	-3.155	1.00	33.05
15	ATOM	2480	O	GLU	366	33.875	43.392	-2.194	1.00	31.68
	ATOM	2481	N	THR	367	33.169	42.261	-4.021	1.00	32.11
	ATOM	2482	CA	THR	367	34.217	41.249	-3.923	1.00	31.20
	ATOM	2483	CB	THR	367	33.687	39.839	-3.496	1.00	27.61
	ATOM	2484	OG1	THR	367	32.743	39.357	-4.444	1.00	28.79
20	ATOM	2485	CG2	THR	367	33.031	39.876	-2.120	1.00	28.94
	ATOM	2486	C	THR	367	34.979	41.142	-5.241	1.00	29.56
	ATOM	2487	O	THR	367	34.447	41.405	-6.310	1.00	29.90
	ATOM	2488	N	ARG	368	36.237	40.756	-5.142	1.00	31.09
	ATOM	2489	CA	ARG	368	37.123	40.604	-6.284	1.00	31.96
25	ATOM	2490	CB	ARG	368	38.379	41.435	-6.014	1.00	29.37
	ATOM	2491	CG	ARG	368	39.507	41.187	-6.926	1.00	34.48
	ATOM	2492	CD	ARG	368	40.493	40.266	-6.273	1.00	41.51
	ATOM	2493	NE	ARG	368	41.404	39.670	-7.251	1.00	47.48
	ATOM	2494	CZ	ARG	368	42.269	40.372	-7.971	1.00	51.99
30	ATOM	2495	NH1	ARG	368	43.070	39.756	-8.839	1.00	54.18
	ATOM	2496	NH2	ARG	368	42.336	41.697	-7.820	1.00	53.93
	ATOM	2497	C	ARG	368	37.451	39.109	-6.444	1.00	33.34
	ATOM	2498	O	ARG	368	37.763	38.436	-5.464	1.00	34.00
	ATOM	2499	N	PRO	369	37.391	38.580	-7.680	1.00	34.18
35	ATOM	2500	CD	PRO	369	37.115	39.364	-8.888	1.00	33.71
	ATOM	2501	CA	PRO	369	37.656	37.186	-8.054	1.00	30.61
	ATOM	2502	CB	PRO	369	37.481	37.200	-9.561	1.00	31.74
	ATOM	2503	CG	PRO	369	36.530	38.326	-9.771	1.00	35.33
	ATOM	2504	C	PRO	369	39.044	36.722	-7.722	1.00	29.83
40	ATOM	2505	O	PRO	369	39.924	37.525	-7.398	1.00	27.32
	ATOM	2506	N	SER	370	39.255	35.417	-7.836	1.00	28.62
	ATOM	2507	CA	SER	370	40.573	34.883	-7.554	1.00	31.48
	ATOM	2508	CB	SER	370	40.546	33.372	-7.433	1.00	27.56
	ATOM	2509	OG	SER	370	41.406	33.022	-6.370	1.00	38.88
45	ATOM	2510	C	SER	370	41.553	35.358	-8.632	1.00	29.79
	ATOM	2511	O	SER	370	41.136	35.864	-9.680	1.00	28.74
	ATOM	2512	N	ILE	371	42.849	35.217	-8.367	1.00	29.17
	ATOM	2513	CA	ILE	371	43.867	35.686	-9.297	1.00	28.44
	ATOM	2514	CB	ILE	371	45.288	35.247	-8.863	1.00	24.69
50	ATOM	2515	CG2	ILE	371	45.532	33.810	-9.203	1.00	24.58
	ATOM	2516	CG1	ILE	371	46.322	36.103	-9.586	1.00	29.48
	ATOM	2517	CD1	ILE	371	47.658	36.218	-8.891	1.00	30.22
	ATOM	2518	C	ILE	371	43.560	35.358	-10.778	1.00	28.82
	ATOM	2519	O	ILE	371	43.096	34.268	-11.119	1.00	28.35
55	ATOM	2520	N	GLY	372	43.745	36.354	-11.637	1.00	30.09
	ATOM	2521	CA	GLY	372	43.456	36.181	-13.049	1.00	34.56
	ATOM	2522	C	GLY	372	42.236	36.980	-13.483	1.00	36.19
	ATOM	2523	O	GLY	372	41.849	36.930	-14.640	1.00	38.57
	ATOM	2524	N	SER	373	41.608	37.689	-12.549	1.00	40.47
60	ATOM	2525	CA	SER	373	40.446	38.522	-12.841	1.00	41.94
	ATOM	2526	CB	SER	373	39.187	37.678	-12.980	1.00	41.45

	ATOM	2527	OG	SER	373	38.126	38.476	-13.463	1.00	43.54
	ATOM	2528	C	SER	373	40.251	39.574	-11.752	1.00	45.16
	ATOM	2529	O	SER	373	40.044	39.266	-10.570	1.00	46.16
5	ATOM	2530	N	SER	374	40.308	40.828	-12.157	1.00	48.44
	ATOM	2531	CA	SER	374	40.162	41.911	-11.202	1.00	53.99
	ATOM	2532	CB	SER	374	41.048	43.071	-11.625	1.00	57.08
	ATOM	2533	OG	SER	374	42.301	42.578	-12.055	1.00	68.67
	ATOM	2534	C	SER	374	38.735	42.392	-11.070	1.00	53.37
10	ATOM	2535	O	SER	374	38.358	42.931	-10.033	1.00	53.57
	ATOM	2536	N	LYS	375	37.954	42.204	-12.130	1.00	53.62
	ATOM	2537	CA	LYS	375	36.565	42.646	-12.165	1.00	54.04
	ATOM	2538	CB	LYS	375	35.804	41.962	-13.309	1.00	61.15
	ATOM	2539	CG	LYS	375	35.604	40.453	-13.172	1.00	71.46
15	ATOM	2540	CD	LYS	375	34.757	39.912	-14.328	1.00	80.46
	ATOM	2541	CE	LYS	375	34.547	38.401	-14.234	1.00	85.39
	ATOM	2542	NZ	LYS	375	33.824	37.872	-15.438	1.00	89.61
	ATOM	2543	C	LYS	375	35.869	42.386	-10.847	1.00	49.20
	ATOM	2544	O	LYS	375	35.898	41.276	-10.352	1.00	49.05
20	ATOM	2545	N	THR	376	35.289	43.420	-10.255	1.00	45.64
	ATOM	2546	CA	THR	376	34.614	43.239	-8.991	1.00	43.45
	ATOM	2547	CB	THR	376	34.597	44.516	-8.122	1.00	47.21
	ATOM	2548	OG1	THR	376	33.898	45.562	-8.803	1.00	50.56
	ATOM	2549	CG2	THR	376	36.017	44.975	-7.798	1.00	48.78
25	ATOM	2550	C	THR	376	33.207	42.747	-9.207	1.00	40.09
	ATOM	2551	O	THR	376	32.642	42.852	-10.300	1.00	35.92
	ATOM	2552	N	ILE	377	32.656	42.202	-8.137	1.00	37.93
	ATOM	2553	CA	ILE	377	31.326	41.653	-8.137	1.00	36.78
	ATOM	2554	CB	ILE	377	31.362	40.152	-7.774	1.00	34.83
30	ATOM	2555	CG2	ILE	377	29.980	39.533	-7.895	1.00	32.45
	ATOM	2556	CG1	ILE	377	32.348	39.413	-8.684	1.00	32.69
	ATOM	2557	CD1	ILE	377	32.748	38.041	-8.162	1.00	27.92
	ATOM	2558	C	ILE	377	30.563	42.415	-7.072	1.00	39.31
	ATOM	2559	O	ILE	377	30.962	42.435	-5.896	1.00	38.63
35	ATOM	2560	N	THR	378	29.566	43.169	-7.519	1.00	41.06
	ATOM	2561	CA	THR	378	28.712	43.918	-6.616	1.00	40.06
	ATOM	2562	CB	THR	378	28.209	45.243	-7.226	1.00	38.28
	ATOM	2563	OG1	THR	378	29.316	46.145	-7.396	1.00	43.42
	ATOM	2564	CG2	THR	378	27.163	45.891	-6.308	1.00	36.99
40	ATOM	2565	C	THR	378	27.536	42.999	-6.323	1.00	40.53
	ATOM	2566	O	THR	378	27.024	42.310	-7.214	1.00	42.82
	ATOM	2567	N	SER	379	27.153	42.959	-5.054	1.00	41.66
	ATOM	2568	CA	SER	379	26.057	42.122	-4.585	1.00	37.15
	ATOM	2569	CB	SER	379	26.315	41.774	-3.123	1.00	39.90
45	ATOM	2570	OG	SER	379	26.357	42.971	-2.344	1.00	39.97
	ATOM	2571	C	SER	379	24.738	42.872	-4.640	1.00	34.85
	ATOM	2572	O	SER	379	24.689	44.089	-4.869	1.00	34.30
	ATOM	2573	N	PRO	380	23.638	42.148	-4.448	1.00	30.97
	ATOM	2574	CD	PRO	380	23.467	40.702	-4.256	1.00	30.83
50	ATOM	2575	CA	PRO	380	22.355	42.837	-4.467	1.00	31.60
	ATOM	2576	CB	PRO	380	21.355	41.692	-4.253	1.00	33.86
	ATOM	2577	CG	PRO	380	22.064	40.484	-4.705	1.00	29.90
	ATOM	2578	C	PRO	380	22.365	43.725	-3.219	1.00	31.83
	ATOM	2579	O	PRO	380	23.212	43.544	-2.338	1.00	34.52
55	ATOM	2580	N	PHE	381	21.469	44.700	-3.144	1.00	31.79
	ATOM	2581	CA	PHE	381	21.399	45.514	-1.940	1.00	30.64
	ATOM	2582	CB	PHE	381	20.547	46.761	-2.152	1.00	26.26
	ATOM	2583	CG	PHE	381	20.422	47.617	-0.932	1.00	24.77
	ATOM	2584	CD1	PHE	381	21.530	48.333	-0.452	1.00	26.36
	ATOM	2585	CD2	PHE	381	19.198	47.712	-0.258	1.00	21.71
60	ATOM	2586	CE1	PHE	381	21.431	49.137	0.684	1.00	25.19

	ATOM	2587	CE2	PHE	381	19.073	48.501	0.872	1.00	21.85
	ATOM	2588	CZ	PHE	381	20.201	49.224	1.353	1.00	27.79
	ATOM	2589	C	PHE	381	20.751	44.613	-0.981	1.00	32.40
5	ATOM	2590	O	PHE	381	19.861	43.801	-1.185	1.00	32.67
	ATOM	2591	N	TYR	382	21.225	44.746	0.351	1.00	34.10
	ATOM	2592	CA	TYR	382	20.732	43.974	1.485	1.00	30.09
	ATOM	2593	CB	TYR	382	21.890	43.185	2.083	1.00	22.37
	ATOM	2594	CG	TYR	382	22.562	42.226	1.140	1.00	15.64
10	ATOM	2595	CD1	TYR	382	23.940	42.249	0.959	1.00	19.25
	ATOM	2596	CE1	TYR	382	24.576	41.299	0.181	1.00	17.01
	ATOM	2597	CD2	TYR	382	21.835	41.237	0.501	1.00	21.74
	ATOM	2598	CE2	TYR	382	22.457	40.278	-0.286	1.00	17.61
	ATOM	2599	CZ	TYR	382	23.822	40.315	-0.436	1.00	20.73
15	ATOM	2600	OH	TYR	382	24.406	39.331	-1.176	1.00	22.81
	ATOM	2601	C	TYR	382	20.220	44.975	2.530	1.00	33.35
	ATOM	2602	O	TYR	382	20.899	45.969	2.818	1.00	34.99
	ATOM	2603	N	GLY	383	19.014	44.748	3.051	1.00	32.94
	ATOM	2604	CA	GLY	383	18.457	45.635	4.064	1.00	32.92
20	ATOM	2605	C	GLY	383	17.707	46.853	3.548	1.00	35.30
	ATOM	2606	O	GLY	383	17.148	46.820	2.454	1.00	32.00
	ATOM	2607	N	ASP	384	17.694	47.916	4.354	1.00	34.45
	ATOM	2608	CA	ASP	384	17.015	49.159	4.027	1.00	33.27
	ATOM	2609	CB	ASP	384	16.294	49.698	5.241	1.00	36.97
25	ATOM	2610	CG	ASP	384	14.987	49.003	5.484	1.00	41.84
	ATOM	2611	OD1	ASP	384	14.110	49.050	4.590	1.00	48.37
	ATOM	2612	OD2	ASP	384	14.828	48.418	6.568	1.00	42.67
	ATOM	2613	C	ASP	384	17.936	50.224	3.531	1.00	35.10
	ATOM	2614	O	ASP	384	19.068	50.319	3.998	1.00	34.64
30	ATOM	2615	N	LYS	385	17.447	51.020	2.577	1.00	39.67
	ATOM	2616	CA	LYS	385	18.212	52.128	1.969	1.00	42.47
	ATOM	2617	CB	LYS	385	17.461	52.731	0.766	1.00	49.42
	ATOM	2618	CG	LYS	385	17.308	51.805	-0.432	1.00	57.29
	ATOM	2619	CD	LYS	385	18.609	51.672	-1.254	1.00	63.49
35	ATOM	2620	CE	LYS	385	18.395	50.774	-2.495	1.00	67.56
	ATOM	2621	NZ	LYS	385	19.579	50.684	-3.406	1.00	67.31
	ATOM	2622	C	LYS	385	18.442	53.219	2.993	1.00	39.12
	ATOM	2623	O	LYS	385	17.573	53.470	3.838	1.00	43.51
	ATOM	2624	N	SER	386	19.559	53.931	2.901	1.00	34.02
40	ATOM	2625	CA	SER	386	19.771	54.934	3.913	1.00	34.23
	ATOM	2626	CB	SER	386	21.246	55.265	4.156	1.00	27.24
	ATOM	2627	OG	SER	386	21.916	55.575	2.988	1.00	29.42
	ATOM	2628	C	SER	386	18.928	56.164	3.825	1.00	39.30
	ATOM	2629	O	SER	386	18.289	56.441	2.814	1.00	45.39
45	ATOM	2630	N	THR	387	18.847	56.790	4.994	1.00	44.75
	ATOM	2631	CA	THR	387	18.126	58.011	5.334	1.00	43.08
	ATOM	2632	CB	THR	387	17.432	57.749	6.690	1.00	45.54
	ATOM	2633	OG1	THR	387	16.146	57.160	6.456	1.00	51.56
	ATOM	2634	CG2	THR	387	17.365	58.983	7.581	1.00	48.46
50	ATOM	2635	C	THR	387	19.219	59.058	5.509	1.00	41.51
	ATOM	2636	O	THR	387	19.060	60.229	5.207	1.00	45.34
	ATOM	2637	N	GLU	388	20.372	58.578	5.945	1.00	39.65
	ATOM	2638	CA	GLU	388	21.510	59.408	6.192	1.00	40.13
	ATOM	2639	CB	GLU	388	22.079	58.996	7.537	1.00	42.68
55	ATOM	2640	CG	GLU	388	21.079	59.112	8.646	1.00	46.20
	ATOM	2641	CD	GLU	388	20.744	60.555	8.979	1.00	51.34
	ATOM	2642	OE1	GLU	388	21.607	61.454	8.749	1.00	48.83
	ATOM	2643	OE2	GLU	388	19.615	60.789	9.496	1.00	54.12
	ATOM	2644	C	GLU	388	22.554	59.136	5.115	1.00	40.71
60	ATOM	2645	O	GLU	388	22.342	58.275	4.252	1.00	39.83
	ATOM	2646	N	PRO	389	23.702	59.825	5.183	1.00	42.10

	ATOM	2647	CD	PRO	389	24.063	60.916	6.114	1.00	42.78
	ATOM	2648	CA	PRO	389	24.763	59.619	4.198	1.00	44.35
	ATOM	2649	CB	PRO	389	25.351	60.608	4.654	1.00	45.07
	ATOM	2650	CG	PRO	389	25.090	61.684	5.323	1.00	43.93
5	ATOM	2651	C	PRO	389	25.311	58.169	4.187	1.00	45.36
	ATOM	2652	O	PRO	389	25.363	57.489	5.234	1.00	46.15
	ATOM	2653	N	VAL	390	25.717	57.715	3.003	1.00	42.43
	ATOM	2654	CA	VAL	390	26.286	56.379	2.838	1.00	39.18
	ATOM	2655	CB	VAL	390	26.062	55.818	1.444	1.00	33.17
10	ATOM	2656	CG1	VAL	390	24.593	55.549	1.257	1.00	35.38
	ATOM	2657	CG2	VAL	390	26.586	56.788	0.395	1.00	35.87
	ATOM	2658	C	VAL	390	27.766	56.466	3.077	1.00	41.43
	ATOM	2659	O	VAL	390	28.384	57.471	2.713	1.00	42.32
	ATOM	2660	N	GLN	391	28.310	55.434	3.726	1.00	44.86
15	ATOM	2661	CA	GLN	391	29.739	55.358	4.038	1.00	47.38
	ATOM	2662	CB	GLN	391	29.982	55.249	5.559	1.00	49.86
	ATOM	2663	CG	GLN	391	29.536	56.490	6.359	1.00	50.20
	ATOM	2664	CD	GLN	391	29.613	56.298	7.868	1.00	53.83
	ATOM	2665	OE1	GLN	391	30.599	55.765	8.384	1.00	52.70
20	ATOM	2666	NE2	GLN	391	28.575	56.739	8.583	1.00	48.35
	ATOM	2667	C	GLN	391	30.334	54.159	3.299	1.00	45.72
	ATOM	2668	O	GLN	391	29.836	53.032	3.392	1.00	46.80
	ATOM	2669	N	LYS	392	31.412	54.420	2.571	1.00	44.47
	ATOM	2670	CA	LYS	392	32.071	53.407	1.774	1.00	40.66
25	ATOM	2671	CB	LYS	392	32.196	53.911	0.335	1.00	42.32
	ATOM	2672	CG	LYS	392	32.828	52.947	-0.666	1.00	48.87
	ATOM	2673	CD	LYS	392	32.022	51.647	-0.844	1.00	51.56
	ATOM	2674	CE	LYS	392	32.284	50.967	-2.202	1.00	50.35
	ATOM	2675	NZ	LYS	392	31.718	51.738	-3.365	1.00	53.19
30	ATOM	2676	C	LYS	392	33.439	53.116	2.328	1.00	38.02
	ATOM	2677	O	LYS	392	34.230	54.024	2.578	1.00	40.88
	ATOM	2678	N	LEU	393	33.692	51.839	2.562	1.00	35.52
	ATOM	2679	CA	LEU	393	34.978	51.395	3.052	1.00	33.95
	ATOM	2680	CB	LEU	393	34.827	50.700	4.404	1.00	30.25
35	ATOM	2681	CG	LEU	393	34.497	51.594	5.596	1.00	30.20
	ATOM	2682	CD1	LEU	393	34.535	50.778	6.890	1.00	32.88
	ATOM	2683	CD2	LEU	393	35.506	52.722	5.664	1.00	31.84
	ATOM	2684	C	LEU	393	35.528	50.418	2.014	1.00	34.73
	ATOM	2685	O	LEU	393	34.796	49.539	1.543	1.00	36.19
40	ATOM	2686	N	SER	394	36.780	50.620	1.614	1.00	31.82
	ATOM	2687	CA	SER	394	37.430	49.747	0.652	1.00	37.44
	ATOM	2688	CB	SER	394	37.971	50.516	-0.541	1.00	41.95
	ATOM	2689	OG	SER	394	38.489	49.617	-1.521	1.00	50.00
	ATOM	2690	C	SER	394	38.591	49.051	1.312	1.00	39.64
45	ATOM	2691	O	SER	394	39.512	49.695	1.835	1.00	42.33
	ATOM	2692	N	PHE	395	38.567	47.733	1.248	1.00	37.33
	ATOM	2693	CA	PHE	395	39.605	46.933	1.846	1.00	39.32
	ATOM	2694	CB	PHE	395	38.963	45.836	2.682	1.00	34.54
	ATOM	2695	CG	PHE	395	37.909	46.337	3.615	1.00	32.96
50	ATOM	2696	CD1	PHE	395	36.563	46.226	3.278	1.00	25.90
	ATOM	2697	CD2	PHE	395	38.258	46.916	4.835	1.00	30.10
	ATOM	2698	CE1	PHE	395	35.575	46.678	4.138	1.00	25.06
	ATOM	2699	CE2	PHE	395	37.270	47.376	5.708	1.00	31.10
	ATOM	2700	CZ	PHE	395	35.921	47.255	5.356	1.00	27.26
55	ATOM	2701	C	PHE	395	40.555	46.333	0.818	1.00	42.66
	ATOM	2702	O	PHE	395	41.275	45.388	1.127	1.00	43.59
	ATOM	2703	N	ASP	396	40.544	46.858	-0.404	1.00	44.49
	ATOM	2704	CA	ASP	396	41.434	46.355	-1.449	1.00	46.90
	ATOM	2705	CB	ASP	396	41.338	47.261	-2.693	1.00	49.42
60	ATOM	2706	CG	ASP	396	42.396	46.935	-3.764	1.00	55.28

5	ATOM	2707	OD1	ASP	396	42.247	45.919	-4.494	1.00	54.98
	ATOM	2708	OD2	ASP	396	43.374	47.717	-3.884	1.00	56.58
	ATOM	2709	C	ASP	396	42.879	46.293	-0.914	1.00	48.42
	ATOM	2710	O	ASP	396	43.417	47.308	-0.452	1.00	51.13
	ATOM	2711	N	GLY	397	43.465	45.093	-0.908	1.00	47.37
10	ATOM	2712	CA	GLY	397	44.836	44.908	-0.437	1.00	49.02
	ATOM	2713	C	GLY	397	45.040	44.597	1.045	1.00	49.20
	ATOM	2714	O	GLY	397	46.155	44.290	1.497	1.00	50.80
	ATOM	2715	N	GLN	398	43.949	44.642	1.797	1.00	48.76
	ATOM	2716	CA	GLN	398	43.973	44.402	3.229	1.00	43.09
15	ATOM	2717	CB	GLN	398	43.194	45.515	3.957	1.00	42.33
	ATOM	2718	CG	GLN	398	43.622	46.937	3.625	1.00	40.39
	ATOM	2719	CD	GLN	398	45.056	47.224	4.023	1.00	41.78
	ATOM	2720	OE1	GLN	398	45.473	46.965	5.149	1.00	40.33
	ATOM	2721	NE2	GLN	398	45.827	47.747	3.088	1.00	46.48
20	ATOM	2722	C	GLN	398	43.353	43.051	3.576	1.00	39.37
	ATOM	2723	O	GLN	398	42.579	42.480	2.793	1.00	35.23
	ATOM	2724	N	LYS	399	43.741	42.535	4.740	1.00	36.01
	ATOM	2725	CA	LYS	399	43.220	41.283	5.271	1.00	32.45
	ATOM	2726	CB	LYS	399	44.354	40.298	5.627	1.00	32.95
25	ATOM	2727	CG	LYS	399	45.153	39.758	4.467	1.00	35.89
	ATOM	2728	CD	LYS	399	44.318	38.913	3.525	1.00	45.68
	ATOM	2729	CE	LYS	399	45.157	38.442	2.309	1.00	55.14
	ATOM	2730	NZ	LYS	399	44.438	37.617	1.261	1.00	52.03
	ATOM	2731	C	LYS	399	42.506	41.712	6.558	1.00	28.99
30	ATOM	2732	O	LYS	399	43.163	42.099	7.528	1.00	27.89
	ATOM	2733	N	VAL	400	41.178	41.713	6.547	1.00	21.30
	ATOM	2734	CA	VAL	400	40.433	42.091	7.736	1.00	22.51
	ATOM	2735	CB	VAL	400	39.005	42.610	7.399	1.00	23.45
	ATOM	2736	CG1	VAL	400	38.225	42.938	8.675	1.00	17.30
35	ATOM	2737	CG2	VAL	400	39.120	43.846	6.543	1.00	22.17
	ATOM	2738	C	VAL	400	40.385	40.895	8.666	1.00	20.47
	ATOM	2739	O	VAL	400	39.623	39.965	8.464	1.00	20.32
	ATOM	2740	N	TYR	401	41.177	40.946	9.718	1.00	22.08
	ATOM	2741	CA	TYR	401	41.235	39.832	10.626	1.00	23.87
40	ATOM	2742	CB	TYR	401	42.686	39.513	10.967	1.00	23.92
	ATOM	2743	CG	TYR	401	43.399	40.624	11.667	1.00	21.62
	ATOM	2744	CD1	TYR	401	43.361	40.718	13.049	1.00	23.62
	ATOM	2745	CE1	TYR	401	44.024	41.725	13.718	1.00	22.25
	ATOM	2746	CD2	TYR	401	44.124	41.583	10.949	1.00	23.09
45	ATOM	2747	CE2	TYR	401	44.791	42.607	11.602	1.00	21.21
	ATOM	2748	CZ	TYR	401	44.733	42.663	12.995	1.00	26.42
	ATOM	2749	OH	TYR	401	45.392	43.644	13.698	1.00	38.32
	ATOM	2750	C	TYR	401	40.421	39.971	11.886	1.00	25.97
	ATOM	2751	O	TYR	401	40.523	39.117	12.762	1.00	24.72
50	ATOM	2752	N	ARG	402	39.627	41.033	11.999	1.00	25.45
	ATOM	2753	CA	ARG	402	38.797	41.206	13.181	1.00	21.27
	ATOM	2754	CB	ARG	402	39.671	41.438	14.397	1.00	20.74
	ATOM	2755	CG	ARG	402	38.922	41.510	15.687	1.00	19.16
	ATOM	2756	CD	ARG	402	39.831	42.048	16.720	1.00	16.61
55	ATOM	2757	NE	ARG	402	39.323	41.788	18.050	1.00	24.94
	ATOM	2758	CZ	ARG	402	40.054	41.922	19.154	1.00	34.52
	ATOM	2759	NH1	ARG	402	39.521	41.650	20.337	1.00	40.03
	ATOM	2760	NH2	ARG	402	41.314	42.347	19.081	1.00	29.20
	ATOM	2761	C	ARG	402	37.794	42.340	13.079	1.00	22.04
60	ATOM	2762	O	ARG	402	38.103	43.401	12.539	1.00	21.07
	ATOM	2763	N	THR	403	36.622	42.113	13.670	1.00	23.73
	ATOM	2764	CA	THR	403	35.519	43.062	13.702	1.00	22.58
	ATOM	2765	CB	THR	403	34.395	42.681	12.701	1.00	26.34
	ATOM	2766	OG1	THR	403	33.865	41.394	13.027	1.00	31.05

	ATOM	2767	CG2	THR	403	34.930	42.618	11.297	1.00	28.24
	ATOM	2768	C	THR	403	34.942	43.074	15.111	1.00	19.93
	ATOM	2769	O	THR	403	34.810	42.033	15.751	1.00	17.31
5	ATOM	2770	N	ILE	404	34.672	44.274	15.603	1.00	21.50
	ATOM	2771	CA	ILE	404	34.117	44.490	16.941	1.00	23.42
	ATOM	2772	CB	ILE	404	35.139	45.177	17.888	1.00	22.26
	ATOM	2773	CG2	ILE	404	34.511	45.385	19.290	1.00	25.17
	ATOM	2774	CG1	ILE	404	36.436	44.355	17.945	1.00	19.77
10	ATOM	2775	CD1	ILE	404	37.514	44.953	18.807	1.00	19.18
	ATOM	2776	C	ILE	404	32.952	45.431	16.738	1.00	22.13
	ATOM	2777	O	ILE	404	33.123	46.554	16.251	1.00	20.52
	ATOM	2778	N	ALA	405	31.769	44.967	17.091	1.00	24.23
	ATOM	2779	CA	ALA	405	30.566	45.761	16.903	1.00	29.85
15	ATOM	2780	CB	ALA	405	29.505	44.951	16.164	1.00	32.90
	ATOM	2781	C	ALA	405	29.998	46.268	18.196	1.00	30.65
	ATOM	2782	O	ALA	405	30.172	45.654	19.261	1.00	32.26
	ATOM	2783	N	ASN	406	29.314	47.401	18.086	1.00	33.60
	ATOM	2784	CA	ASN	406	28.657	48.036	19.213	1.00	30.90
20	ATOM	2785	CB	ASN	406	29.353	49.328	19.575	1.00	35.26
	ATOM	2786	CG	ASN	406	30.688	49.082	20.251	1.00	39.28
	ATOM	2787	OD1	ASN	406	31.716	49.567	19.796	1.00	46.28
	ATOM	2788	ND2	ASN	406	30.677	48.323	21.345	1.00	41.47
	ATOM	2789	C	ASN	406	27.221	48.255	18.823	1.00	27.42
25	ATOM	2790	O	ASN	406	26.917	48.549	17.680	1.00	31.60
	ATOM	2791	N	THR	407	26.335	48.093	19.779	1.00	28.95
	ATOM	2792	CA	THR	407	24.923	48.210	19.527	1.00	27.59
	ATOM	2793	CB	THR	407	24.307	46.799	19.792	1.00	29.44
	ATOM	2794	OG1	THR	407	23.752	46.264	18.585	1.00	34.58
30	ATOM	2795	CG2	THR	407	23.274	46.801	20.891	1.00	32.65
	ATOM	2796	C	THR	407	24.312	49.344	20.376	1.00	29.05
	ATOM	2797	O	THR	407	25.039	50.103	21.043	1.00	29.87
	ATOM	2798	N	ASP	408	22.994	49.517	20.272	1.00	30.18
	ATOM	2799	CA	ASP	408	22.248	50.520	21.040	1.00	26.65
35	ATOM	2800	CB	ASP	408	22.396	51.893	20.417	1.00	26.06
	ATOM	2801	CG	ASP	408	22.171	53.004	21.396	1.00	28.54
	ATOM	2802	OD1	ASP	408	22.823	54.054	21.232	1.00	32.74
	ATOM	2803	OD2	ASP	408	21.362	52.841	22.322	1.00	22.44
	ATOM	2804	C	ASP	408	20.777	50.102	21.089	1.00	25.70
40	ATOM	2805	O	ASP	408	20.375	49.156	20.412	1.00	26.95
	ATOM	2806	N	VAL	409	19.998	50.740	21.949	1.00	26.74
	ATOM	2807	CA	VAL	409	18.579	50.416	22.096	1.00	29.52
	ATOM	2808	CB	VAL	409	18.318	49.460	23.308	1.00	33.88
	ATOM	2809	CG1	VAL	409	18.152	48.015	22.865	1.00	32.06
45	ATOM	2810	CG2	VAL	409	19.450	49.583	24.330	1.00	36.32
	ATOM	2811	C	VAL	409	17.750	51.675	22.354	1.00	29.41
	ATOM	2812	O	VAL	409	18.284	52.726	22.744	1.00	27.31
	ATOM	2813	N	ALA	410	16.438	51.524	22.174	1.00	28.05
	ATOM	2814	CA	ALA	410	15.450	52.573	22.397	1.00	21.88
50	ATOM	2815	CB	ALA	410	15.244	53.387	21.135	1.00	18.08
	ATOM	2816	C	ALA	410	14.196	51.772	22.734	1.00	22.70
	ATOM	2817	O	ALA	410	13.674	51.018	21.905	1.00	19.65
	ATOM	2818	N	ALA	411	13.805	51.820	24.003	1.00	27.52
	ATOM	2819	CA	ALA	411	12.623	51.091	24.470	1.00	31.81
55	ATOM	2820	CB	ALA	411	12.873	50.502	25.829	1.00	33.93
	ATOM	2821	C	ALA	411	11.431	52.029	24.525	1.00	34.20
	ATOM	2822	O	ALA	411	11.535	53.147	25.038	1.00	34.95
	ATOM	2823	N	TRP	412	10.306	51.592	23.987	1.00	33.77
	ATOM	2824	CA	TRP	412	9.134	52.436	23.996	1.00	39.98
60	ATOM	2825	CB	TRP	412	8.392	52.358	22.669	1.00	41.61
	ATOM	2826	CG	TRP	412	9.054	53.098	21.571	1.00	43.46

5	ATOM	2827	CD2	TRP	412	8.430	53.596	20.392	1.00	45.56
	ATOM	2828	CE2	TRP	412	9.440	54.195	19.607	1.00	42.47
	ATOM	2829	CE3	TRP	412	7.110	53.590	19.916	1.00	46.54
	ATOM	2830	CD1	TRP	412	10.376	53.412	21.467	1.00	44.40
	ATOM	2831	NE1	TRP	412	10.617	54.067	20.288	1.00	43.38
10	ATOM	2832	CZ2	TRP	412	9.177	54.788	18.377	1.00	45.51
	ATOM	2833	CZ3	TRP	412	6.844	54.179	18.689	1.00	46.75
	ATOM	2834	CH2	TRP	412	7.877	54.770	17.931	1.00	48.56
	ATOM	2835	C	TRP	412	8.213	52.038	25.114	1.00	44.25
	ATOM	2836	O	TRP	412	8.109	50.853	25.444	1.00	42.52
15	ATOM	2837	N	PRO	413	7.519	53.028	25.716	1.00	50.07
	ATOM	2838	CD	PRO	413	7.624	54.477	25.453	1.00	50.83
	ATOM	2839	CA	PRO	413	6.584	52.781	26.815	1.00	50.92
	ATOM	2840	CB	PRO	413	5.903	54.138	26.979	1.00	50.26
	ATOM	2841	CG	PRO	413	7.019	55.079	26.697	1.00	49.66
20	ATOM	2842	C	PRO	413	5.599	51.690	26.424	1.00	51.13
	ATOM	2843	O	PRO	413	5.244	50.846	27.240	1.00	53.47
	ATOM	2844	N	ASN	414	5.227	51.674	25.148	1.00	52.31
	ATOM	2845	CA	ASN	414	4.291	50.687	24.624	1.00	54.17
	ATOM	2846	CB	ASN	414	3.559	51.238	23.388	1.00	58.82
25	ATOM	2847	CG	ASN	414	4.490	51.960	22.411	1.00	61.33
	ATOM	2848	OD1	ASN	414	4.680	53.184	22.501	1.00	64.05
	ATOM	2849	ND2	ASN	414	5.073	51.210	21.480	1.00	55.75
	ATOM	2850	C	ASN	414	4.947	49.338	24.321	1.00	54.03
	ATOM	2851	O	ASN	414	4.481	48.586	23.466	1.00	55.84
30	ATOM	2852	N	GLY	415	6.058	49.060	24.992	1.00	51.36
	ATOM	2853	CA	GLY	415	6.737	47.792	24.811	1.00	50.33
	ATOM	2854	C	GLY	415	7.639	47.544	23.614	1.00	49.60
	ATOM	2855	O	GLY	415	8.402	46.582	23.616	1.00	55.05
	ATOM	2856	N	LYS	416	7.578	48.375	22.591	1.00	46.50
35	ATOM	2857	CA	LYS	416	8.423	48.147	21.431	1.00	43.10
	ATOM	2858	CB	LYS	416	7.982	49.065	20.294	1.00	45.88
	ATOM	2859	CG	LYS	416	6.489	49.015	19.988	1.00	48.22
	ATOM	2860	CD	LYS	416	6.139	47.815	19.142	1.00	53.88
	ATOM	2861	CE	LYS	416	4.658	47.762	18.779	1.00	53.22
40	ATOM	2862	NZ	LYS	416	4.374	46.692	17.766	1.00	54.21
	ATOM	2863	C	LYS	416	9.887	48.429	21.775	1.00	39.40
	ATOM	2864	O	LYS	416	10.197	49.492	22.311	1.00	39.18
	ATOM	2865	N	VAL	417	10.771	47.453	21.571	1.00	36.07
	ATOM	2866	CA	VAL	417	12.198	47.682	21.818	1.00	33.10
45	ATOM	2867	CB	VAL	417	12.851	46.648	22.748	1.00	32.27
	ATOM	2868	CG1	VAL	417	14.357	46.934	22.860	1.00	29.20
	ATOM	2869	CG2	VAL	417	12.234	46.738	24.127	1.00	30.38
	ATOM	2870	C	VAL	417	12.893	47.682	20.469	1.00	33.32
	ATOM	2871	O	VAL	417	12.521	46.923	19.558	1.00	32.49
50	ATOM	2872	N	TYR	418	13.877	48.562	20.332	1.00	32.46
	ATOM	2873	CA	TYR	418	14.584	48.700	19.078	1.00	30.70
	ATOM	2874	CB	TYR	418	14.201	50.034	18.430	1.00	35.09
	ATOM	2875	CG	TYR	418	12.723	50.142	18.087	1.00	39.67
	ATOM	2876	CD1	TYR	418	11.830	50.796	18.939	1.00	41.36
55	ATOM	2877	CE1	TYR	418	10.468	50.837	18.656	1.00	41.55
	ATOM	2878	CD2	TYR	418	12.210	49.539	16.938	1.00	42.74
	ATOM	2879	CE2	TYR	418	10.858	49.579	16.649	1.00	41.49
	ATOM	2880	CZ	TYR	418	9.997	50.224	17.512	1.00	40.58
	ATOM	2881	OH	TYR	418	8.660	50.227	17.231	1.00	43.39
60	ATOM	2882	C	TYR	418	16.087	48.604	19.217	1.00	31.90
	ATOM	2883	O	TYR	418	16.674	49.292	20.050	1.00	34.09
	ATOM	2884	N	LEU	419	16.697	47.794	18.349	1.00	35.53
	ATOM	2885	CA	LEU	419	18.145	47.575	18.313	1.00	35.73
	ATOM	2886	CB	LEU	419	18.470	46.188	18.875	1.00	40.81

	ATOM	2887	CG	LEU	419	18.374	46.005	20.396	1.00	45.56
	ATOM	2888	CD1	LEU	419	17.661	44.692	20.771	1.00	47.76
	ATOM	2889	CD2	LEU	419	19.783	46.064	20.993	1.00	47.90
5	ATOM	2890	C	LEU	419	18.739	47.717	16.898	1.00	34.04
	ATOM	2891	O	LEU	419	18.017	47.650	15.889	1.00	34.32
	ATOM	2892	N	GLY	420	20.049	47.940	16.841	1.00	29.29
	ATOM	2893	CA	GLY	420	20.743	48.085	15.576	1.00	26.65
	ATOM	2894	C	GLY	420	22.211	48.353	15.836	1.00	27.14
10	ATOM	2895	O	GLY	420	22.575	48.680	16.964	1.00	28.38
	ATOM	2896	N	VAL	421	23.046	48.253	14.803	1.00	26.69
	ATOM	2897	CA	VAL	421	24.490	48.452	14.924	1.00	24.73
	ATOM	2898	CB	VAL	421	25.274	47.527	13.945	1.00	26.82
	ATOM	2899	CG1	VAL	421	26.784	47.789	14.031	1.00	25.39
15	ATOM	2900	CG2	VAL	421	24.993	46.080	14.252	1.00	23.09
	ATOM	2901	C	VAL	421	24.878	49.893	14.640	1.00	27.15
	ATOM	2902	O	VAL	421	24.661	50.401	13.539	1.00	30.83
	ATOM	2903	N	THR	422	25.535	50.521	15.606	1.00	27.69
	ATOM	2904	CA	THR	422	25.946	51.910	15.470	1.00	28.13
20	ATOM	2905	CB	THR	422	25.717	52.692	16.789	1.00	27.76
	ATOM	2906	OG1	THR	422	26.642	52.239	17.782	1.00	26.20
	ATOM	2907	CG2	THR	422	24.285	52.503	17.289	1.00	22.77
	ATOM	2908	C	THR	422	27.414	52.047	15.133	1.00	29.17
	ATOM	2909	O	THR	422	27.864	53.111	14.726	1.00	31.06
25	ATOM	2910	N	LYS	423	28.167	50.974	15.315	1.00	31.17
	ATOM	2911	CA	LYS	423	29.591	51.032	15.079	1.00	30.80
	ATOM	2912	CB	LYS	423	30.242	51.794	16.234	1.00	27.04
	ATOM	2913	CG	LYS	423	31.689	52.148	16.020	1.00	27.11
	ATOM	2914	CD	LYS	423	32.186	52.755	17.273	1.00	31.47
30	ATOM	2915	CE	LYS	423	33.668	52.750	17.356	1.00	32.44
	ATOM	2916	NZ	LYS	423	33.955	53.029	18.792	1.00	43.38
	ATOM	2917	C	LYS	423	30.247	49.662	14.914	1.00	31.76
	ATOM	2918	O	LYS	423	29.828	48.662	15.529	1.00	32.10
	ATOM	2919	N	VAL	424	31.240	49.629	14.026	1.00	31.62
35	ATOM	2920	CA	VAL	424	32.015	48.435	13.715	1.00	30.00
	ATOM	2921	CB	VAL	424	31.408	47.626	12.543	1.00	26.10
	ATOM	2922	CG1	VAL	424	32.157	46.316	12.382	1.00	24.90
	ATOM	2923	CG2	VAL	424	29.915	47.367	12.769	1.00	23.72
	ATOM	2924	C	VAL	424	33.430	48.856	13.329	1.00	29.28
40	ATOM	2925	O	VAL	424	33.622	49.766	12.524	1.00	29.28
	ATOM	2926	N	ASP	425	34.409	48.247	13.984	1.00	32.53
	ATOM	2927	CA	ASP	425	35.816	48.508	13.720	1.00	32.64
	ATOM	2928	CB	ASP	425	36.598	48.641	15.021	1.00	34.95
	ATOM	2929	CG	ASP	425	36.257	49.900	15.769	1.00	45.99
45	ATOM	2930	OD1	ASP	425	36.132	50.961	15.117	1.00	46.60
	ATOM	2931	OD2	ASP	425	36.107	49.828	17.010	1.00	52.51
	ATOM	2932	C	ASP	425	36.369	47.329	12.954	1.00	30.71
	ATOM	2933	O	ASP	425	36.189	46.176	13.364	1.00	28.66
	ATOM	2934	N	PHE	426	37.035	47.619	11.845	1.00	30.44
50	ATOM	2935	CA	PHE	426	37.641	46.599	11.003	1.00	27.35
	ATOM	2936	CB	PHE	426	37.265	46.824	9.533	1.00	23.83
	ATOM	2937	CG	PHE	426	35.811	46.617	9.260	1.00	22.42
	ATOM	2938	CD1	PHE	426	34.917	47.675	9.353	1.00	29.21
	ATOM	2939	CD2	PHE	426	35.325	45.356	8.952	1.00	23.84
55	ATOM	2940	CE1	PHE	426	33.535	47.482	9.143	1.00	30.42
	ATOM	2941	CE2	PHE	426	33.953	45.141	8.738	1.00	28.45
	ATOM	2942	CZ	PHE	426	33.054	46.211	8.836	1.00	25.84
	ATOM	2943	C	PHE	426	39.143	46.651	11.169	1.00	27.60
	ATOM	2944	O	PHE	426	39.764	47.605	10.719	1.00	30.18
60	ATOM	2945	N	SER	427	39.704	45.697	11.914	1.00	28.92
	ATOM	2946	CA	SER	427	41.159	45.613	12.097	1.00	31.13

	ATOM	2947	CB	SER	427	41.527	44.834	13.354	1.00	23.47
	ATOM	2948	OG	SER	427	41.323	45.630	14.488	1.00	34.58
	ATOM	2949	C	SER	427	41.734	44.896	10.885	1.00	30.97
5	ATOM	2950	O	SER	427	41.582	43.678	10.741	1.00	34.75
	ATOM	2951	N	GLN	428	42.388	45.647	10.019	1.00	32.50
	ATOM	2952	CA	GLN	428	42.943	45.068	8.819	1.00	34.39
	ATOM	2953	CB	GLN	428	42.474	45.849	7.597	1.00	35.19
	ATOM	2954	CG	GLN	428	42.655	47.358	7.703	1.00	36.26
10	ATOM	2955	CD	GLN	428	41.875	48.109	6.636	1.00	37.21
	ATOM	2956	OE1	GLN	428	40.922	47.576	6.041	1.00	37.62
	ATOM	2957	NE2	GLN	428	42.263	49.357	6.395	1.00	37.30
	ATOM	2958	C	GLN	428	44.445	45.024	8.895	1.00	34.53
	ATOM	2959	O	GLN	428	45.047	45.761	9.658	1.00	32.24
15	ATOM	2960	N	TYR	429	45.026	44.081	8.168	1.00	39.80
	ATOM	2961	CA	TYR	429	46.465	43.909	8.113	1.00	43.52
	ATOM	2962	CB	TYR	429	46.867	42.578	8.733	1.00	45.24
	ATOM	2963	CG	TYR	429	48.340	42.256	8.618	1.00	44.33
	ATOM	2964	CD1	TYR	429	49.285	42.965	9.350	1.00	44.13
20	ATOM	2965	CE1	TYR	429	50.647	42.652	9.270	1.00	46.61
	ATOM	2966	CD2	TYR	429	48.784	41.222	7.794	1.00	45.15
	ATOM	2967	CE2	TYR	429	50.135	40.897	7.709	1.00	48.28
	ATOM	2968	CZ	TYR	429	51.064	41.614	8.451	1.00	48.90
	ATOM	2969	OH	TYR	429	52.400	41.271	8.405	1.00	49.66
25	ATOM	2970	C	TYR	429	46.905	43.961	6.653	1.00	48.69
	ATOM	2971	O	TYR	429	46.203	43.476	5.759	1.00	46.50
	ATOM	2972	N	ASP	430	48.069	44.560	6.431	1.00	54.63
	ATOM	2973	CA	ASP	430	48.649	44.716	5.112	1.00	58.67
	ATOM	2974	CB	ASP	430	49.064	46.175	4.942	1.00	58.82
30	ATOM	2975	CG	ASP	430	49.474	46.522	3.518	1.00	63.70
	ATOM	2976	OD1	ASP	430	49.781	45.612	2.709	1.00	62.99
	ATOM	2977	OD2	ASP	430	49.494	47.737	3.211	1.00	65.11
	ATOM	2978	C	ASP	430	49.874	43.798	5.015	1.00	63.15
	ATOM	2979	O	ASP	430	50.820	43.932	5.790	1.00	62.58
35	ATOM	2980	N	ASP	431	49.846	42.865	4.065	1.00	69.35
	ATOM	2981	CA	ASP	431	50.951	41.916	3.852	1.00	74.25
	ATOM	2982	CB	ASP	431	50.578	40.849	2.802	1.00	78.72
	ATOM	2983	CG	ASP	431	49.404	39.965	3.231	1.00	83.39
	ATOM	2984	OD1	ASP	431	49.588	39.108	4.127	1.00	86.73
40	ATOM	2985	OD2	ASP	431	48.299	40.117	2.657	1.00	85.57
	ATOM	2986	C	ASP	431	52.189	42.659	3.365	1.00	74.94
	ATOM	2987	O	ASP	431	53.265	42.526	3.937	1.00	74.05
	ATOM	2988	N	GLN	432	52.006	43.437	2.300	1.00	77.50
	ATOM	2989	CA	GLN	432	53.067	44.230	1.683	1.00	78.85
45	ATOM	2990	CB	GLN	432	52.469	45.250	0.709	1.00	84.24
	ATOM	2991	CG	GLN	432	52.081	44.770	-0.664	1.00	94.21
	ATOM	2992	CD	GLN	432	51.874	45.945	-1.635	1.00	101.21
	ATOM	2993	OE1	GLN	432	51.963	45.777	-2.856	1.00	102.84
	ATOM	2994	NE2	GLN	432	51.620	47.141	-1.092	1.00	103.92
50	ATOM	2995	C	GLN	432	53.875	45.043	2.683	1.00	76.88
	ATOM	2996	O	GLN	432	55.015	44.727	3.020	1.00	75.05
	ATOM	2997	N	LYS	433	53.245	46.122	3.122	1.00	74.75
	ATOM	2998	CA	LYS	433	53.841	47.075	4.032	1.00	73.23
	ATOM	2999	CB	LYS	433	53.030	48.372	3.965	1.00	77.09
55	ATOM	3000	CG	LYS	433	52.809	48.809	2.501	1.00	82.48
	ATOM	3001	CD	LYS	433	51.969	50.069	2.321	1.00	85.49
	ATOM	3002	CE	LYS	433	51.789	50.363	0.828	1.00	85.34
	ATOM	3003	NZ	LYS	433	51.088	51.648	0.574	1.00	83.39
	ATOM	3004	C	LYS	433	53.983	46.549	5.446	1.00	70.28
60	ATOM	3005	O	LYS	433	54.678	47.139	6.266	1.00	69.41
	ATOM	3006	N	ASN	434	53.359	45.409	5.711	1.00	70.07

	ATOM	3007	CA	ASN	434	53.424	44.788	7.026	1.00	63.13
	ATOM	3008	CB	ASN	434	54.833	44.269	7.292	1.00	72.41
	ATOM	3009	CG	ASN	434	54.838	43.081	3.213	1.00	77.33
5	ATOM	3010	OD1	ASN	434	54.802	43.220	9.436	1.00	80.62
	ATOM	3011	ND2	ASN	434	54.833	41.892	7.631	1.00	82.09
	ATOM	3012	C	ASN	434	53.018	45.790	8.099	1.00	66.04
	ATOM	3013	O	ASN	434	53.745	46.042	9.055	1.00	66.81
	ATOM	3014	N	GLU	435	51.862	46.399	7.896	1.00	63.11
10	ATOM	3015	CA	GLU	435	51.339	47.376	8.828	1.00	60.05
	ATOM	3016	CB	GLU	435	51.279	48.762	8.171	1.00	65.39
	ATOM	3017	CG	GLU	435	50.404	48.827	6.908	1.00	71.11
	ATOM	3018	CD	GLU	435	50.166	50.249	6.398	1.00	76.12
	ATOM	3019	OE1	GLU	435	51.151	50.987	6.158	1.00	77.71
	ATOM	3020	OE2	GLU	435	48.985	50.623	6.221	1.00	76.57
15	ATOM	3021	C	GLU	435	49.933	46.940	9.207	1.00	56.46
	ATOM	3022	O	GLU	435	49.271	46.226	8.443	1.00	53.33
	ATOM	3023	N	THR	436	49.513	47.310	10.412	1.00	52.67
	ATOM	3024	CA	THR	436	48.172	47.011	10.889	1.00	48.22
	ATOM	3025	CB	THR	436	48.180	46.265	12.243	1.00	49.49
20	ATOM	3026	OG1	THR	436	48.928	47.011	13.217	1.00	53.64
	ATOM	3027	CG2	THR	436	48.786	44.882	12.074	1.00	50.64
	ATOM	3028	C	THR	436	47.473	48.358	11.032	1.00	44.20
	ATOM	3029	O	THR	436	48.120	49.373	11.308	1.00	43.15
	ATOM	3030	N	SER	437	46.172	48.383	10.784	1.00	39.81
25	ATOM	3031	CA	SER	437	45.404	49.610	10.876	1.00	35.83
	ATOM	3032	CB	SER	437	45.525	50.401	9.567	1.00	34.84
	ATOM	3033	OG	SER	437	45.215	49.603	8.430	1.00	26.92
	ATOM	3034	C	SER	437	43.954	49.262	11.147	1.00	38.35
	ATOM	3035	O	SER	437	43.571	48.082	11.142	1.00	40.79
30	ATOM	3036	N	THR	438	43.138	50.288	11.354	1.00	37.88
	ATOM	3037	CA	THR	438	41.723	50.088	11.618	1.00	31.21
	ATOM	3038	CB	THR	438	41.421	50.443	13.091	1.00	30.02
	ATOM	3039	OG1	THR	438	42.206	49.607	13.943	1.00	33.55
	ATOM	3040	CG2	THR	438	39.981	50.224	13.428	1.00	32.35
35	ATOM	3041	C	THR	438	40.909	50.974	10.672	1.00	31.00
	ATOM	3042	O	THR	438	41.434	51.916	10.084	1.00	31.16
	ATOM	3043	N	GLU	439	39.676	50.576	10.416	1.00	30.24
	ATOM	3044	CA	GLU	439	38.768	51.358	9.602	1.00	34.37
	ATOM	3045	CB	GLU	439	38.611	50.789	8.204	1.00	40.27
40	ATOM	3046	CG	GLU	439	39.717	51.176	7.242	1.00	42.06
	ATOM	3047	CD	GLU	439	39.296	50.989	5.805	1.00	40.04
	ATOM	3048	OE1	GLU	439	39.526	49.892	5.232	1.00	36.27
	ATOM	3049	OE2	GLU	439	38.711	51.952	5.267	1.00	39.88
	ATOM	3050	C	GLU	439	37.478	51.222	10.377	1.00	37.64
45	ATOM	3051	O	GLU	439	37.216	50.158	10.948	1.00	39.86
	ATOM	3052	N	THR	440	36.614	52.224	10.297	1.00	37.34
	ATOM	3053	CA	THR	440	35.409	52.209	11.108	1.00	34.42
	ATOM	3054	CB	THR	440	35.649	53.180	12.268	1.00	35.98
	ATOM	3055	OG1	THR	440	36.922	52.904	12.871	1.00	36.26
50	ATOM	3056	CG2	THR	440	34.523	53.111	13.294	1.00	40.16
	ATOM	3057	C	THR	440	34.076	52.624	10.496	1.00	33.02
	ATOM	3058	O	THR	440	34.012	53.522	9.668	1.00	32.99
	ATOM	3059	N	TYR	441	33.005	51.984	10.947	1.00	34.71
	ATOM	3060	CA	TYR	441	31.664	52.382	10.548	1.00	32.57
55	ATOM	3061	CB	TYR	441	30.798	51.202	10.102	1.00	30.07
	ATOM	3062	CG	TYR	441	29.315	51.543	10.127	1.00	30.12
	ATOM	3063	CD1	TYR	441	28.777	52.454	9.222	1.00	28.88
	ATOM	3064	CE1	TYR	441	27.456	52.877	9.325	1.00	29.33
	ATOM	3065	CD2	TYR	441	28.478	51.046	11.135	1.00	29.87
60	ATOM	3066	CE2	TYR	441	27.164	51.462	11.245	1.00	27.38

	ATOM	3067	CZ	TYR	441	26.660	52.384	10.337	1.00	29.54
	ATOM	3068	OH	TYR	441	25.372	52.951	10.468	1.00	30.14
	ATOM	3069	C	TYR	441	31.047	52.990	11.815	1.00	34.37
5	ATOM	3070	O	TYR	441	30.872	52.289	12.802	1.00	33.76
	ATOM	3071	N	ASP	442	30.749	54.286	11.791	1.00	35.80
	ATOM	3072	CA	ASP	442	30.131	54.987	12.915	1.00	36.42
	ATOM	3073	CB	ASP	442	31.069	56.096	13.429	1.00	42.66
	ATOM	3074	CG	ASP	442	30.795	56.488	14.897	1.00	48.14
10	ATOM	3075	OD1	ASP	442	29.611	56.518	15.319	1.00	50.77
	ATOM	3076	OD2	ASP	442	31.775	56.770	15.630	1.00	49.26
	ATOM	3077	C	ASP	442	28.834	55.595	12.371	1.00	38.05
	ATOM	3078	O	ASP	442	28.861	56.412	11.451	1.00	37.61
	ATOM	3079	N	SER	443	27.694	55.195	12.924	1.00	39.24
15	ATOM	3080	CA	SER	443	26.406	55.697	12.456	1.00	40.93
	ATOM	3081	CB	SER	443	25.257	54.972	13.146	1.00	43.62
	ATOM	3082	OG	SER	443	25.233	55.289	14.529	1.00	44.57
	ATOM	3083	C	SER	443	26.289	57.180	12.714	1.00	42.03
	ATOM	3084	O	SER	443	25.411	57.851	12.174	1.00	39.08
20	ATOM	3085	N	LYS	444	27.130	57.661	13.620	1.00	46.56
	ATOM	3086	CA	LYS	444	27.179	59.063	13.977	1.00	51.18
	ATOM	3087	CB	LYS	444	27.357	59.894	12.706	1.00	53.90
	ATOM	3088	CG	LYS	444	28.579	59.425	11.922	1.00	62.90
	ATOM	3089	CD	LYS	444	28.719	60.075	10.563	1.00	73.49
25	ATOM	3090	CE	LYS	444	30.022	59.640	9.895	1.00	77.94
	ATOM	3091	NZ	LYS	444	30.378	60.504	8.729	1.00	84.38
	ATOM	3092	C	LYS	444	26.062	59.589	14.892	1.00	51.23
	ATOM	3093	O	LYS	444	25.898	60.806	15.039	1.00	52.55
	ATOM	3094	N	ARG	445	25.307	58.667	15.496	1.00	48.51
30	ATOM	3095	CA	ARG	445	24.265	59.004	16.468	1.00	45.71
	ATOM	3096	CB	ARG	445	22.967	59.507	15.832	1.00	46.38
	ATOM	3097	CG	ARG	445	22.092	60.234	16.859	1.00	44.46
	ATOM	3098	CD	ARG	445	20.753	60.743	16.351	1.00	45.51
	ATOM	3099	NE	ARG	445	19.999	61.330	17.464	1.00	52.32
35	ATOM	3100	CZ	ARG	445	18.887	62.053	17.347	1.00	53.85
	ATOM	3101	NH1	ARG	445	18.294	62.533	18.437	1.00	55.79
	ATOM	3102	NH2	ARG	445	18.351	62.286	16.155	1.00	58.42
	ATOM	3103	C	ARG	445	23.975	57.834	17.411	1.00	44.59
	ATOM	3104	O	ARG	445	23.439	56.801	17.012	1.00	42.64
40	ATOM	3105	N	ASN	446	24.333	58.018	18.671	1.00	47.32
	ATOM	3106	CA	ASN	446	24.125	56.995	19.683	1.00	51.50
	ATOM	3107	CB	ASN	446	25.218	55.918	19.582	1.00	50.30
	ATOM	3108	CG	ASN	446	26.606	56.478	19.825	1.00	50.32
	ATOM	3109	OD1	ASN	446	27.349	56.754	18.882	1.00	52.97
45	ATOM	3110	ND2	ASN	446	26.958	56.666	21.088	1.00	49.49
	ATOM	3111	C	ASN	446	24.128	57.608	21.078	1.00	52.00
	ATOM	3112	O	ASN	446	24.866	58.559	21.351	1.00	53.53
	ATOM	3113	N	ASN	447	23.336	57.015	21.967	1.00	53.99
	ATOM	3114	CA	ASN	447	23.195	57.460	23.358	1.00	54.97
50	ATOM	3115	CB	ASN	447	21.887	56.927	23.940	1.00	53.00
	ATOM	3116	CG	ASN	447	20.722	57.051	22.976	1.00	54.20
	ATOM	3117	OD1	ASN	447	20.312	58.160	22.629	1.00	59.45
	ATOM	3118	ND2	ASN	447	20.189	55.916	22.530	1.00	53.02
	ATOM	3119	C	ASN	447	24.345	56.951	24.222	1.00	57.40
55	ATOM	3120	O	ASN	447	24.547	57.409	25.340	1.00	62.75
	ATOM	3121	N	GLY	448	25.075	55.981	23.689	1.00	58.44
	ATOM	3122	CA	GLY	448	26.192	55.389	24.396	1.00	56.36
	ATOM	3123	C	GLY	448	26.432	54.065	23.700	1.00	53.77
	ATOM	3124	O	GLY	448	25.747	53.771	22.717	1.00	58.09
60	ATOM	3125	N	HIS	449	27.376	53.258	24.162	1.00	49.50
	ATOM	3126	CA	HIS	449	27.599	52.007	23.458	1.00	48.10

	ATOM	3127	CB	HIS	449	29.005	51.934	22.830	1.00	55.56
	ATOM	3128	CG	HIS	449	29.141	52.749	21.581	1.00	61.28
	ATOM	3129	CD2	HIS	449	29.963	53.783	21.278	1.00	61.16
5	ATOM	3130	ND1	HIS	449	28.310	52.584	20.490	1.00	63.15
	ATOM	3131	CE1	HIS	449	28.613	53.486	19.576	1.00	65.47
	ATOM	3132	NE2	HIS	449	29.610	54.226	20.030	1.00	65.11
	ATOM	3133	C	HIS	449	27.338	50.745	24.196	1.00	40.97
	ATOM	3134	O	HIS	449	28.120	50.321	25.031	1.00	42.17
10	ATOM	3135	N	VAL	450	26.212	50.143	23.908	1.00	33.34
	ATOM	3136	CA	VAL	450	25.933	48.883	24.516	1.00	33.89
	ATOM	3137	CB	VAL	450	24.525	48.441	24.179	1.00	27.68
	ATOM	3138	CG1	VAL	450	24.214	47.106	24.811	1.00	23.45
	ATOM	3139	CG2	VAL	450	23.555	49.506	24.621	1.00	19.28
15	ATOM	3140	C	VAL	450	26.961	48.066	23.742	1.00	42.79
	ATOM	3141	O	VAL	450	27.421	48.496	22.674	1.00	48.77
	ATOM	3142	N	SER	451	27.392	46.937	24.273	1.00	47.08
	ATOM	3143	CA	SER	451	28.383	46.149	23.550	1.00	46.69
	ATOM	3144	CB	SER	451	29.418	45.553	24.529	1.00	49.40
20	ATOM	3145	OG	SER	451	30.187	46.575	25.155	1.00	52.97
	ATOM	3146	C	SER	451	27.758	45.054	22.677	1.00	44.69
	ATOM	3147	O	SER	451	26.524	44.869	22.643	1.00	43.38
	ATOM	3148	N	ALA	452	28.612	44.394	21.904	1.00	40.41
	ATOM	3149	CA	ALA	452	28.181	43.315	21.037	1.00	37.56
25	ATOM	3150	CB	ALA	452	27.379	43.865	19.841	1.00	35.98
	ATOM	3151	C	ALA	452	29.378	42.474	20.577	1.00	35.17
	ATOM	3152	O	ALA	452	30.446	42.482	21.188	1.00	34.47
	ATOM	3153	N	GLN	453	29.215	41.832	19.438	1.00	31.36
	ATOM	3154	CA	GLN	453	30.208	40.947	18.882	1.00	28.35
30	ATOM	3155	CB	GLN	453	29.638	40.360	17.578	1.00	31.30
	ATOM	3156	CG	GLN	453	30.246	39.018	17.163	1.00	32.89
	ATOM	3157	CD	GLN	453	29.737	38.530	15.832	1.00	31.23
	ATOM	3158	OE1	GLN	453	30.143	39.026	14.779	1.00	34.14
	ATOM	3159	NE2	GLN	453	28.845	37.556	15.868	1.00	28.65
35	ATOM	3160	C	GLN	453	31.681	41.343	18.676	1.00	25.25
	ATOM	3161	O	GLN	453	32.005	42.349	18.039	1.00	25.08
	ATOM	3162	N	ASP	454	32.565	40.513	19.222	1.00	24.22
	ATOM	3163	CA	ASP	454	33.998	40.645	19.019	1.00	23.88
	ATOM	3164	CB	ASP	454	34.776	40.663	20.321	1.00	23.71
40	ATOM	3165	CG	ASP	454	36.292	40.678	20.099	1.00	27.65
	ATOM	3166	OD1	ASP	454	36.752	40.687	18.941	1.00	26.59
	ATOM	3167	OD2	ASP	454	37.040	40.670	21.098	1.00	34.10
	ATOM	3168	C	ASP	454	34.274	39.332	18.299	1.00	28.07
	ATOM	3169	O	ASP	454	33.990	38.257	18.841	1.00	26.35
45	ATOM	3170	N	SER	455	34.800	39.409	17.077	1.00	30.04
	ATOM	3171	CA	SER	455	35.073	38.204	16.273	1.00	27.99
	ATOM	3172	CB	SER	455	35.589	38.575	14.877	1.00	23.39
	ATOM	3173	OG	SER	455	36.916	39.063	14.946	1.00	32.54
	ATOM	3174	C	SER	455	35.966	37.112	16.882	1.00	26.74
50	ATOM	3175	O	SER	455	35.650	35.928	16.736	1.00	28.30
	ATOM	3176	N	ILE	456	37.057	37.482	17.563	1.00	23.67
	ATOM	3177	CA	ILE	456	37.948	36.485	18.155	1.00	18.04
	ATOM	3178	CB	ILE	456	39.083	37.138	18.933	1.00	23.55
	ATOM	3179	CG2	ILE	456	39.990	37.911	17.978	1.00	17.58
55	ATOM	3180	CG1	ILE	456	38.498	38.012	20.047	1.00	30.14
	ATOM	3181	CD1	ILE	456	39.487	38.426	21.128	1.00	35.57
	ATOM	3182	C	ILE	456	37.246	35.486	19.077	1.00	20.83
	ATOM	3183	O	ILE	456	37.703	34.354	19.260	1.00	16.93
	ATOM	3184	N	ASP	457	36.138	35.896	19.673	1.00	22.41
	ATOM	3185	CA	ASP	457	35.416	34.996	20.550	1.00	27.43
60	ATOM	3186	CB	ASP	457	34.324	35.751	21.328	1.00	34.30

	ATOM	3187	CG	ASP	457	34.900	36.788	22.308	1.00	41.24
	ATOM	3188	OD1	ASP	457	34.382	37.925	22.363	1.00	44.36
	ATOM	3189	OD2	ASP	457	35.874	36.471	23.032	1.00	50.52
5	ATOM	3190	C	ASP	457	34.347	33.825	19.742	1.00	27.01
	ATOM	3191	O	ASP	457	34.839	32.685	20.210	1.00	31.27
	ATOM	3192	N	GLN	458	34.413	34.096	18.515	1.00	27.92
	ATOM	3193	CA	GLN	458	33.883	33.044	17.632	1.00	30.33
	ATOM	3194	CB	GLN	458	32.932	33.614	16.573	1.00	29.37
10	ATOM	3195	CG	GLN	458	31.866	34.561	17.053	1.00	32.48
	ATOM	3196	CD	GLN	458	30.514	33.939	16.989	1.00	33.02
	ATOM	3197	OE1	GLN	458	29.750	33.981	17.947	1.00	41.92
	ATOM	3198	NE2	GLN	458	30.212	33.316	15.872	1.00	37.05
	ATOM	3199	C	GLN	458	35.037	32.357	16.869	1.00	28.95
15	ATOM	3200	O	GLN	458	35.049	31.133	16.719	1.00	26.34
	ATOM	3201	N	LEU	459	35.982	33.158	16.368	1.00	24.82
	ATOM	3202	CA	LEU	459	37.107	32.652	15.587	1.00	19.59
	ATOM	3203	CB	LEU	459	37.033	33.236	14.183	1.00	17.07
	ATOM	3204	CG	LEU	459	35.684	32.976	13.504	1.00	19.32
20	ATOM	3205	CD1	LEU	459	35.541	33.890	12.331	1.00	16.44
	ATOM	3206	CD2	LEU	459	35.549	31.523	13.074	1.00	11.36
	ATOM	3207	C	LEU	459	38.455	32.987	16.182	1.00	15.91
	ATOM	3208	O	LEU	459	39.175	33.815	15.651	1.00	14.53
	ATOM	3209	N	PRO	460	38.820	32.339	17.299	1.00	16.20
25	ATOM	3210	CD	PRO	460	38.042	31.315	18.012	1.00	17.21
	ATOM	3211	CA	PRO	460	40.106	32.589	17.960	1.00	15.73
	ATOM	3212	CB	PRO	460	40.133	31.541	19.086	1.00	17.01
	ATOM	3213	CG	PRO	460	39.123	30.494	18.642	1.00	17.80
	ATOM	3214	C	PRO	460	41.257	32.386	17.008	1.00	16.53
30	ATOM	3215	O	PRO	460	41.079	31.758	15.967	1.00	22.97
	ATOM	3216	N	PRO	461	42.426	32.982	17.302	1.00	16.43
	ATOM	3217	CD	PRO	461	42.687	33.873	18.451	1.00	16.11
	ATOM	3218	CA	PRO	461	43.615	32.858	16.455	1.00	19.04
	ATOM	3219	CB	PRO	461	44.550	33.938	17.011	1.00	17.90
35	ATOM	3220	CG	PRO	461	44.190	33.962	18.467	1.00	17.10
	ATOM	3221	C	PRO	461	44.217	31.470	16.624	1.00	22.01
	ATOM	3222	O	PRO	461	43.757	30.678	17.448	1.00	25.54
	ATOM	3223	N	GLU	462	45.247	31.169	15.856	1.00	25.14
	ATOM	3224	CA	GLU	462	45.888	29.877	15.958	1.00	28.39
40	ATOM	3225	CB	GLU	462	46.625	29.560	14.674	1.00	22.97
	ATOM	3226	CG	GLU	462	45.675	29.090	13.627	1.00	21.83
	ATOM	3227	CD	GLU	462	46.320	28.834	12.299	1.00	25.80
	ATOM	3228	OE1	GLU	462	47.571	28.780	12.227	1.00	29.20
	ATOM	3229	OE2	GLU	462	45.562	28.693	11.318	1.00	20.77
45	ATOM	3230	C	GLU	462	46.780	29.678	17.181	1.00	33.43
	ATOM	3231	O	GLU	462	46.989	28.533	17.586	1.00	35.01
	ATOM	3232	N	THR	463	47.307	30.775	17.745	1.00	37.95
	ATOM	3233	CA	THR	463	48.170	30.767	18.946	1.00	40.65
	ATOM	3234	CB	THR	463	49.674	30.861	18.635	1.00	40.48
50	ATOM	3235	OG1	THR	463	49.945	30.372	17.321	1.00	44.41
	ATOM	3236	CG2	THR	463	50.464	30.089	19.671	1.00	40.34
	ATOM	3237	C	THR	463	47.920	32.088	19.616	1.00	42.47
	ATOM	3238	O	THR	463	47.497	33.022	18.952	1.00	41.83
	ATOM	3239	N	THR	464	48.331	32.210	20.874	1.00	48.42
	ATOM	3240	CA	THR	464	48.155	33.457	21.622	1.00	55.33
55	ATOM	3241	CB	THR	464	47.453	33.204	22.959	1.00	57.02
	ATOM	3242	OG1	THR	464	48.099	32.118	23.633	1.00	62.71
	ATOM	3243	CG2	THR	464	45.984	32.855	22.730	1.00	59.94
	ATOM	3244	C	THR	464	49.474	34.195	21.879	1.00	58.07
60	ATOM	3245	O	THR	464	49.500	35.416	22.085	1.00	58.66
	ATOM	3246	N	ASP	465	50.573	33.453	21.878	1.00	61.40

5	ATOM	3247	CA	ASP	465	51.981	34.065	22.091	1.00	65.65
	ATOM	3248	CB	ASP	465	52.843	33.061	22.731	1.00	66.43
	ATOM	3249	CG	ASP	465	52.793	31.700	22.069	1.00	64.17
	ATOM	3250	OD1	ASP	465	52.245	30.777	22.709	1.00	61.40
	ATOM	3251	OD2	ASP	465	53.302	31.556	20.929	1.00	62.59
10	ATOM	3252	C	ASP	465	52.431	34.573	20.757	1.00	66.66
	ATOM	3253	O	ASP	465	53.641	34.569	20.518	1.00	70.16
	ATOM	3254	N	GLU	466	51.520	35.002	19.893	1.00	64.93
	ATOM	3255	CA	GLU	466	51.851	35.511	18.577	1.00	60.06
	ATOM	3256	CB	GLU	466	51.574	34.444	17.528	1.00	64.82
15	ATOM	3257	CG	GLU	466	52.657	33.415	17.372	1.00	71.79
	ATOM	3258	CD	GLU	466	53.441	33.627	16.098	1.00	76.80
	ATOM	3259	OE1	GLU	466	52.797	33.726	15.024	1.00	78.10
	ATOM	3260	OE2	GLU	466	54.691	33.703	16.173	1.00	79.01
	ATOM	3261	C	GLU	466	50.918	36.674	18.332	1.00	56.09
20	ATOM	3262	O	GLU	466	49.742	36.607	18.684	1.00	56.03
	ATOM	3263	N	PRO	467	51.447	37.799	17.831	1.00	51.07
	ATOM	3264	CD	PRO	467	52.847	38.171	17.597	1.00	49.21
	ATOM	3265	CA	PRO	467	50.566	38.933	17.572	1.00	46.48
	ATOM	3266	CB	PRO	467	51.486	39.931	16.858	1.00	48.89
25	ATOM	3267	CG	PRO	467	52.701	39.128	16.465	1.00	47.91
	ATOM	3268	C	PRO	467	49.408	38.481	16.695	1.00	44.45
	ATOM	3269	O	PRO	467	49.600	37.737	15.721	1.00	42.21
	ATOM	3270	N	LEU	468	48.212	38.924	17.059	1.00	40.59
	ATOM	3271	CA	LEU	468	46.995	38.561	16.352	1.00	40.01
30	ATOM	3272	CB	LEU	468	45.839	39.431	16.837	1.00	41.89
	ATOM	3273	CG	LEU	468	44.463	39.052	16.305	1.00	41.02
	ATOM	3274	CD1	LEU	468	44.105	37.664	16.775	1.00	42.02
	ATOM	3275	CD2	LEU	468	43.447	40.052	16.786	1.00	44.91
	ATOM	3276	C	LEU	468	47.086	38.602	14.824	1.00	37.52
35	ATOM	3277	O	LEU	468	46.714	37.647	14.153	1.00	36.89
	ATOM	3278	N	GLU	469	47.622	39.690	14.286	1.00	38.63
	ATOM	3279	CA	GLU	469	47.761	39.881	12.831	1.00	36.54
	ATOM	3280	CB	GLU	469	48.312	41.280	12.543	1.00	36.96
	ATOM	3281	CG	GLU	469	49.822	41.402	12.774	1.00	36.18
40	ATOM	3282	CD	GLU	469	50.168	42.065	14.072	1.00	33.77
	ATOM	3283	OE1	GLU	469	51.233	42.715	14.107	1.00	36.01
	ATOM	3284	OE2	GLU	469	49.382	41.945	15.043	1.00	30.63
	ATOM	3285	C	GLU	469	48.682	38.859	12.174	1.00	35.12
	ATOM	3286	O	GLU	469	48.816	38.801	10.941	1.00	32.72
45	ATOM	3287	N	LYS	470	49.357	38.106	13.033	1.00	37.81
	ATOM	3288	CA	LYS	470	50.305	37.094	12.640	1.00	36.11
	ATOM	3289	CB	LYS	470	51.646	37.391	13.271	1.00	40.29
	ATOM	3290	CG	LYS	470	52.622	37.924	12.260	1.00	50.88
	ATOM	3291	CD	LYS	470	53.757	36.936	12.100	1.00	59.58
50	ATOM	3292	CE	LYS	470	53.236	35.529	11.834	1.00	61.72
	ATOM	3293	NZ	LYS	470	53.976	34.506	12.630	1.00	64.89
	ATOM	3294	C	LYS	470	49.865	35.711	13.034	1.00	36.21
	ATOM	3295	O	LYS	470	50.504	34.733	12.659	1.00	39.63
	ATOM	3296	N	ALA	471	48.771	35.613	13.779	1.00	33.18
55	ATOM	3297	CA	ALA	471	48.284	34.310	14.182	1.00	29.06
	ATOM	3298	CB	ALA	471	48.598	34.060	15.651	1.00	25.21
	ATOM	3299	C	ALA	471	46.799	34.083	13.911	1.00	29.06
	ATOM	3300	O	ALA	471	46.295	33.013	14.238	1.00	31.11
	ATOM	3301	N	TYR	472	46.091	35.046	13.311	1.00	26.54
60	ATOM	3302	CA	TYR	472	44.650	34.861	13.057	1.00	23.18
	ATOM	3303	CB	TYR	472	43.999	36.124	12.507	1.00	18.72
	ATOM	3304	CG	TYR	472	44.489	36.511	11.157	1.00	22.75
	ATOM	3305	CD1	TYR	472	43.860	36.031	10.020	1.00	25.95
	ATOM	3306	CE1	TYR	472	44.294	36.381	8.756	1.00	27.97

	ATOM	3307	CD2	TYR	472	45.575	37.365	11.003	1.00	22.21
	ATOM	3308	CE2	TYR	472	46.022	37.738	9.739	1.00	26.59
	ATOM	3309	CZ	TYR	472	45.372	37.233	8.609	1.00	32.17
5	ATOM	3310	OH	TYR	472	45.797	37.549	7.327	1.00	36.52
	ATOM	3311	C	TYR	472	44.325	33.647	12.183	1.00	20.40
	ATOM	3312	O	TYR	472	45.114	33.226	11.354	1.00	22.10
	ATOM	3313	N	SER	473	43.161	33.073	12.393	1.00	15.42
	ATOM	3314	CA	SER	473	42.773	31.901	11.654	1.00	18.76
10	ATOM	3315	CB	SER	473	42.068	30.968	12.596	1.00	20.56
	ATOM	3316	OG	SER	473	40.944	31.663	13.113	1.00	18.80
	ATOM	3317	C	SER	473	41.843	32.190	10.482	1.00	21.56
	ATOM	3318	O	SER	473	41.654	31.317	9.623	1.00	22.66
	ATOM	3319	N	HIS	474	41.203	33.366	10.478	1.00	21.81
15	ATOM	3320	CA	HIS	474	40.269	33.739	9.405	1.00	19.11
	ATOM	3321	CB	HIS	474	38.841	33.314	9.752	1.00	15.89
	ATOM	3322	CG	HIS	474	38.702	31.860	10.093	1.00	12.80
	ATOM	3323	CD2	HIS	474	39.069	31.170	11.192	1.00	8.32
	ATOM	3324	ND1	HIS	474	38.030	30.966	9.289	1.00	17.15
20	ATOM	3325	CE1	HIS	474	37.981	29.793	9.880	1.00	13.99
	ATOM	3326	NE2	HIS	474	38.605	29.889	11.040	1.00	16.43
	ATOM	3327	C	HIS	474	40.234	35.218	9.045	1.00	20.13
	ATOM	3328	O	HIS	474	40.591	36.079	9.837	1.00	22.30
	ATOM	3329	N	GLN	475	39.750	35.493	7.844	1.00	22.49
25	ATOM	3330	CA	GLN	475	39.613	36.848	7.328	1.00	23.06
	ATOM	3331	CB	GLN	475	40.571	37.061	6.155	1.00	27.55
	ATOM	3332	CG	GLN	475	40.762	35.814	5.317	1.00	44.65
	ATOM	3333	CD	GLN	475	41.572	36.048	4.068	1.00	53.46
	ATOM	3334	OE1	GLN	475	42.346	35.175	3.640	1.00	61.88
	ATOM	3335	NE2	GLN	475	41.399	37.226	3.458	1.00	53.85
30	ATOM	3336	C	GLN	475	38.161	37.067	6.880	1.00	20.99
	ATOM	3337	O	GLN	475	37.449	36.108	6.561	1.00	19.73
	ATOM	3338	N	LEU	476	37.700	38.314	6.965	1.00	23.59
	ATOM	3339	CA	LEU	476	36.337	38.691	6.566	1.00	23.47
35	ATOM	3340	CB	LEU	476	36.004	40.117	7.035	1.00	18.61
	ATOM	3341	CG	LEU	476	34.553	40.579	6.997	1.00	13.45
	ATOM	3342	CD1	LEU	476	33.742	39.763	7.990	1.00	17.94
	ATOM	3343	CD2	LEU	476	34.476	42.042	7.354	1.00	16.38
	ATOM	3344	C	LEU	476	36.224	38.573	5.037	1.00	25.91
40	ATOM	3345	O	LEU	476	37.137	38.974	4.278	1.00	24.64
	ATOM	3346	N	ASN	477	35.111	37.999	4.601	1.00	23.61
	ATOM	3347	CA	ASN	477	34.851	37.764	3.200	1.00	25.65
	ATOM	3348	CB	ASN	477	34.815	36.245	2.978	1.00	26.73
	ATOM	3349	CG	ASN	477	34.376	35.858	1.594	1.00	30.01
45	ATOM	3350	OD1	ASN	477	33.219	35.499	1.369	1.00	34.38
	ATOM	3351	ND2	ASN	477	35.299	35.899	0.659	1.00	27.30
	ATOM	3352	C	ASN	477	33.560	38.435	2.701	1.00	27.24
	ATOM	3353	O	ASN	477	33.509	38.929	1.575	1.00	30.67
	ATOM	3354	N	TYR	478	32.583	38.597	3.587	1.00	28.03
50	ATOM	3355	CA	TYR	478	31.283	39.159	3.214	1.00	26.02
	ATOM	3356	CB	TYR	478	30.437	38.021	2.617	1.00	28.82
	ATOM	3357	CG	TYR	478	29.454	38.399	1.528	1.00	29.16
	ATOM	3358	CD1	TYR	478	29.910	38.749	0.244	1.00	29.31
	ATOM	3359	CE1	TYR	478	29.019	39.022	-0.799	1.00	29.21
55	ATOM	3360	CD2	TYR	478	28.072	38.337	1.746	1.00	25.53
	ATOM	3361	CE2	TYR	478	27.170	38.609	0.702	1.00	31.35
	ATOM	3362	CZ	TYR	478	27.663	38.949	-0.565	1.00	28.53
	ATOM	3363	OH	TYR	478	26.818	39.188	-1.609	1.00	29.12
	ATOM	3364	C	TYR	478	30.536	39.751	4.435	1.00	27.26
60	ATOM	3365	O	TYR	478	30.816	39.412	5.582	1.00	26.91
	ATOM	3366	N	ALA	479	29.592	40.642	4.163	1.00	26.82

5	ATOM	3367	CA	ALA	479	28.761	41.273	5.178	1.00	26.75
	ATOM	3368	CB	ALA	479	29.283	42.665	5.500	1.00	26.96
	ATOM	3369	C	ALA	479	27.377	41.336	4.519	1.00	25.07
	ATOM	3370	O	ALA	479	27.265	41.549	3.309	1.00	28.22
	ATOM	3371	N	GLU	480	26.329	41.078	5.275	1.00	24.88
10	ATOM	3372	CA	GLU	480	25.008	41.108	4.677	1.00	30.15
	ATOM	3373	CB	GLU	480	24.750	39.764	4.005	1.00	30.81
	ATOM	3374	CG	GLU	480	23.335	39.525	3.511	1.00	34.30
	ATOM	3375	CD	GLU	480	23.158	38.143	2.856	1.00	37.80
	ATOM	3376	OE1	GLU	480	22.025	37.848	2.398	1.00	38.54
15	ATOM	3377	OE2	GLU	480	24.138	37.352	2.802	1.00	38.29
	ATOM	3378	C	GLU	480	23.955	41.400	5.725	1.00	31.66
	ATOM	3379	O	GLU	480	23.977	40.780	6.787	1.00	34.86
	ATOM	3380	N	CYS	481	23.077	42.373	5.453	1.00	32.22
	ATOM	3381	CA	CYS	481	22.013	42.740	6.391	1.00	31.34
20	ATOM	3382	CB	CYS	481	21.725	44.221	6.334	1.00	27.71
	ATOM	3383	SG	CYS	481	23.102	45.167	6.880	1.00	33.86
	ATOM	3384	C	CYS	481	20.719	42.008	6.158	1.00	33.16
	ATOM	3385	O	CYS	481	20.363	41.713	5.027	1.00	36.23
	ATOM	3386	N	PHE	482	20.033	41.691	7.247	1.00	34.11
25	ATOM	3387	CA	PHE	482	18.753	41.009	7.206	1.00	30.22
	ATOM	3388	CB	PHE	482	18.845	39.637	7.849	1.00	34.49
	ATOM	3389	CG	PHE	482	19.608	38.641	7.023	1.00	40.80
	ATOM	3390	CD1	PHE	482	20.998	38.659	6.989	1.00	42.96
	ATOM	3391	CD2	PHE	482	18.937	37.683	6.265	1.00	46.84
30	ATOM	3392	CE1	PHE	482	21.717	37.738	6.212	1.00	44.53
	ATOM	3393	CE2	PHE	482	19.646	36.751	5.478	1.00	47.79
	ATOM	3394	CZ	PHE	482	21.040	36.783	5.456	1.00	46.14
	ATOM	3395	C	PHE	482	17.850	41.918	7.987	1.00	30.71
	ATOM	3396	O	PHE	482	18.312	42.716	8.798	1.00	33.95
35	ATOM	3397	N	LEU	483	16.561	41.811	7.758	1.00	27.58
	ATOM	3398	CA	LEU	483	15.647	42.703	8.420	1.00	27.73
	ATOM	3399	CB	LEU	483	14.738	43.377	7.394	1.00	24.99
	ATOM	3400	CG	LEU	483	15.270	44.192	6.226	1.00	21.74
	ATOM	3401	CD1	LEU	483	14.098	44.627	5.397	1.00	25.27
40	ATOM	3402	CD2	LEU	483	16.019	45.395	6.678	1.00	21.38
	ATOM	3403	C	LEU	483	14.778	41.959	9.401	1.00	31.66
	ATOM	3404	O	LEU	483	14.371	40.810	9.164	1.00	31.14
	ATOM	3405	N	MET	484	14.447	42.645	10.481	1.00	33.44
	ATOM	3406	CA	MET	484	13.585	42.068	11.479	1.00	36.28
45	ATOM	3407	CB	MET	484	13.973	42.576	12.866	1.00	36.13
	ATOM	3408	CG	MET	484	15.308	42.089	13.352	1.00	38.45
	ATOM	3409	SD	MET	484	15.491	42.483	15.082	1.00	45.99
	ATOM	3410	CE	MET	484	16.389	43.963	15.012	1.00	41.27
	ATOM	3411	C	MET	484	12.132	42.427	11.152	1.00	38.11
50	ATOM	3412	O	MET	484	11.852	43.387	10.416	1.00	41.32
	ATOM	3413	N	GLN	485	11.219	41.624	11.680	1.00	42.45
	ATOM	3414	CA	GLN	485	9.782	41.819	11.511	1.00	46.46
	ATOM	3415	CB	GLN	485	9.037	40.519	11.822	1.00	47.26
	ATOM	3416	CG	GLN	485	9.396	39.376	10.884	1.00	48.83
55	ATOM	3417	CD	GLN	485	8.697	38.093	11.257	1.00	51.68
	ATOM	3418	OE1	GLN	485	9.325	37.185	11.774	1.00	56.20
	ATOM	3419	NE2	GLN	485	7.386	38.015	11.014	1.00	54.56
	ATOM	3420	C	GLN	485	9.303	42.928	12.446	1.00	46.51
	ATOM	3421	O	GLN	485	10.050	43.400	13.307	1.00	43.94
60	ATOM	3422	N	ASP	486	8.054	43.344	12.278	1.00	48.98
	ATOM	3423	CA	ASP	486	7.502	44.417	13.099	1.00	51.60
	ATOM	3424	CB	ASP	486	7.163	43.889	14.498	1.00	55.79
	ATOM	3425	CG	ASP	486	6.188	44.788	15.242	1.00	60.84
	ATOM	3426	OD1	ASP	486	5.712	45.784	14.657	1.00	66.91

	ATOM	3427	OD2	ASP	486	5.899	44.500	16.424	1.00	65.08
	ATOM	3428	C	ASP	486	8.507	45.588	13.163	1.00	50.17
	ATOM	3429	O	ASP	486	8.714	46.203	14.213	1.00	51.11
5	ATOM	3430	N	ARG	487	9.168	45.826	12.030	1.00	49.23
	ATOM	3431	CA	ARG	487	10.150	46.895	11.851	1.00	50.67
	ATOM	3432	CB	ARG	487	9.443	48.192	11.482	1.00	59.54
	ATOM	3433	CG	ARG	487	8.846	48.250	10.104	1.00	69.48
	ATOM	3434	CD	ARG	487	7.999	49.490	10.008	1.00	77.95
10	ATOM	3435	NE	ARG	487	7.637	49.805	8.634	1.00	90.05
	ATOM	3436	CZ	ARG	487	7.217	51.006	8.243	1.00	96.14
	ATOM	3437	NH1	ARG	487	6.905	51.221	6.961	1.00	99.29
	ATOM	3438	NH2	ARG	487	7.108	51.995	9.138	1.00	97.66
	ATOM	3439	C	ARG	487	11.067	47.204	13.017	1.00	48.25
15	ATOM	3440	O	ARG	487	11.190	48.369	13.405	1.00	50.28
	ATOM	3441	N	ARG	488	11.721	46.198	13.580	1.00	43.30
	ATOM	3442	CA	ARG	488	12.622	46.470	14.693	1.00	44.26
	ATOM	3443	CB	ARG	488	12.667	45.285	15.667	1.00	45.30
	ATOM	3444	CG	ARG	488	11.324	44.941	16.242	1.00	38.80
20	ATOM	3445	CD	ARG	488	10.692	46.175	16.832	1.00	34.28
	ATOM	3446	NE	ARG	488	9.310	45.889	17.157	1.00	33.22
	ATOM	3447	CZ	ARG	488	8.922	45.236	18.248	1.00	34.98
	ATOM	3448	NH1	ARG	488	9.815	44.815	19.131	1.00	34.60
	ATOM	3449	NH2	ARG	488	7.641	44.928	18.422	1.00	38.53
25	ATOM	3450	C	ARG	488	14.037	46.883	14.252	1.00	44.49
	ATOM	3451	O	ARG	488	14.851	47.349	15.075	1.00	44.38
	ATOM	3452	N	GLY	489	14.323	46.738	12.958	1.00	40.82
	ATOM	3453	CA	GLY	489	15.634	47.110	12.461	1.00	38.10
	ATOM	3454	C	GLY	489	16.300	46.037	11.622	1.00	37.57
30	ATOM	3455	O	GLY	489	15.618	45.144	11.094	1.00	36.28
	ATOM	3456	N	THR	490	17.628	46.125	11.493	1.00	35.19
	ATOM	3457	CA	THR	490	18.379	45.152	10.711	1.00	30.90
	ATOM	3458	CB	THR	490	18.837	45.747	9.348	1.00	29.73
	ATOM	3459	OG1	THR	490	20.169	46.257	9.440	1.00	33.88
35	ATOM	3460	CG2	THR	490	17.924	46.870	8.941	1.00	24.06
	ATOM	3461	C	THR	490	19.566	44.566	11.478	1.00	31.16
	ATOM	3462	O	THR	490	20.287	45.296	12.156	1.00	31.36
	ATOM	3463	N	ILE	491	19.705	43.235	11.423	1.00	28.86
	ATOM	3464	CA	ILE	491	20.802	42.496	12.073	1.00	26.73
40	ATOM	3465	CB	ILE	491	20.320	41.170	12.803	1.00	26.17
	ATOM	3466	CG2	ILE	491	20.602	41.207	14.292	1.00	29.86
	ATOM	3467	CG1	ILE	491	18.854	40.882	12.535	1.00	27.37
	ATOM	3468	CD1	ILE	491	18.659	39.784	11.547	1.00	32.39
	ATOM	3469	C	ILE	491	21.786	42.045	10.992	1.00	24.72
45	ATOM	3470	O	ILE	491	21.402	41.341	10.055	1.00	27.21
	ATOM	3471	N	PRO	492	23.041	42.490	11.061	1.00	23.25
	ATOM	3472	CD	PRO	492	23.497	43.732	11.703	1.00	20.04
	ATOM	3473	CA	PRO	492	24.005	42.064	10.036	1.00	24.76
	ATOM	3474	CB	PRO	492	25.050	43.171	10.070	1.00	23.01
50	ATOM	3475	CG	PRO	492	24.301	44.338	10.611	1.00	24.54
	ATOM	3476	C	PRO	492	24.634	40.677	10.326	1.00	27.40
	ATOM	3477	O	PRO	492	24.626	40.210	11.476	1.00	27.66
	ATOM	3478	N	PHE	493	25.124	40.027	9.263	1.00	30.29
	ATOM	3479	CA	PHE	493	25.775	38.701	9.293	1.00	30.16
55	ATOM	3480	CB	PHE	493	25.033	37.677	8.406	1.00	36.53
	ATOM	3481	CG	PHE	493	23.702	37.212	8.925	1.00	45.55
	ATOM	3482	CD1	PHE	493	22.830	38.075	9.597	1.00	52.04
	ATOM	3483	CD2	PHE	493	23.279	35.916	8.660	1.00	47.34
	ATOM	3484	CE1	PHE	493	21.540	37.651	9.992	1.00	52.95
60	ATOM	3485	CE2	PHE	493	22.007	35.486	9.044	1.00	51.52
	ATOM	3486	CZ	PHE	493	21.131	36.354	9.713	1.00	52.07

	ATOM	3487	C	PHE	493	27.141	38.832	8.501	1.00	29.46
	ATOM	3488	O	PHE	493	27.207	39.375	7.490	1.00	27.20
	ATOM	3489	N	PHE	494	28.194	38.268	9.193	1.00	22.47
5	ATOM	3490	CA	PHE	494	29.525	38.266	8.576	1.00	21.79
	ATOM	3491	CB	PHE	494	30.585	38.704	9.569	1.00	24.52
	ATOM	3492	CG	PHE	494	30.596	40.163	9.819	1.00	31.15
	ATOM	3493	CD1	PHE	494	30.974	40.662	11.056	1.00	28.30
	ATOM	3494	CD2	PHE	494	30.267	41.059	8.793	1.00	33.44
10	ATOM	3495	CE1	PHE	494	31.028	42.043	11.265	1.00	31.41
	ATOM	3496	CE2	PHE	494	30.315	42.445	8.992	1.00	29.26
	ATOM	3497	CZ	PHE	494	30.700	42.935	10.227	1.00	25.91
	ATOM	3498	C	PHE	494	29.882	36.851	8.065	1.00	24.01
	ATOM	3499	O	PHE	494	29.352	35.851	8.568	1.00	20.12
15	ATOM	3500	N	THR	495	30.753	36.786	7.057	1.00	20.49
	ATOM	3501	CA	THR	495	31.220	35.533	6.467	1.00	18.98
	ATOM	3502	CB	THR	495	30.712	35.369	5.053	1.00	22.01
	ATOM	3503	OG1	THR	495	29.297	35.571	5.035	1.00	19.23
	ATOM	3504	CG2	THR	495	31.056	33.962	4.531	1.00	19.98
20	ATOM	3505	C	THR	495	32.745	35.571	6.397	1.00	19.99
	ATOM	3506	O	THR	495	33.314	36.519	5.857	1.00	17.46
	ATOM	3507	N	TRP	496	33.403	34.527	6.893	1.00	19.16
	ATOM	3508	CA	TRP	496	34.858	34.492	6.921	1.00	19.00
	ATOM	3509	CB	TRP	496	35.328	34.416	8.378	1.00	19.02
25	ATOM	3510	CG	TRP	496	34.732	35.457	9.277	1.00	17.89
	ATOM	3511	CD2	TRP	496	35.405	36.601	9.851	1.00	20.54
	ATOM	3512	CE2	TRP	496	34.438	37.342	10.579	1.00	20.61
	ATOM	3513	CE3	TRP	496	36.730	37.071	9.825	1.00	19.34
	ATOM	3514	CD1	TRP	496	33.424	35.543	9.681	1.00	19.86
30	ATOM	3515	NE1	TRP	496	33.241	36.680	10.458	1.00	23.72
	ATOM	3516	CZ2	TRP	496	34.756	38.525	11.263	1.00	18.67
	ATOM	3517	CZ3	TRP	496	37.044	38.263	10.521	1.00	15.75
	ATOM	3518	CH2	TRP	496	36.059	38.963	11.223	1.00	12.02
	ATOM	3519	C	TRP	496	35.465	33.318	6.147	1.00	18.54
35	ATOM	3520	O	TRP	496	34.789	32.321	5.914	1.00	16.59
	ATOM	3521	N	THR	497	36.729	33.459	5.735	1.00	17.86
	ATOM	3522	CA	THR	497	37.463	32.391	5.040	1.00	20.19
	ATOM	3523	CB	THR	497	37.694	32.650	3.524	1.00	19.90
	ATOM	3524	OG1	THR	497	38.546	33.787	3.320	1.00	19.60
40	ATOM	3525	CG2	THR	497	36.390	32.884	2.835	1.00	18.46
	ATOM	3526	C	THR	497	38.811	32.171	5.773	1.00	23.90
	ATOM	3527	O	THR	497	39.338	33.085	6.443	1.00	24.61
	ATOM	3528	N	HIS	498	39.328	30.947	5.681	1.00	20.24
	ATOM	3529	CA	HIS	498	40.544	30.546	6.355	1.00	18.34
45	ATOM	3530	CB	HIS	498	40.721	29.034	6.233	1.00	17.33
	ATOM	3531	CG	HIS	498	41.575	28.440	7.312	1.00	19.72
	ATOM	3532	CD2	HIS	498	41.296	28.147	8.603	1.00	17.68
	ATOM	3533	ND1	HIS	498	42.889	28.069	7.112	1.00	18.83
	ATOM	3534	CE1	HIS	498	43.385	27.578	8.233	1.00	18.42
50	ATOM	3535	NE2	HIS	498	42.438	27.615	9.154	1.00	20.50
	ATOM	3536	C	HIS	498	41.795	31.233	5.871	1.00	19.67
	ATOM	3537	O	HIS	498	42.023	31.388	4.674	1.00	22.08
	ATOM	3538	N	ARG	499	42.679	31.520	6.809	1.00	21.68
	ATOM	3539	CA	ARG	499	43.937	32.177	6.475	1.00	24.21
55	ATOM	3540	CB	ARG	499	44.705	32.506	7.753	1.00	27.17
	ATOM	3541	CG	ARG	499	45.003	31.299	8.637	1.00	33.94
	ATOM	3542	CD	ARG	499	46.383	30.756	8.400	1.00	38.30
	ATOM	3543	NE	ARG	499	46.458	29.344	8.771	1.00	51.54
	ATOM	3544	CZ	ARG	499	47.386	28.500	8.324	1.00	55.23
60	ATOM	3545	NH1	ARG	499	47.369	27.229	8.722	1.00	57.57
	ATOM	3546	NH2	ARG	499	48.322	28.920	7.473	1.00	55.32

	ATOM	3547	C	ARG	499	44.813	31.328	5.556	1.00	23.51
	ATOM	3548	O	ARG	499	45.787	31.816	4.999	1.00	27.69
	ATOM	3549	N	SER	500	44.476	30.060	5.390	1.00	19.69
5	ATOM	3550	CA	SER	500	45.300	29.227	4.561	1.00	21.75
	ATOM	3551	CB	SER	500	45.031	27.736	4.818	1.00	21.16
	ATOM	3552	OG	SER	500	43.708	27.365	4.461	1.00	15.96
	ATOM	3553	C	SER	500	45.178	29.533	3.082	1.00	25.26
	ATOM	3554	O	SER	500	46.068	29.152	2.323	1.00	31.57
10	ATOM	3555	N	VAL	501	44.089	30.184	2.656	1.00	24.13
	ATOM	3556	CA	VAL	501	43.888	30.486	1.226	1.00	21.77
	ATOM	3557	CB	VAL	501	42.554	31.137	0.974	1.00	18.09
	ATOM	3558	CG1	VAL	501	42.479	31.606	-0.440	1.00	15.04
	ATOM	3559	CG2	VAL	501	41.437	30.158	1.276	1.00	18.35
15	ATOM	3560	C	VAL	501	44.976	31.359	0.599	1.00	25.52
	ATOM	3561	O	VAL	501	45.155	32.518	0.963	1.00	31.84
	ATOM	3562	N	ASP	502	45.666	30.800	-0.385	1.00	26.11
	ATOM	3563	CA	ASP	502	46.751	31.478	-1.073	1.00	25.59
	ATOM	3564	CB	ASP	502	47.673	30.432	-1.694	1.00	25.96
20	ATOM	3565	CG	ASP	502	48.924	31.022	-2.302	1.00	29.25
	ATOM	3566	OD1	ASP	502	49.141	32.243	-2.177	1.00	32.80
	ATOM	3567	OD2	ASP	502	49.702	30.241	-2.904	1.00	28.44
	ATOM	3568	C	ASP	502	46.153	32.319	-2.170	1.00	27.90
	ATOM	3569	O	ASP	502	45.642	31.780	-3.153	1.00	29.56
25	ATOM	3570	N	PHE	503	46.230	33.635	-2.030	1.00	29.10
	ATOM	3571	CA	PHE	503	45.691	34.514	-3.059	1.00	29.42
	ATOM	3572	CB	PHE	503	45.842	35.970	-2.639	1.00	31.35
	ATOM	3573	CG	PHE	503	45.414	36.927	-3.690	1.00	32.60
	ATOM	3574	CD1	PHE	503	44.084	37.022	-4.043	1.00	31.44
30	ATOM	3575	CD2	PHE	503	46.351	37.691	-4.368	1.00	35.02
	ATOM	3576	CE1	PHE	503	43.682	37.862	-5.059	1.00	34.84
	ATOM	3577	CE2	PHE	503	45.965	38.535	-5.383	1.00	35.77
	ATOM	3578	CZ	PHE	503	44.623	38.623	-5.733	1.00	35.90
	ATOM	3579	C	PHE	503	46.367	34.296	-4.430	1.00	30.03
35	ATOM	3580	O	PHE	503	45.708	34.347	-5.480	1.00	30.07
	ATOM	3581	N	PHE	504	47.667	34.001	-4.401	1.00	25.40
	ATOM	3582	CA	PHE	504	48.459	33.792	-5.606	1.00	20.19
	ATOM	3583	CB	PHE	504	49.896	34.175	-5.308	1.00	21.87
	ATOM	3584	CG	PHE	504	50.033	35.605	-4.960	1.00	26.09
40	ATOM	3585	CD1	PHE	504	50.089	36.004	-3.635	1.00	23.60
	ATOM	3586	CD2	PHE	504	49.954	36.579	-5.963	1.00	25.37
	ATOM	3587	CE1	PHE	504	50.051	37.354	-3.310	1.00	26.79
	ATOM	3588	CE2	PHE	504	49.914	37.927	-5.653	1.00	27.28
	ATOM	3589	CZ	PHE	504	49.959	38.321	-4.323	1.00	26.34
45	ATOM	3590	C	PHE	504	48.421	32.462	-6.321	1.00	20.08
	ATOM	3591	O	PHE	504	49.106	32.285	-7.328	1.00	19.90
	ATOM	3592	N	ASN	505	47.650	31.518	-5.809	1.00	19.82
	ATOM	3593	CA	ASN	505	47.581	30.208	-6.433	1.00	19.32
	ATOM	3594	CB	ASN	505	46.744	30.294	-7.702	1.00	24.30
50	ATOM	3595	CG	ASN	505	45.284	30.542	-7.415	1.00	25.23
	ATOM	3596	OD1	ASN	505	44.874	30.529	-6.261	1.00	31.04
	ATOM	3597	ND2	ASN	505	44.488	30.756	-8.461	1.00	26.30
	ATOM	3598	C	ASN	505	48.983	29.683	-6.756	1.00	20.70
	ATOM	3599	O	ASN	505	49.216	29.101	-7.817	1.00	20.32
55	ATOM	3600	N	THR	506	49.917	29.914	-5.842	1.00	16.35
	ATOM	3601	CA	THR	506	51.305	29.505	-6.010	1.00	20.86
	ATOM	3602	CB	THR	506	52.150	30.067	-4.801	1.00	24.90
	ATOM	3603	OG1	THR	506	51.926	31.483	-4.667	1.00	30.23
	ATOM	3604	CG2	THR	506	53.640	29.820	-4.972	1.00	22.07
60	ATOM	3605	C	THR	506	51.514	27.973	-6.141	1.00	23.99
	ATOM	3606	O	THR	506	50.883	27.197	-5.423	1.00	27.58

5	ATOM	3607	N	ILE	507	52.354	27.542	-7.086	1.00	22.51
	ATOM	3608	CA	ILE	507	52.684	26.128	-7.255	1.00	18.50
	ATOM	3609	CB	ILE	507	52.811	25.719	-8.720	1.00	17.29
	ATOM	3610	CG2	ILE	507	53.059	24.277	-8.808	1.00	15.63
	ATOM	3611	CG1	ILE	507	51.570	26.091	-9.523	1.00	20.82
10	ATOM	3612	CD1	ILE	507	50.307	25.413	-9.066	1.00	29.01
	ATOM	3613	C	ILE	507	54.082	26.024	-6.663	1.00	22.48
	ATOM	3614	O	ILE	507	55.009	26.678	-7.147	1.00	24.75
	ATOM	3615	N	ASP	508	54.220	25.237	-5.598	1.00	28.69
	ATOM	3616	CA	ASP	508	55.490	25.018	-4.872	1.00	29.24
15	ATOM	3617	CB	ASP	508	55.196	24.244	-3.576	1.00	30.26
	ATOM	3618	CG	ASP	508	56.258	24.441	-2.513	1.00	30.30
	ATOM	3619	OD1	ASP	508	56.151	25.441	-1.789	1.00	40.59
	ATOM	3620	OD2	ASP	508	57.179	23.608	-2.368	1.00	33.88
	ATOM	3621	C	ASP	508	56.497	24.218	-5.700	1.00	28.60
20	ATOM	3622	O	ASP	508	56.116	23.312	-6.426	1.00	31.91
	ATOM	3623	N	ALA	509	57.785	24.472	-5.518	1.00	28.24
	ATOM	3624	CA	ALA	509	58.805	23.760	-6.296	1.00	29.33
	ATOM	3625	CB	ALA	509	60.049	24.613	-6.412	1.00	35.65
	ATOM	3626	C	ALA	509	59.201	22.391	-5.788	1.00	27.56
25	ATOM	3627	O	ALA	509	59.779	21.599	-6.547	1.00	25.79
	ATOM	3628	N	GLU	510	58.963	22.166	-4.491	1.00	27.06
	ATOM	3629	CA	GLU	510	59.303	20.920	-3.783	1.00	29.89
	ATOM	3630	CB	GLU	510	60.020	21.242	-2.458	1.00	38.97
	ATOM	3631	CG	GLU	510	61.233	22.188	-2.502	1.00	49.84
30	ATOM	3632	CD	GLU	510	62.515	21.514	-2.997	1.00	58.12
	ATOM	3633	OE1	GLU	510	63.358	22.221	-3.599	1.00	60.55
	ATOM	3634	OE2	GLU	510	62.691	20.286	-2.779	1.00	63.36
	ATOM	3635	C	GLU	510	58.076	20.055	-3.435	1.00	29.54
	ATOM	3636	O	GLU	510	58.046	18.858	-3.696	1.00	30.98
35	ATOM	3637	N	LYS	511	57.101	20.655	-2.764	1.00	22.60
	ATOM	3638	CA	LYS	511	55.905	19.944	-2.366	1.00	22.05
	ATOM	3639	CB	LYS	511	55.161	20.748	-1.307	1.00	26.10
	ATOM	3640	CG	LYS	511	55.963	21.228	-0.151	1.00	26.97
	ATOM	3641	CD	LYS	511	55.046	21.938	0.826	1.00	27.62
40	ATOM	3642	CE	LYS	511	55.824	22.589	1.947	1.00	27.53
	ATOM	3643	NZ	LYS	511	56.428	23.877	1.516	1.00	38.15
	ATOM	3644	C	LYS	511	54.900	19.680	-3.493	1.00	20.67
	ATOM	3645	O	LYS	511	54.972	20.269	-4.573	1.00	17.60
	ATOM	3646	N	ILE	512	53.932	18.819	-3.180	1.00	19.36
45	ATOM	3647	CA	ILE	512	52.829	18.484	-4.068	1.00	20.42
	ATOM	3648	CB	ILE	512	52.170	17.166	-3.668	1.00	16.67
	ATOM	3649	CG2	ILE	512	50.863	16.971	-4.416	1.00	9.97
	ATOM	3650	CG1	ILE	512	53.148	16.022	-3.921	1.00	12.77
	ATOM	3651	CD1	ILE	512	52.728	14.748	-3.293	1.00	12.13
50	ATOM	3652	C	ILE	512	51.860	19.607	-3.748	1.00	25.62
	ATOM	3653	O	ILE	512	51.643	19.919	-2.569	1.00	26.02
	ATOM	3654	N	THR	513	51.299	20.224	-4.781	1.00	23.63
	ATOM	3655	CA	THR	513	50.398	21.344	-4.594	1.00	21.04
	ATOM	3656	CB	THR	513	50.929	22.537	-5.378	1.00	21.80
55	ATOM	3657	OG1	THR	513	52.250	22.847	-4.910	1.00	19.60
	ATOM	3658	CG2	THR	513	50.041	23.733	-5.217	1.00	16.11
	ATOM	3659	C	THR	513	48.980	21.046	-5.013	1.00	21.44
	ATOM	3660	O	THR	513	48.760	20.534	-6.089	1.00	22.73
	ATOM	3661	N	GLN	514	48.024	21.302	-4.125	1.00	24.53
60	ATOM	3662	CA	GLN	514	46.605	21.088	-4.432	1.00	24.32
	ATOM	3663	CB	GLN	514	45.826	20.522	-3.230	1.00	19.75
	ATOM	3664	CG	GLN	514	46.008	19.039	-2.972	1.00	16.42
	ATOM	3665	CD	GLN	514	44.859	18.416	-2.171	1.00	17.95
	ATOM	3666	OE1	GLN	514	44.379	17.318	-2.501	1.00	13.78

	ATOM	3667	NE2	GLN	514	44.395	19.121	-1.141	1.00	10.97
	ATOM	3668	C	GLN	514	46.004	22.441	-4.799	1.00	22.49
	ATOM	3669	O	GLN	514	46.181	23.397	-4.047	1.00	25.77
5	ATOM	3670	N	LEU	515	45.357	22.522	-5.970	1.00	20.22
	ATOM	3671	CA	LEU	515	44.694	23.734	-6.442	1.00	19.38
	ATOM	3672	CB	LEU	515	45.116	24.108	-7.883	1.00	24.66
	ATOM	3673	CG	LEU	515	44.498	25.381	-8.514	1.00	19.43
	ATOM	3674	CD1	LEU	515	44.854	26.618	-7.735	1.00	17.74
10	ATOM	3675	CD2	LEU	515	44.941	25.544	-9.931	1.00	20.58
	ATOM	3676	C	LEU	515	43.197	23.474	-6.393	1.00	21.82
	ATOM	3677	O	LEU	515	42.670	22.664	-7.172	1.00	20.91
	ATOM	3678	N	PRO	516	42.509	24.057	-5.391	1.00	23.18
	ATOM	3679	CD	PRO	516	43.000	24.926	-4.299	1.00	20.43
15	ATOM	3680	CA	PRO	516	41.062	23.849	-5.293	1.00	20.71
	ATOM	3681	CB	PRO	516	40.677	24.713	-4.086	1.00	22.88
	ATOM	3682	CG	PRO	516	41.941	24.755	-3.249	1.00	18.38
	ATOM	3683	C	PRO	516	40.457	24.382	-6.600	1.00	21.60
	ATOM	3684	O	PRO	516	40.820	25.459	-7.105	1.00	20.78
20	ATOM	3685	N	VAL	517	39.550	23.624	-7.174	1.00	19.37
	ATOM	3686	CA	VAL	517	38.964	24.045	-8.431	1.00	19.42
	ATOM	3687	CB	VAL	517	38.135	22.859	-9.010	1.00	17.07
	ATOM	3688	CG1	VAL	517	36.717	22.848	-8.468	1.00	18.76
	ATOM	3689	CG2	VAL	517	38.203	22.842	-10.505	1.00	19.36
25	ATOM	3690	C	VAL	517	38.206	25.410	-8.324	1.00	20.59
	ATOM	3691	O	VAL	517	38.076	26.146	-9.307	1.00	16.82
	ATOM	3692	N	VAL	518	37.813	25.785	-7.100	1.00	23.40
	ATOM	3693	CA	VAL	518	37.115	27.053	-6.842	1.00	19.17
	ATOM	3694	CB	VAL	518	36.353	27.093	-5.486	1.00	10.97
30	ATOM	3695	CG1	VAL	518	35.202	26.153	-5.513	1.00	7.06
	ATOM	3696	CG2	VAL	518	37.302	26.810	-4.333	1.00	9.27
	ATOM	3697	C	VAL	518	38.049	28.258	-6.877	1.00	21.48
	ATOM	3698	O	VAL	518	37.595	29.399	-6.689	1.00	23.23
	ATOM	3699	N	LYS	519	39.342	28.022	-7.089	1.00	18.73
35	ATOM	3700	CA	LYS	519	40.297	29.124	-7.173	1.00	19.19
	ATOM	3701	CB	LYS	519	41.681	28.685	-6.676	1.00	21.90
	ATOM	3702	CG	LYS	519	41.673	28.268	-5.224	1.00	21.02
	ATOM	3703	CD	LYS	519	41.574	29.452	-4.322	1.00	12.82
	ATOM	3704	CE	LYS	519	42.966	29.886	-4.023	1.00	12.46
40	ATOM	3705	NZ	LYS	519	42.930	31.325	-4.032	1.00	21.04
	ATOM	3706	C	LYS	519	40.376	29.653	-8.608	1.00	19.96
	ATOM	3707	O	LYS	519	41.147	30.566	-8.897	1.00	23.17
	ATOM	3708	N	ALA	520	39.642	29.016	-9.517	1.00	21.32
	ATOM	3709	CA	ALA	520	39.572	29.439	-10.916	1.00	24.50
45	ATOM	3710	CB	ALA	520	38.624	28.531	-11.700	1.00	18.52
	ATOM	3711	C	ALA	520	39.008	30.844	-10.906	1.00	28.46
	ATOM	3712	O	ALA	520	38.227	31.196	-10.012	1.00	31.25
	ATOM	3713	N	TYR	521	39.373	31.649	-11.893	1.00	31.66
	ATOM	3714	CA	TYR	521	38.844	32.996	-11.943	1.00	30.02
50	ATOM	3715	CB	TYR	521	39.943	33.981	-12.295	1.00	33.11
	ATOM	3716	CG	TYR	521	40.519	33.781	-13.660	1.00	39.15
	ATOM	3717	CD1	TYR	521	39.878	34.304	-14.777	1.00	39.69
	ATOM	3718	CE1	TYR	521	40.423	34.180	-16.043	1.00	44.05
	ATOM	3719	CD2	TYR	521	41.733	33.115	-13.840	1.00	44.01
55	ATOM	3720	CE2	TYR	521	42.299	32.982	-15.116	1.00	44.87
	ATOM	3721	CZ	TYR	521	41.635	33.527	-16.213	1.00	44.96
	ATOM	3722	OH	TYR	521	42.177	33.480	-17.480	1.00	46.99
	ATOM	3723	C	TYR	521	37.663	33.115	-12.897	1.00	29.31
	ATOM	3724	O	TYR	521	36.953	34.115	-12.892	1.00	30.01
60	ATOM	3725	N	ALA	522	37.405	32.058	-13.654	1.00	27.46
	ATOM	3726	CA	ALA	522	36.321	32.062	-14.626	1.00	25.98

5	ATOM	3727	CB	ALA	522	36.336	32.608	-15.952	1.00	25.45
	ATOM	3728	C	ALA	522	35.783	30.654	-14.814	1.00	24.28
	ATOM	3729	O	ALA	522	36.520	29.701	-14.620	1.00	28.55
	ATOM	3730	N	LEU	523	34.501	30.524	-15.152	1.00	22.39
	ATOM	3731	CA	LEU	523	33.873	29.215	-15.368	1.00	25.19
10	ATOM	3732	CB	LEU	523	32.917	28.831	-14.244	1.00	22.10
	ATOM	3733	CG	LEU	523	33.289	28.143	-12.941	1.00	21.99
	ATOM	3734	CD1	LEU	523	31.973	27.665	-12.307	1.00	17.94
	ATOM	3735	CD2	LEU	523	34.212	26.962	-13.171	1.00	21.88
	ATOM	3736	C	LEU	523	33.028	29.278	-16.617	1.00	29.42
15	ATOM	3737	O	LEU	523	32.535	30.348	-16.958	1.00	34.90
	ATOM	3738	N	SER	524	32.802	28.133	-17.258	1.00	30.06
	ATOM	3739	CA	SER	524	31.998	28.085	-18.463	1.00	31.24
	ATOM	3740	CB	SER	524	32.529	27.015	-19.437	1.00	30.18
	ATOM	3741	OG	SER	524	31.702	25.859	-19.512	1.00	33.88
20	ATOM	3742	C	SER	524	30.558	27.827	-18.055	1.00	34.56
	ATOM	3743	O	SER	524	30.298	27.349	-16.955	1.00	35.42
	ATOM	3744	N	SER	525	29.630	28.145	-18.953	1.00	40.50
	ATOM	3745	CA	SER	525	28.186	27.978	-18.745	1.00	41.55
	ATOM	3746	CB	SER	525	27.443	28.284	-20.053	1.00	44.75
25	ATOM	3747	OG	SER	525	28.180	29.192	-20.862	1.00	50.22
	ATOM	3748	C	SER	525	27.793	26.570	-18.310	1.00	41.55
	ATOM	3749	O	SER	525	26.793	26.386	-17.615	1.00	41.77
	ATOM	3750	N	GLY	526	28.565	25.579	-18.748	1.00	41.99
	ATOM	3751	CA	GLY	526	28.251	24.200	-18.427	1.00	42.33
30	ATOM	3752	C	GLY	526	28.766	23.641	-17.118	1.00	39.74
	ATOM	3753	O	GLY	526	28.651	22.443	-16.887	1.00	41.33
	ATOM	3754	N	ALA	527	29.321	24.483	-16.262	1.00	35.00
	ATOM	3755	CA	ALA	527	29.840	24.010	-15.005	1.00	31.00
	ATOM	3756	CB	ALA	527	31.339	24.130	-15.004	1.00	25.11
35	ATOM	3757	C	ALA	527	29.241	24.865	-13.917	1.00	32.01
	ATOM	3758	O	ALA	527	28.887	26.013	-14.153	1.00	35.83
	ATOM	3759	N	SER	528	29.079	24.303	-12.732	1.00	31.08
	ATOM	3760	CA	SER	528	28.546	25.076	-11.624	1.00	31.31
	ATOM	3761	CB	SER	528	27.040	24.870	-11.516	1.00	30.58
40	ATOM	3762	OG	SER	528	26.734	23.533	-11.161	1.00	36.73
	ATOM	3763	C	SER	528	29.232	24.686	-10.315	1.00	29.29
	ATOM	3764	O	SER	528	29.679	23.545	-10.159	1.00	26.49
	ATOM	3765	N	ILE	529	29.409	25.659	-9.424	1.00	27.83
	ATOM	3766	CA	ILE	529	30.005	25.375	-8.130	1.00	27.64
45	ATOM	3767	CB	ILE	529	30.721	26.596	-7.498	1.00	27.04
	ATOM	3768	CG2	ILE	529	31.322	26.216	-6.134	1.00	18.53
	ATOM	3769	CG1	ILE	529	31.846	27.094	-8.415	1.00	19.40
	ATOM	3770	CD1	ILE	529	32.895	26.065	-8.767	1.00	21.82
	ATOM	3771	C	ILE	529	28.834	24.871	-7.275	1.00	30.57
50	ATOM	3772	O	ILE	529	27.726	25.411	-7.288	1.00	32.70
	ATOM	3773	N	ILE	530	29.084	23.801	-6.556	1.00	31.83
	ATOM	3774	CA	ILE	530	28.059	23.163	-5.786	1.00	31.82
	ATOM	3775	CB	ILE	530	27.571	21.955	-6.653	1.00	32.98
	ATOM	3776	CG2	ILE	530	27.538	20.628	-5.926	1.00	32.68
55	ATOM	3777	CG1	ILE	530	26.272	22.355	-7.338	1.00	39.74
	ATOM	3778	CD1	ILE	530	25.682	21.281	-8.215	1.00	51.04
	ATOM	3779	C	ILE	530	28.594	22.862	-4.382	1.00	33.34
	ATOM	3780	O	ILE	530	29.791	23.012	-4.129	1.00	34.98
	ATOM	3781	N	GLU	531	27.705	22.578	-3.441	1.00	31.94
60	ATOM	3782	CA	GLU	531	28.123	22.303	-2.083	1.00	34.44
	ATOM	3783	CB	GLU	531	26.929	22.278	-1.159	1.00	45.98
	ATOM	3784	CG	GLU	531	26.914	23.434	-0.196	1.00	66.36
	ATOM	3785	CD	GLU	531	26.232	23.083	1.115	1.00	77.90
	ATOM	3786	OE1	GLU	531	24.979	22.972	1.130	1.00	81.37

	ATOM	3787	OE2	GLU	531	26.962	22.911	2.124	1.00	82.42
	ATOM	3788	C	GLU	531	28.895	21.012	-1.933	1.00	32.72
	ATOM	3789	O	GLU	531	28.470	19.961	-2.401	1.00	29.66
5	ATOM	3790	N	GLY	532	30.021	21.093	-1.232	1.00	30.18
	ATOM	3791	CA	GLY	532	30.846	19.927	-1.030	1.00	27.98
	ATOM	3792	C	GLY	532	30.138	18.922	-0.153	1.00	29.77
	ATOM	3793	O	GLY	532	29.254	19.277	0.632	1.00	29.92
	ATOM	3794	N	PRO	533	30.529	17.651	-0.251	1.00	28.01
10	ATOM	3795	CD	PRO	533	31.657	17.234	-1.095	1.00	26.16
	ATOM	3796	CA	PRO	533	29.991	16.517	0.499	1.00	28.35
	ATOM	3797	CB	PRO	533	30.744	15.341	-0.105	1.00	30.57
	ATOM	3798	CG	PRO	533	32.064	15.941	-0.451	1.00	31.83
	ATOM	3799	C	PRO	533	30.261	16.645	2.000	1.00	28.68
15	ATOM	3800	O	PRO	533	29.501	16.132	2.846	1.00	30.87
	ATOM	3801	N	GLY	534	31.365	17.301	2.333	1.00	26.38
	ATOM	3802	CA	GLY	534	31.669	17.488	3.734	1.00	22.29
	ATOM	3803	C	GLY	534	33.105	17.254	4.099	1.00	22.73
	ATOM	3804	O	GLY	534	33.609	17.901	5.014	1.00	24.94
20	ATOM	3805	N	PHE	535	33.772	16.350	3.386	1.00	20.12
	ATOM	3806	CA	PHE	535	35.165	16.021	3.690	1.00	18.54
	ATOM	3807	CB	PHE	535	35.314	14.500	3.811	1.00	15.96
	ATOM	3808	CG	PHE	535	34.747	13.766	2.642	1.00	18.55
	ATOM	3809	CD1	PHE	535	35.480	13.633	1.461	1.00	17.25
25	ATOM	3810	CD2	PHE	535	33.434	13.320	2.667	1.00	15.57
	ATOM	3811	CE1	PHE	535	34.904	13.080	0.323	1.00	16.51
	ATOM	3812	CE2	PHE	535	32.853	12.764	1.528	1.00	17.82
	ATOM	3813	CZ	PHE	535	33.588	12.647	0.357	1.00	13.09
	ATOM	3814	C	PHE	535	36.195	16.550	2.686	1.00	18.37
30	ATOM	3815	O	PHE	535	37.365	16.192	2.771	1.00	18.67
	ATOM	3816	N	THR	536	35.797	17.366	1.717	1.00	17.09
	ATOM	3817	CA	THR	536	36.803	17.850	0.793	1.00	20.39
	ATOM	3818	CB	THR	536	36.269	17.966	-0.610	1.00	19.96
	ATOM	3819	OG1	THR	536	35.193	18.909	-0.632	1.00	17.87
35	ATOM	3820	CG2	THR	536	35.820	16.617	-1.094	1.00	19.15
	ATOM	3821	C	THR	536	37.412	19.165	1.262	1.00	23.00
	ATOM	3822	O	THR	536	37.941	19.960	0.491	1.00	24.82
	ATOM	3823	N	GLY	537	37.357	19.402	2.551	1.00	27.76
	ATOM	3824	CA	GLY	537	37.947	20.616	3.033	1.00	33.89
40	ATOM	3825	C	GLY	537	37.002	21.709	2.752	1.00	33.32
	ATOM	3826	O	GLY	537	35.911	21.463	2.287	1.00	38.06
	ATOM	3827	N	GLY	538	37.449	22.924	2.980	1.00	37.93
	ATOM	3828	CA	GLY	538	36.582	24.038	2.771	1.00	42.84
	ATOM	3829	C	GLY	538	35.777	23.873	1.519	1.00	47.29
45	ATOM	3830	O	GLY	538	34.558	24.065	1.468	1.00	54.74
	ATOM	3831	N	ASP	539	36.477	23.366	0.535	1.00	45.55
	ATOM	3832	CA	ASP	539	35.907	23.168	-0.756	1.00	41.92
	ATOM	3833	CB	ASP	539	36.785	22.204	-1.574	1.00	45.21
	ATOM	3834	CG	ASP	539	37.857	22.920	-2.353	1.00	49.53
50	ATOM	3835	OD1	ASP	539	38.701	23.577	-1.693	1.00	44.03
	ATOM	3836	OD2	ASP	539	37.835	22.831	-3.616	1.00	51.70
	ATOM	3837	C	ASP	539	34.450	22.797	-0.928	1.00	34.91
	ATOM	3838	O	ASP	539	33.806	22.129	-0.116	1.00	26.81
	ATOM	3839	N	LEU	540	33.969	23.372	-2.011	1.00	29.82
55	ATOM	3840	CA	LEU	540	32.688	23.155	-2.588	1.00	27.20
	ATOM	3841	CB	LEU	540	32.005	24.485	-2.857	1.00	24.69
	ATOM	3842	CG	LEU	540	31.540	25.134	-1.561	1.00	20.73
	ATOM	3843	CD1	LEU	540	30.836	26.432	-1.858	1.00	25.75
	ATOM	3844	CD2	LEU	540	30.620	24.208	-0.826	1.00	15.49
60	ATOM	3845	C	LEU	540	33.270	22.506	-3.863	1.00	25.13
	ATOM	3846	O	LEU	540	34.456	22.645	-4.147	1.00	22.50

	ATOM	3847	N	LEU	541	32.488	21.736	-4.587	1.00	26.66
	ATOM	3848	CA	LEU	541	33.029	21.059	-5.759	1.00	29.40
	ATOM	3849	CB	LEU	541	32.562	19.590	-5.753	1.00	24.79
5	ATOM	3850	CG	LEU	541	32.965	18.655	-4.619	1.00	19.38
	ATOM	3851	CD1	LEU	541	32.132	17.434	-4.653	1.00	23.37
	ATOM	3852	CD2	LEU	541	34.394	18.273	-4.756	1.00	26.40
	ATOM	3853	C	LEU	541	32.437	21.707	-6.967	1.00	31.74
	ATOM	3854	O	LEU	541	31.630	22.614	-6.830	1.00	35.14
10	ATOM	3855	N	PHE	542	32.874	21.319	-8.156	1.00	33.03
	ATOM	3856	CA	PHE	542	32.165	21.827	-9.305	1.00	34.85
	ATOM	3857	CB	PHE	542	32.946	22.894	-10.101	1.00	41.04
	ATOM	3858	CG	PHE	542	33.556	22.451	-11.401	1.00	41.46
	ATOM	3859	CD1	PHE	542	34.706	23.080	-11.832	1.00	43.22
15	ATOM	3860	CD2	PHE	542	33.007	21.453	-12.192	1.00	43.55
	ATOM	3861	CE1	PHE	542	35.299	22.725	-13.010	1.00	50.04
	ATOM	3862	CE2	PHE	542	33.583	21.080	-13.372	1.00	51.19
	ATOM	3863	CZ	PHE	542	34.740	21.715	-13.791	1.00	54.39
	ATOM	3864	C	PHE	542	31.563	20.654	-10.066	1.00	35.15
20	ATOM	3865	O	PHE	542	32.207	19.597	-10.215	1.00	34.08
	ATOM	3866	N	LEU	543	30.273	20.786	-10.371	1.00	32.50
	ATOM	3867	CA	LEU	543	29.531	19.770	-11.111	1.00	31.66
	ATOM	3868	CB	LEU	543	28.057	19.692	-10.650	1.00	29.24
	ATOM	3869	CG	LEU	543	27.107	18.714	-11.379	1.00	31.50
25	ATOM	3870	CD1	LEU	543	27.411	17.275	-11.030	1.00	30.64
	ATOM	3871	CD2	LEU	543	25.663	19.008	-11.049	1.00	31.69
	ATOM	3872	C	LEU	543	29.610	20.159	-12.587	1.00	29.13
	ATOM	3873	O	LEU	543	29.603	21.340	-12.933	1.00	23.01
	ATOM	3874	N	LYS	544	29.727	19.165	-13.455	1.00	32.67
30	ATOM	3875	CA	LYS	544	29.813	19.442	-14.876	1.00	36.80
	ATOM	3876	CB	LYS	544	31.056	18.803	-15.476	1.00	37.11
	ATOM	3877	CG	LYS	544	31.272	19.198	-16.904	1.00	37.33
	ATOM	3878	CD	LYS	544	32.647	18.823	-17.345	1.00	42.84
	ATOM	3879	CE	LYS	544	33.093	17.482	-16.791	1.00	40.97
35	ATOM	3880	NZ	LYS	544	33.958	17.669	-15.599	1.00	48.30
	ATOM	3881	C	LYS	544	28.579	18.979	-15.606	1.00	36.90
	ATOM	3882	O	LYS	544	28.158	17.827	-15.449	1.00	32.22
	ATOM	3883	N	GLU	545	27.993	19.919	-16.352	1.00	40.87
	ATOM	3884	CA	GLU	545	26.786	19.708	-17.158	1.00	49.67
40	ATOM	3885	CB	GLU	545	25.803	20.872	-16.986	1.00	57.26
	ATOM	3886	CG	GLU	545	26.062	21.808	-15.801	1.00	70.57
	ATOM	3887	CD	GLU	545	25.347	21.393	-14.524	1.00	79.49
	ATOM	3888	OE1	GLU	545	24.824	20.253	-14.461	1.00	82.86
	ATOM	3889	OE2	GLU	545	25.300	22.223	-13.581	1.00	84.89
45	ATOM	3890	C	GLU	545	27.132	19.591	-18.652	1.00	49.21
	ATOM	3891	O	GLU	545	26.745	18.634	-19.318	1.00	47.69
	ATOM	3892	N	SER	546	27.831	20.593	-19.176	1.00	52.91
	ATOM	3893	CA	SER	546	28.236	20.626	-20.585	1.00	56.07
	ATOM	3894	CB	SER	546	27.641	21.863	-21.289	1.00	59.19
50	ATOM	3895	OG	SER	546	26.228	21.789	-21.462	1.00	58.56
	ATOM	3896	C	SER	546	29.760	20.718	-20.596	1.00	55.58
	ATOM	3897	O	SER	546	30.338	21.272	-19.659	1.00	56.91
	ATOM	3898	N	SER	547	30.397	20.214	-21.654	1.00	54.06
	ATOM	3899	CA	SER	547	31.859	20.228	-21.759	1.00	54.75
55	ATOM	3900	CB	SER	547	32.336	18.833	-22.125	1.00	55.22
	ATOM	3901	OG	SER	547	31.784	17.902	-21.213	1.00	58.09
	ATOM	3902	C	SER	547	32.417	21.251	-22.753	1.00	53.95
	ATOM	3903	O	SER	547	31.722	21.596	-23.705	1.00	58.59
	ATOM	3904	N	ASN	548	33.662	21.716	-22.544	1.00	52.76
60	ATOM	3905	CA	ASN	548	34.306	22.712	-23.428	1.00	51.19
	ATOM	3906	CB	ASN	548	33.366	23.914	-23.633	1.00	56.75

	ATOM	3907	CG	ASN	548	32.797	24.464	-22.328	1.00	58.52
	ATOM	3908	OD1	ASN	548	33.076	23.955	-21.249	1.00	58.90
	ATOM	3909	ND2	ASN	548	32.001	25.517	-22.431	1.00	67.62
5	ATOM	3910	C	ASN	548	35.720	23.222	-23.044	1.00	48.17
	ATOM	3911	O	ASN	548	36.727	22.791	-23.603	1.00	46.64
	ATOM	3912	N	SER	549	35.751	24.252	-22.199	1.00	47.03
	ATOM	3913	CA	SER	549	36.959	24.892	-21.650	1.00	38.92
	ATOM	3914	CB	SER	549	37.491	25.999	-22.547	1.00	42.82
10	ATOM	3915	OG	SER	549	37.544	27.249	-21.877	1.00	43.37
	ATOM	3916	C	SER	549	36.313	25.450	-20.394	1.00	34.96
	ATOM	3917	O	SER	549	35.966	26.625	-20.271	1.00	31.37
	ATOM	3918	N	ILE	550	36.020	24.485	-19.541	1.00	32.88
	ATOM	3919	CA	ILE	550	35.342	24.657	-18.291	1.00	32.30
	ATOM	3920	CB	ILE	550	35.247	23.317	-17.576	1.00	31.25
15	ATOM	3921	CG2	ILE	550	34.300	23.433	-16.429	1.00	34.89
	ATOM	3922	CG1	ILE	550	34.674	22.283	-18.542	1.00	30.40
	ATOM	3923	CD1	ILE	550	34.896	20.896	-18.129	1.00	36.71
	ATOM	3924	C	ILE	550	35.865	25.727	-17.364	1.00	31.36
20	ATOM	3925	O	ILE	550	35.151	26.673	-17.068	1.00	36.41
	ATOM	3926	N	ALA	551	37.109	25.629	-16.932	1.00	28.45
	ATOM	3927	CA	ALA	551	37.595	26.631	-16.020	1.00	23.43
	ATOM	3928	CB	ALA	551	37.505	26.093	-14.589	1.00	21.57
	ATOM	3929	C	ALA	551	38.994	27.128	-16.350	1.00	22.09
25	ATOM	3930	O	ALA	551	39.793	26.406	-16.951	1.00	20.34
	ATOM	3931	N	LYS	552	39.260	28.387	-16.008	1.00	21.43
	ATOM	3932	CA	LYS	552	40.561	28.996	-16.251	1.00	23.88
	ATOM	3933	CB	LYS	552	40.452	30.215	-17.161	1.00	23.98
	ATOM	3934	CG	LYS	552	39.861	29.894	-18.522	1.00	32.51
30	ATOM	3935	CD	LYS	552	39.797	31.113	-19.444	1.00	37.66
	ATOM	3936	CE	LYS	552	38.344	31.508	-19.707	1.00	46.35
	ATOM	3937	NZ	LYS	552	37.473	30.364	-20.166	1.00	51.47
	ATOM	3938	C	LYS	552	41.122	29.414	-14.924	1.00	24.89
	ATOM	3939	O	LYS	552	40.390	29.870	-14.049	1.00	25.99
35	ATOM	3940	N	PHE	553	42.435	29.291	-14.790	1.00	27.07
	ATOM	3941	CA	PHE	553	43.116	29.623	-13.555	1.00	26.79
	ATOM	3942	CB	PHE	553	43.630	28.346	-12.810	1.00	28.52
	ATOM	3943	CG	PHE	553	42.560	27.342	-12.397	1.00	24.78
	ATOM	3944	CD1	PHE	553	42.189	26.305	-13.251	1.00	25.89
40	ATOM	3945	CD2	PHE	553	41.967	27.407	-11.135	1.00	25.91
	ATOM	3946	CE1	PHE	553	41.238	25.352	-12.853	1.00	29.14
	ATOM	3947	CE2	PHE	553	41.021	26.461	-10.726	1.00	25.20
	ATOM	3948	CZ	PHE	553	40.652	25.433	-11.584	1.00	24.73
	ATOM	3949	C	PHE	553	44.366	30.352	-13.957	1.00	25.61
45	ATOM	3950	O	PHE	553	44.850	30.198	-15.065	1.00	25.20
	ATOM	3951	N	LYS	554	44.874	31.171	-13.062	1.00	25.03
	ATOM	3952	CA	LYS	554	46.157	31.764	-13.296	1.00	27.95
	ATOM	3953	CB	LYS	554	46.126	33.275	-13.408	1.00	30.03
	ATOM	3954	CG	LYS	554	47.524	33.810	-13.114	1.00	39.43
50	ATOM	3955	CD	LYS	554	47.787	35.200	-13.624	1.00	50.21
	ATOM	3956	CE	LYS	554	49.197	35.626	-13.209	1.00	54.07
	ATOM	3957	NZ	LYS	554	49.529	36.998	-13.675	1.00	56.26
	ATOM	3958	C	LYS	554	46.907	31.312	-12.029	1.00	28.45
	ATOM	3959	O	LYS	554	46.364	31.376	-10.913	1.00	28.90
55	ATOM	3960	N	VAL	555	48.106	30.771	-12.205	1.00	26.35
	ATOM	3961	CA	VAL	555	48.886	30.278	-11.082	1.00	23.89
	ATOM	3962	CB	VAL	555	49.143	28.753	-11.215	1.00	23.89
	ATOM	3963	CG1	VAL	555	47.848	27.965	-11.005	1.00	19.80
	ATOM	3964	CG2	VAL	555	49.693	28.436	-12.580	1.00	24.10
60	ATOM	3965	C	VAL	555	50.203	31.036	-10.957	1.00	26.91
	ATOM	3966	O	VAL	555	50.634	31.705	-11.892	1.00	29.30

5	ATOM	3967	N	THR	556	50.819	30.966	-9.785	1.00	27.03
	ATOM	3968	CA	THR	556	52.077	31.644	-9.544	1.00	23.49
	ATOM	3969	CB	THR	556	51.953	32.539	-8.367	1.00	23.49
	ATOM	3970	OG1	THR	556	51.091	33.676	-8.743	1.00	24.29
	ATOM	3971	CG2	THR	556	53.315	33.174	-7.982	1.00	22.99
10	ATOM	3972	C	THR	556	53.234	30.690	-9.289	1.00	26.69
	ATOM	3973	O	THR	556	53.159	29.815	-8.420	1.00	27.95
	ATOM	3974	N	LEU	557	54.317	30.872	-10.035	1.00	27.71
	ATOM	3975	CA	LEU	557	55.500	30.038	-9.877	1.00	30.22
	ATOM	3976	CB	LEU	557	55.827	29.295	-11.180	1.00	21.61
15	ATOM	3977	CG	LEU	557	54.939	28.087	-11.479	1.00	15.95
	ATOM	3978	CD1	LEU	557	53.843	28.430	-12.423	1.00	12.75
	ATOM	3979	CD2	LEU	557	55.766	26.986	-12.049	1.00	14.32
	ATOM	3980	C	LEU	557	56.644	30.948	-9.506	1.00	36.22
	ATOM	3981	O	LEU	557	56.571	32.146	-9.733	1.00	42.68
20	ATOM	3982	N	ASN	558	57.646	30.402	-8.834	1.00	42.11
	ATOM	3983	CA	ASN	558	58.828	31.174	-8.458	1.00	43.14
	ATOM	3984	CB	ASN	558	59.146	31.050	-6.950	1.00	47.42
	ATOM	3985	CG	ASN	558	59.198	29.602	-6.457	1.00	51.14
	ATOM	3986	OD1	ASN	558	60.280	29.070	-6.176	1.00	45.86
25	ATOM	3987	ND2	ASN	558	58.022	28.969	-6.316	1.00	53.80
	ATOM	3988	C	ASN	558	59.952	30.628	-9.328	1.00	44.63
	ATOM	3989	O	ASN	558	59.741	29.657	-10.066	1.00	46.90
	ATOM	3990	N	SER	559	61.128	31.247	-9.270	1.00	43.06
	ATOM	3991	CA	SER	559	62.270	30.812	-10.079	1.00	43.61
30	ATOM	3992	CB	SER	559	63.496	31.652	-9.741	1.00	44.38
	ATOM	3993	OG	SER	559	63.328	32.976	-10.226	1.00	50.82
	ATOM	3994	C	SER	559	62.598	29.315	-9.984	1.00	41.12
	ATOM	3995	O	SER	559	62.856	28.652	-10.995	1.00	41.23
	ATOM	3996	N	ALA	560	62.598	28.786	-8.768	1.00	39.09
35	ATOM	3997	CA	ALA	560	62.868	27.378	-8.580	1.00	34.53
	ATOM	3998	CB	ALA	560	63.016	27.069	-7.113	1.00	37.40
	ATOM	3999	C	ALA	560	61.719	26.583	-9.189	1.00	33.31
	ATOM	4000	O	ALA	560	61.945	25.591	-9.869	1.00	35.43
	ATOM	4001	N	ALA	561	60.489	27.052	-8.999	1.00	31.76
40	ATOM	4002	CA	ALA	561	59.330	26.347	-9.544	1.00	29.93
	ATOM	4003	CB	ALA	561	58.064	26.850	-8.906	1.00	28.61
	ATOM	4004	C	ALA	561	59.249	26.449	-11.066	1.00	30.20
	ATOM	4005	O	ALA	561	58.607	25.630	-11.713	1.00	31.33
	ATOM	4006	N	LEU	562	59.922	27.442	-11.638	1.00	32.60
45	ATOM	4007	CA	LEU	562	59.933	27.635	-13.088	1.00	34.08
	ATOM	4008	CB	LEU	562	60.209	29.106	-13.438	1.00	33.88
	ATOM	4009	CG	LEU	562	59.000	30.047	-13.329	1.00	34.94
	ATOM	4010	CD1	LEU	562	59.424	31.495	-13.482	1.00	35.38
	ATOM	4011	CD2	LEU	562	57.953	29.681	-14.373	1.00	32.01
50	ATOM	4012	C	LEU	562	60.899	26.703	-13.835	1.00	34.58
	ATOM	4013	O	LEU	562	60.647	26.331	-14.979	1.00	33.64
	ATOM	4014	N	LEU	563	61.992	26.314	-13.182	1.00	37.75
	ATOM	4015	CA	LEU	563	62.990	25.406	-13.773	1.00	40.21
	ATOM	4016	CB	LEU	563	64.290	25.475	-12.963	1.00	41.41
55	ATOM	4017	CG	LEU	563	65.333	26.561	-13.202	1.00	42.05
	ATOM	4018	CD1	LEU	563	66.149	26.819	-11.939	1.00	43.00
	ATOM	4019	CD2	LEU	563	66.231	26.107	-14.322	1.00	44.06
	ATOM	4020	C	LEU	563	62.492	23.961	-13.691	1.00	41.90
	ATOM	4021	O	LEU	563	63.112	23.034	-14.212	1.00	45.81
60	ATOM	4022	N	GLN	564	61.357	23.789	-13.036	1.00	41.36
	ATOM	4023	CA	GLN	564	60.777	22.487	-12.774	1.00	39.60
	ATOM	4024	CB	GLN	564	60.189	22.569	-11.349	1.00	43.83
	ATOM	4025	CG	GLN	564	60.106	21.286	-10.543	1.00	50.18
	ATOM	4026	CD	GLN	564	61.469	20.739	-10.147	1.00	53.72

5	ATOM	4027	OE1	GLN	564	52.310	21.439	-9.558	1.00	55.36
	ATOM	4028	NE2	GLN	564	61.590	19.470	-10.460	1.00	59.83
	ATOM	4029	C	GLN	564	59.683	22.074	-13.761	1.00	35.38
	ATOM	4030	O	GLN	564	59.102	22.912	-14.449	1.00	36.05
	ATOM	4031	N	ARG	565	59.416	20.771	-13.818	1.00	33.68
10	ATOM	4032	CA	ARG	565	58.333	20.220	-14.637	1.00	34.60
	ATOM	4033	CB	ARG	565	58.830	19.257	-15.726	1.00	38.02
	ATOM	4034	CG	ARG	565	59.353	19.990	-16.963	1.00	40.53
	ATOM	4035	CD	ARG	565	59.021	19.276	-18.259	1.00	38.89
	ATOM	4036	NE	ARG	565	58.289	20.150	-19.172	1.00	40.20
15	ATOM	4037	CZ	ARG	565	57.235	19.770	-19.887	1.00	42.15
	ATOM	4038	NH1	ARG	565	56.630	20.637	-20.684	1.00	42.80
	ATOM	4039	NH2	ARG	565	56.793	18.519	-19.821	1.00	45.49
	ATOM	4040	C	ARG	565	57.386	19.528	-13.658	1.00	29.39
	ATOM	4041	O	ARG	565	57.806	19.117	-12.573	1.00	26.69
20	ATOM	4042	N	TYR	566	56.131	19.368	-14.052	1.00	27.44
	ATOM	4043	CA	TYR	566	55.125	18.807	-13.162	1.00	24.88
	ATOM	4044	CB	TYR	566	54.241	19.954	-12.630	1.00	24.68
	ATOM	4045	CG	TYR	566	55.022	21.022	-11.889	1.00	24.57
	ATOM	4046	CD1	TYR	566	55.656	22.065	-12.580	1.00	23.18
25	ATOM	4047	CE1	TYR	566	56.479	22.981	-11.908	1.00	22.35
	ATOM	4048	CD2	TYR	566	55.218	20.933	-10.504	1.00	21.68
	ATOM	4049	CE2	TYR	566	56.027	21.835	-9.833	1.00	23.53
	ATOM	4050	CZ	TYR	566	56.657	22.845	-10.539	1.00	19.14
	ATOM	4051	OH	TYR	566	57.511	23.668	-9.870	1.00	29.33
30	ATOM	4052	C	TYR	566	54.215	17.762	-13.760	1.00	26.96
	ATOM	4053	O	TYR	566	53.827	17.845	-14.923	1.00	26.47
	ATOM	4054	N	ARG	567	53.861	16.785	-12.937	1.00	28.74
	ATOM	4055	CA	ARG	567	52.938	15.725	-13.318	1.00	27.05
	ATOM	4056	CB	ARG	567	53.342	14.413	-12.647	1.00	25.39
35	ATOM	4057	CG	ARG	567	52.790	13.157	-13.294	1.00	33.50
	ATOM	4058	CD	ARG	567	53.135	11.892	-12.489	1.00	35.21
	ATOM	4059	NE	ARG	567	52.052	11.476	-11.599	1.00	37.84
	ATOM	4060	CZ	ARG	567	52.230	10.952	-10.389	1.00	37.80
	ATOM	4061	NH1	ARG	567	51.186	10.619	-9.660	1.00	36.93
40	ATOM	4062	NH2	ARG	567	53.443	10.783	-9.891	1.00	42.04
	ATOM	4063	C	ARG	567	51.645	16.261	-12.689	1.00	29.34
	ATOM	4064	O	ARG	567	51.678	16.847	-11.607	1.00	28.88
	ATOM	4065	N	VAL	568	50.537	16.155	-13.406	1.00	29.48
	ATOM	4066	CA	VAL	568	49.240	16.616	-12.929	1.00	23.50
45	ATOM	4067	CB	VAL	568	48.517	17.435	-14.054	1.00	29.72
	ATOM	4068	CG1	VAL	568	47.083	17.817	-13.659	1.00	25.49
	ATOM	4069	CG2	VAL	568	49.309	18.685	-14.382	1.00	28.25
	ATOM	4070	C	VAL	568	48.390	15.395	-12.545	1.00	23.91
	ATOM	4071	O	VAL	568	48.400	14.367	-13.236	1.00	26.41
50	ATOM	4072	N	ARG	569	47.707	15.500	-11.411	1.00	22.32
	ATOM	4073	CA	ARG	569	46.798	14.475	-10.887	1.00	21.06
	ATOM	4074	CB	ARG	569	47.270	14.042	-9.543	1.00	19.44
	ATOM	4075	CG	ARG	569	47.930	12.741	-9.372	1.00	20.01
	ATOM	4076	CD	ARG	569	47.969	12.675	-7.867	1.00	16.43
55	ATOM	4077	NE	ARG	569	48.963	11.790	-7.329	1.00	17.92
	ATOM	4078	CZ	ARG	569	49.377	11.807	-6.069	1.00	12.56
	ATOM	4079	NH1	ARG	569	50.295	10.928	-5.686	1.00	8.11
	ATOM	4080	NH2	ARG	569	48.885	12.683	-5.215	1.00	7.02
	ATOM	4081	C	ARG	569	45.492	15.220	-10.600	1.00	22.50
60	ATOM	4082	O	ARG	569	45.535	16.336	-10.105	1.00	25.09
	ATOM	4083	N	ILE	570	44.343	14.598	-10.799	1.00	21.96
	ATOM	4084	CA	ILE	570	43.072	15.268	-10.535	1.00	21.79
	ATOM	4085	CB	ILE	570	42.279	15.497	-11.871	1.00	24.30
	ATOM	4086	CG2	ILE	570	40.750	15.555	-11.652	1.00	21.29

	ATOM	4087	CG1	ILE	570	42.745	16.804	-12.494	1.00	21.98
	ATOM	4088	CD1	ILE	570	43.373	16.637	-13.302	1.00	22.37
	ATOM	4089	C	ILE	570	42.240	14.451	-9.553	1.00	19.98
5	ATOM	4090	O	ILE	570	42.061	13.258	-9.775	1.00	22.62
	ATOM	4091	N	ARG	571	41.764	15.073	-8.484	1.00	22.31
	ATOM	4092	CA	ARG	571	40.927	14.380	-7.502	1.00	19.02
	ATOM	4093	CB	ARG	571	41.173	14.917	-6.091	1.00	20.56
	ATOM	4094	CG	ARG	571	40.276	14.283	-5.015	1.00	30.48
10	ATOM	4095	CD	ARG	571	41.093	13.628	-3.905	1.00	37.09
	ATOM	4096	NE	ARG	571	40.302	13.065	-2.802	1.00	44.17
	ATOM	4097	CZ	ARG	571	39.627	13.786	-1.896	1.00	49.87
	ATOM	4098	NH1	ARG	571	39.607	15.129	-1.950	1.00	44.30
	ATOM	4099	NH2	ARG	571	39.057	13.163	-0.861	1.00	47.17
15	ATOM	4100	C	ARG	571	39.505	14.657	-7.982	1.00	18.92
	ATOM	4101	O	ARG	571	39.075	15.825	-8.064	1.00	15.94
	ATOM	4102	N	TYR	572	38.784	13.588	-8.316	1.00	16.89
	ATOM	4103	CA	TYR	572	37.441	13.715	-8.860	1.00	14.77
	ATOM	4104	CB	TYR	572	37.537	13.636	-10.385	1.00	16.10
20	ATOM	4105	CG	TYR	572	37.920	12.249	-10.863	1.00	19.08
	ATOM	4106	CD1	TYR	572	36.942	11.366	-11.339	1.00	19.90
	ATOM	4107	CE1	TYR	572	37.245	10.048	-11.669	1.00	16.28
	ATOM	4108	CD2	TYR	572	39.237	11.778	-10.742	1.00	20.80
	ATOM	4109	CE2	TYR	572	39.561	10.445	-11.070	1.00	22.00
25	ATOM	4110	CZ	TYR	572	38.551	9.582	-11.525	1.00	21.96
	ATOM	4111	OH	TYR	572	38.799	8.241	-11.769	1.00	17.33
	ATOM	4112	C	TYR	572	36.551	12.579	-8.398	1.00	16.70
	ATOM	4113	O	TYR	572	36.994	11.674	-7.706	1.00	17.05
	ATOM	4114	N	ALA	573	35.298	12.634	-8.830	1.00	17.73
30	ATOM	4115	CA	ALA	573	34.280	11.618	-8.558	1.00	18.71
	ATOM	4116	CB	ALA	573	33.439	12.013	-7.357	1.00	15.72
	ATOM	4117	C	ALA	573	33.440	11.645	-9.845	1.00	19.61
	ATOM	4118	O	ALA	573	33.025	12.709	-10.291	1.00	21.78
	ATOM	4119	N	SER	574	33.174	10.496	-10.444	1.00	20.78
35	ATOM	4120	CA	SER	574	32.442	10.490	-11.702	1.00	18.28
	ATOM	4121	CB	SER	574	33.441	10.726	-12.839	1.00	20.54
	ATOM	4122	OG	SER	574	32.924	10.279	-14.066	1.00	18.88
	ATOM	4123	C	SER	574	31.695	9.201	-11.954	1.00	19.42
	ATOM	4124	O	SER	574	32.129	8.135	-11.518	1.00	20.80
40	ATOM	4125	N	THR	575	30.594	9.292	-12.694	1.00	17.84
	ATOM	4126	CA	THR	575	29.802	8.107	-13.017	1.00	20.27
	ATOM	4127	CB	THR	575	28.302	8.391	-13.007	1.00	16.07
	ATOM	4128	OG1	THR	575	28.007	9.424	-13.948	1.00	22.01
	ATOM	4129	CG2	THR	575	27.875	8.857	-11.661	1.00	20.62
45	ATOM	4130	C	THR	575	30.138	7.475	-14.364	1.00	26.24
	ATOM	4131	O	THR	575	29.468	6.511	-14.758	1.00	32.16
	ATOM	4132	N	THR	576	31.146	8.009	-15.065	1.00	25.53
	ATOM	4133	CA	THR	576	31.574	7.489	-16.365	1.00	28.39
	ATOM	4134	CB	THR	576	30.923	8.210	-17.577	1.00	31.77
50	ATOM	4135	OG1	THR	576	30.795	9.612	-17.303	1.00	31.40
	ATOM	4136	CG2	THR	576	29.604	7.570	-17.985	1.00	34.68
	ATOM	4137	C	THR	576	33.029	7.746	-16.597	1.00	29.87
	ATOM	4138	O	THR	576	33.623	8.601	-15.950	1.00	34.81
	ATOM	4139	N	ASN	577	33.585	7.029	-17.567	1.00	31.68
55	ATOM	4140	CA	ASN	577	34.965	7.234	-17.962	1.00	32.54
	ATOM	4141	CB	ASN	577	35.513	6.018	-18.723	1.00	38.35
	ATOM	4142	CG	ASN	577	35.575	4.757	-17.863	1.00	45.89
	ATOM	4143	OD1	ASN	577	34.795	4.587	-16.924	1.00	53.01
	ATOM	4144	ND2	ASN	577	36.505	3.863	-18.185	1.00	47.10
60	ATOM	4145	C	ASN	577	34.830	8.438	-18.898	1.00	29.69
	ATOM	4146	O	ASN	577	33.765	8.651	-19.490	1.00	29.69

	ATOM	4147	N	LEU	578	35.876	9.243	-19.999	1.00	25.93
	ATOM	4148	CA	LEU	578	35.851	10.419	-19.856	1.00	24.60
	ATOM	4149	CB	LEU	578	34.984	11.510	-19.216	1.00	24.64
5	ATOM	4150	CG	LEU	578	34.712	12.813	-19.972	1.00	22.62
	ATOM	4151	CD1	LEU	578	33.537	12.583	-20.895	1.00	27.61
	ATOM	4152	CD2	LEU	578	34.365	13.949	-19.023	1.00	21.47
	ATOM	4153	C	LEU	578	37.278	10.923	-19.968	1.00	24.35
	ATOM	4154	O	LEU	578	38.134	10.526	-19.191	1.00	29.74
10	ATOM	4155	N	ARG	579	37.560	11.745	-20.963	1.00	22.26
	ATOM	4156	CA	ARG	579	38.888	12.318	-21.086	1.00	20.20
	ATOM	4157	CB	ARG	579	39.371	12.315	-22.528	1.00	22.68
	ATOM	4158	CG	ARG	579	39.639	10.946	-23.095	1.00	28.06
	ATOM	4159	CD	ARG	579	40.144	11.045	-24.534	1.00	27.95
	ATOM	4160	NE	ARG	579	39.100	11.464	-25.456	1.00	26.06
15	ATOM	4161	CZ	ARG	579	39.351	12.036	-26.621	1.00	27.53
	ATOM	4162	NH1	ARG	579	40.606	12.248	-26.993	1.00	28.69
	ATOM	4163	NH2	ARG	579	38.354	12.417	-27.401	1.00	29.94
	ATOM	4164	C	ARG	579	38.750	13.752	-20.664	1.00	18.59
	ATOM	4165	O	ARG	579	37.763	14.411	-20.995	1.00	20.40
20	ATOM	4166	N	LEU	580	39.721	14.235	-19.920	1.00	19.86
	ATOM	4167	CA	LEU	580	39.738	15.617	-19.481	1.00	23.93
	ATOM	4168	CB	LEU	580	39.916	15.744	-17.970	1.00	28.52
	ATOM	4169	CG	LEU	580	38.899	15.198	-16.973	1.00	28.66
	ATOM	4170	CD1	LEU	580	39.238	15.819	-15.627	1.00	34.80
25	ATOM	4171	CD2	LEU	580	37.484	15.569	-17.365	1.00	29.91
	ATOM	4172	C	LEU	580	40.984	16.140	-20.148	1.00	25.88
	ATOM	4173	O	LEU	580	41.891	15.363	-20.481	1.00	28.77
	ATOM	4174	N	PHE	581	41.051	17.445	-20.334	1.00	24.42
	ATOM	4175	CA	PHE	581	42.207	18.039	-20.982	1.00	23.21
30	ATOM	4176	CB	PHE	581	41.802	18.666	-22.324	1.00	23.26
	ATOM	4177	CG	PHE	581	40.999	17.757	-23.193	1.00	23.59
	ATOM	4178	CD1	PHE	581	39.694	18.090	-23.540	1.00	24.13
	ATOM	4179	CD2	PHE	581	41.528	16.541	-23.623	1.00	21.60
	ATOM	4180	CE1	PHE	581	38.917	17.225	-24.294	1.00	17.92
35	ATOM	4181	CE2	PHE	581	40.766	15.668	-24.375	1.00	20.87
	ATOM	4182	CZ	PHE	581	39.452	16.007	-24.711	1.00	20.99
	ATOM	4183	C	PHE	581	42.719	19.128	-20.092	1.00	18.97
	ATOM	4184	O	PHE	581	41.943	19.854	-19.505	1.00	21.90
	ATOM	4185	N	VAL	582	44.023	19.212	-19.942	1.00	21.20
40	ATOM	4186	CA	VAL	582	44.601	20.274	-19.151	1.00	24.84
	ATOM	4187	CB	VAL	582	45.280	19.739	-17.894	1.00	27.84
	ATOM	4188	CG1	VAL	582	45.931	20.889	-17.126	1.00	26.34
	ATOM	4189	CG2	VAL	582	44.247	18.998	-17.019	1.00	30.24
	ATOM	4190	C	VAL	582	45.579	20.970	-20.079	1.00	25.68
45	ATOM	4191	O	VAL	582	46.323	20.322	-20.792	1.00	23.96
	ATOM	4192	N	GLN	583	45.499	22.291	-20.129	1.00	31.11
	ATOM	4193	CA	GLN	583	46.341	23.103	-20.995	1.00	30.37
	ATOM	4194	CB	GLN	583	45.485	23.732	-22.078	1.00	37.03
	ATOM	4195	CG	GLN	583	44.573	22.758	-22.772	1.00	46.47
50	ATOM	4196	CD	GLN	583	43.483	23.449	-23.566	1.00	49.92
	ATOM	4197	OE1	GLN	583	42.307	23.070	-23.475	1.00	54.21
	ATOM	4198	NE2	GLN	583	43.856	24.471	-24.340	1.00	43.85
	ATOM	4199	C	GLN	583	46.903	24.236	-20.188	1.00	27.68
	ATOM	4200	O	GLN	583	46.271	24.679	-19.247	1.00	27.53
55	ATOM	4201	N	ASN	584	48.074	24.722	-20.565	1.00	25.21
	ATOM	4202	CA	ASN	584	48.667	25.839	-19.862	1.00	25.95
	ATOM	4203	CB	ASN	584	49.861	25.395	-19.017	1.00	27.68
	ATOM	4204	CG	ASN	584	51.060	25.037	-19.837	1.00	24.49
	ATOM	4205	OD1	ASN	584	50.977	24.927	-21.044	1.00	28.26
60	ATOM	4206	ND2	ASN	584	52.197	24.858	-19.181	1.00	25.26

	ATOM	4207	C	ASN	584	49.059	26.329	-20.945	1.00	28.49
	ATOM	4208	O	ASN	584	48.928	26.500	-22.129	1.00	29.88
	ATOM	4209	N	SER	585	49.496	28.036	-20.579	1.00	27.45
5	ATOM	4210	CA	SER	585	49.875	29.035	-21.596	1.00	30.77
	ATOM	4211	CB	SER	585	49.765	30.456	-21.039	1.00	29.03
	ATOM	4212	OG	SER	585	50.325	30.548	-19.741	1.00	34.88
	ATOM	4213	C	SER	585	51.253	28.811	-22.246	1.00	34.38
	ATOM	4214	O	SER	585	51.708	29.622	-23.057	1.00	31.24
10	ATOM	4215	N	ASN	586	51.899	27.703	-21.867	1.00	37.42
	ATOM	4216	CA	ASN	586	53.203	27.294	-22.371	1.00	35.38
	ATOM	4217	CB	ASN	586	53.971	26.624	-21.236	1.00	41.48
	ATOM	4218	CG	ASN	586	55.458	26.554	-21.491	1.00	47.03
	ATOM	4219	OD1	ASN	586	56.116	25.553	-21.166	1.00	53.23
15	ATOM	4220	ND2	ASN	586	56.012	27.626	-22.041	1.00	48.92
	ATOM	4221	C	ASN	586	52.915	26.292	-23.494	1.00	37.30
	ATOM	4222	O	ASN	586	53.795	25.601	-23.990	1.00	40.09
	ATOM	4223	N	ASN	587	51.641	26.196	-23.852	1.00	37.02
	ATOM	4224	CA	ASN	587	51.159	25.321	-24.903	1.00	36.39
20	ATOM	4225	CB	ASN	587	51.752	25.738	-26.243	1.00	39.55
	ATOM	4226	CG	ASN	587	51.245	27.096	-26.691	1.00	44.89
	ATOM	4227	OD1	ASN	587	50.047	27.283	-26.893	1.00	46.33
	ATOM	4228	ND2	ASN	587	52.148	28.064	-26.807	1.00	48.96
	ATOM	4229	C	ASN	587	51.285	23.826	-24.668	1.00	35.84
25	ATOM	4230	O	ASN	587	51.377	23.051	-25.616	1.00	37.37
	ATOM	4231	N	ASP	588	51.315	23.415	-23.405	1.00	32.62
	ATOM	4232	CA	ASP	588	51.367	21.994	-23.085	1.00	27.76
	ATOM	4233	CB	ASP	588	51.890	21.743	-21.662	1.00	27.66
	ATOM	4234	CG	ASP	588	53.360	22.117	-21.482	1.00	32.14
30	ATOM	4235	OD1	ASP	588	54.196	21.764	-22.342	1.00	34.35
	ATOM	4236	OD2	ASP	588	53.689	22.743	-20.448	1.00	37.89
	ATOM	4237	C	ASP	588	49.898	21.604	-23.153	1.00	24.16
	ATOM	4238	O	ASP	588	49.042	22.424	-22.859	1.00	29.81
	ATOM	4239	N	PHE	589	49.601	20.378	-23.561	1.00	22.69
35	ATOM	4240	CA	PHE	589	48.233	19.911	-23.653	1.00	19.26
	ATOM	4241	CB	PHE	589	47.781	19.909	-25.115	1.00	19.07
	ATOM	4242	CG	PHE	589	46.329	19.561	-25.308	1.00	17.33
	ATOM	4243	CD1	PHE	589	45.382	20.555	-25.464	1.00	13.39
	ATOM	4244	CD2	PHE	589	45.913	18.242	-25.294	1.00	14.50
40	ATOM	4245	CE1	PHE	589	44.041	20.230	-25.595	1.00	14.12
	ATOM	4246	CE2	PHE	589	44.581	17.923	-25.426	1.00	16.69
	ATOM	4247	CZ	PHE	589	43.645	18.923	-25.576	1.00	13.30
	ATOM	4248	C	PHE	589	48.277	18.496	-23.113	1.00	24.44
	ATOM	4249	O	PHE	589	48.926	17.640	-23.703	1.00	27.71
45	ATOM	4250	N	LEU	590	47.610	18.239	-21.991	1.00	26.31
	ATOM	4251	CA	LEU	590	47.632	16.907	-21.393	1.00	24.82
	ATOM	4252	CB	LEU	590	48.088	16.974	-19.927	1.00	31.03
	ATOM	4253	CG	LEU	590	49.371	17.763	-19.647	1.00	34.58
	ATOM	4254	CD1	LEU	590	49.688	17.755	-18.166	1.00	39.41
50	ATOM	4255	CD2	LEU	590	50.529	17.193	-20.440	1.00	40.80
	ATOM	4256	C	LEU	590	46.264	16.285	-21.475	1.00	22.29
	ATOM	4257	O	LEU	590	45.268	16.965	-21.365	1.00	24.04
	ATOM	4258	N	VAL	591	46.220	14.983	-21.670	1.00	21.66
	ATOM	4259	CA	VAL	591	44.955	14.302	-21.773	1.00	24.60
55	ATOM	4260	CB	VAL	591	44.860	13.505	-23.076	1.00	25.35
	ATOM	4261	CG1	VAL	591	43.700	12.514	-23.016	1.00	25.77
	ATOM	4262	CG2	VAL	591	44.694	14.474	-24.248	1.00	25.42
	ATOM	4263	C	VAL	591	44.873	13.383	-20.599	1.00	29.13
	ATOM	4264	O	VAL	591	45.784	12.564	-20.389	1.00	34.66
60	ATOM	4265	N	ILE	592	43.773	13.510	-19.851	1.00	29.73
	ATOM	4266	CA	ILE	592	43.530	12.726	-18.640	1.00	23.90

	ATOM	4267	CB	ILE	592	43.552	13.666	-17.407	1.00	21.74
	ATOM	4268	CG2	ILE	592	43.189	12.927	-16.148	1.00	16.67
	ATOM	4269	CG1	ILE	592	44.940	14.319	-17.319	1.00	19.32
5	ATOM	4270	CD1	ILE	592	45.293	14.941	-15.995	1.00	24.87
	ATOM	4271	C	ILE	592	42.245	11.903	-18.715	1.00	21.42
	ATOM	4272	O	ILE	592	41.171	12.448	-18.843	1.00	19.52
	ATOM	4273	N	TYR	593	42.380	10.580	-18.684	1.00	22.86
	ATOM	4274	CA	TYR	593	41.242	9.680	-18.751	1.00	26.10
10	ATOM	4275	CB	TYR	593	41.630	8.313	-19.346	1.00	34.27
	ATOM	4276	CG	TYR	593	42.224	8.392	-20.722	1.00	43.75
	ATOM	4277	CD1	TYR	593	43.577	8.706	-20.903	1.00	47.60
	ATOM	4278	CE1	TYR	593	44.120	8.903	-22.183	1.00	51.15
	ATOM	4279	CD2	TYR	593	41.419	8.257	-21.854	1.00	51.36
15	ATOM	4280	CE2	TYR	593	41.951	8.450	-23.147	1.00	54.75
	ATOM	4281	CZ	TYR	593	43.300	8.780	-23.301	1.00	56.25
	ATOM	4282	OH	TYR	593	43.805	9.043	-24.569	1.00	63.62
	ATOM	4283	C	TYR	593	40.806	9.431	-17.344	1.00	27.01
	ATOM	4284	O	TYR	593	41.552	8.843	-16.581	1.00	30.49
20	ATOM	4285	N	ILE	594	39.633	9.918	-16.971	1.00	28.13
	ATOM	4286	CA	ILE	594	39.126	9.668	-15.640	1.00	24.97
	ATOM	4287	CB	ILE	594	38.397	10.914	-15.060	1.00	26.87
	ATOM	4288	CG2	ILE	594	39.366	12.111	-15.052	1.00	24.59
	ATOM	4289	CG1	ILE	594	37.127	11.250	-15.855	1.00	25.95
25	ATOM	4290	CD1	ILE	594	36.068	12.055	-15.092	1.00	20.64
	ATOM	4291	C	ILE	594	38.236	8.425	-15.778	1.00	26.39
	ATOM	4292	O	ILE	594	37.811	8.087	-16.886	1.00	29.00
	ATOM	4293	N	ASN	595	38.083	7.658	-14.703	1.00	28.31
	ATOM	4294	CA	ASN	595	37.256	6.446	-14.731	1.00	27.72
30	ATOM	4295	CB	ASN	595	38.030	5.188	-14.310	1.00	30.83
	ATOM	4296	CG	ASN	595	39.106	4.793	-15.305	1.00	32.89
	ATOM	4297	OD1	ASN	595	40.238	5.267	-15.224	1.00	36.90
	ATOM	4298	ND2	ASN	595	38.770	3.900	-16.225	1.00	33.97
	ATOM	4299	C	ASN	595	36.075	6.583	-13.807	1.00	28.15
35	ATOM	4300	O	ASN	595	36.057	7.435	-12.909	1.00	27.50
	ATOM	4301	N	LYS	596	35.107	5.701	-14.021	1.00	27.21
	ATOM	4302	CA	LYS	596	33.883	5.672	-13.244	1.00	25.84
	ATOM	4303	CB	LYS	596	32.955	4.603	-13.805	1.00	24.28
	ATOM	4304	CG	LYS	596	31.686	4.499	-13.047	1.00	24.79
40	ATOM	4305	CD	LYS	596	30.841	3.335	-13.480	1.00	28.00
	ATOM	4306	CE	LYS	596	29.412	3.630	-13.058	1.00	28.21
	ATOM	4307	NZ	LYS	596	28.558	2.421	-13.029	1.00	39.48
	ATOM	4308	C	LYS	596	34.231	5.304	-11.819	1.00	26.80
	ATOM	4309	O	LYS	596	34.908	4.308	-11.599	1.00	33.76
45	ATOM	4310	N	THR	597	33.764	6.075	-10.848	1.00	23.21
	ATOM	4311	CA	THR	597	34.057	5.755	-9.465	1.00	19.85
	ATOM	4312	CB	THR	597	34.832	6.899	-8.789	1.00	17.47
	ATOM	4313	OG1	THR	597	34.170	8.134	-9.045	1.00	23.13
	ATOM	4314	CG2	THR	597	36.252	7.008	-9.346	1.00	20.56
50	ATOM	4315	C	THR	597	32.796	5.445	-8.660	1.00	23.42
	ATOM	4316	O	THR	597	32.881	4.846	-7.583	1.00	25.02
	ATOM	4317	N	MET	598	31.626	5.762	-9.217	1.00	24.63
	ATOM	4318	CA	MET	598	30.350	5.574	-8.508	1.00	29.69
	ATOM	4319	CB	MET	598	30.064	6.832	-7.678	1.00	31.74
55	ATOM	4320	CG	MET	598	30.027	8.092	-8.549	1.00	36.11
	ATOM	4321	SD	MET	598	29.755	9.702	-7.775	1.00	37.36
	ATOM	4322	CE	MET	598	27.948	9.542	-7.233	1.00	43.52
	ATOM	4323	C	MET	598	29.201	5.415	-9.479	1.00	28.31
	ATOM	4324	O	MET	598	29.351	5.702	-10.642	1.00	36.08
60	ATOM	4325	N	ASN	599	28.046	4.978	-9.015	1.00	29.59
	ATOM	4326	CA	ASN	599	26.909	4.878	-9.914	1.00	34.34

5	ATOM	4327	CB	ASN	599	26.040	3.662	-9.612	1.00	36.17
	ATOM	4328	CG	ASN	599	26.744	2.360	-9.380	1.00	37.88
	ATOM	4329	OD1	ASN	599	27.835	2.326	-10.422	1.00	44.96
	ATOM	4330	ND2	ASN	599	26.124	1.271	-9.484	1.00	46.10
	ATOM	4331	C	ASN	599	26.129	6.147	-9.654	1.00	38.09
10	ATOM	4332	O	ASN	599	26.335	6.794	-8.638	1.00	42.60
	ATOM	4333	N	LYS	600	25.187	6.470	-10.525	1.00	43.32
	ATOM	4334	CA	LYS	600	24.405	7.696	-10.380	1.00	46.30
	ATOM	4335	CB	LYS	600	23.445	7.836	-11.562	1.00	52.15
	ATOM	4336	CG	LYS	600	24.108	7.719	-12.922	1.00	58.49
15	ATOM	4337	CD	LYS	600	23.111	7.956	-14.047	1.00	64.43
	ATOM	4338	CE	LYS	600	23.755	7.665	-15.395	1.00	69.24
	ATOM	4339	NZ	LYS	600	22.804	7.771	-16.540	1.00	75.49
	ATOM	4340	C	LYS	600	23.622	7.799	-9.077	1.00	46.95
	ATOM	4341	O	LYS	600	23.478	8.882	-8.502	1.00	46.03
20	ATOM	4342	N	ASP	601	23.092	6.662	-8.642	1.00	49.46
	ATOM	4343	CA	ASP	601	22.289	6.577	-7.425	1.00	49.50
	ATOM	4344	CB	ASP	601	21.352	5.366	-7.507	1.00	50.83
	ATOM	4345	CG	ASP	601	22.079	4.065	-7.887	1.00	55.52
	ATOM	4346	OD1	ASP	601	21.381	3.044	-8.093	1.00	57.44
25	ATOM	4347	OD2	ASP	601	23.330	4.050	-7.985	1.00	53.34
	ATOM	4348	C	ASP	601	23.130	6.516	-6.152	1.00	50.82
	ATOM	4349	O	ASP	601	22.613	6.263	-5.055	1.00	54.21
	ATOM	4350	N	ASP	602	24.434	6.710	-6.302	1.00	48.64
	ATOM	4351	CA	ASP	602	25.330	6.691	-5.159	1.00	44.01
30	ATOM	4352	CB	ASP	602	26.717	6.214	-5.575	1.00	40.23
	ATOM	4353	CG	ASP	602	26.791	4.738	-5.737	1.00	37.25
	ATOM	4354	OD1	ASP	602	27.816	4.259	-6.264	1.00	36.68
	ATOM	4355	OD2	ASP	602	25.833	4.054	-5.321	1.00	42.23
	ATOM	4356	C	ASP	602	25.467	8.073	-4.558	1.00	44.20
35	ATOM	4357	O	ASP	602	25.306	9.086	-5.248	1.00	45.97
	ATOM	4358	N	ASP	603	25.764	8.107	-3.265	1.00	43.46
	ATOM	4359	CA	ASP	603	25.978	9.361	-2.571	1.00	38.92
	ATOM	4360	CB	ASP	603	25.448	9.294	-1.135	1.00	48.43
	ATOM	4361	CG	ASP	603	23.964	9.623	-1.042	1.00	58.48
40	ATOM	4362	OD1	ASP	603	23.139	8.684	-1.123	1.00	62.56
	ATOM	4363	OD2	ASP	603	23.626	10.824	-0.878	1.00	63.75
	ATOM	4364	C	ASP	603	27.477	9.613	-2.573	1.00	31.62
	ATOM	4365	O	ASP	603	28.274	8.688	-2.729	1.00	23.41
	ATOM	4366	N	LEU	604	27.842	10.881	-2.448	1.00	28.74
45	ATOM	4367	CA	LEU	604	29.226	11.278	-2.422	1.00	27.24
	ATOM	4368	CB	LEU	604	29.357	12.764	-2.664	1.00	22.42
	ATOM	4369	CG	LEU	604	29.148	13.160	-4.095	1.00	19.01
	ATOM	4370	CD1	LEU	604	29.691	14.557	-4.260	1.00	22.34
	ATOM	4371	CD2	LEU	604	29.876	12.206	-4.987	1.00	23.64
50	ATOM	4372	C	LEU	604	29.915	10.933	-1.117	1.00	26.64
	ATOM	4373	O	LEU	604	29.977	11.739	-0.206	1.00	30.89
	ATOM	4374	N	THR	605	30.398	9.713	-1.020	1.00	27.07
	ATOM	4375	CA	THR	605	31.118	9.302	0.160	1.00	27.67
	ATOM	4376	CB	THR	605	30.660	7.934	0.637	1.00	26.78
55	ATOM	4377	OG1	THR	605	30.956	6.950	-0.361	1.00	35.48
	ATOM	4378	CG2	THR	605	29.155	7.972	0.902	1.00	28.06
	ATOM	4379	C	THR	605	32.613	9.291	-0.151	1.00	26.21
	ATOM	4380	O	THR	605	33.032	9.490	-1.307	1.00	26.25
	ATOM	4381	N	TYR	606	33.416	9.058	0.879	1.00	24.88
60	ATOM	4382	CA	TYR	606	34.852	9.038	0.722	1.00	21.81
	ATOM	4383	CB	TYR	606	35.530	8.580	2.010	1.00	19.51
	ATOM	4384	CG	TYR	606	37.025	8.692	1.931	1.00	19.63
	ATOM	4385	CD1	TYR	606	37.659	9.942	2.019	1.00	19.75
	ATOM	4386	CE1	TYR	606	39.032	10.068	1.821	1.00	17.57

	ATOM	4387	CD2	TYR	606	37.806	7.566	1.655	1.00	16.29
	ATOM	4388	CE2	TYR	606	39.176	7.674	1.457	1.00	16.64
	ATOM	4389	CZ	TYR	606	39.782	8.923	1.544	1.00	18.29
5	ATOM	4390	OH	TYR	606	41.144	9.001	1.411	1.00	23.20
	ATOM	4391	C	TYR	606	35.287	8.184	-0.471	1.00	23.40
	ATOM	4392	O	TYR	606	35.921	8.691	-1.389	1.00	22.13
	ATOM	4393	N	GLN	607	34.870	6.924	-0.509	1.00	27.60
	ATOM	4394	CA	GLN	607	35.250	6.036	-1.607	1.00	29.41
10	ATOM	4395	CB	GLN	607	34.811	4.594	-1.320	1.00	37.18
	ATOM	4396	CG	GLN	607	33.310	4.398	-1.147	1.00	50.31
	ATOM	4397	CD	GLN	607	32.949	2.961	-0.777	1.00	59.10
	ATOM	4398	OE1	GLN	607	33.005	2.048	-1.610	1.00	66.18
	ATOM	4399	NE2	GLN	607	32.595	2.752	0.483	1.00	64.92
15	ATOM	4400	C	GLN	607	34.832	6.451	-3.027	1.00	29.69
	ATOM	4401	O	GLN	607	35.347	5.892	-4.005	1.00	33.55
	ATOM	4402	N	THR	608	33.935	7.430	-3.167	1.00	26.45
	ATOM	4403	CA	THR	608	33.535	7.861	-4.512	1.00	22.19
	ATOM	4404	CB	THR	608	32.188	8.600	-4.519	1.00	18.19
20	ATOM	4405	OG1	THR	608	32.268	9.728	-3.649	1.00	22.75
	ATOM	4406	CG2	THR	608	31.052	7.685	-4.072	1.00	15.16
	ATOM	4407	C	THR	608	34.596	8.751	-5.200	1.00	24.93
	ATOM	4408	O	THR	608	34.521	8.982	-6.403	1.00	30.46
	ATOM	4409	N	PHE	609	35.547	9.301	-4.450	1.00	20.11
25	ATOM	4410	CA	PHE	609	36.575	10.116	-5.073	1.00	17.66
	ATOM	4411	CB	PHE	609	36.904	11.346	-4.251	1.00	16.23
	ATOM	4412	CG	PHE	609	35.841	12.399	-4.296	1.00	15.72
	ATOM	4413	CD1	PHE	609	34.710	12.290	-3.510	1.00	14.16
	ATOM	4414	CD2	PHE	609	36.012	13.537	-5.062	1.00	19.17
30	ATOM	4415	CE1	PHE	609	33.785	13.285	-3.467	1.00	13.99
	ATOM	4416	CE2	PHE	609	35.080	14.554	-5.031	1.00	17.80
	ATOM	4417	CZ	PHE	609	33.965	14.430	-4.226	1.00	19.15
	ATOM	4418	C	PHE	609	37.822	9.306	-5.368	1.00	17.82
	ATOM	4419	O	PHE	609	38.097	8.300	-4.704	1.00	18.54
35	ATOM	4420	N	ASP	610	38.589	9.760	-6.354	1.00	16.24
	ATOM	4421	CA	ASP	610	39.774	9.048	-6.783	1.00	17.82
	ATOM	4422	CB	ASP	610	39.332	7.956	-7.763	1.00	28.02
	ATOM	4423	CG	ASP	610	40.381	6.868	-7.980	1.00	30.47
	ATOM	4424	OD1	ASP	610	40.134	5.962	-8.812	1.00	36.74
40	ATOM	4425	OD2	ASP	610	41.442	6.910	-7.330	1.00	35.21
	ATOM	4426	C	ASP	610	40.746	10.006	-7.437	1.00	15.64
	ATOM	4427	O	ASP	610	40.479	11.198	-7.502	1.00	18.05
	ATOM	4428	N	LEU	611	41.888	9.489	-7.888	1.00	19.89
	ATOM	4429	CA	LEU	611	42.934	10.287	-8.539	1.00	22.31
45	ATOM	4430	CB	LEU	611	44.226	10.295	-7.718	1.00	18.56
	ATOM	4431	CG	LEU	611	44.209	10.950	-6.347	1.00	20.61
	ATOM	4432	CD1	LEU	611	45.472	10.479	-5.583	1.00	22.97
	ATOM	4433	CD2	LEU	611	44.143	12.474	-6.485	1.00	16.32
	ATOM	4434	C	LEU	611	43.289	9.779	-9.923	1.00	24.26
50	ATOM	4435	O	LEU	611	43.798	8.672	-10.070	1.00	28.19
	ATOM	4436	N	ALA	612	43.054	10.620	-10.922	1.00	26.15
	ATOM	4437	CA	ALA	612	43.367	10.303	-12.297	1.00	25.40
	ATOM	4438	CB	ALA	612	42.212	10.717	-13.206	1.00	18.53
	ATOM	4439	C	ALA	612	44.604	11.145	-12.583	1.00	26.87
	ATOM	4440	O	ALA	612	44.722	12.255	-12.073	1.00	29.03
55	ATOM	4441	N	THR	613	45.563	10.589	-13.316	1.00	30.85
	ATOM	4442	CA	THR	613	46.790	11.306	-13.677	1.00	30.80
	ATOM	4443	CB	THR	613	47.954	11.021	-12.682	1.00	31.03
	ATOM	4444	OG1	THR	613	49.138	11.733	-13.085	1.00	30.18
60	ATOM	4445	CG2	THR	613	48.230	9.526	-12.581	1.00	26.60
	ATOM	4446	C	THR	613	47.203	10.922	-15.095	1.00	32.15

	ATOM	4447	O	THR	613	46.509	10.148	-15.777	1.00	28.30
	ATOM	4448	N	THR	614	48.293	11.511	-15.559	1.00	33.49
	ATOM	4449	CA	THR	614	48.793	11.217	-16.885	1.00	37.88
5	ATOM	4450	CB	THR	614	48.422	12.345	-17.907	1.00	39.76
	ATOM	4451	OG1	THR	614	48.954	12.044	-19.206	1.00	41.06
	ATOM	4452	CG2	THR	614	48.905	13.698	-17.434	1.00	37.77
	ATOM	4453	C	THR	614	50.285	11.049	-16.701	1.00	41.10
	ATOM	4454	O	THR	614	50.842	11.420	-15.662	1.00	41.53
10	ATOM	4455	N	ASN	615	50.925	10.411	-17.662	1.00	45.48
	ATOM	4456	CA	ASN	615	52.356	10.191	-17.563	1.00	50.76
	ATOM	4457	CB	ASN	615	52.724	8.742	-17.888	1.00	56.94
	ATOM	4458	CG	ASN	615	51.730	8.072	-18.820	1.00	64.66
	ATOM	4459	OD1	ASN	615	50.839	8.714	-19.386	1.00	70.36
15	ATOM	4460	ND2	ASN	615	51.861	6.759	-18.964	1.00	69.92
	ATOM	4461	C	ASN	615	53.157	11.179	-18.397	1.00	52.54
	ATOM	4462	O	ASN	615	54.353	10.975	-18.645	1.00	58.56
	ATOM	4463	N	SER	616	52.491	12.244	-18.838	1.00	47.84
	ATOM	4464	CA	SER	616	53.146	13.299	-19.602	1.00	43.54
20	ATOM	4465	CB	SER	616	52.307	13.715	-20.805	1.00	43.84
	ATOM	4466	OG	SER	616	51.844	12.577	-21.512	1.00	54.32
	ATOM	4467	C	SER	616	53.147	14.417	-18.589	1.00	40.19
	ATOM	4468	O	SER	616	52.263	14.471	-17.742	1.00	42.93
	ATOM	4469	N	ASN	617	54.150	15.273	-18.617	1.00	37.04
25	ATOM	4470	CA	ASN	617	54.177	16.358	-17.663	1.00	35.69
	ATOM	4471	CB	ASN	617	55.374	16.225	-16.707	1.00	37.96
	ATOM	4472	CG	ASN	617	56.672	15.997	-17.423	1.00	39.01
	ATOM	4473	OD1	ASN	617	56.979	14.882	-17.808	1.00	43.35
	ATOM	4474	ND2	ASN	617	57.455	17.044	-17.583	1.00	36.32
30	ATOM	4475	C	ASN	617	54.119	17.732	-18.325	1.00	34.05
	ATOM	4476	O	ASN	617	54.092	17.853	-19.554	1.00	30.94
	ATOM	4477	N	MET	618	54.030	18.767	-17.500	1.00	33.24
	ATOM	4478	CA	MET	618	53.970	20.117	-18.013	1.00	33.10
	ATOM	4479	CB	MET	618	52.520	20.636	-18.025	1.00	32.29
35	ATOM	4480	CG	MET	618	51.949	21.088	-16.702	1.00	29.92
	ATOM	4481	SD	MET	618	50.249	21.651	-16.931	1.00	30.97
	ATOM	4482	CE	MET	618	50.471	23.199	-16.787	1.00	32.23
	ATOM	4483	C	MET	618	54.921	21.078	-17.297	1.00	31.41
	ATOM	4484	O	MET	618	55.356	20.833	-16.165	1.00	31.17
40	ATOM	4485	N	GLY	619	55.309	22.120	-18.018	1.00	27.75
	ATOM	4486	CA	GLY	619	56.210	23.112	-17.481	1.00	27.31
	ATOM	4487	C	GLY	619	55.584	24.468	-17.688	1.00	27.73
	ATOM	4488	O	GLY	619	54.616	24.605	-18.457	1.00	23.45
	ATOM	4489	N	PHE	620	56.173	25.472	-17.046	1.00	32.05
45	ATOM	4490	CA	PHE	620	55.670	26.836	-17.087	1.00	34.44
	ATOM	4491	CB	PHE	620	55.100	27.179	-15.715	1.00	33.94
	ATOM	4492	CG	PHE	620	53.926	26.321	-15.312	1.00	28.19
	ATOM	4493	CD1	PHE	620	54.124	25.157	-14.594	1.00	26.00
	ATOM	4494	CD2	PHE	620	52.626	26.704	-15.632	1.00	28.04
50	ATOM	4495	CE1	PHE	620	53.063	24.389	-14.199	1.00	27.86
	ATOM	4496	CE2	PHE	620	51.545	25.945	-15.237	1.00	24.13
	ATOM	4497	CZ	PHE	620	51.762	24.786	-14.518	1.00	29.09
	ATOM	4498	C	PHE	620	56.743	27.854	-17.445	1.00	40.11
	ATOM	4499	O	PHE	620	57.936	27.577	-17.300	1.00	43.33
55	ATOM	4500	N	SER	621	56.317	29.042	-17.877	1.00	46.66
	ATOM	4501	CA	SER	621	57.239	30.115	-18.269	1.00	53.27
	ATOM	4502	CB	SER	621	57.435	30.146	-19.794	1.00	53.87
	ATOM	4503	OG	SER	621	58.551	29.390	-20.252	1.00	59.49
	ATOM	4504	C	SER	621	56.763	31.502	-17.826	1.00	56.51
	ATOM	4505	O	SER	621	55.563	31.802	-17.846	1.00	56.27
60	ATOM	4506	N	GLY	622	57.720	32.347	-17.453	1.00	58.36

	ATOM	4507	CA	GLY	622	57.412	33.705	-17.050	1.00	60.94
	ATOM	4508	C	GLY	622	56.503	33.879	-15.858	1.00	62.66
	ATOM	4509	O	GLY	622	56.282	32.946	-15.085	1.00	61.90
5	ATOM	4510	N	ASP	623	55.975	35.092	-15.723	1.00	66.16
	ATOM	4511	CA	ASP	623	55.087	35.438	-14.618	1.00	70.95
	ATOM	4512	CB	ASP	623	55.539	36.754	-13.940	1.00	73.92
	ATOM	4513	CG	ASP	623	55.538	37.966	-14.885	1.00	79.61
	ATOM	4514	OD1	ASP	623	55.879	37.814	-16.085	1.00	81.17
10	ATOM	4515	OD2	ASP	623	55.216	39.087	-14.406	1.00	81.72
	ATOM	4516	C	ASP	623	53.583	35.457	-14.972	1.00	71.09
	ATOM	4517	O	ASP	623	52.732	35.653	-14.091	1.00	71.06
	ATOM	4518	N	LYS	624	53.260	35.226	-16.247	1.00	69.73
	ATOM	4519	CA	LYS	624	51.864	35.193	-16.704	1.00	65.87
	ATOM	4520	CB	LYS	624	51.632	36.207	-17.838	1.00	71.81
15	ATOM	4521	CG	LYS	624	52.482	35.977	-19.090	1.00	81.96
	ATOM	4522	CD	LYS	624	52.057	36.892	-20.248	1.00	88.09
	ATOM	4523	CE	LYS	624	52.741	36.515	-21.580	1.00	91.31
	ATOM	4524	NZ	LYS	624	52.259	37.339	-22.749	1.00	90.55
20	ATOM	4525	C	LYS	624	51.448	33.764	-17.119	1.00	59.37
	ATOM	4526	O	LYS	624	51.266	33.448	-18.302	1.00	58.24
	ATOM	4527	N	ASN	625	51.314	32.906	-16.115	1.00	49.44
	ATOM	4528	CA	ASN	625	50.948	31.519	-16.317	1.00	43.23
	ATOM	4529	CB	ASN	625	51.789	30.642	-15.417	1.00	42.10
25	ATOM	4530	CG	ASN	625	53.236	30.661	-15.816	1.00	40.84
	ATOM	4531	OD1	ASN	625	53.650	29.911	-16.696	1.00	43.01
	ATOM	4532	ND2	ASN	625	54.009	31.556	-15.215	1.00	39.55
	ATOM	4533	C	ASN	625	49.479	31.251	-16.093	1.00	39.80
	ATOM	4534	O	ASN	625	48.923	31.608	-15.064	1.00	39.13
30	ATOM	4535	N	GLU	626	48.845	30.629	-17.075	1.00	36.93
	ATOM	4536	CA	GLU	626	47.423	30.335	-16.993	1.00	38.81
	ATOM	4537	CB	GLU	626	46.619	31.272	-17.915	1.00	43.39
	ATOM	4538	CG	GLU	626	47.131	32.752	-17.888	1.00	54.84
	ATOM	4539	CD	GLU	626	46.114	33.803	-17.389	1.00	56.51
35	ATOM	4540	OE1	GLU	626	44.916	33.718	-17.760	1.00	58.31
	ATOM	4541	OE2	GLU	626	46.538	34.745	-16.664	1.00	56.35
	ATOM	4542	C	GLU	626	47.183	28.865	-17.313	1.00	34.04
	ATOM	4543	O	GLU	626	47.992	28.227	-17.991	1.00	28.90
	ATOM	4544	N	LEU	627	46.117	28.322	-16.734	1.00	33.32
40	ATOM	4545	CA	LEU	627	45.757	26.925	-16.893	1.00	31.13
	ATOM	4546	CB	LEU	627	46.061	26.154	-15.584	1.00	28.96
	ATOM	4547	CG	LEU	627	46.022	24.613	-15.610	1.00	27.57
	ATOM	4548	CD1	LEU	627	47.403	24.059	-15.709	1.00	22.93
	ATOM	4549	CD2	LEU	627	45.351	24.073	-14.391	1.00	28.78
45	ATOM	4550	C	LEU	627	44.271	26.838	-17.208	1.00	29.90
	ATOM	4551	O	LEU	627	43.467	27.467	-16.538	1.00	33.36
	ATOM	4552	N	ILE	628	43.912	26.083	-18.241	1.00	30.36
	ATOM	4553	CA	ILE	628	42.519	25.902	-18.620	1.00	25.02
	ATOM	4554	CB	ILE	628	42.269	26.290	-20.073	1.00	25.94
50	ATOM	4555	CG2	ILE	628	40.813	26.445	-20.299	1.00	34.05
	ATOM	4556	CG1	ILE	628	43.022	27.565	-20.466	1.00	27.41
	ATOM	4557	CD1	ILE	628	42.755	28.745	-19.614	1.00	29.63
	ATOM	4558	C	ILE	628	42.263	24.411	-18.541	1.00	26.03
	ATOM	4559	O	ILE	628	43.131	23.609	-18.886	1.00	28.68
55	ATOM	4560	N	ILE	629	41.090	24.033	-18.057	1.00	28.18
	ATOM	4561	CA	ILE	629	40.700	22.627	-17.960	1.00	25.83
	ATOM	4562	CB	ILE	629	40.135	22.262	-16.550	1.00	29.86
	ATOM	4563	CG2	ILE	629	39.803	20.774	-16.463	1.00	32.13
	ATOM	4564	CG1	ILE	629	41.152	22.594	-15.466	1.00	36.05
60	ATOM	4565	CD1	ILE	629	42.503	21.916	-15.642	1.00	41.73
	ATOM	4566	C	ILE	629	39.561	22.478	-18.967	1.00	23.61

5	ATOM	4567	O	ILE	629	38.693	23.343	-19.063	1.00	19.96
	ATOM	4568	N	GLY	630	39.558	21.396	-19.721	1.00	20.85
	ATOM	4569	CA	GLY	630	38.500	21.188	-20.682	1.00	23.85
	ATOM	4570	C	GLY	630	38.068	19.749	-20.561	1.00	23.37
	ATOM	4571	O	GLY	630	38.690	19.001	-19.823	1.00	24.82
10	ATOM	4572	N	ALA	631	37.033	19.350	-21.286	1.00	20.81
	ATOM	4573	CA	ALA	631	36.569	17.982	-21.226	1.00	23.26
	ATOM	4574	CB	ALA	631	35.565	17.804	-20.091	1.00	20.73
	ATOM	4575	C	ALA	631	35.916	17.661	-22.557	1.00	27.62
	ATOM	4576	O	ALA	631	35.650	18.556	-23.356	1.00	29.95
15	ATOM	4577	N	GLU	632	35.732	16.377	-22.829	1.00	31.92
	ATOM	4578	CA	GLU	632	35.078	15.963	-24.059	1.00	32.85
	ATOM	4579	CB	GLU	632	35.650	14.644	-24.570	1.00	31.26
	ATOM	4580	CG	GLU	632	35.053	13.414	-23.921	1.00	27.95
	ATOM	4581	CD	GLU	632	35.713	12.143	-24.385	1.00	36.80
20	ATOM	4582	OE1	GLU	632	36.369	12.154	-25.451	1.00	40.53
	ATOM	4583	OE2	GLU	632	35.590	11.123	-23.678	1.00	41.05
	ATOM	4584	C	GLU	632	33.625	15.776	-23.674	1.00	33.61
	ATOM	4585	O	GLU	632	33.280	15.718	-22.494	1.00	38.27
	ATOM	4586	N	SER	633	32.788	15.582	-24.665	1.00	32.84
25	ATOM	4587	CA	SER	633	31.371	15.420	-24.418	1.00	35.35
	ATOM	4588	CB	SER	633	30.627	15.688	-25.723	1.00	38.12
	ATOM	4589	OG	SER	633	30.955	16.994	-26.189	1.00	46.45
	ATOM	4590	C	SER	633	30.937	14.092	-23.809	1.00	34.15
	ATOM	4591	O	SER	633	31.566	13.058	-24.025	1.00	35.25
30	ATOM	4592	N	PHE	634	29.839	14.135	-23.064	1.00	34.80
	ATOM	4593	CA	PHE	634	29.262	12.960	-22.419	1.00	37.23
	ATOM	4594	CB	PHE	634	29.754	12.854	-20.976	1.00	34.83
	ATOM	4595	CG	PHE	634	29.346	14.010	-20.117	1.00	30.25
	ATOM	4596	CD1	PHE	634	28.262	13.895	-19.245	1.00	28.96
35	ATOM	4597	CD2	PHE	634	30.016	15.226	-20.203	1.00	27.74
	ATOM	4598	CE1	PHE	634	27.846	14.974	-18.475	1.00	24.91
	ATOM	4599	CE2	PHE	634	29.610	16.314	-19.437	1.00	29.50
	ATOM	4600	CZ	PHE	634	28.520	16.187	-18.571	1.00	25.99
	ATOM	4601	C	PHE	634	27.746	13.173	-22.433	1.00	42.26
40	ATOM	4602	O	PHE	634	27.280	14.313	-22.607	1.00	43.66
	ATOM	4603	N	VAL	635	26.969	12.105	-22.263	1.00	44.81
	ATOM	4604	CA	VAL	635	25.510	12.249	-22.268	1.00	49.75
	ATOM	4605	CB	VAL	635	24.773	10.914	-22.408	1.00	48.09
	ATOM	4606	CG1	VAL	635	24.749	10.479	-23.868	1.00	54.19
45	ATOM	4607	CG2	VAL	635	25.427	9.860	-21.545	1.00	48.38
	ATOM	4608	C	VAL	635	25.045	12.875	-20.989	1.00	52.73
	ATOM	4609	O	VAL	635	25.668	12.694	-19.947	1.00	56.22
	ATOM	4610	N	SER	636	23.955	13.622	-21.064	1.00	56.71
	ATOM	4611	CA	SER	636	23.401	14.258	-19.876	1.00	60.84
50	ATOM	4612	CB	SER	636	22.250	15.197	-20.266	1.00	66.55
	ATOM	4613	OG	SER	636	21.286	14.545	-21.094	1.00	74.32
	ATOM	4614	C	SER	636	22.925	13.169	-18.895	1.00	59.04
	ATOM	4615	O	SER	636	22.573	12.049	-19.303	1.00	58.56
	ATOM	4616	N	GLY	637	22.934	13.489	-17.605	1.00	55.58
55	ATOM	4617	CA	GLY	637	22.523	12.511	-16.616	1.00	52.89
	ATOM	4618	C	GLY	637	23.713	11.817	-15.963	1.00	50.21
	ATOM	4619	O	GLY	637	23.534	10.968	-15.100	1.00	54.08
	ATOM	4620	N	GLU	638	24.924	12.120	-16.417	1.00	45.05
	ATOM	4621	CA	GLU	638	26.123	11.544	-15.830	1.00	38.98
60	ATOM	4622	CB	GLU	638	27.134	11.150	-16.902	1.00	40.82
	ATOM	4623	CG	GLU	638	26.651	10.070	-17.846	1.00	41.29
	ATOM	4624	CD	GLU	638	26.536	8.713	-17.198	1.00	44.15
	ATOM	4625	OE1	GLU	638	26.859	8.570	-16.008	1.00	51.56
	ATOM	4626	OE2	GLU	638	26.140	7.758	-17.887	1.00	48.24

	ATOM	4627	C	GLU	638	26.694	12.632	-14.936	1.00	37.82
	ATOM	4628	O	GLU	638	26.748	13.809	-15.318	1.00	40.61
	ATOM	4629	N	LYS	639	27.078	12.246	-13.730	1.00	31.64
5	ATOM	4630	CA	LYS	639	27.601	13.190	-12.765	1.00	25.56
	ATOM	4631	CB	LYS	639	27.080	12.853	-11.366	1.00	29.28
	ATOM	4632	CG	LYS	639	25.593	12.600	-11.246	1.00	34.14
	ATOM	4633	CD	LYS	639	25.316	11.994	-9.867	1.00	48.20
	ATOM	4634	CE	LYS	639	23.830	11.816	-9.571	1.00	50.33
10	ATOM	4635	NZ	LYS	639	23.172	10.838	-10.481	1.00	57.45
	ATOM	4636	C	LYS	639	29.110	13.139	-12.733	1.00	20.16
	ATOM	4637	O	LYS	639	29.686	12.056	-12.594	1.00	21.41
	ATOM	4638	N	ILE	640	29.734	14.308	-12.856	1.00	16.72
	ATOM	4639	CA	ILE	640	31.177	14.457	-12.802	1.00	13.62
15	ATOM	4640	CB	ILE	640	31.825	14.866	-14.158	1.00	13.79
	ATOM	4641	CG2	ILE	640	33.295	15.154	-13.943	1.00	15.50
	ATOM	4642	CG1	ILE	640	31.751	13.734	-15.191	1.00	13.55
	ATOM	4643	CD1	ILE	640	30.610	13.831	-16.190	1.00	11.62
	ATOM	4644	C	ILE	640	31.418	15.572	-11.809	1.00	18.26
20	ATOM	4645	O	ILE	640	30.845	16.646	-11.936	1.00	20.94
	ATOM	4646	N	TYR	641	32.210	15.288	-10.778	1.00	20.12
	ATOM	4647	CA	TYR	641	32.548	16.254	-9.741	1.00	17.06
	ATOM	4648	CB	TYR	641	32.093	15.736	-8.394	1.00	12.33
	ATOM	4649	CG	TYR	641	30.629	15.427	-8.353	1.00	19.71
25	ATOM	4650	CD1	TYR	641	30.170	14.134	-8.582	1.00	20.72
	ATOM	4651	CE1	TYR	641	28.821	13.833	-8.508	1.00	25.35
	ATOM	4652	CD2	TYR	641	29.697	16.421	-8.050	1.00	18.05
	ATOM	4653	CE2	TYR	641	28.358	16.132	-7.968	1.00	26.09
	ATOM	4654	CZ	TYR	641	27.924	14.834	-8.191	1.00	24.94
30	ATOM	4655	OH	TYR	641	26.597	14.530	-8.023	1.00	32.32
	ATOM	4656	C	TYR	641	34.060	16.389	-9.708	1.00	18.01
	ATOM	4657	O	TYR	641	34.779	15.391	-9.614	1.00	18.42
	ATOM	4658	N	ILE	642	34.550	17.606	-9.833	1.00	16.45
	ATOM	4659	CA	ILE	642	35.988	17.808	-9.791	1.00	20.87
35	ATOM	4660	CB	ILE	642	36.491	18.575	-11.029	1.00	20.47
	ATOM	4661	CG2	ILE	642	37.958	18.793	-10.911	1.00	20.81
	ATOM	4662	CG1	ILE	642	36.235	17.760	-12.306	1.00	19.36
	ATOM	4663	CD1	ILE	642	36.571	18.515	-13.566	1.00	21.85
	ATOM	4664	C	ILE	642	36.246	18.593	-8.512	1.00	20.68
40	ATOM	4665	O	ILE	642	35.470	19.494	-8.187	1.00	22.38
	ATOM	4666	N	ASP	643	37.304	18.230	-7.783	1.00	20.18
	ATOM	4667	CA	ASP	643	37.655	18.879	-6.508	1.00	18.65
	ATOM	4668	CB	ASP	643	37.531	17.821	-5.382	1.00	22.35
	ATOM	4669	CG	ASP	643	38.028	18.294	-4.024	1.00	26.15
45	ATOM	4670	OD1	ASP	643	37.750	19.453	-3.625	1.00	25.20
	ATOM	4671	OD2	ASP	643	38.684	17.464	-3.338	1.00	24.16
	ATOM	4672	C	ASP	643	39.030	19.587	-6.511	1.00	20.45
	ATOM	4673	O	ASP	643	39.096	20.821	-6.361	1.00	24.99
	ATOM	4674	N	LYS	644	40.116	18.842	-6.724	1.00	16.96
50	ATOM	4675	CA	LYS	644	41.457	19.428	-6.714	1.00	17.58
	ATOM	4676	CB	LYS	644	42.246	18.997	-5.470	1.00	19.80
	ATOM	4677	CG	LYS	644	41.602	19.216	-4.117	1.00	22.38
	ATOM	4678	CD	LYS	644	41.412	20.668	-3.773	1.00	23.96
	ATOM	4679	CE	LYS	644	41.051	20.791	-2.310	1.00	20.00
55	ATOM	4680	NZ	LYS	644	40.046	19.745	-1.948	1.00	20.46
	ATOM	4681	C	LYS	644	42.332	19.024	-7.884	1.00	18.74
	ATOM	4682	O	LYS	644	42.322	17.872	-8.296	1.00	21.48
	ATOM	4683	N	ILE	645	43.168	19.954	-8.329	1.00	17.54
	ATOM	4684	CA	ILE	645	44.132	19.717	-9.388	1.00	17.59
60	ATOM	4685	CB	ILE	645	44.241	20.931	-10.352	1.00	21.58
	ATOM	4686	CG2	ILE	645	45.150	20.602	-11.541	1.00	23.33

5	ATOM	4687	CG1	ILE	645	42.860	21.330	-10.378	1.00	25.80
	ATOM	4688	CD1	ILE	645	42.170	20.258	-11.698	1.00	23.39
	ATOM	4689	C	ILE	645	45.416	19.643	-8.565	1.00	16.72
	ATOM	4690	O	ILE	645	45.684	20.540	-7.782	1.00	19.90
	ATOM	4691	N	GLU	646	46.185	18.568	-8.686	1.00	18.31
10	ATOM	4692	CA	GLU	646	47.429	18.450	-7.922	1.00	16.72
	ATOM	4693	CB	GLU	646	47.459	17.158	-7.100	1.00	13.74
	ATOM	4694	CG	GLU	646	46.218	16.841	-6.292	1.00	11.87
	ATOM	4695	CD	GLU	646	46.475	15.711	-5.331	1.00	21.72
	ATOM	4696	OE1	GLU	646	47.074	14.707	-5.762	1.00	22.74
15	ATOM	4697	OE2	GLU	646	46.104	15.822	-4.146	1.00	25.76
	ATOM	4698	C	GLU	646	48.679	18.501	-8.804	1.00	15.32
	ATOM	4699	O	GLU	646	48.728	17.894	-9.855	1.00	17.66
	ATOM	4700	N	PHE	647	49.701	19.198	-8.337	1.00	18.90
	ATOM	4701	CA	PHE	647	50.950	19.316	-9.060	1.00	20.74
20	ATOM	4702	CB	PHE	647	51.299	20.783	-9.253	1.00	22.54
	ATOM	4703	CG	PHE	647	50.309	21.508	-10.096	1.00	16.80
	ATOM	4704	CD1	PHE	647	49.263	22.185	-9.513	1.00	15.88
	ATOM	4705	CD2	PHE	647	50.388	21.442	-11.474	1.00	15.98
	ATOM	4706	CE1	PHE	647	48.297	22.779	-10.285	1.00	19.07
25	ATOM	4707	CE2	PHE	647	49.440	22.026	-12.251	1.00	17.20
	ATOM	4708	CZ	PHE	647	48.385	22.699	-11.658	1.00	21.92
	ATOM	4709	C	PHE	647	52.048	18.597	-8.327	1.00	23.01
	ATOM	4710	O	PHE	647	52.285	18.827	-7.145	1.00	25.26
	ATOM	4711	N	ILE	648	52.682	17.676	-9.032	1.00	27.24
30	ATOM	4712	CA	ILE	648	53.766	16.884	-8.481	1.00	28.26
	ATOM	4713	CB	ILE	648	53.499	15.385	-8.728	1.00	28.25
	ATOM	4714	CG2	ILE	648	54.433	14.542	-7.874	1.00	30.94
	ATOM	4715	CG1	ILE	648	52.033	15.045	-8.428	1.00	26.62
	ATOM	4716	CD1	ILE	648	51.634	13.616	-8.796	1.00	24.38
35	ATOM	4717	C	ILE	648	55.009	17.299	-9.260	1.00	29.24
	ATOM	4718	O	ILE	648	54.979	17.314	-10.488	1.00	29.14
	ATOM	4719	N	PRO	649	56.079	17.735	-8.566	1.00	29.81
	ATOM	4720	CD	PRO	649	56.096	18.156	-7.167	1.00	26.84
	ATOM	4721	CA	PRO	649	57.323	18.153	-9.232	1.00	33.95
40	ATOM	4722	CB	PRO	649	58.101	18.818	-8.111	1.00	25.42
	ATOM	4723	CG	PRO	649	57.039	19.324	-7.242	1.00	30.57
	ATOM	4724	C	PRO	649	58.075	16.947	-9.760	1.00	39.61
	ATOM	4725	O	PRO	649	58.648	16.186	-8.980	1.00	44.73
	ATOM	4726	N	VAL	650	58.046	16.755	-11.075	1.00	44.21
45	ATOM	4727	CA	VAL	650	58.714	15.616	-11.696	1.00	48.14
	ATOM	4728	CB	VAL	650	58.401	15.483	-13.180	1.00	45.37
	ATOM	4729	CG1	VAL	650	59.150	14.313	-13.731	1.00	47.12
	ATOM	4730	CG2	VAL	650	56.923	15.311	-13.407	1.00	44.38
	ATOM	4731	C	VAL	650	60.196	15.817	-11.595	1.00	54.89
50	ATOM	4732	O	VAL	650	60.766	16.662	-12.294	1.00	56.42
	ATOM	4733	N	GLN	651	60.817	15.043	-10.718	1.00	62.10
	ATOM	4734	CA	GLN	651	62.253	15.136	-10.510	1.00	71.53
	ATOM	4735	CB	GLN	651	62.568	15.175	-9.013	1.00	74.84
	ATOM	4736	CG	GLN	651	61.980	16.384	-8.294	1.00	80.23
55	ATOM	4737	CD	GLN	651	62.380	16.453	-6.828	1.00	86.44
	ATOM	4738	OE1	GLN	651	61.827	17.251	-6.065	1.00	88.07
	ATOM	4739	NE2	GLN	651	63.341	15.616	-6.420	1.00	88.91
	ATOM	4740	C	GLN	651	62.978	13.981	-11.185	1.00	75.09
	ATOM	4741	O	GLN	651	63.591	13.140	-10.517	1.00	76.97
60	ATOM	4742	N	LEU	652	62.892	13.966	-12.513	1.00	78.20
	ATOM	4743	CA	LEU	652	63.505	12.943	-13.354	1.00	80.82
	ATOM	4744	CB	LEU	652	63.468	13.404	-14.811	1.00	83.43
	ATOM	4745	CG	LEU	652	62.069	13.518	-15.418	1.00	84.78
	ATOM	4746	CD1	LEU	652	62.119	14.172	-16.798	1.00	86.36

	ATOM	4747	CD2	LEU	652	61.447	12.120	-15.483	1.00	85.69
	ATOM	4748	C	LEU	652	64.942	12.620	-12.960	1.00	82.59
	ATOM	4749	OT1	LEU	652	65.216	11.449	-12.608	1.00	84.20
	ATOM	4750	OT2	LEU	652	65.772	13.555	-13.013	1.00	86.03
5	ATOM	4751	O	HOH	1	39.600	24.576	11.813	1.00	12.17
	ATOM	4752	O	HOH	2	40.792	27.069	11.597	1.00	25.65
	ATOM	4753	O	HOH	3	43.758	26.829	11.570	1.00	13.86
	ATOM	4754	O	HOH	4	55.446	23.281	8.689	1.00	39.72
10	ATOM	4755	O	HOH	5	54.367	13.815	2.943	1.00	30.80
	ATOM	4756	O	HOH	6	57.911	14.284	16.519	1.00	30.98
	ATOM	4757	O	HOH	7	38.642	1.242	15.206	1.00	35.24
	ATOM	4758	O	HOH	8	39.462	-1.232	13.462	1.00	39.99
	ATOM	4759	O	HOH	9	30.581	9.208	17.185	1.00	12.58
15	ATOM	4760	O	HOH	10	43.871	15.044	17.131	1.00	13.07
	ATOM	4761	O	HOH	11	57.356	-3.646	2.453	1.00	47.02
	ATOM	4762	O	HOH	12	45.059	-5.877	8.478	1.00	34.13
	ATOM	4763	O	HOH	13	42.458	6.455	1.498	1.00	37.54
	ATOM	4764	O	HOH	14	38.876	8.797	-1.848	1.00	29.14
20	ATOM	4765	O	HOH	15	29.008	5.736	8.141	1.00	33.53
	ATOM	4766	O	HOH	16	26.319	10.581	4.483	0.50	34.39
	ATOM	4767	O	HOH	17	28.858	9.435	5.261	1.00	27.54
	ATOM	4768	O	HOH	18	30.989	23.542	6.740	1.00	27.62
	ATOM	4769	O	HOH	19	29.511	28.588	9.501	1.00	33.81
25	ATOM	4770	O	HOH	20	45.641	8.025	6.242	1.00	20.04
	ATOM	4771	O	HOH	21	57.722	6.464	1.525	1.00	54.78
	ATOM	4772	O	HOH	22	48.699	27.494	1.748	1.00	30.06
	ATOM	4773	O	HOH	23	22.565	23.551	4.174	1.00	50.71
	ATOM	4774	O	HOH	24	31.780	26.111	1.799	1.00	36.59
30	ATOM	4775	O	HOH	25	35.833	19.538	5.174	1.00	22.44
	ATOM	4776	O	HOH	26	31.698	41.144	14.808	1.00	26.75
	ATOM	4777	O	HOH	27	22.848	21.286	-7.106	0.50	44.55
	ATOM	4778	O	HOH	28	28.149	35.263	-5.749	0.50	27.52
	ATOM	4779	O	HOH	29	38.768	38.465	1.897	1.00	23.59
35	ATOM	4780	O	HOH	30	36.036	48.871	-3.323	1.00	37.96
	ATOM	4781	O	HOH	31	15.228	54.291	25.146	1.00	38.59
	ATOM	4782	O	HOH	32	30.188	40.575	-3.853	1.00	25.30
	ATOM	4783	O	HOH	33	41.541	42.499	-1.499	1.00	33.25
	ATOM	4784	O	HOH	34	38.585	45.910	14.986	1.00	46.67
40	ATOM	4785	O	HOH	35	39.850	41.334	2.080	1.00	44.36
	ATOM	4786	O	HOH	36	42.846	31.690	-10.923	1.00	21.98
	ATOM	4787	O	HOH	37	43.450	12.688	-1.919	1.00	24.87
	ATOM	4788	O	HOH	38	39.038	13.837	2.118	1.00	27.10
	ATOM	4789	O	HOH	39	37.928	5.313	-6.284	1.00	50.72
45	ATOM	4790	O	HOH	40	24.875	4.116	-12.560	0.50	29.43
	ATOM	4791	O	HOH	41	55.553	35.810	-18.611	0.50	42.33
	ATOM	4792	O	HOH	42	46.764	34.401	3.319	1.00	52.37
	ATOM	4793	O	HOH	43	38.723	6.598	-19.519	1.00	45.34
	ATOM	4794	O	HOH	44	65.474	2.330	6.882	0.50	53.47
50	ATOM	4795	O	HOH	45	62.312	4.587	26.852	0.50	32.00
	ATOM	4796	O	HOH	46	71.750	-5.969	18.706	1.00	37.47
	ATOM	4797	O	HOH	47	58.775	1.057	6.153	1.00	30.94
	ATOM	4798	O	HOH	48	45.175	6.998	1.494	1.00	34.82
	ATOM	4799	O	HOH	49	63.008	22.148	-6.426	0.50	29.98
55	ATOM	4800	O	HOH	50	41.462	18.172	-0.139	1.00	30.33
	ATOM	4801	O	HOH	51	32.560	21.738	2.331	1.00	29.61
	ATOM	4802	O	HOH	52	14.519	37.667	0.321	0.50	37.60
	ATOM	4803	O	HOH	53	42.144	26.546	23.602	1.00	41.27
	ATOM	4804	O	HOH	54	54.172	23.431	6.327	1.00	37.79
60	ATOM	4805	O	HOH	55	58.450	21.703	4.673	1.00	52.24
	ATOM	4806	O	HOH	56	53.956	13.326	12.026	1.00	49.78

5	ATOM	4807	O	HOH	57	44.302	20.733	35.040	0.50	36.95
	ATOM	4808	O	HOH	58	25.387	22.349	29.206	1.00	51.45
	ATOM	4809	O	HOH	59	34.276	5.690	35.854	1.00	57.79
	ATOM	4810	O	HOH	60	32.551	5.395	26.460	1.00	44.81
	ATOM	4811	O	HOH	61	68.914	9.067	22.100	1.00	30.57
10	ATOM	4812	O	HOH	62	69.607	4.862	7.019	1.00	68.86
	ATOM	4813	O	HOH	63	49.122	-5.437	19.972	0.50	32.90
	ATOM	4814	O	HOH	64	35.071	2.983	13.525	1.00	57.51
	ATOM	4815	O	HOH	65	69.205	-0.072	8.173	0.50	30.67
	ATOM	4816	O	HOH	66	59.499	-8.456	0.875	1.00	42.81
15	ATOM	4817	O	HOH	67	43.513	-7.338	4.202	1.00	58.46
	ATOM	4818	O	HOH	68	24.836	23.892	5.544	1.00	25.95
	ATOM	4819	O	HOH	69	12.711	29.928	21.875	1.00	59.62
	ATOM	4820	O	HOH	70	11.349	34.141	13.154	1.00	37.81
	ATOM	4821	O	HOH	71	24.776	30.568	19.682	1.00	32.79
20	ATOM	4822	O	HOH	72	35.674	22.015	5.914	1.00	25.68
	ATOM	4823	O	HOH	73	39.992	22.649	0.839	1.00	26.71
	ATOM	4824	O	HOH	74	33.304	19.359	1.262	1.00	21.88
	ATOM	4825	O	HOH	75	34.676	25.968	-1.544	1.00	25.47
	ATOM	4826	O	HOH	76	38.335	29.492	3.495	1.00	26.33
25	ATOM	4827	O	HOH	77	34.285	32.668	-0.876	1.00	32.85
	ATOM	4828	O	HOH	78	26.762	34.664	2.474	1.00	38.71
	ATOM	4829	O	HOH	79	26.382	37.981	-5.606	1.00	42.31
	ATOM	4830	O	HOH	80	14.711	48.855	-4.418	0.50	35.57
	ATOM	4831	O	HOH	81	48.032	50.318	1.569	1.00	49.00
30	ATOM	4832	O	HOH	82	40.081	36.290	12.462	1.00	18.52
	ATOM	4833	O	HOH	83	48.045	27.052	-4.303	1.00	33.60
	ATOM	4834	O	HOH	84	55.768	32.124	-2.269	0.50	25.70
	ATOM	4835	O	HOH	85	58.944	26.970	-4.766	1.00	33.86
	ATOM	4836	O	HOH	86	29.248	24.775	-22.246	1.00	25.41
35	ATOM	4837	O	HOH	87	26.155	13.359	-0.686	1.00	50.23
	ATOM	4838	O	HOH	88	28.166	13.371	2.556	1.00	53.78
	ATOM	4839	O	HOH	89	31.879	55.238	18.930	0.50	45.82
	ATOM	4840	O	HOH	90	32.757	29.484	16.842	1.00	30.62
	ATOM	4841	O	HOH	91	34.578	30.002	24.337	0.50	45.60
40	ATOM	4842	O	HOH	92	66.362	10.141	11.805	1.00	55.07
	ATOM	4843	O	HOH	93	65.292	7.242	12.256	1.00	30.58
	ATOM	4844	O	HOH	94	56.297	13.563	14.593	1.00	24.51
	ATOM	4845	O	HOH	95	45.123	21.767	30.085	1.00	49.84
	ATOM	4846	O	HOH	96	67.321	6.836	9.353	1.00	42.45
45	ATOM	4847	O	HOH	97	51.532	37.990	-11.584	0.50	33.54
	ATOM	4848	O	HOH	98	34.637	24.900	25.435	0.50	36.72
	ATOM	4849	O	HOH	99	47.745	21.275	29.129	1.00	50.32
	ATOM	4850	O	HOH	100	29.797	24.486	22.331	1.00	29.64
	ATOM	4851	O	HOH	101	22.812	10.827	33.352	0.50	23.42
50	ATOM	4852	O	HOH	102	30.142	2.352	26.582	1.00	58.88
	ATOM	4853	O	HOH	103	42.498	2.698	29.895	1.00	33.97
	ATOM	4854	O	HOH	104	45.548	1.707	29.609	1.00	35.08
	ATOM	4855	O	HOH	105	73.449	-5.044	16.464	1.00	48.73
	ATOM	4856	O	HOH	106	51.401	5.777	4.853	1.00	37.62
55	ATOM	4857	O	HOH	107	59.811	-3.998	4.731	1.00	49.23
	ATOM	4858	O	HOH	108	23.913	36.019	17.692	1.00	51.86
	ATOM	4859	O	HOH	109	15.955	40.383	5.523	1.00	57.03
	ATOM	4860	O	HOH	110	24.683	23.216	-3.359	1.00	47.03
	ATOM	4861	O	HOH	111	27.878	49.199	-5.908	0.50	37.58
60	ATOM	4862	O	HOH	112	40.089	51.139	-3.822	0.50	28.49
	ATOM	4863	O	HOH	113	1.194	48.031	17.761	0.50	31.30
	ATOM	4864	O	HOH	114	15.911	47.963	-1.509	0.50	41.57
	ATOM	4865	O	HOH	115	15.594	57.329	9.243	0.50	35.83
	ATOM	4866	O	HOH	116	18.349	44.617	-4.211	0.50	25.42

5	ATOM	4867	O	HOH	117	33.773	56.268	5.129	1.00	50.98
	ATOM	4868	O	HOH	118	42.261	50.708	2.854	0.50	23.17
	ATOM	4869	O	HOH	119	31.149	49.232	23.790	1.00	48.45
	ATOM	4870	O	HOH	120	47.467	26.554	-0.478	1.00	35.12
	ATOM	4871	O	HOH	121	20.282	27.249	1.269	0.50	25.52
10	ATOM	4872	O	HOH	122	17.915	27.001	0.130	0.50	43.66
	ATOM	4873	O	HOH	123	64.315	18.441	-9.136	0.50	50.91
	ATOM	4874	O	HOH	124	51.346	15.323	-23.558	1.00	49.83
	ATOM	4875	O	HOH	125	20.796	11.150	-11.607	0.50	30.99
	ATOM	4876	O	HOH	126	52.824	44.504	12.282	0.50	32.83
15	ATOM	4877	O	HOH	127	53.398	41.694	12.905	1.00	48.52
	ATOM	4878	O	HOH	128	20.223	5.133	20.272	0.50	29.69
	ATOM	4879	O	HOH	129	27.206	1.320	21.447	1.00	27.19
	ATOM	4880	O	HOH	130	24.082	11.809	20.686	1.00	40.93
	ATOM	4881	O	HOH	131	23.900	10.267	17.824	1.00	50.50
20	ATOM	4882	O	HOH	132	28.117	5.220	10.701	0.50	25.36
	ATOM	4883	O	HOH	133	31.375	10.930	3.919	1.00	33.16
	ATOM	4884	O	HOH	134	43.293	29.293	19.633	1.00	26.02
	ATOM	4885	O	HOH	135	47.906	33.111	9.169	1.00	37.21
	ATOM	4886	O	HOH	136	52.105	14.532	4.067	1.00	12.30
25	ATOM	4887	O	HOH	137	59.327	14.609	8.309	1.00	27.43
	ATOM	4888	O	HOH	138	61.489	16.241	7.756	1.00	36.45
	ATOM	4889	O	HOH	139	59.814	12.113	-0.094	1.00	41.19
	ATOM	4890	O	HOH	140	61.602	19.322	14.212	1.00	39.66
	ATOM	4891	O	HOH	141	44.822	14.088	27.205	1.00	43.44
30	ATOM	4892	O	HOH	142	32.324	15.005	22.197	1.00	37.81
	ATOM	4893	O	HOH	143	23.735	25.109	18.876	1.00	34.70
	ATOM	4894	O	HOH	144	47.464	8.852	31.617	1.00	42.97
	ATOM	4895	O	HOH	145	63.649	6.056	25.352	1.00	24.23
	ATOM	4896	O	HOH	146	57.557	-8.767	13.297	1.00	54.16
35	ATOM	4897	O	HOH	147	65.381	-8.112	17.380	1.00	53.12
	ATOM	4898	O	HOH	148	54.869	-3.233	3.058	1.00	20.55
	ATOM	4899	O	HOH	149	50.284	2.436	7.783	1.00	21.77
	ATOM	4900	O	HOH	150	40.450	4.556	1.629	1.00	36.03
	ATOM	4901	O	HOH	151	38.315	4.435	-0.621	1.00	54.82
40	ATOM	4902	O	HOH	152	39.033	12.192	4.575	1.00	23.18
	ATOM	4903	O	HOH	153	20.487	17.422	16.380	1.00	42.43
	ATOM	4904	O	HOH	154	7.330	29.380	14.617	1.00	59.85
	ATOM	4905	O	HOH	155	11.575	29.095	8.037	1.00	27.89
	ATOM	4906	O	HOH	156	60.466	18.094	-3.688	1.00	39.21
45	ATOM	4907	O	HOH	157	34.227	30.218	-0.200	1.00	16.99
	ATOM	4908	O	HOH	158	29.064	33.844	1.330	1.00	39.62
	ATOM	4909	O	HOH	159	27.587	37.469	5.225	1.00	26.48
	ATOM	4910	O	HOH	160	37.792	35.558	1.617	1.00	40.88
	ATOM	4911	O	HOH	161	22.032	47.398	12.372	1.00	29.56
50	ATOM	4912	O	HOH	162	17.084	42.773	3.217	1.00	59.52
	ATOM	4913	O	HOH	163	38.184	53.069	2.626	1.00	37.51
	ATOM	4914	O	HOH	164	33.711	48.526	17.994	1.00	58.73
	ATOM	4915	O	HOH	165	32.371	44.192	22.263	0.50	33.76
	ATOM	4916	O	HOH	166	37.657	54.587	9.034	0.50	31.48
55	ATOM	4917	O	HOH	167	27.552	46.211	26.991	1.00	61.96
	ATOM	4918	O	HOH	168	32.011	38.955	21.518	1.00	25.08
	ATOM	4919	O	HOH	169	47.499	35.638	18.696	1.00	35.40
	ATOM	4920	O	HOH	170	28.459	38.533	12.567	1.00	51.70
	ATOM	4921	O	HOH	171	53.929	21.580	-6.399	1.00	24.95
60	ATOM	4922	O	HOH	172	26.651	18.234	-2.713	0.50	33.29
	ATOM	4923	O	HOH	173	42.655	15.443	-1.278	1.00	30.29
	ATOM	4924	O	HOH	174	45.560	26.974	-24.441	0.50	26.40
	ATOM	4925	O	HOH	175	52.934	29.907	-19.523	0.50	32.71
	ATOM	4926	O	HOH	176	26.381	16.979	-21.475	1.00	55.80

5	ATOM	4927	O	HOH	177	46.523	8.953	-25.135	1.00	55.70
	ATOM	4928	O	HOH	178	41.397	7.159	-12.350	1.00	49.45
	ATOM	4929	O	HOH	179	37.051	1.869	-16.152	0.50	22.12
	ATOM	4930	O	HOH	180	48.915	13.423	-22.645	0.50	38.37
	ATOM	4931	O	HOH	181	51.414	33.545	-13.567	1.00	27.21
	ATOM	4932	O	HOH	182	40.136	20.409	14.870	1.00	50.68
	ATOM	4933	O	HOH	183	27.368	20.586	29.572	0.50	22.75
10	ATOM	4934	O	HOH	184	33.144	15.340	33.325	0.50	34.27
	ATOM	4935	O	HOH	185	41.866	10.270	32.855	0.50	27.94
	ATOM	4936	O	HOH	186	36.169	7.373	38.507	0.50	28.46
	ATOM	4937	O	HOH	187	65.230	13.163	12.508	0.50	29.96
	ATOM	4938	O	HOH	188	69.243	-3.143	14.989	0.50	21.97
15	ATOM	4939	O	HOH	189	70.109	8.508	12.586	0.50	40.05
	ATOM	4940	O	HOH	190	68.136	1.192	12.530	1.00	30.68
	ATOM	4941	O	HOH	191	46.519	-1.841	24.920	1.00	51.89
	ATOM	4942	O	HOH	192	35.512	0.276	23.742	1.00	58.13
	ATOM	4943	O	HOH	193	27.272	4.449	13.576	1.00	41.45
20	ATOM	4944	O	HOH	194	20.663	4.047	27.178	0.50	42.21
	ATOM	4945	O	HOH	195	62.540	2.570	8.192	1.00	35.49
	ATOM	4946	O	HOH	196	56.134	-12.022	8.682	1.00	51.96
	ATOM	4947	O	HOH	197	51.156	-5.845	11.368	1.00	38.51
	ATOM	4948	O	HOH	198	47.936	-5.942	12.718	1.00	46.17
25	ATOM	4949	O	HOH	199	46.547	-7.383	10.304	1.00	42.53
	ATOM	4950	O	HOH	200	31.686	4.036	10.011	0.50	39.93
	ATOM	4951	O	HOH	201	18.345	18.429	18.069	1.00	52.41
	ATOM	4952	O	HOH	202	8.319	32.684	12.203	1.00	58.05
	ATOM	4953	O	HOH	203	30.148	26.964	7.489	0.50	17.11
30	ATOM	4954	O	HOH	204	30.520	29.659	18.757	1.00	41.82
	ATOM	4955	O	HOH	205	41.389	15.889	1.196	1.00	41.86
	ATOM	4956	O	HOH	206	59.747	12.116	-2.964	1.00	42.54
	ATOM	4957	O	HOH	207	59.220	20.606	1.293	0.50	33.12
	ATOM	4958	O	HOH	208	45.462	27.614	-3.993	1.00	53.13
35	ATOM	4959	O	HOH	209	8.977	42.303	22.785	0.50	28.98
	ATOM	4960	O	HOH	210	7.375	36.792	15.794	0.50	25.08
	ATOM	4961	O	HOH	211	20.262	31.233	-0.791	0.50	23.07
	ATOM	4962	O	HOH	212	22.775	37.068	-1.456	0.50	26.21
	ATOM	4963	O	HOH	213	37.515	33.290	-8.299	1.00	39.56
40	ATOM	4964	O	HOH	214	32.528	28.894	-2.045	0.50	30.57
	ATOM	4965	O	HOH	215	23.556	52.964	-3.369	0.50	37.73
	ATOM	4966	O	HOH	216	12.291	55.849	23.454	1.00	31.77
	ATOM	4967	O	HOH	217	24.234	62.724	15.579	1.00	62.11
	ATOM	4968	O	HOH	218	16.102	49.162	8.905	1.00	25.74
45	ATOM	4969	O	HOH	219	28.120	39.039	-4.114	1.00	29.56
	ATOM	4970	O	HOH	220	44.251	45.804	-12.595	0.50	34.94
	ATOM	4971	O	HOH	221	29.607	44.784	-10.015	1.00	60.29
	ATOM	4972	O	HOH	222	25.270	58.721	8.796	1.00	53.22
	ATOM	4973	O	HOH	223	34.170	56.320	7.918	1.00	50.34
50	ATOM	4974	O	HOH	224	35.135	51.082	-1.204	0.50	45.57
	ATOM	4975	O	HOH	225	45.412	41.610	0.691	0.50	25.74
	ATOM	4976	O	HOH	226	46.994	48.580	6.406	1.00	47.90
	ATOM	4977	O	HOH	227	27.014	55.791	16.344	1.00	33.70
	ATOM	4978	O	HOH	228	20.619	63.647	20.163	0.50	25.46
55	ATOM	4979	O	HOH	229	27.098	63.600	13.977	1.00	52.38
	ATOM	4980	O	HOH	230	29.921	62.241	15.115	0.50	31.33
	ATOM	4981	O	HOH	231	39.209	34.131	21.722	1.00	44.63
	ATOM	4982	O	HOH	232	27.446	37.346	19.046	1.00	53.39
	ATOM	4983	O	HOH	233	41.629	34.505	14.339	1.00	49.50
60	ATOM	4984	O	HOH	234	49.929	25.940	20.363	0.50	65.78
	ATOM	4985	O	HOH	235	46.595	25.050	21.969	1.00	60.97
	ATOM	4986	O	HOH	236	45.546	28.752	21.088	1.00	60.57

	ATOM	4987	O	HOH	237	11.993	48.397	8.380	1.00	50.42
	ATOM	4988	O	HOH	238	47.384	34.917	0.402	1.00	45.46
	ATOM	4989	O	HOH	239	24.707	20.747	3.321	0.50	36.30
5	ATOM	4990	O	HOH	240	24.997	27.004	0.759	0.50	31.67
	ATOM	4991	O	HOH	241	35.294	20.250	-2.672	1.00	55.67
	ATOM	4992	O	HOH	242	25.636	12.744	-6.207	0.50	34.82
	ATOM	4993	O	HOH	243	50.790	14.313	-15.411	1.00	40.65
	ATOM	4994	O	HOH	244	60.682	29.709	-18.658	1.00	63.57
10	ATOM	4995	O	HOH	245	55.814	30.382	-22.340	0.50	42.64
	ATOM	4996	O	HOH	246	35.354	4.428	-6.477	1.00	37.57
	ATOM	4997	O	HOH	247	28.238	6.114	-2.367	1.00	50.71
	ATOM	4998	O	HOH	248	55.861	14.928	-21.178	1.00	56.34
	ATOM	4999	O	HOH	249	59.791	24.221	-18.460	1.00	49.24
15	ATOM	5000	O	HOH	250	28.695	10.159	-21.579	1.00	57.39
	ATOM	5001	O	HOH	251	23.322	9.183	-18.681	0.50	36.90
	END									

9.2 CRYSTAL COORDINATES OF CRY3A

20	HEADER	TOXIN	22-JUN-94	1DLC	1DLC	2
	COMPND	DELTA-ENDOTOXIN CRYIIIA (BT13)			1DLC	3
	SOURCE	(BACILLUS THURINGIENSIS, SUBSPECIES TENEBRIONIS)			1DLC	4
	AUTHOR	J.LI			1DLC	5
25	REVDAT	1 30-SEP-94 1DLC 0			1DLC	6
	REMARK	1			1DLC	7
	REMARK	1 REFERENCE 1			1DLC	8
	REMARK	1 AUTH J.LI, J.CARROLL, D.J.ELLAR			1DLC	9
30	REMARK	1 TITL CRYSTAL STRUCTURE OF INSECTICIDAL DELTA-ENDOTOXIN			1DLC	10
	REMARK	1 TITL 2 FROM BACILLUS THURINGIENSIS AT 2.5 ANGSTROMS			1DLC	11
	REMARK	1 TITL 3 RESOLUTION			1DLC	12
	REMARK	1 REF NATURE	V. 353	815 1991	1DLC	13
	REMARK	1 REFN ASTM NATUAS UK ISSN 0028-0836		0006	1DLC	14
	REMARK	1 REFERENCE 2			1DLC	15
35	REMARK	1 AUTH J.LI, R.HENDERSON, J.CARROLL, D.ELLAR			1DLC	16
	REMARK	1 TITL X-RAY ANALYSIS OF THE CRYSTALLINE PARASPORAL			1DLC	17
	REMARK	1 TITL 2 INCLUSION IN BACILLUS THURINGIENSIS VAR.			1DLC	18
	REMARK	1 TITL 3 TENEBRIONIS			1DLC	19
	REMARK	1 REF J.MOL.BIOL.	V. 199	543 1988	1DLC	20
40	REMARK	1 REFN ASTM JMOBAC UK ISSN 0022-2836		0070	1DLC	21
	REMARK	2			1DLC	22
	REMARK	2 RESOLUTION. 2.5 ANGSTROMS.			1DLC	23
	REMARK	3			1DLC	24
	REMARK	3 REFINEMENT.			1DLC	25
45	REMARK	3 PROGRAM	X-PLOR		1DLC	26
	REMARK	3 AUTHORS	BRUNGER		1DLC	27
	REMARK	3 R VALUE	0.183		1DLC	28
	REMARK	3 RMSD BOND DISTANCES	0.011	ANGSTROMS	1DLC	29
	REMARK	3 RMSD BOND ANGLES	1.58	DEGREES	1DLC	30
50	REMARK	3 RMSD DIHEDRAL ANGLES	25.06	DEGREES	1DLC	31
	REMARK	3 RMSD IMPROPER ROTATION	1.471	DEGREES	1DLC	32
	REMARK	3			1DLC	33
	REMARK	3 NUMBER OF REFLECTIONS	27726		1DLC	34
	REMARK	3 RESOLUTION RANGE	16.0 - 2.5	ANGSTROMS	1DLC	35
55	REMARK	3 DATA CUTOFF	0.0	SIGMA(F)	1DLC	36
	REMARK	3 PERCENT COMPLETION	100.		1DLC	37
	REMARK	3			1DLC	38
	REMARK	3 NUMBER OF PROTEIN ATOMS		4697	1DLC	39

	REMARK	3	NUMBER OF SOLVENT ATOMS	106	1DLC	40
	REMARK	3			1DLC	41
	REMARK	3	THE ATOMIC MODEL INCLUDES RESIDUES 51 - 644 OF THE PROTEIN		1DLC	42
	REMARK	3	AND 106 BOUND WATER MOLECULES. BULK SOLVENT CONTRIBUTION		1DLC	43
5	REMARK	3	TO THE STRUCTURE FACTOR WAS CALCULATED USING THE CCP4		1DLC	44
	REMARK	3	PROGRAM SFALL AND INCLUDED IN THIS REFINEMENT.		1DLC	45
	REMARK	3			1DLC	46
	REMARK	4			1DLC	47
	REMARK	4	CRYIIIA BELONGS TO THE "CRY" FAMILY OF DELTA-ENDOTOXINS,		1DLC	48
10	REMARK	4	WHICH ARE PORE-FORMING INSECTICIDAL PROTEIN TOXINS		1DLC	49
	REMARK	4	CONTAINED IN THE CRYSTALLINE PARASPORAL INCLUSIONS OF		1DLC	50
	REMARK	4	BACILLUS THURINGIENSIS. THE SUBCLASS III IS TOXIC		1DLC	51
	REMARK	4	SPECIFICALLY TO COLEOPTERAN INSECTS, I.E., BEETLES. THEY		1DLC	52
	REMARK	4	FUNCTION BY BINDING TO MIDGUT EPITHELIAL CELLS AND INDUCE		1DLC	53
15	REMARK	4	COLLOIDSMOTIC LYSIS.		1DLC	54
	REMARK	5			1DLC	55
	REMARK	5	THE SEQUENCE OF CRYIIIA IN THE ATOMIC MODEL IS TAKEN FROM:		1DLC	56
	REMARK	5	HOEFTE, H., SEURINCK, J., VAN HOUTVEN, A. AND VAECK, M.		1DLC	57
	REMARK	5	(1987) NUCLEIC ACIDS RES. 15:7183. EMBL ACCESSION NUMBER		1DLC	58
20	REMARK	5	P07130, ENTRY NAME CR70_BACTT. RESIDUES 1 - 57 ARE		1DLC	59
	REMARK	5	REMOVED IN THE MATURE TOXIN. RESIDUES 58 - 60 ARE		1DLC	60
	REMARK	5	INVISIBLE IN THE CRYSTAL STRUCTURE.		1DLC	61
	REMARK	6			1DLC	62
	REMARK	6	THE STRUCTURE WAS REPORTED IN PAPER [1] ABOVE AFTER		1DLC	63
25	REMARK	6	PRELIMINARY REFINEMENT. THE COORDINATES BEING DEPOSITED		1DLC	64
	REMARK	6	HERE RESULTED FROM FURTHER REFINEMENT.		1DLC	65
	REMARK	7			1DLC	66
	REMARK	7	CROSS REFERENCE TO SEQUENCE DATABASE		1DLC	67
	REMARK	7	SWISS-PROT ENTRY NAME PDB ENTRY CHAIN NAME		1DLC	68
30	REMARK	7	CR70_BACTT		1DLC	69
	SEQRES	1	584 THR THR LYS ASP VAL ILE GLN LYS GLY ILE SER VAL VAL	1DLC	70	
	SEQRES	2	584 GLY ASP LEU LEU GLY VAL VAL GLY PHE PRO PHE GLY GLY	1DLC	71	
	SEQRES	3	584 ALA LEU VAL SER PHE TYR THR ASN PHE LEU ASN THR ILE	1DLC	72	
	SEQRES	4	584 TRP PRO SER GLU ASP PRO TRP LYS ALA PHE MET GLU GLN	1DLC	73	
35	SEQRES	5	584 VAL GLU ALA LEU MET ASP GLN LYS ILE ALA ASP TYR ALA	1DLC	74	
	SEQRES	6	584 LYS ASN LYS ALA LEU ALA GLU LEU GLN GLY LEU GLN ASN	1DLC	75	
	SEQRES	7	584 ASN VAL GLU ASP TYR VAL SER ALA LEU SER SER TRP GLN	1DLC	76	
	SEQRES	8	584 LYS ASN PRO VAL SER SER ARG ASN PRO HIS SER GLN GLY	1DLC	77	
	SEQRES	9	584 ARG ILE ARG GLU LEU PHE SER GLN ALA GLU SER HIS PHE	1DLC	78	
40	SEQRES	10	584 ARG ASN SER MET PRO SER PHE ALA ILE SER GLY TYR GLU	1DLC	79	
	SEQRES	11	584 VAL LEU PHE LEU THR THR TYR ALA GLN ALA ALA ASN THR	1DLC	80	
	SEQRES	12	584 HIS LEU PHE LEU LEU LYS ASP ALA GLN ILE TYR GLY GLU	1DLC	81	
	SEQRES	13	584 GLU TRP GLY TYR GLU LYS GLU ASP ILE ALA GLU PHE TYR	1DLC	82	
	SEQRES	14	584 LYS ARG GLN LEU LYS LEU THR GLN GLU TYR THR ASP HIS	1DLC	83	
45	SEQRES	15	584 CYS VAL LYS TRP TYR ASN VAL GLY LEU ASP LYS LEU ARG	1DLC	84	
	SEQRES	16	584 GLY SER SER TYR GLU SER TRP VAL ASN PHE ASN ARG TYR	1DLC	85	
	SEQRES	17	584 ARG ARG GLU MET THR LEU THR VAL LEU ASP LEU ILE ALA	1DLC	86	
	SEQRES	18	584 LEU PHE PRO LEU TYR ASP VAL ARG LEU TYR PRO LYS GLU	1DLC	87	
	SEQRES	19	584 VAL LYS THR GLU LEU THR ARG ASP VAL LEU THR ASP PRO	1DLC	88	
50	SEQRES	20	584 ILE VAL GLY VAL ASN ASN LEU ARG GLY TYR GLY THR THR	1DLC	89	
	SEQRES	21	584 PHE SER ASN ILE GLU ASN TYR ILE ARG LYS PRO HIS LEU	1DLC	90	
	SEQRES	22	584 PHE ASP TYR LEU HIS ARG ILE GLN PHE HIS THR ARG PHE	1DLC	91	
	SEQRES	23	584 GLN PRO GLY TYR TYR GLY ASN ASP SER PHE ASN TYR TRP	1DLC	92	
	SEQRES	24	584 SER GLY ASN TYR VAL SER THR ARG PRO SER ILE GLY SER	1DLC	93	
55	SEQRES	25	584 ASN ASP ILE ILE THR SER PRO PHE TYR GLY ASN LYS SER	1DLC	94	
	SEQRES	26	584 SER GLU PRO VAL GLN ASN LEU GLU PHE ASN GLY GLU LYS	1DLC	95	
	SEQRES	27	584 VAL TYR ARG ALA VAL ALA ASN THR ASN LEU ALA VAL TRP	1DLC	96	
	SEQRES	28	584 PRO SER ALA VAL TYR SER GLY VAL THR LYS VAL GLU PHE	1DLC	97	
	SEQRES	29	584 SER GLN TYR ASN ASP GLN THR ASP GLU ALA SER THR GLN	1DLC	98	
60	SEQRES	30	584 THR TYR ASP SER LYS ARG ASN VAL GLY ALA VAL SER TRP	1DLC	99	

	SEQRES	31	584	ASP	SER	ILE	ASP	GLN	LEU	PRO	PRO	GLU	THR	THR	ASP	GLU	1DLC	100
	SEQRES	32	584	PRO	LEU	GLU	LYS	GLY	TYR	SER	HIS	GLN	LEU	ASN	TYR	VAL	1DLC	101
	SEQRES	33	584	MET	CYS	PHE	LEU	MET	GLN	GLY	SER	ARG	GLY	THR	ILE	PRO	1DLC	102
	SEQRES	34	584	VAL	LEU	THR	TRP	THR	HIS	LYS	SER	VAL	ASP	PHE	PHE	ASN	1DLC	103
5	SEQRES	35	584	MET	ILE	ASP	SER	LYS	LYS	ILE	THR	GLN	LEU	PRO	LEU	VAL	1DLC	104
	SEQRES	36	584	LYS	ALA	TYR	LYS	LEU	GLN	SER	GLY	ALA	SER	VAL	VAL	ALA	1DLC	105
	SEQRES	37	584	GLY	PRO	ARG	PHE	THR	GLY	GLY	ASP	ILE	ILE	GLN	CYS	THR	1DLC	106
	SEQRES	38	584	GLU	ASN	GLY	SER	ALA	ALA	THR	ILE	TYR	VAL	THR	PRO	ASP	1DLC	107
	SEQRES	39	584	VAL	SER	TYR	SER	GLN	LYS	TYR	ARG	ALA	ARG	ILE	HIS	TYR	1DLC	108
10	SEQRES	40	584	ALA	SER	THR	SER	GLN	ILE	THR	PHE	THR	LEU	SER	LEU	ASP	1DLC	109
	SEQRES	41	584	GLY	ALA	PRO	PHE	ASN	GLN	TYR	TYR	PHE	ASP	LYS	THR	ILE	1DLC	110
	SEQRES	42	584	ASN	LYS	GLY	ASP	THR	LEU	THR	TYR	ASN	SER	PHE	ASN	LEU	1DLC	111
	SEQRES	43	584	ALA	SER	PHE	SER	THR	PRO	PHE	GLU	LEU	SER	GLY	ASN	ASN	1DLC	112
	SEQRES	44	584	LEU	GLN	ILE	GLY	VAL	THR	GLY	LEU	SER	ALA	GLY	ASP	LYS	1DLC	113
15	SEQRES	45	584	VAL	TYR	ILE	ASP	LYS	ILE	GLU	PHE	ILE	PRO	VAL	ASN		1DLC	114
	FTNOTE	1															1DLC	115
	FTNOTE	1															1DLC	116
	FORMUL	2															1DLC	117
	CRYST1	117.090	134.260	104.500	90.00	90.00	90.00	C	2	2	21						1DLC	118
20	ORIGX1	1.000000	0.000000	0.000000			0.000000										1DLC	119
	ORIGX2	0.000000	1.000000	0.000000			0.000000										1DLC	120
	ORIGX3	0.000000	0.000000	1.000000			0.000000										1DLC	121
	SCALE1	0.008540	0.000000	0.000000			0.000000										1DLC	122
	SCALE2	0.000000	0.007448	0.000000			0.000000										1DLC	123
25	SCALE3	0.000000	0.000000	0.009569			0.000000										1DLC	124
	ATOM	1	N	THR	61		29.687	34.216	28.976	1.00	81.05						1DLC	125
	ATOM	2	CA	THR	61		29.891	35.382	28.051	1.00	79.92						1DLC	126
	ATOM	3	C	THR	61		30.511	36.562	28.809	1.00	78.01						1DLC	127
	ATOM	4	O	THR	61		30.542	36.553	30.039	1.00	78.99						1DLC	128
30	ATOM	5	CB	THR	61		28.566	35.808	27.359	1.00	81.30						1DLC	129
	ATOM	6	OG1	THR	61		28.815	36.906	26.470	1.00	81.70						1DLC	130
	ATOM	7	CG2	THR	61		27.514	36.206	28.388	1.00	82.00						1DLC	131
	ATOM	8	N	THR	62		31.035	37.542	28.074	1.00	74.62						1DLC	132
	ATOM	9	CA	THR	62		31.689	38.735	28.648	1.00	71.74						1DLC	133
35	ATOM	10	C	THR	62		32.886	38.447	29.565	1.00	68.69						1DLC	134
	ATOM	11	O	THR	62		33.402	39.348	30.227	1.00	67.78						1DLC	135
	ATOM	12	CB	THR	62		30.702	39.676	29.416	1.00	72.26						1DLC	136
	ATOM	13	OG1	THR	62		30.353	39.108	30.689	1.00	70.81						1DLC	137
	ATOM	14	CG2	THR	62		29.446	39.935	28.595	1.00	72.45						1DLC	138
40	ATOM	15	N	LYS	63		33.367	37.206	29.542	1.00	65.97						1DLC	139
	ATOM	16	CA	LYS	63		34.505	36.792	30.369	1.00	64.35						1DLC	140
	ATOM	17	C	LYS	63		35.716	37.704	30.142	1.00	60.39						1DLC	141
	ATOM	18	O	LYS	63		36.514	37.928	31.050	1.00	58.79						1DLC	142
	ATOM	19	CB	LYS	63		34.903	35.327	30.097	1.00	67.19						1DLC	143
45	ATOM	20	CG	LYS	63		33.799	34.413	29.553	1.00	71.54						1DLC	144
	ATOM	21	CD	LYS	63		33.671	34.566	28.032	1.00	77.47						1DLC	145
	ATOM	22	CE	LYS	63		32.583	33.671	27.434	1.00	79.28						1DLC	146
	ATOM	23	NZ	LYS	63		32.253	34.062	26.018	1.00	79.70						1DLC	147
	ATOM	24	N	ASP	64		35.829	38.242	28.928	1.00	56.53						1DLC	148
50	ATOM	25	CA	ASP	64		36.919	39.146	28.568	1.00	52.15						1DLC	149
	ATOM	26	C	ASP	64		37.009	40.333	29.526	1.00	46.41						1DLC	150
	ATOM	27	O	ASP	64		38.033	40.514	30.176	1.00	45.73						1DLC	151
	ATOM	28	CB	ASP	64		36.747	39.647	27.131	1.00	59.48						1DLC	152
	ATOM	29	CG	ASP	64		37.811	40.666	26.729	1.00	66.90						1DLC	153
55	ATOM	30	OD1	ASP	64		39.020	40.354	26.864	1.00	70.25						1DLC	154
	ATOM	31	OD2	ASP	64		37.436	41.780	26.280	1.00	70.28						1DLC	155
	ATOM	32	N	VAL	65		35.937	41.120	29.631	1.00	40.49						1DLC	156
	ATOM	33	CA	VAL	65		35.929	42.276	30.535	1.00	36.43						1DLC	157
	ATOM	34	C	VAL	65		35.981	41.865	31.998	1.00	33.19						1DLC	158
60	ATOM	35	O	VAL	65		36.481	42.612	32.843	1.00	33.95						1DLC	159

	ATOM	36	CB	VAL	65	34.721	43.233	30.319	1.00	34.54	1DLC 160
	ATOM	37	CG1	VAL	65	34.823	43.903	28.969	1.00	35.83	1DLC 161
	ATOM	38	CG2	VAL	65	33.405	42.501	30.473	1.00	36.36	1DLC 162
5	ATOM	39	N	ILE	66	35.474	40.676	32.299	1.00	28.34	1DLC 163
	ATOM	40	CA	ILE	66	35.506	40.197	33.666	1.00	26.84	1DLC 164
	ATOM	41	C	ILE	66	36.953	39.854	34.029	1.00	27.43	1DLC 165
	ATOM	42	O	ILE	66	37.405	40.153	35.138	1.00	27.70	1DLC 166
	ATOM	43	CB	ILE	66	34.576	38.962	33.857	1.00	26.34	1DLC 167
10	ATOM	44	CG1	ILE	66	33.138	39.362	33.533	1.00	26.70	1DLC 168
	ATOM	45	CG2	ILE	66	34.627	38.459	35.299	1.00	23.41	1DLC 169
	ATOM	46	CD1	ILE	66	32.625	40.529	34.377	1.00	27.75	1DLC 170
	ATOM	47	N	GLN	67	37.696	39.313	33.063	1.00	26.53	1DLC 171
	ATOM	48	CA	GLN	67	39.100	38.962	33.278	1.00	27.75	1DLC 172
	ATOM	49	C	GLN	67	39.931	40.231	33.442	1.00	25.84	1DLC 173
15	ATOM	50	O	GLN	67	40.772	40.315	34.340	1.00	23.91	1DLC 174
	ATOM	51	CB	GLN	67	39.639	38.122	32.122	1.00	32.89	1DLC 175
	ATOM	52	CG	GLN	67	40.360	36.852	32.576	1.00	39.52	1DLC 176
	ATOM	53	CD	GLN	67	41.866	37.006	32.729	1.00	44.36	1DLC 177
20	ATOM	54	OE1	GLN	67	42.613	36.080	32.442	1.00	52.02	1DLC 178
	ATOM	55	NE2	GLN	67	42.316	38.156	33.188	1.00	45.86	1DLC 179
	ATOM	56	N	LYS	68	39.688	41.216	32.580	1.00	22.97	1DLC 180
	ATOM	57	CA	LYS	68	40.388	42.496	32.664	1.00	24.69	1DLC 181
	ATOM	58	C	LYS	68	40.100	43.123	34.030	1.00	24.93	1DLC 182
25	ATOM	59	O	LYS	68	41.010	43.577	34.725	1.00	28.51	1DLC 183
	ATOM	60	CB	LYS	68	39.926	43.436	31.550	1.00	26.18	1DLC 184
	ATOM	61	CG	LYS	68	40.265	42.946	30.158	1.00	29.43	1DLC 185
	ATOM	62	CD	LYS	68	39.812	43.936	29.098	1.00	35.76	1DLC 186
	ATOM	63	CE	LYS	68	40.187	43.453	27.710	1.00	37.35	1DLC 187
	ATOM	64	NZ	LYS	68	41.635	43.087	27.651	1.00	43.99	1DLC 188
30	ATOM	65	N	GLY	69	38.832	43.092	34.431	1.00	24.56	1DLC 189
	ATOM	66	CA	GLY	69	38.443	43.632	35.717	1.00	22.62	1DLC 190
	ATOM	67	C	GLY	69	39.161	42.937	36.859	1.00	22.36	1DLC 191
	ATOM	68	O	GLY	69	39.750	43.599	37.709	1.00	25.64	1DLC 192
	ATOM	69	N	ILE	70	39.144	41.606	36.862	1.00	20.46	1DLC 193
35	ATOM	70	CA	ILE	70	39.801	40.821	37.908	1.00	19.46	1DLC 194
	ATOM	71	C	ILE	70	41.318	41.037	37.943	1.00	21.56	1DLC 195
	ATOM	72	O	ILE	70	41.911	41.211	39.015	1.00	20.57	1DLC 196
	ATOM	73	CB	ILE	70	39.452	39.303	37.773	1.00	21.33	1DLC 197
	ATOM	74	CG1	ILE	70	37.984	39.074	38.191	1.00	21.90	1DLC 198
40	ATOM	75	CG2	ILE	70	40.413	38.437	38.609	1.00	17.07	1DLC 199
	ATOM	76	CD1	ILE	70	37.517	37.621	38.227	1.00	15.87	1DLC 200
	ATOM	77	N	SER	71	41.929	41.072	36.763	1.00	22.90	1DLC 201
	ATOM	78	CA	SER	71	43.371	41.277	36.627	1.00	24.32	1DLC 202
	ATOM	79	C	SER	71	43.861	42.628	37.141	1.00	23.60	1DLC 203
45	ATOM	80	O	SER	71	44.873	42.697	37.845	1.00	23.30	1DLC 204
	ATOM	81	CB	SER	71	43.795	41.111	35.171	1.00	25.61	1DLC 205
	ATOM	82	OG	SER	71	43.497	39.802	34.733	1.00	34.05	1DLC 206
	ATOM	83	N	VAL	72	43.153	43.698	36.787	1.00	20.94	1DLC 207
	ATOM	84	CA	VAL	72	43.532	45.037	37.232	1.00	20.83	1DLC 208
50	ATOM	85	C	VAL	72	43.556	45.113	38.755	1.00	21.24	1DLC 209
	ATOM	86	O	VAL	72	44.528	45.584	39.346	1.00	23.21	1DLC 210
	ATOM	87	CB	VAL	72	42.572	46.104	36.673	1.00	22.69	1DLC 211
	ATOM	88	CG1	VAL	72	42.850	47.458	37.309	1.00	24.49	1DLC 212
	ATOM	89	CG2	VAL	72	42.738	46.203	35.165	1.00	25.89	1DLC 213
55	ATOM	90	N	VAL	73	42.493	44.613	39.380	1.00	19.28	1DLC 214
	ATOM	91	CA	VAL	73	42.377	44.600	40.834	1.00	15.95	1DLC 215
	ATOM	92	C	VAL	73	43.523	43.777	41.408	1.00	15.90	1DLC 216
	ATOM	93	O	VAL	73	44.169	44.181	42.373	1.00	19.54	1DLC 217
	ATOM	94	CB	VAL	73	40.993	44.023	41.277	1.00	15.19	1DLC 218
60	ATOM	95	CG1	VAL	73	40.977	43.726	42.762	1.00	11.40	1DLC 219

	ATOM	96	CG2	VAL	73	39.882	45.005	40.936	1.00	3.14	1DLC	220
	ATOM	97	N	GLY	74	43.804	42.543	40.773	1.00	18.80	1DLC	221
	ATOM	98	CA	GLY	74	44.888	41.786	41.225	1.00	20.25	1DLC	222
5	ATOM	99	C	GLY	74	46.250	42.465	41.136	1.00	22.94	1DLC	223
	ATOM	100	O	GLY	74	47.061	42.353	42.051	1.00	24.08	1DLC	224
	ATOM	101	N	ASP	75	46.493	43.183	40.043	1.00	21.18	1DLC	225
	ATOM	102	CA	ASP	75	47.750	43.892	39.849	1.00	25.01	1DLC	226
	ATOM	103	C	ASP	75	47.858	45.070	40.810	1.00	25.78	1DLC	227
	ATOM	104	O	ASP	75	48.904	45.296	41.423	1.00	27.64	1DLC	228
10	ATOM	105	CB	ASP	75	47.873	44.394	38.404	1.00	31.86	1DLC	229
	ATOM	106	CG	ASP	75	48.091	43.263	37.397	1.00	35.66	1DLC	230
	ATOM	107	OD1	ASP	75	48.511	42.153	37.802	1.00	39.68	1DLC	231
	ATOM	108	OD2	ASP	75	47.847	43.487	36.189	1.00	42.21	1DLC	232
	ATOM	109	N	LEU	76	46.772	45.819	40.947	1.00	26.59	1DLC	233
15	ATOM	110	CA	LEU	76	46.755	46.967	41.847	1.00	24.97	1DLC	234
	ATOM	111	C	LEU	76	47.065	46.549	43.276	1.00	23.34	1DLC	235
	ATOM	112	O	LEU	76	47.690	47.303	44.018	1.00	23.84	1DLC	236
	ATOM	113	CB	LEU	76	45.410	47.678	41.790	1.00	24.54	1DLC	237
	ATOM	114	CG	LEU	76	45.214	48.589	40.588	1.00	21.89	1DLC	238
20	ATOM	115	CD1	LEU	76	43.743	48.951	40.475	1.00	23.58	1DLC	239
	ATOM	116	CD2	LEU	76	46.081	49.830	40.737	1.00	20.30	1DLC	240
	ATOM	117	N	LEU	77	46.655	45.339	43.649	1.00	22.54	1DLC	241
	ATOM	118	CA	LEU	77	46.928	44.834	44.992	1.00	23.75	1DLC	242
	ATOM	119	C	LEU	77	48.440	44.786	45.278	1.00	24.55	1DLC	243
25	ATOM	120	O	LEU	77	48.864	44.713	46.435	1.00	25.25	1DLC	244
	ATOM	121	CB	LEU	77	46.290	43.453	45.198	1.00	22.14	1DLC	245
	ATOM	122	CG	LEU	77	44.817	43.440	45.633	1.00	23.83	1DLC	246
	ATOM	123	CD1	LEU	77	44.298	42.016	45.692	1.00	21.52	1DLC	247
	ATOM	124	CD2	LEU	77	44.652	44.116	46.991	1.00	19.85	1DLC	248
30	ATOM	125	N	GLY	78	49.240	44.837	44.215	1.00	24.11	1DLC	249
	ATOM	126	CA	GLY	78	50.684	44.823	44.356	1.00	23.63	1DLC	250
	ATOM	127	C	GLY	78	51.337	46.203	44.380	1.00	25.07	1DLC	251
	ATOM	128	O	GLY	78	52.481	46.329	44.795	1.00	28.69	1DLC	252
	ATOM	129	N	VAL	79	50.634	47.238	43.930	1.00	24.83	1DLC	253
35	ATOM	130	CA	VAL	79	51.190	48.599	43.920	1.00	22.91	1DLC	254
	ATOM	131	C	VAL	79	50.332	49.576	44.728	1.00	23.48	1DLC	255
	ATOM	132	O	VAL	79	50.285	50.775	44.461	1.00	28.13	1DLC	256
	ATOM	133	CB	VAL	79	51.361	49.136	42.474	1.00	19.52	1DLC	257
	ATOM	134	CG1	VAL	79	52.454	48.379	41.769	1.00	19.64	1DLC	258
40	ATOM	135	CG2	VAL	79	50.072	49.007	41.701	1.00	18.98	1DLC	259
	ATOM	136	N	VAL	80	49.666	49.047	45.736	1.00	23.04	1DLC	260
	ATOM	137	CA	VAL	80	48.795	49.835	46.588	1.00	21.33	1DLC	261
	ATOM	138	C	VAL	80	49.632	50.446	47.753	1.00	24.09	1DLC	262
	ATOM	139	O	VAL	80	50.565	49.810	48.267	1.00	24.41	1DLC	263
45	ATOM	140	CB	VAL	80	47.575	48.936	46.982	1.00	16.03	1DLC	264
	ATOM	141	CG1	VAL	80	47.581	48.546	48.431	1.00	16.04	1DLC	265
	ATOM	142	CG2	VAL	80	46.295	49.576	46.531	1.00	8.70	1DLC	266
	ATOM	143	N	GLY	81	49.345	51.694	48.123	1.00	23.56	1DLC	267
	ATOM	144	CA	GLY	81	50.134	52.364	49.150	1.00	20.79	1DLC	268
50	ATOM	145	C	GLY	81	51.281	53.059	48.416	1.00	24.82	1DLC	269
	ATOM	146	O	GLY	81	51.128	53.400	47.244	1.00	26.66	1DLC	270
	ATOM	147	N	PHE	82	52.419	53.292	49.067	1.00	26.10	1DLC	271
	ATOM	148	CA	PHE	82	53.567	53.934	48.401	1.00	24.09	1DLC	272
	ATOM	149	C	PHE	82	54.383	52.816	47.747	1.00	24.46	1DLC	273
55	ATOM	150	O	PHE	82	55.143	52.114	48.425	1.00	26.54	1DLC	274
	ATOM	151	CB	PHE	82	54.429	54.684	49.417	1.00	22.55	1DLC	275
	ATOM	152	CG	PHE	82	55.329	55.721	48.808	1.00	27.94	1DLC	276
	ATOM	153	CD1	PHE	82	56.374	55.359	47.963	1.00	31.41	1DLC	277
	ATOM	154	CD2	PHE	82	55.136	57.069	49.080	1.00	30.52	1DLC	278
60	ATOM	155	CE1	PHE	82	57.215	56.327	47.395	1.00	31.44	1DLC	279

5	ATOM	156	CE2	PHE	82	55.972	58.048	48.518	1.00	31.31	1DLC	280
	ATOM	157	CZ	PHE	82	57.012	57.673	47.674	1.00	30.74	1DLC	281
	ATOM	158	N	PRO	83	54.278	52.671	46.412	1.00	23.78	1DLC	282
	ATOM	159	CA	PRO	83	54.988	51.632	45.663	1.00	26.68	1DLC	283
	ATOM	160	C	PRO	83	56.418	51.983	45.255	1.00	30.99	1DLC	284
10	ATOM	161	O	PRO	83	56.763	53.156	45.095	1.00	31.60	1DLC	285
	ATOM	162	CB	PRO	83	54.107	51.475	44.430	1.00	23.32	1DLC	286
	ATOM	163	CG	PRO	83	53.801	52.905	44.103	1.00	24.30	1DLC	287
	ATOM	164	CD	PRO	83	53.578	53.578	45.481	1.00	24.78	1DLC	288
	ATOM	165	N	PHE	84	57.248	50.962	45.054	1.00	35.72	1DLC	289
15	ATOM	166	CA	PHE	84	58.610	51.222	44.622	1.00	37.68	1DLC	290
	ATOM	167	C	PHE	84	58.622	51.455	43.101	1.00	36.16	1DLC	291
	ATOM	168	O	PHE	84	57.928	50.768	42.344	1.00	35.44	1DLC	292
	ATOM	169	CB	PHE	84	59.585	50.142	45.149	1.00	43.35	1DLC	293
	ATOM	170	CG	PHE	84	60.018	49.109	44.139	1.00	53.50	1DLC	294
20	ATOM	171	CD1	PHE	84	60.836	49.450	43.055	1.00	55.35	1DLC	295
	ATOM	172	CD2	PHE	84	59.682	47.768	44.324	1.00	58.10	1DLC	296
	ATOM	173	CE1	PHE	84	61.311	48.473	42.178	1.00	57.42	1DLC	297
	ATOM	174	CE2	PHE	84	60.156	46.778	43.448	1.00	59.43	1DLC	298
	ATOM	175	CZ	PHE	84	60.971	47.133	42.375	1.00	58.66	1DLC	299
25	ATOM	176	N	GLY	85	59.320	52.515	42.701	1.00	34.26	1DLC	300
	ATOM	177	CA	GLY	85	59.427	52.923	41.308	1.00	31.90	1DLC	301
	ATOM	178	C	GLY	85	59.414	51.874	40.213	1.00	31.82	1DLC	302
	ATOM	179	O	GLY	85	58.751	52.062	39.193	1.00	33.93	1DLC	303
	ATOM	180	N	GLY	86	60.183	50.803	40.385	1.00	30.52	1DLC	304
30	ATOM	181	CA	GLY	86	60.205	49.750	39.380	1.00	30.25	1DLC	305
	ATOM	182	C	GLY	86	58.868	49.035	39.291	1.00	29.35	1DLC	306
	ATOM	183	O	GLY	86	58.369	48.752	38.204	1.00	29.94	1DLC	307
	ATOM	184	N	ALA	87	58.273	48.764	40.445	1.00	27.51	1DLC	308
	ATOM	185	CA	ALA	87	56.980	48.103	40.492	1.00	26.98	1DLC	309
35	ATOM	186	C	ALA	87	55.905	48.972	39.833	1.00	27.22	1DLC	310
	ATOM	187	O	ALA	87	55.085	48.473	39.064	1.00	31.29	1DLC	311
	ATOM	188	CB	ALA	87	56.606	47.796	41.927	1.00	28.74	1DLC	312
	ATOM	189	N	LEU	88	55.944	50.276	40.106	1.00	26.83	1DLC	313
	ATOM	190	CA	LEU	88	54.982	51.239	39.551	1.00	25.69	1DLC	314
40	ATOM	191	C	LEU	88	55.005	51.264	38.018	1.00	27.21	1DLC	315
	ATOM	192	O	LEU	88	53.955	51.221	37.364	1.00	27.87	1DLC	316
	ATOM	193	CB	LEU	88	55.274	52.637	40.110	1.00	27.08	1DLC	317
	ATOM	194	CG	LEU	88	54.208	53.744	40.185	1.00	27.37	1DLC	318
	ATOM	195	CD1	LEU	88	54.504	54.862	39.217	1.00	24.51	1DLC	319
45	ATOM	196	CD2	LEU	88	52.817	53.179	39.972	1.00	30.41	1DLC	320
	ATOM	197	N	VAL	89	56.207	51.308	37.448	1.00	28.98	1DLC	321
	ATOM	198	CA	VAL	89	56.369	51.325	35.993	1.00	28.90	1DLC	322
	ATOM	199	C	VAL	89	55.898	50.001	35.387	1.00	29.01	1DLC	323
	ATOM	200	O	VAL	89	55.165	49.999	34.396	1.00	28.22	1DLC	324
50	ATOM	201	CB	VAL	89	57.828	51.644	35.594	1.00	27.87	1DLC	325
	ATOM	202	CG1	VAL	89	57.975	51.678	34.082	1.00	24.97	1DLC	326
	ATOM	203	CG2	VAL	89	58.222	52.996	36.169	1.00	28.04	1DLC	327
	ATOM	204	N	SER	90	56.278	48.885	36.013	1.00	30.42	1DLC	328
	ATOM	205	CA	SER	90	55.856	47.551	35.559	1.00	32.29	1DLC	329
55	ATOM	206	C	SER	90	54.342	47.506	35.485	1.00	32.55	1DLC	330
	ATOM	207	O	SER	90	53.765	47.085	34.479	1.00	34.09	1DLC	331
	ATOM	208	CB	SER	90	56.295	46.472	36.544	1.00	34.34	1DLC	332
	ATOM	209	OG	SER	90	57.694	46.292	36.525	1.00	46.73	1DLC	333
	ATOM	210	N	PHE	91	53.701	47.924	36.575	1.00	31.31	1DLC	334
60	ATOM	211	CA	PHE	91	52.249	47.956	36.633	1.00	29.77	1DLC	335
	ATOM	212	C	PHE	91	51.712	48.737	35.441	1.00	29.48	1DLC	336
	ATOM	213	O	PHE	91	50.912	48.224	34.668	1.00	31.29	1DLC	337
	ATOM	214	CB	PHE	91	51.758	48.622	37.924	1.00	29.25	1DLC	338
	ATOM	215	CG	PHE	91	50.285	48.926	37.911	1.00	27.24	1DLC	339

5	ATOM	216	CD1	PHE	91	49.354	47.923	38.151	1.00	24.90	1DLC	340
	ATOM	217	CD2	PHE	91	49.828	50.197	37.584	1.00	24.98	1DLC	341
	ATOM	218	CE1	PHE	91	47.996	48.176	38.057	1.00	24.42	1DLC	342
	ATOM	219	CE2	PHE	91	48.469	50.458	37.489	1.00	23.79	1DLC	343
	ATOM	220	CZ	PHE	91	47.554	49.446	37.724	1.00	22.85	1DLC	344
10	ATOM	221	N	TYR	92	52.176	49.972	35.294	1.00	29.52	1DLC	345
	ATOM	222	CA	TYR	92	51.736	50.835	34.211	1.00	29.00	1DLC	346
	ATOM	223	C	TYR	92	51.764	50.214	32.815	1.00	30.26	1DLC	347
	ATOM	224	O	TYR	92	50.858	50.466	32.017	1.00	30.35	1DLC	348
	ATOM	225	CB	TYR	92	52.524	52.141	34.222	1.00	29.47	1DLC	349
15	ATOM	226	CG	TYR	92	51.925	53.227	35.088	1.00	27.60	1DLC	350
	ATOM	227	CD1	TYR	92	50.587	53.603	34.947	1.00	27.51	1DLC	351
	ATOM	228	CD2	TYR	92	52.716	53.938	35.993	1.00	24.64	1DLC	352
	ATOM	229	CE1	TYR	92	50.062	54.669	35.677	1.00	25.83	1DLC	353
	ATOM	230	CE2	TYR	92	52.197	54.999	36.726	1.00	21.65	1DLC	354
20	ATOM	231	CZ	TYR	92	50.876	55.363	36.562	1.00	23.23	1DLC	355
	ATOM	232	OH	TYR	92	50.380	56.440	37.260	1.00	21.02	1DLC	356
	ATOM	233	N	THR	93	52.774	49.396	32.515	1.00	30.64	1DLC	357
	ATOM	234	CA	THR	93	52.839	48.771	31.190	1.00	32.20	1DLC	358
	ATOM	235	C	THR	93	51.743	47.724	31.004	1.00	33.10	1DLC	359
25	ATOM	236	O	THR	93	51.126	47.658	29.945	1.00	34.96	1DLC	360
	ATOM	237	CB	THR	93	54.226	48.171	30.866	1.00	33.29	1DLC	361
	ATOM	238	OG1	THR	93	54.487	47.041	31.704	1.00	39.40	1DLC	362
	ATOM	239	CG2	THR	93	55.308	49.213	31.080	1.00	34.17	1DLC	363
	ATOM	240	N	ASN	94	51.479	46.926	32.038	1.00	33.43	1DLC	364
30	ATOM	241	CA	ASN	94	50.406	45.929	31.965	1.00	36.98	1DLC	365
	ATOM	242	C	ASN	94	49.089	46.685	31.856	1.00	35.78	1DLC	366
	ATOM	243	O	ASN	94	48.244	46.375	31.018	1.00	37.99	1DLC	367
	ATOM	244	CB	ASN	94	50.348	45.068	33.230	1.00	44.19	1DLC	368
	ATOM	245	CG	ASN	94	51.398	43.978	33.253	1.00	51.52	1DLC	369
35	ATOM	246	OD1	ASN	94	52.109	43.753	32.272	1.00	54.17	1DLC	370
	ATOM	247	ND2	ASN	94	51.490	43.277	34.381	1.00	54.88	1DLC	371
	ATOM	248	N	PHE	95	48.942	47.692	32.713	1.00	33.93	1DLC	372
	ATOM	249	CA	PHE	95	47.755	48.538	32.771	1.00	33.38	1DLC	373
	ATOM	250	C	PHE	95	47.398	49.047	31.385	1.00	32.29	1DLC	374
40	ATOM	251	O	PHE	95	46.270	48.895	30.927	1.00	34.55	1DLC	375
	ATOM	252	CB	PHE	95	48.017	49.715	33.713	1.00	33.16	1DLC	376
	ATOM	253	CG	PHE	95	46.806	50.551	34.005	1.00	32.63	1DLC	377
	ATOM	254	CD1	PHE	95	45.602	49.953	34.386	1.00	30.05	1DLC	378
	ATOM	255	CD2	PHE	95	46.873	51.941	33.920	1.00	31.23	1DLC	379
45	ATOM	256	CE1	PHE	95	44.485	50.726	34.678	1.00	29.10	1DLC	380
	ATOM	257	CE2	PHE	95	45.761	52.726	34.210	1.00	28.92	1DLC	381
	ATOM	258	CZ	PHE	95	44.566	52.117	34.590	1.00	31.14	1DLC	382
	ATOM	259	N	LEU	96	48.380	49.614	30.702	1.00	34.97	1DLC	383
	ATOM	260	CA	LEU	96	48.166	50.126	29.360	1.00	35.92	1DLC	384
50	ATOM	261	C	LEU	96	47.771	49.028	28.384	1.00	36.69	1DLC	385
	ATOM	262	O	LEU	96	46.903	49.230	27.539	1.00	39.72	1DLC	386
	ATOM	263	CB	LEU	96	49.409	50.869	28.862	1.00	39.72	1DLC	387
	ATOM	264	CG	LEU	96	49.427	52.393	29.075	1.00	42.79	1DLC	388
	ATOM	265	CD1	LEU	96	49.134	52.771	30.537	1.00	43.39	1DLC	389
55	ATOM	266	CD2	LEU	96	50.776	52.937	28.633	1.00	45.04	1DLC	390
	ATOM	267	N	ASN	97	48.371	47.853	28.523	1.00	37.06	1DLC	391
	ATOM	268	CA	ASN	97	48.050	46.738	27.630	1.00	40.47	1DLC	392
	ATOM	269	C	ASN	97	46.665	46.150	27.893	1.00	39.49	1DLC	393
	ATOM	270	O	ASN	97	45.986	45.680	26.981	1.00	41.34	1DLC	394
60	ATOM	271	CB	ASN	97	49.103	45.629	27.741	1.00	40.91	1DLC	395
	ATOM	272	CG	ASN	97	50.459	46.054	27.219	1.00	42.87	1DLC	396
	ATOM	273	OD1	ASN	97	51.489	45.589	27.699	1.00	47.11	1DLC	397
	ATOM	274	ND2	ASN	97	50.469	46.941	26.234	1.00	38.77	1DLC	398
	ATOM	275	N	THR	98	46.244	46.214	29.144	1.00	38.36	1DLC	399

	ATOM	276	CA	THR	98	44.959	45.677	29.543	1.00	36.23	1DLC 400
	ATOM	277	C	THR	98	43.798	46.638	29.306	1.00	33.62	1DLC 401
	ATOM	278	O	THR	98	42.957	46.412	28.445	1.00	34.42	1DLC 402
5	ATOM	279	CB	THR	98	44.983	45.290	31.039	1.00	37.03	1DLC 403
	ATOM	280	OG1	THR	98	46.134	44.479	31.302	1.00	36.69	1DLC 404
	ATOM	281	CG2	THR	98	43.726	44.516	31.427	1.00	39.60	1DLC 405
	ATOM	282	N	ILE	99	43.796	47.740	30.045	1.00	31.37	1DLC 406
	ATOM	283	CA	ILE	99	42.720	48.722	29.983	1.00	28.14	1DLC 407
10	ATOM	284	C	ILE	99	42.837	49.822	28.923	1.00	30.20	1DLC 408
	ATOM	285	O	ILE	99	41.827	50.244	28.351	1.00	30.60	1DLC 409
	ATOM	286	CB	ILE	99	42.523	49.378	31.383	1.00	25.44	1DLC 410
	ATOM	287	CG1	ILE	99	42.274	48.301	32.445	1.00	23.31	1DLC 411
	ATOM	288	CG2	ILE	99	41.389	50.388	31.362	1.00	24.47	1DLC 412
	ATOM	289	CD1	ILE	99	41.002	47.504	32.253	1.00	24.55	1DLC 413
15	ATOM	290	N	TRP	100	44.056	50.270	28.631	1.00	29.78	1DLC 414
	ATOM	291	CA	TRP	100	44.226	51.355	27.661	1.00	30.90	1DLC 415
	ATOM	292	C	TRP	100	44.913	51.060	26.312	1.00	34.13	1DLC 416
	ATOM	293	O	TRP	100	45.593	51.932	25.755	1.00	37.64	1DLC 417
20	ATOM	294	CB	TRP	100	44.916	52.548	28.341	1.00	25.25	1DLC 418
	ATOM	295	CG	TRP	100	44.160	53.138	29.509	1.00	21.47	1DLC 419
	ATOM	296	CD1	TRP	100	44.326	52.835	30.836	1.00	19.22	1DLC 420
	ATOM	297	CD2	TRP	100	43.173	54.181	29.459	1.00	19.56	1DLC 421
	ATOM	298	NE1	TRP	100	43.517	53.635	31.611	1.00	19.74	1DLC 422
25	ATOM	299	CE2	TRP	100	42.799	54.469	30.795	1.00	19.03	1DLC 423
	ATOM	300	CE3	TRP	100	42.576	54.905	28.418	1.00	16.14	1DLC 424
	ATOM	301	CZ2	TRP	100	41.856	55.455	31.116	1.00	20.11	1DLC 425
	ATOM	302	CZ3	TRP	100	41.635	55.887	28.739	1.00	18.05	1DLC 426
	ATOM	303	CH2	TRP	100	41.287	56.150	30.079	1.00	18.97	1DLC 427
30	ATOM	304	N	PRO	101	44.702	49.859	25.738	1.00	35.80	1DLC 428
	ATOM	305	CA	PRO	101	45.347	49.557	24.455	1.00	37.30	1DLC 429
	ATOM	306	C	PRO	101	44.651	50.132	23.217	1.00	38.37	1DLC 430
	ATOM	307	O	PRO	101	45.309	50.557	22.271	1.00	39.64	1DLC 431
	ATOM	308	CB	PRO	101	45.322	48.034	24.431	1.00	38.85	1DLC 432
35	ATOM	309	CG	PRO	101	44.017	47.726	25.088	1.00	35.28	1DLC 433
	ATOM	310	CD	PRO	101	44.032	48.658	26.274	1.00	36.12	1DLC 434
	ATOM	311	N	SER	102	43.322	50.129	23.227	1.00	40.19	1DLC 435
	ATOM	312	CA	SER	102	42.514	50.620	22.105	1.00	41.68	1DLC 436
	ATOM	313	C	SER	102	41.097	50.916	22.592	1.00	41.86	1DLC 437
40	ATOM	314	O	SER	102	40.831	50.852	23.789	1.00	41.66	1DLC 438
	ATOM	315	CB	SER	102	42.439	49.547	21.019	1.00	43.16	1DLC 439
	ATOM	316	OG	SER	102	41.925	48.330	21.556	1.00	45.57	1DLC 440
	ATOM	317	N	GLU	103	40.178	51.206	21.674	1.00	41.50	1DLC 441
	ATOM	318	CA	GLU	103	38.800	51.482	22.080	1.00	43.73	1DLC 442
45	ATOM	319	C	GLU	103	37.989	50.207	22.334	1.00	41.43	1DLC 443
	ATOM	320	O	GLU	103	36.916	50.251	22.937	1.00	40.77	1DLC 444
	ATOM	321	CB	GLU	103	38.078	52.403	21.076	1.00	48.24	1DLC 445
	ATOM	322	CG	GLU	103	37.564	51.764	19.782	1.00	56.59	1DLC 446
	ATOM	323	CD	GLU	103	38.656	51.448	18.766	1.00	63.51	1DLC 447
50	ATOM	324	OE1	GLU	103	39.739	52.096	18.786	1.00	66.38	1DLC 448
	ATOM	325	OE2	GLU	103	38.417	50.544	17.931	1.00	65.54	1DLC 449
	ATOM	326	N	ASP	104	38.544	49.065	21.947	1.00	40.07	1DLC 450
	ATOM	327	CA	ASP	104	37.856	47.791	22.132	1.00	41.15	1DLC 451
	ATOM	328	C	ASP	104	37.437	47.481	23.572	1.00	38.99	1DLC 452
55	ATOM	329	O	ASP	104	36.282	47.118	23.816	1.00	39.97	1DLC 453
	ATOM	330	CB	ASP	104	38.674	46.634	21.543	1.00	44.04	1DLC 454
	ATOM	331	CG	ASP	104	38.713	46.656	20.016	1.00	50.06	1DLC 455
	ATOM	332	OD1	ASP	104	37.649	46.852	19.375	1.00	53.14	1DLC 456
	ATOM	333	OD2	ASP	104	39.811	46.468	19.454	1.00	53.68	1DLC 457
60	ATOM	334	N	PRO	105	38.351	47.651	24.551	1.00	36.35	1DLC 458
	ATOM	335	CA	PRO	105	37.984	47.364	25.944	1.00	34.16	1DLC 459

5	ATOM	336	C	PRO	105	36.845	48.263	26.449	1.00	33.17	1DLC	460
	ATOM	337	O	PRO	105	35.899	47.794	27.089	1.00	31.65	1DLC	461
	ATOM	338	CB	PRO	105	39.286	47.640	26.703	1.00	32.33	1DLC	462
	ATOM	339	CG	PRO	105	40.336	47.374	25.695	1.00	32.70	1DLC	463
	ATOM	340	CD	PRO	105	39.773	48.023	24.464	1.00	33.69	1DLC	464
10	ATOM	341	N	TRP	106	36.933	49.548	26.127	1.00	30.91	1DLC	465
	ATOM	342	CA	TRP	106	35.928	50.519	26.543	1.00	31.51	1DLC	466
	ATOM	343	C	TRP	106	34.573	50.226	25.925	1.00	30.83	1DLC	467
	ATOM	344	O	TRP	106	33.539	50.353	26.572	1.00	31.34	1DLC	468
	ATOM	345	CB	TRP	106	36.404	51.928	26.200	1.00	30.77	1DLC	469
15	ATOM	346	CG	TRP	106	37.688	52.230	26.890	1.00	31.17	1DLC	470
	ATOM	347	CD1	TRP	106	38.940	52.165	26.356	1.00	28.87	1DLC	471
	ATOM	348	CD2	TRP	106	37.858	52.537	28.277	1.00	31.01	1DLC	472
	ATOM	349	NE1	TRP	106	39.879	52.396	27.327	1.00	27.96	1DLC	473
	ATOM	350	CE2	TRP	106	39.245	52.629	28.517	1.00	29.45	1DLC	474
20	ATOM	351	CE3	TRP	106	36.971	52.737	29.346	1.00	32.12	1DLC	475
	ATOM	352	CZ2	TRP	106	39.771	52.912	29.781	1.00	31.59	1DLC	476
	ATOM	353	CZ3	TRP	106	37.495	53.019	30.607	1.00	33.16	1DLC	477
	ATOM	354	CH2	TRP	106	38.884	53.103	30.811	1.00	31.59	1DLC	478
	ATOM	355	N	LYS	107	34.588	49.786	24.678	1.00	33.17	1DLC	479
25	ATOM	356	CA	LYS	107	33.356	49.445	23.979	1.00	35.51	1DLC	480
	ATOM	357	C	LYS	107	32.718	48.208	24.638	1.00	31.75	1DLC	481
	ATOM	358	O	LYS	107	31.499	48.136	24.818	1.00	27.83	1DLC	482
	ATOM	359	CB	LYS	107	33.674	49.188	22.506	1.00	40.04	1DLC	483
	ATOM	360	CG	LYS	107	32.519	49.475	21.568	1.00	49.75	1DLC	484
30	ATOM	361	CD	LYS	107	33.032	49.919	20.204	1.00	56.89	1DLC	485
	ATOM	362	CE	LYS	107	34.066	48.945	19.643	1.00	62.13	1DLC	486
	ATOM	363	NZ	LYS	107	34.425	49.301	18.238	1.00	68.80	1DLC	487
	ATOM	364	N	ALA	108	33.574	47.276	25.055	1.00	29.83	1DLC	488
	ATOM	365	CA	ALA	108	33.160	46.045	25.720	1.00	28.62	1DLC	489
35	ATOM	366	C	ALA	108	32.569	46.312	27.115	1.00	29.18	1DLC	490
	ATOM	367	O	ALA	108	31.662	45.598	27.559	1.00	28.23	1DLC	491
	ATOM	368	CB	ALA	108	34.344	45.083	25.810	1.00	27.06	1DLC	492
	ATOM	369	N	PHE	109	33.092	47.327	27.806	1.00	27.51	1DLC	493
	ATOM	370	CA	PHE	109	32.589	47.701	29.129	1.00	26.94	1DLC	494
40	ATOM	371	C	PHE	109	31.193	48.301	29.013	1.00	27.69	1DLC	495
	ATOM	372	O	PHE	109	30.338	48.104	29.876	1.00	29.41	1DLC	496
	ATOM	373	CB	PHE	109	33.525	48.703	29.805	1.00	27.56	1DLC	497
	ATOM	374	CG	PHE	109	34.672	48.064	30.528	1.00	32.09	1DLC	498
	ATOM	375	CD1	PHE	109	34.465	46.954	31.344	1.00	33.41	1DLC	499
45	ATOM	376	CD2	PHE	109	35.962	48.566	30.396	1.00	32.21	1DLC	500
	ATOM	377	CE1	PHE	109	35.523	46.351	32.018	1.00	34.60	1DLC	501
	ATOM	378	CE2	PHE	109	37.025	47.972	31.065	1.00	34.23	1DLC	502
	ATOM	379	CZ	PHE	109	36.805	46.860	31.879	1.00	34.84	1DLC	503
	ATOM	380	N	MET	110	30.970	49.047	27.942	1.00	26.88	1DLC	504
50	ATOM	381	CA	MET	110	29.671	49.653	27.713	1.00	29.57	1DLC	505
	ATOM	382	C	MET	110	28.666	48.544	27.402	1.00	31.10	1DLC	506
	ATOM	383	O	MET	110	27.614	48.442	28.038	1.00	30.88	1DLC	507
	ATOM	384	CB	MET	110	29.751	50.664	26.564	1.00	29.18	1DLC	508
	ATOM	385	CG	MET	110	30.604	51.894	26.869	1.00	28.37	1DLC	509
55	ATOM	386	SD	MET	110	30.715	53.039	25.473	1.00	32.63	1DLC	510
	ATOM	387	CE	MET	110	31.965	54.148	26.035	1.00	35.77	1DLC	511
	ATOM	388	N	GLU	111	29.033	47.672	26.467	1.00	33.04	1DLC	512
	ATOM	389	CA	GLU	111	28.179	46.553	26.078	1.00	33.48	1DLC	513
	ATOM	390	C	GLU	111	27.885	45.632	27.257	1.00	31.71	1DLC	514
60	ATOM	391	O	GLU	111	26.801	45.054	27.338	1.00	30.92	1DLC	515
	ATOM	392	CB	GLU	111	28.818	45.755	24.937	1.00	37.35	1DLC	516
	ATOM	393	CG	GLU	111	28.863	46.510	23.607	1.00	45.28	1DLC	517
	ATOM	394	CD	GLU	111	29.578	45.753	22.491	1.00	48.00	1DLC	518
	ATOM	395	OE1	GLU	111	29.969	44.577	22.690	1.00	52.24	1DLC	519

5	ATOM	396	OE2	GLU	111	29.755	46.350	21.407	1.00	49.92	1DLC	520
	ATOM	397	N	GLN	112	28.839	45.526	28.183	1.00	30.24	1DLC	521
	ATOM	398	CA	GLN	112	28.671	44.682	29.368	1.00	28.58	1DLC	522
	ATOM	399	C	GLN	112	27.431	45.058	30.182	1.00	28.06	1DLC	523
	ATOM	400	O	GLN	112	26.565	44.217	30.454	1.00	29.19	1DLC	524
	ATOM	401	CB	GLN	112	29.896	44.760	30.280	1.00	26.24	1DLC	525
	ATOM	402	CG	GLN	112	29.763	43.882	31.517	1.00	27.12	1DLC	526
10	ATOM	403	CD	GLN	112	30.677	44.295	32.644	1.00	27.16	1DLC	527
	ATOM	404	OE1	GLN	112	31.050	45.456	32.767	1.00	27.74	1DLC	528
	ATOM	405	NE2	GLN	112	31.032	43.348	33.484	1.00	29.40	1DLC	529
	ATOM	406	N	VAL	113	27.337	46.325	30.560	1.00	24.97	1DLC	530
15	ATOM	407	CA	VAL	113	26.201	46.764	31.349	1.00	23.68	1DLC	531
	ATOM	408	C	VAL	113	24.932	46.792	30.519	1.00	24.60	1DLC	532
	ATOM	409	O	VAL	113	23.853	46.539	31.031	1.00	27.38	1DLC	533
	ATOM	410	CB	VAL	113	26.462	48.114	32.003	1.00	20.75	1DLC	534
20	ATOM	411	CG1	VAL	113	25.401	48.398	33.048	1.00	16.74	1DLC	535
	ATOM	412	CG2	VAL	113	27.846	48.106	32.642	1.00	21.83	1DLC	536
	ATOM	413	N	GLU	114	25.060	47.071	29.228	1.00	28.20	1DLC	537
	ATOM	414	CA	GLU	114	23.894	47.081	28.351	1.00	27.34	1DLC	538
	ATOM	415	C	GLU	114	23.268	45.681	28.368	1.00	27.33	1DLC	539
	ATOM	416	O	GLU	114	22.048	45.527	28.410	1.00	27.26	1DLC	540
	ATOM	417	CB	GLU	114	24.305	47.455	26.929	1.00	27.02	1DLC	541
25	ATOM	418	CG	GLU	114	24.757	48.893	26.776	1.00	29.51	1DLC	542
	ATOM	419	CD	GLU	114	25.075	49.250	25.338	1.00	29.59	1DLC	543
	ATOM	420	OE1	GLU	114	25.765	48.464	24.654	1.00	33.56	1DLC	544
	ATOM	421	OE2	GLU	114	24.629	50.319	24.883	1.00	30.80	1DLC	545
30	ATOM	422	N	ALA	115	24.128	44.667	28.384	1.00	25.38	1DLC	546
	ATOM	423	CA	ALA	115	23.700	43.276	28.425	1.00	23.38	1DLC	547
	ATOM	424	C	ALA	115	22.994	42.964	29.735	1.00	24.92	1DLC	548
	ATOM	425	O	ALA	115	21.939	42.357	29.731	1.00	30.01	1DLC	549
	ATOM	426	CB	ALA	115	24.892	42.357	28.248	1.00	23.08	1DLC	550
	ATOM	427	N	LEU	116	23.584	43.381	30.850	1.00	25.64	1DLC	551
	ATOM	428	CA	LEU	116	23.008	43.153	32.179	1.00	26.66	1DLC	552
35	ATOM	429	C	LEU	116	21.688	43.895	32.397	1.00	27.99	1DLC	553
	ATOM	430	O	LEU	116	20.761	43.382	33.023	1.00	29.24	1DLC	554
	ATOM	431	CB	LEU	116	23.992	43.598	33.270	1.00	25.03	1DLC	555
	ATOM	432	CG	LEU	116	25.261	42.770	33.501	1.00	28.01	1DLC	556
40	ATOM	433	CD1	LEU	116	26.257	43.525	34.380	1.00	26.20	1DLC	557
	ATOM	434	CD2	LEU	116	24.890	41.442	34.132	1.00	27.91	1DLC	558
	ATOM	435	N	MET	117	21.614	45.109	31.873	1.00	28.41	1DLC	559
	ATOM	436	CA	MET	117	20.442	45.957	32.032	1.00	30.17	1DLC	560
	ATOM	437	C	MET	117	19.390	45.825	30.934	1.00	31.82	1DLC	561
	ATOM	438	O	MET	117	18.252	46.256	31.102	1.00	31.84	1DLC	562
45	ATOM	439	CB	MET	117	20.903	47.408	32.099	1.00	30.05	1DLC	563
	ATOM	440	CG	MET	117	20.528	48.129	33.361	1.00	31.75	1DLC	564
	ATOM	441	SD	MET	117	20.999	47.259	34.847	1.00	32.52	1DLC	565
	ATOM	442	CE	MET	117	19.682	47.817	35.885	1.00	24.44	1DLC	566
50	ATOM	443	N	ASP	118	19.776	45.223	29.818	1.00	33.29	1DLC	567
	ATOM	444	CA	ASP	118	18.894	45.073	28.666	1.00	37.23	1DLC	568
	ATOM	445	C	ASP	118	18.412	46.445	28.203	1.00	37.19	1DLC	569
	ATOM	446	O	ASP	118	17.225	46.683	27.979	1.00	37.25	1DLC	570
	ATOM	447	CB	ASP	118	17.716	44.144	28.956	1.00	42.38	1DLC	571
	ATOM	448	CG	ASP	118	17.205	43.450	27.697	1.00	47.50	1DLC	572
55	ATOM	449	OD1	ASP	118	18.027	42.797	27.009	1.00	50.29	1DLC	573
	ATOM	450	OD2	ASP	118	15.993	43.564	27.392	1.00	50.50	1DLC	574
	ATOM	451	N	GLN	119	19.372	47.355	28.106	1.00	39.11	1DLC	575
60	ATOM	452	CA	GLN	119	19.151	48.722	27.660	1.00	39.37	1DLC	576
	ATOM	453	C	GLN	119	20.371	49.116	26.849	1.00	39.51	1DLC	577
	ATOM	454	O	GLN	119	21.416	48.478	26.946	1.00	41.09	1DLC	578
	ATOM	455	CB	GLN	119	19.029	49.674	28.841	1.00	41.10	1DLC	579

	ATOM	456	CG	GLN	119	17.784	49.520	29.657	1.00	47.05	1DLC	580
	ATOM	457	CD	GLN	119	17.628	50.660	30.637	1.00	52.24	1DLC	581
	ATOM	458	OE1	GLN	119	17.745	50.484	31.851	1.00	54.31	1DLC	582
	ATOM	459	NE2	GLN	119	17.385	51.850	30.111	1.00	55.17	1DLC	583
5	ATOM	460	N	LYS	120	20.250	50.179	26.066	1.00	41.11	1DLC	584
	ATOM	461	CA	LYS	120	21.361	50.647	25.250	1.00	38.74	1DLC	585
	ATOM	462	C	LYS	120	21.613	52.129	25.433	1.00	38.08	1DLC	586
	ATOM	463	O	LYS	120	20.710	52.890	25.773	1.00	39.76	1DLC	587
	ATOM	464	CB	LYS	120	21.100	50.341	23.779	1.00	41.32	1DLC	588
10	ATOM	465	CG	LYS	120	21.203	48.862	23.444	1.00	47.56	1DLC	589
	ATOM	466	CD	LYS	120	20.881	48.608	21.991	1.00	54.97	1DLC	590
	ATOM	467	CE	LYS	120	21.147	47.160	21.615	1.00	59.79	1DLC	591
	ATOM	468	NZ	LYS	120	20.761	46.901	20.190	1.00	67.72	1DLC	592
	ATOM	469	N	ILE	121	22.863	52.524	25.265	1.00	37.13	1DLC	593
15	ATOM	470	CA	ILE	121	23.241	53.921	25.385	1.00	37.29	1DLC	594
	ATOM	471	C	ILE	121	22.939	54.602	24.039	1.00	38.92	1DLC	595
	ATOM	472	O	ILE	121	23.157	54.009	22.977	1.00	39.34	1DLC	596
	ATOM	473	CB	ILE	121	24.749	54.063	25.715	1.00	34.38	1DLC	597
	ATOM	474	CG1	ILE	121	25.097	53.244	26.961	1.00	35.00	1DLC	598
20	ATOM	475	CG2	ILE	121	25.089	55.514	25.969	1.00	34.52	1DLC	599
	ATOM	476	CD1	ILE	121	26.580	53.116	27.247	1.00	31.52	1DLC	600
	ATOM	477	N	ALA	122	22.383	55.811	24.081	1.00	37.83	1DLC	601
	ATOM	478	CA	ALA	122	22.083	56.545	22.854	1.00	37.13	1DLC	602
	ATOM	479	C	ALA	122	23.388	56.682	22.075	1.00	38.77	1DLC	603
25	ATOM	480	O	ALA	122	24.391	57.131	22.629	1.00	42.15	1DLC	604
	ATOM	481	CB	ALA	122	21.528	57.909	23.189	1.00	31.82	1DLC	605
	ATOM	482	N	ASP	123	23.386	56.275	20.808	1.00	40.84	1DLC	606
	ATOM	483	CA	ASP	123	24.588	56.342	19.971	1.00	42.51	1DLC	607
	ATOM	484	C	ASP	123	25.452	57.587	20.115	1.00	40.46	1DLC	608
30	ATOM	485	O	ASP	123	26.671	57.482	20.157	1.00	37.07	1DLC	609
	ATOM	486	CB	ASP	123	24.239	56.135	18.501	1.00	51.37	1DLC	610
	ATOM	487	CG	ASP	123	24.397	54.690	18.069	1.00	59.26	1DLC	611
	ATOM	488	OD1	ASP	123	25.508	54.135	18.240	1.00	63.83	1DLC	612
	ATOM	489	OD2	ASP	123	23.414	54.107	17.560	1.00	65.85	1DLC	613
35	ATOM	490	N	TYR	124	24.821	58.756	20.210	1.00	41.62	1DLC	614
	ATOM	491	CA	TYR	124	25.554	60.015	20.361	1.00	41.32	1DLC	615
	ATOM	492	C	TYR	124	26.390	59.997	21.645	1.00	41.19	1DLC	616
	ATOM	493	O	TYR	124	27.575	60.341	21.633	1.00	44.09	1DLC	617
	ATOM	494	CB	TYR	124	24.590	61.220	20.349	1.00	41.20	1DLC	618
40	ATOM	495	CG	TYR	124	23.913	61.533	21.674	1.00	45.22	1DLC	619
	ATOM	496	CD1	TYR	124	24.551	62.322	22.634	1.00	46.84	1DLC	620
	ATOM	497	CD2	TYR	124	22.643	61.038	21.972	1.00	46.22	1DLC	621
	ATOM	498	CE1	TYR	124	23.948	62.606	23.856	1.00	48.97	1DLC	622
	ATOM	499	CE2	TYR	124	22.025	61.320	23.199	1.00	48.29	1DLC	623
45	ATOM	500	CZ	TYR	124	22.688	62.105	24.135	1.00	50.39	1DLC	624
	ATOM	501	OH	TYR	124	22.109	62.394	25.353	1.00	51.34	1DLC	625
	ATOM	502	N	ALA	125	25.775	59.545	22.738	1.00	38.41	1DLC	626
	ATOM	503	CA	ALA	125	26.442	59.468	24.033	1.00	36.03	1DLC	627
	ATOM	504	C	ALA	125	27.544	58.411	24.021	1.00	35.18	1DLC	628
50	ATOM	505	O	ALA	125	28.569	58.567	24.676	1.00	36.66	1DLC	629
	ATOM	506	CB	ALA	125	25.429	59.169	25.127	1.00	36.03	1DLC	630
	ATOM	507	N	LYS	126	27.332	57.349	23.253	1.00	34.60	1DLC	631
	ATOM	508	CA	LYS	126	28.300	56.259	23.132	1.00	35.76	1DLC	632
	ATOM	509	C	LYS	126	29.519	56.726	22.325	1.00	36.46	1DLC	633
55	ATOM	510	O	LYS	126	30.669	56.513	22.719	1.00	36.95	1DLC	634
	ATOM	511	CB	LYS	126	27.621	55.071	22.445	1.00	38.14	1DLC	635
	ATOM	512	CG	LYS	126	28.249	53.708	22.678	1.00	39.63	1DLC	636
	ATOM	513	CD	LYS	126	27.180	52.619	22.514	1.00	43.72	1DLC	637
	ATOM	514	CE	LYS	126	27.763	51.210	22.428	1.00	45.37	1DLC	638
60	ATOM	515	NZ	LYS	126	28.477	50.752	23.655	1.00	48.58	1DLC	639

	ATOM	516	N	ASN	127	29.258	57.409	21.215	1.00	38.31	1DLC	640
	ATOM	517	CA	ASN	127	30.321	57.915	20.353	1.00	39.87	1DLC	641
	ATOM	518	C	ASN	127	31.184	58.966	21.032	1.00	38.46	1DLC	642
5	ATOM	519	O	ASN	127	32.404	58.932	20.904	1.00	39.48	1DLC	643
	ATOM	520	CB	ASN	127	29.749	58.479	19.051	1.00	42.71	1DLC	644
	ATOM	521	CG	ASN	127	29.088	57.415	18.198	1.00	46.61	1DLC	645
	ATOM	522	OD1	ASN	127	28.081	57.675	17.543	1.00	52.98	1DLC	646
	ATOM	523	ND2	ASN	127	29.648	56.209	18.198	1.00	42.83	1DLC	647
10	ATOM	524	N	LYS	128	30.563	59.911	21.733	1.00	38.09	1DLC	648
	ATOM	525	CA	LYS	128	31.349	60.929	22.415	1.00	39.08	1DLC	649
	ATOM	526	C	LYS	128	32.237	60.300	23.472	1.00	38.69	1DLC	650
	ATOM	527	O	LYS	128	33.415	60.642	23.577	1.00	42.45	1DLC	651
	ATOM	528	CB	LYS	128	30.495	62.006	23.071	1.00	41.87	1DLC	652
15	ATOM	529	CG	LYS	128	31.380	62.951	23.880	1.00	46.08	1DLC	653
	ATOM	530	CD	LYS	128	30.689	64.221	24.295	1.00	49.62	1DLC	654
	ATOM	531	CE	LYS	128	31.726	65.260	24.666	1.00	47.91	1DLC	655
	ATOM	532	NZ	LYS	128	32.699	65.442	23.547	1.00	50.26	1DLC	656
	ATOM	533	N	ALA	129	31.668	59.381	24.248	1.00	34.82	1DLC	657
	ATOM	534	CA	ALA	129	32.420	58.691	25.287	1.00	33.08	1DLC	658
20	ATOM	535	C	ALA	129	33.673	58.059	24.676	1.00	32.09	1DLC	659
	ATOM	536	O	ALA	129	34.793	58.278	25.150	1.00	31.18	1DLC	660
	ATOM	537	CB	ALA	129	31.552	57.628	25.953	1.00	30.56	1DLC	661
	ATOM	538	N	LEU	130	33.486	57.327	23.582	1.00	32.74	1DLC	662
25	ATOM	539	CA	LEU	130	34.600	56.673	22.903	1.00	30.32	1DLC	663
	ATOM	540	C	LEU	130	35.640	57.669	22.407	1.00	31.27	1DLC	664
	ATOM	541	O	LEU	130	36.849	57.410	22.474	1.00	31.13	1DLC	665
	ATOM	542	CB	LEU	130	34.081	55.813	21.755	1.00	29.76	1DLC	666
	ATOM	543	CG	LEU	130	33.435	54.489	22.182	1.00	30.23	1DLC	667
30	ATOM	544	CD1	LEU	130	32.732	53.832	21.000	1.00	30.62	1DLC	668
	ATOM	545	CD2	LEU	130	34.499	53.559	22.764	1.00	26.30	1DLC	669
	ATOM	546	N	ALA	131	35.166	58.829	21.960	1.00	32.32	1DLC	670
	ATOM	547	CA	ALA	131	36.046	59.883	21.460	1.00	32.99	1DLC	671
	ATOM	548	C	ALA	131	36.929	60.416	22.584	1.00	34.16	1DLC	672
35	ATOM	549	O	ALA	131	38.145	60.515	22.427	1.00	37.33	1DLC	673
	ATOM	550	CB	ALA	131	35.229	61.008	20.847	1.00	31.10	1DLC	674
	ATOM	551	N	GLU	132	36.318	60.735	23.725	1.00	34.14	1DLC	675
	ATOM	552	CA	GLU	132	37.054	61.234	24.891	1.00	31.85	1DLC	676
	ATOM	553	C	GLU	132	38.128	60.232	25.296	1.00	30.73	1DLC	677
40	ATOM	554	O	GLU	132	39.279	60.598	25.536	1.00	30.23	1DLC	678
	ATOM	555	CB	GLU	132	36.109	61.439	26.072	1.00	28.74	1DLC	679
	ATOM	556	CG	GLU	132	35.049	62.483	25.842	1.00	33.99	1DLC	680
	ATOM	557	CD	GLU	132	35.617	63.884	25.722	1.00	40.12	1DLC	681
	ATOM	558	OE1	GLU	132	36.787	64.104	26.104	1.00	41.36	1DLC	682
45	ATOM	559	OE2	GLU	132	34.882	64.778	25.251	1.00	46.52	1DLC	683
	ATOM	560	N	LEU	133	37.739	58.961	25.320	1.00	31.50	1DLC	684
	ATOM	561	CA	LEU	133	38.627	57.866	25.692	1.00	32.60	1DLC	685
	ATOM	562	C	LEU	133	39.845	57.712	24.785	1.00	34.20	1DLC	686
	ATOM	563	O	LEU	133	40.930	57.388	25.261	1.00	34.43	1DLC	687
50	ATOM	564	CB	LEU	133	37.833	56.561	25.795	1.00	30.47	1DLC	688
	ATOM	565	CG	LEU	133	36.896	56.525	27.009	1.00	30.33	1DLC	689
	ATOM	566	CD1	LEU	133	35.766	55.538	26.796	1.00	26.58	1DLC	690
	ATOM	567	CD2	LEU	133	37.693	56.206	28.271	1.00	24.25	1DLC	691
	ATOM	568	N	GLN	134	39.679	57.952	23.486	1.00	37.63	1DLC	692
55	ATOM	569	CA	GLN	134	40.812	57.866	22.564	1.00	39.17	1DLC	693
	ATOM	570	C	GLN	134	41.814	58.949	22.945	1.00	36.45	1DLC	694
	ATOM	571	O	GLN	134	43.015	58.701	23.038	1.00	38.66	1DLC	695
	ATOM	572	CB	GLN	134	40.363	58.083	21.119	1.00	47.75	1DLC	696
	ATOM	573	CG	GLN	134	39.344	57.074	20.614	1.00	61.82	1DLC	697
60	ATOM	574	CD	GLN	134	39.792	55.634	20.821	1.00	70.74	1DLC	698
	ATOM	575	OE1	GLN	134	40.513	55.060	19.996	1.00	73.31	1DLC	699

	ATOM	576	NE2	GLN	134	39.359	55.041	21.928	1.00	73.58	1DLC	700
	ATOM	577	N	GLY	135	41.301	60.147	23.207	1.00	32.99	1DLC	701
	ATOM	578	CA	GLY	135	42.156	61.255	23.599	1.00	32.54	1DLC	702
5	ATOM	579	C	GLY	135	42.871	61.024	24.921	1.00	32.17	1DLC	703
	ATOM	580	O	GLY	135	44.039	61.378	25.080	1.00	34.18	1DLC	704
	ATOM	581	N	LEU	136	42.160	60.445	25.881	1.00	30.44	1DLC	705
	ATOM	582	CA	LEU	136	42.729	60.151	27.190	1.00	30.39	1DLC	706
	ATOM	583	C	LEU	136	43.818	59.084	27.081	1.00	31.99	1DLC	707
10	ATOM	584	O	LEU	136	44.794	59.096	27.828	1.00	32.33	1DLC	708
	ATOM	585	CB	LEU	136	41.637	59.668	28.141	1.00	28.24	1DLC	709
	ATOM	586	CG	LEU	136	40.578	60.685	28.552	1.00	25.44	1DLC	710
	ATOM	587	CD1	LEU	136	39.432	59.977	29.232	1.00	20.57	1DLC	711
	ATOM	588	CD2	LEU	136	41.202	61.714	29.468	1.00	23.94	1DLC	712
15	ATOM	589	N	GLN	137	43.644	58.159	26.144	1.00	34.65	1DLC	713
	ATOM	590	CA	GLN	137	44.612	57.091	25.937	1.00	36.83	1DLC	714
	ATOM	591	C	GLN	137	45.968	57.692	25.570	1.00	37.51	1DLC	715
	ATOM	592	O	GLN	137	46.980	57.410	26.221	1.00	35.29	1DLC	716
	ATOM	593	CB	GLN	137	44.138	56.152	24.829	1.00	39.14	1DLC	717
20	ATOM	594	CG	GLN	137	44.992	54.905	24.664	1.00	43.17	1DLC	718
	ATOM	595	CD	GLN	137	44.607	54.094	23.445	1.00	45.19	1DLC	719
	ATOM	596	OE1	GLN	137	43.460	54.127	22.989	1.00	47.54	1DLC	720
	ATOM	597	NE2	GLN	137	45.562	53.355	22.911	1.00	46.02	1DLC	721
	ATOM	598	N	ASN	138	45.970	58.561	24.561	1.00	37.22	1DLC	722
25	ATOM	599	CA	ASN	138	47.195	59.219	24.119	1.00	39.24	1DLC	723
	ATOM	600	C	ASN	138	47.872	59.935	25.281	1.00	36.46	1DLC	724
	ATOM	601	O	ASN	138	49.078	59.799	25.478	1.00	36.61	1DLC	725
	ATOM	602	CB	ASN	138	46.998	60.203	22.989	1.00	43.17	1DLC	726
	ATOM	603	CG	ASN	138	46.319	59.516	21.764	1.00	50.90	1DLC	727
30	ATOM	604	OD1	ASN	138	46.471	58.303	21.580	1.00	54.32	1DLC	728
	ATOM	605	ND2	ASN	138	45.640	60.283	20.923	1.00	51.88	1DLC	729
	ATOM	606	N	ASN	139	47.079	60.639	26.085	1.00	33.80	1DLC	730
	ATOM	607	CA	ASN	139	47.601	61.358	27.247	1.00	31.83	1DLC	731
	ATOM	608	C	ASN	139	48.263	60.412	28.233	1.00	30.17	1DLC	732
35	ATOM	609	O	ASN	139	49.350	60.691	28.733	1.00	29.01	1DLC	733
	ATOM	610	CB	ASN	139	46.485	62.115	27.969	1.00	32.59	1DLC	734
	ATOM	611	CG	ASN	139	45.928	63.270	27.154	1.00	37.15	1DLC	735
	ATOM	612	OD1	ASN	139	45.081	64.014	27.634	1.00	42.84	1DLC	736
	ATOM	613	ND2	ASN	139	46.392	63.425	25.926	1.00	35.37	1DLC	737
40	ATOM	614	N	VAL	140	47.611	59.281	28.493	1.00	30.85	1DLC	738
	ATOM	615	CA	VAL	140	48.141	58.301	29.436	1.00	35.20	1DLC	739
	ATOM	616	C	VAL	140	49.421	57.652	28.911	1.00	35.66	1DLC	740
	ATOM	617	O	VAL	140	50.406	57.516	29.645	1.00	36.30	1DLC	741
	ATOM	618	CB	VAL	140	47.097	57.202	29.794	1.00	33.23	1DLC	742
45	ATOM	619	CG1	VAL	140	47.596	56.370	30.970	1.00	30.81	1DLC	743
	ATOM	620	CG2	VAL	140	45.772	57.829	30.158	1.00	34.27	1DLC	744
	ATOM	621	N	GLU	141	49.412	57.280	27.635	1.00	36.48	1DLC	745
	ATOM	622	CA	GLU	141	50.575	56.655	27.016	1.00	37.87	1DLC	746
	ATOM	623	C	GLU	141	51.777	57.606	26.989	1.00	36.94	1DLC	747
50	ATOM	624	O	GLU	141	52.868	57.250	27.451	1.00	36.22	1DLC	748
	ATOM	625	CB	GLU	141	50.223	56.142	25.613	1.00	39.44	1DLC	749
	ATOM	626	CG	GLU	141	49.194	55.010	25.647	1.00	46.15	1DLC	750
	ATOM	627	CD	GLU	141	48.815	54.460	24.273	1.00	50.50	1DLC	751
	ATOM	628	OE1	GLU	141	48.932	55.189	23.255	1.00	48.49	1DLC	752
55	ATOM	629	OE2	GLU	141	48.377	53.286	24.225	1.00	52.05	1DLC	753
	ATOM	630	N	ASP	142	51.562	58.831	26.514	1.00	34.71	1DLC	754
	ATOM	631	CA	ASP	142	52.633	59.819	26.462	1.00	33.53	1DLC	755
	ATOM	632	C	ASP	142	53.214	59.998	27.849	1.00	32.09	1DLC	756
	ATOM	633	O	ASP	142	54.434	60.066	28.019	1.00	33.76	1DLC	757
60	ATOM	634	CB	ASP	142	52.124	61.168	25.943	1.00	34.47	1DLC	758
	ATOM	635	CG	ASP	142	51.806	61.150	24.452	1.00	37.60	1DLC	759

	ATOM	636	OD1	ASP	142	52.150	60.158	23.765	1.00	37.44	1DLC	760
	ATOM	637	OD2	ASP	142	51.204	62.135	23.967	1.00	37.76	1DLC	761
	ATOM	638	N	TYR	143	52.336	60.020	28.847	1.00	29.85	1DLC	762
5	ATOM	639	CA	TYR	143	52.770	60.180	30.228	1.00	31.12	1DLC	763
	ATOM	640	C	TYR	143	53.619	59.010	30.741	1.00	31.96	1DLC	764
	ATOM	641	O	TYR	143	54.655	59.221	31.373	1.00	29.33	1DLC	765
	ATOM	642	CB	TYR	143	51.569	60.394	31.162	1.00	29.85	1DLC	766
	ATOM	643	CG	TYR	143	51.951	60.326	32.627	1.00	28.37	1DLC	767
10	ATOM	644	CD1	TYR	143	52.705	61.347	33.220	1.00	27.51	1DLC	768
	ATOM	645	CD2	TYR	143	51.631	59.207	33.397	1.00	26.05	1DLC	769
	ATOM	646	CE1	TYR	143	53.135	61.251	34.532	1.00	25.76	1DLC	770
	ATOM	647	CE2	TYR	143	52.057	59.101	34.716	1.00	26.39	1DLC	771
	ATOM	648	CZ	TYR	143	52.809	60.124	35.274	1.00	27.82	1DLC	772
	ATOM	649	OH	TYR	143	53.252	60.012	36.569	1.00	30.91	1DLC	773
15	ATOM	650	N	VAL	144	53.156	57.784	30.499	1.00	34.31	1DLC	774
	ATOM	651	CA	VAL	144	53.863	56.587	30.951	1.00	35.26	1DLC	775
	ATOM	652	C	VAL	144	55.239	56.440	30.316	1.00	36.56	1DLC	776
	ATOM	653	O	VAL	144	56.205	56.111	31.008	1.00	37.15	1DLC	777
20	ATOM	654	CB	VAL	144	53.033	55.298	30.720	1.00	35.68	1DLC	778
	ATOM	655	CG1	VAL	144	53.836	54.065	31.131	1.00	32.11	1DLC	779
	ATOM	656	CG2	VAL	144	51.747	55.363	31.529	1.00	33.51	1DLC	780
	ATOM	657	N	SER	145	55.341	56.699	29.011	1.00	37.88	1DLC	781
	ATOM	658	CA	SER	145	56.642	56.601	28.332	1.00	38.87	1DLC	782
25	ATOM	659	C	SER	145	57.635	57.535	29.031	1.00	34.99	1DLC	783
	ATOM	660	O	SER	145	58.720	57.117	29.437	1.00	38.01	1DLC	784
	ATOM	661	CB	SER	145	56.534	56.951	26.834	1.00	39.91	1DLC	785
	ATOM	662	OG	SER	145	56.444	58.350	26.596	1.00	46.34	1DLC	786
	ATOM	663	N	ALA	146	57.207	58.772	29.258	1.00	30.82	1DLC	787
30	ATOM	664	CA	ALA	146	58.031	59.761	29.931	1.00	30.30	1DLC	788
	ATOM	665	C	ALA	146	58.359	59.340	31.364	1.00	31.85	1DLC	789
	ATOM	666	O	ALA	146	59.509	59.426	31.790	1.00	35.45	1DLC	790
	ATOM	667	CB	ALA	146	57.345	61.123	29.915	1.00	27.74	1DLC	791
	ATOM	668	N	LEU	147	57.362	58.863	32.103	1.00	32.59	1DLC	792
35	ATOM	669	CA	LEU	147	57.595	58.432	33.477	1.00	32.81	1DLC	793
	ATOM	670	C	LEU	147	58.607	57.297	33.490	1.00	33.53	1DLC	794
	ATOM	671	O	LEU	147	59.496	57.252	34.337	1.00	35.25	1DLC	795
	ATOM	672	CB	LEU	147	56.300	57.968	34.150	1.00	32.39	1DLC	796
	ATOM	673	CG	LEU	147	56.502	57.425	35.574	1.00	30.47	1DLC	797
40	ATOM	674	CD1	LEU	147	57.043	58.522	36.480	1.00	29.60	1DLC	798
	ATOM	675	CD2	LEU	147	55.204	56.866	36.129	1.00	32.87	1DLC	799
	ATOM	676	N	SER	148	58.489	56.399	32.523	1.00	34.54	1DLC	800
	ATOM	677	CA	SER	148	59.400	55.270	32.416	1.00	38.01	1DLC	801
	ATOM	678	C	SER	148	60.844	55.766	32.240	1.00	38.45	1DLC	802
45	ATOM	679	O	SER	148	61.767	55.311	32.931	1.00	38.67	1DLC	803
	ATOM	680	CB	SER	148	58.993	54.388	31.237	1.00	41.71	1DLC	804
	ATOM	681	OG	SER	148	59.823	53.242	31.146	1.00	52.18	1DLC	805
	ATOM	682	N	SER	149	61.031	56.724	31.338	1.00	37.60	1DLC	806
	ATOM	683	CA	SER	149	62.355	57.292	31.098	1.00	36.97	1DLC	807
50	ATOM	684	C	SER	149	62.888	57.943	32.369	1.00	36.69	1DLC	808
	ATOM	685	O	SER	149	64.015	57.693	32.768	1.00	40.93	1DLC	809
	ATOM	686	CB	SER	149	62.317	58.329	29.968	1.00	40.27	1DLC	810
	ATOM	687	OG	SER	149	61.927	57.753	28.725	1.00	42.78	1DLC	811
	ATOM	688	N	TRP	150	62.057	58.739	33.030	1.00	36.23	1DLC	812
55	ATOM	689	CA	TRP	150	62.458	59.417	34.260	1.00	35.43	1DLC	813
	ATOM	690	C	TRP	150	62.997	58.455	35.332	1.00	40.04	1DLC	814
	ATOM	691	O	TRP	150	64.055	58.695	35.912	1.00	41.77	1DLC	815
	ATOM	692	CB	TRP	150	61.286	60.237	34.813	1.00	29.63	1DLC	816
	ATOM	693	CG	TRP	150	61.601	60.987	36.069	1.00	25.67	1DLC	817
60	ATOM	694	CD1	TRP	150	61.510	60.519	37.348	1.00	25.82	1DLC	818
	ATOM	695	CD2	TRP	150	62.068	62.339	36.170	1.00	26.03	1DLC	819

	ATOM	696	NE1	TRP	150	61.895	61.491	38.236	1.00	23.31	1DLC	820
	ATOM	697	CE2	TRP	150	62.241	62.619	37.541	1.00	22.80	1DLC	821
	ATOM	698	CE3	TRP	150	62.354	63.342	35.235	1.00	25.92	1DLC	822
5	ATOM	699	CZ2	TRP	150	62.687	63.857	38.001	1.00	25.85	1DLC	823
	ATOM	700	CZ3	TRP	150	62.797	64.578	35.696	1.00	26.29	1DLC	824
	ATOM	701	CH2	TRP	150	62.958	64.822	37.065	1.00	25.55	1DLC	825
	ATOM	702	N	GLN	151	62.263	57.378	35.602	1.00	44.57	1DLC	826
	ATOM	703	CA	GLN	151	62.687	56.396	36.602	1.00	48.28	1DLC	827
	ATOM	704	C	GLN	151	64.013	55.747	36.227	1.00	50.95	1DLC	828
10	ATOM	705	O	GLN	151	64.902	55.586	37.061	1.00	50.37	1DLC	829
	ATOM	706	CB	GLN	151	61.627	55.304	36.763	1.00	48.02	1DLC	830
	ATOM	707	CG	GLN	151	60.751	55.460	37.990	1.00	51.89	1DLC	831
	ATOM	708	CD	GLN	151	61.539	55.351	39.287	1.00	55.39	1DLC	832
	ATOM	709	OE1	GLN	151	62.270	54.382	39.506	1.00	56.87	1DLC	833
15	ATOM	710	NE2	GLN	151	61.397	56.345	40.153	1.00	54.44	1DLC	834
	ATOM	711	N	LYS	152	64.116	55.379	34.954	1.00	55.10	1DLC	835
	ATOM	712	CA	LYS	152	65.296	54.729	34.388	1.00	59.98	1DLC	836
	ATOM	713	C	LYS	152	66.545	55.624	34.404	1.00	62.63	1DLC	837
	ATOM	714	O	LYS	152	67.645	55.172	34.734	1.00	63.39	1DLC	838
20	ATOM	715	CB	LYS	152	64.974	54.300	32.953	1.00	59.73	1DLC	839
	ATOM	716	CG	LYS	152	65.960	53.357	32.301	1.00	62.85	1DLC	840
	ATOM	717	CD	LYS	152	65.440	52.978	30.920	1.00	68.02	1DLC	841
	ATOM	718	CE	LYS	152	66.367	52.023	30.168	1.00	69.39	1DLC	842
	ATOM	719	NZ	LYS	152	65.842	51.764	28.785	1.00	68.57	1DLC	843
25	ATOM	720	N	ASN	153	66.367	56.891	34.044	1.00	64.53	1DLC	844
	ATOM	721	CA	ASN	153	67.472	57.839	34.003	1.00	66.57	1DLC	845
	ATOM	722	C	ASN	153	67.961	58.271	35.384	1.00	68.87	1DLC	846
	ATOM	723	O	ASN	153	67.165	58.560	36.283	1.00	68.08	1DLC	847
	ATOM	724	CB	ASN	153	67.097	59.057	33.153	1.00	67.50	1DLC	848
30	ATOM	725	CG	ASN	153	67.050	58.743	31.656	1.00	69.77	1DLC	849
	ATOM	726	OD1	ASN	153	66.936	59.649	30.831	1.00	71.11	1DLC	850
	ATOM	727	ND2	ASN	153	67.150	57.464	31.300	1.00	68.53	1DLC	851
	ATOM	728	N	PRO	154	69.294	58.308	35.570	1.00	71.40	1DLC	852
	ATOM	729	CA	PRO	154	69.934	58.697	36.830	1.00	71.82	1DLC	853
35	ATOM	730	C	PRO	154	69.610	60.141	37.198	1.00	72.79	1DLC	854
	ATOM	731	O	PRO	154	69.311	60.961	36.324	1.00	73.90	1DLC	855
	ATOM	732	CB	PRO	154	71.424	58.545	36.516	1.00	71.42	1DLC	856
	ATOM	733	CG	PRO	154	71.450	57.498	35.443	1.00	71.51	1DLC	857
	ATOM	734	CD	PRO	154	70.312	57.939	34.570	1.00	71.69	1DLC	858
40	ATOM	735	N	VAL	155	69.768	60.470	38.477	1.00	73.01	1DLC	859
	ATOM	736	CA	VAL	155	69.491	61.818	38.977	1.00	73.15	1DLC	860
	ATOM	737	C	VAL	155	70.486	62.875	38.445	1.00	75.28	1DLC	861
	ATOM	738	O	VAL	155	70.723	63.903	39.077	1.00	75.71	1DLC	862
	ATOM	739	CB	VAL	155	69.476	61.835	40.528	1.00	71.19	1DLC	863
45	ATOM	740	CG1	VAL	155	68.762	63.078	41.040	1.00	70.94	1DLC	864
	ATOM	741	CG2	VAL	155	68.801	60.577	41.069	1.00	69.36	1DLC	865
	ATOM	742	N	SER	156	71.065	62.602	37.280	1.00	77.11	1DLC	866
	ATOM	743	CA	SER	156	72.021	63.495	36.635	1.00	78.87	1DLC	867
	ATOM	744	C	SER	156	71.400	64.161	35.408	1.00	79.29	1DLC	868
50	ATOM	745	O	SER	156	71.396	65.386	35.299	1.00	82.25	1DLC	869
	ATOM	746	CB	SER	156	73.261	62.709	36.206	1.00	80.07	1DLC	870
	ATOM	747	OG	SER	156	72.912	61.680	35.287	1.00	82.65	1DLC	871
	ATOM	748	N	SER	157	70.853	63.352	34.500	1.00	76.97	1DLC	872
	ATOM	749	CA	SER	157	70.225	63.867	33.274	1.00	75.30	1DLC	873
55	ATOM	750	C	SER	157	68.956	64.689	33.534	1.00	72.28	1DLC	874
	ATOM	751	O	SER	157	68.296	65.162	32.599	1.00	72.55	1DLC	875
	ATOM	752	CB	SER	157	69.896	62.715	32.317	1.00	78.07	1DLC	876
	ATOM	753	OG	SER	157	69.458	63.189	31.047	1.00	80.58	1DLC	877
	ATOM	754	N	ARG	158	68.597	64.824	34.805	1.00	67.95	1DLC	878
60	ATOM	755	CA	ARG	158	67.422	65.585	35.193	1.00	62.74	1DLC	879

	ATOM	756	C	ARG	158	67.736	67.076	35.191	1.00	59.17	1DLC	880
	ATOM	757	O	ARG	158	68.229	67.636	36.170	1.00	60.26	1DLC	881
	ATOM	758	CB	ARG	158	66.933	65.122	36.561	1.00	62.84	1DLC	882
	ATOM	759	CG	ARG	158	66.524	63.677	36.539	1.00	64.01	1DLC	883
5	ATOM	760	CD	ARG	158	66.356	63.122	37.919	1.00	64.75	1DLC	884
	ATOM	761	NE	ARG	158	66.051	61.699	37.848	1.00	67.56	1DLC	885
	ATOM	762	CZ	ARG	158	65.638	60.970	38.879	1.00	71.03	1DLC	886
	ATOM	763	NH1	ARG	158	65.479	61.529	40.079	1.00	70.73	1DLC	887
	ATOM	764	NH2	ARG	158	65.372	59.678	38.706	1.00	73.39	1DLC	888
10	ATOM	765	N	ASN	159	67.500	67.692	34.045	1.00	52.90	1DLC	889
	ATOM	766	CA	ASN	159	67.737	69.110	33.868	1.00	46.95	1DLC	890
	ATOM	767	C	ASN	159	66.389	69.826	33.888	1.00	44.55	1DLC	891
	ATOM	768	O	ASN	159	65.351	69.202	33.666	1.00	45.26	1DLC	892
	ATOM	769	CB	ASN	159	68.435	69.331	32.532	1.00	45.92	1DLC	893
15	ATOM	770	CG	ASN	159	67.630	68.811	31.374	1.00	40.97	1DLC	894
	ATOM	771	OD1	ASN	159	66.694	69.453	30.928	1.00	44.27	1DLC	895
	ATOM	772	ND2	ASN	159	67.971	67.632	30.898	1.00	42.45	1DLC	896
	ATOM	773	N	PRO	160	66.383	71.148	34.126	1.00	43.08	1DLC	897
	ATOM	774	CA	PRO	160	65.129	71.908	34.161	1.00	40.97	1DLC	898
20	ATOM	775	C	PRO	160	64.253	71.635	32.942	1.00	40.72	1DLC	899
	ATOM	776	O	PRO	160	63.033	71.541	33.039	1.00	43.29	1DLC	900
	ATOM	777	CB	PRO	160	65.617	73.359	34.167	1.00	37.69	1DLC	901
	ATOM	778	CG	PRO	160	66.883	73.275	34.935	1.00	38.08	1DLC	902
	ATOM	779	CD	PRO	160	67.537	72.036	34.363	1.00	41.86	1DLC	903
25	ATOM	780	N	HIS	161	64.898	71.454	31.800	1.00	41.25	1DLC	904
	ATOM	781	CA	HIS	161	64.199	71.210	30.551	1.00	41.19	1DLC	905
	ATOM	782	C	HIS	161	63.404	69.905	30.481	1.00	38.76	1DLC	906
	ATOM	783	O	HIS	161	62.324	69.880	29.901	1.00	40.73	1DLC	907
	ATOM	784	CB	HIS	161	65.191	71.365	29.393	1.00	46.06	1DLC	908
30	ATOM	785	CG	HIS	161	64.907	70.490	28.220	1.00	51.42	1DLC	909
	ATOM	786	ND1	HIS	161	63.840	70.697	27.371	1.00	53.89	1DLC	910
	ATOM	787	CD2	HIS	161	65.564	69.405	27.749	1.00	54.97	1DLC	911
	ATOM	788	CE1	HIS	161	63.851	69.775	26.428	1.00	57.18	1DLC	912
	ATOM	789	NE2	HIS	161	64.887	68.979	26.633	1.00	60.77	1DLC	913
35	ATOM	790	N	SER	162	63.927	68.824	31.048	1.00	37.14	1DLC	914
	ATOM	791	CA	SER	162	63.201	67.547	31.031	1.00	37.50	1DLC	915
	ATOM	792	C	SER	162	62.112	67.523	32.108	1.00	35.54	1DLC	916
	ATOM	793	O	SER	162	61.074	66.881	31.944	1.00	35.11	1DLC	917
	ATOM	794	CB	SER	162	64.147	66.347	31.188	1.00	35.89	1DLC	918
40	ATOM	795	OG	SER	162	64.975	66.468	32.332	1.00	43.72	1DLC	919
	ATOM	796	N	GLN	163	62.349	68.245	33.197	1.00	33.11	1DLC	920
	ATOM	797	CA	GLN	163	61.382	68.351	34.283	1.00	34.19	1DLC	921
	ATOM	798	C	GLN	163	60.081	68.977	33.769	1.00	34.41	1DLC	922
	ATOM	799	O	GLN	163	58.986	68.508	34.072	1.00	35.10	1DLC	923
45	ATOM	800	CB	GLN	163	61.924	69.248	35.385	1.00	31.93	1DLC	924
	ATOM	801	CG	GLN	163	63.188	68.789	36.034	1.00	31.11	1DLC	925
	ATOM	802	CD	GLN	163	63.564	69.707	37.178	1.00	37.44	1DLC	926
	ATOM	803	OE1	GLN	163	63.862	69.258	38.281	1.00	39.60	1DLC	927
	ATOM	804	NE2	GLN	163	63.508	71.009	36.932	1.00	39.57	1DLC	928
50	ATOM	805	N	GLY	164	60.216	70.052	33.001	1.00	33.81	1DLC	929
	ATOM	806	CA	GLY	164	59.058	70.733	32.446	1.00	35.60	1DLC	930
	ATOM	807	C	GLY	164	58.297	69.918	31.416	1.00	35.04	1DLC	931
	ATOM	808	O	GLY	164	57.116	70.156	31.188	1.00	36.07	1DLC	932
	ATOM	809	N	ARG	165	58.985	68.971	30.785	1.00	36.94	1DLC	933
55	ATOM	810	CA	ARG	165	58.392	68.094	29.774	1.00	38.83	1DLC	934
	ATOM	811	C	ARG	165	57.436	67.133	30.467	1.00	38.42	1DLC	935
	ATOM	812	O	ARG	165	56.289	66.960	30.043	1.00	41.35	1DLC	936
	ATOM	813	CB	ARG	165	59.496	67.291	29.061	1.00	43.60	1DLC	937
	ATOM	814	CG	ARG	165	59.010	66.120	28.187	1.00	49.27	1DLC	938
60	ATOM	815	CD	ARG	165	60.160	65.155	27.855	1.00	55.07	1DLC	939

5	ATOM	816	NE	ARG	165	59.759	64.046	26.979	1.00	59.97	1DLC	940
	ATOM	817	CZ	ARG	165	60.243	62.804	27.059	1.00	64.96	1DLC	941
	ATOM	818	NH1	ARG	165	61.153	62.491	27.981	1.00	64.66	1DLC	942
	ATOM	819	NH2	ARG	165	59.843	61.869	26.199	1.00	64.23	1DLC	943
	ATOM	820	N	ILE	166	57.915	66.523	31.548	1.00	35.09	1DLC	944
10	ATOM	821	CA	ILE	166	57.118	65.572	32.310	1.00	33.64	1DLC	945
	ATOM	822	C	ILE	166	55.992	66.289	33.081	1.00	33.53	1DLC	946
	ATOM	823	O	ILE	166	54.861	65.806	33.128	1.00	31.99	1DLC	947
	ATOM	824	CB	ILE	166	58.024	64.698	33.236	1.00	30.93	1DLC	948
	ATOM	825	CG1	ILE	166	57.315	63.392	33.595	1.00	30.98	1DLC	949
15	ATOM	826	CG2	ILE	166	58.432	65.459	34.481	1.00	24.94	1DLC	950
	ATOM	827	CD1	ILE	166	58.200	62.399	34.321	1.00	34.42	1DLC	951
	ATOM	828	N	ARG	167	56.292	67.473	33.611	1.00	34.45	1DLC	952
	ATOM	829	CA	ARG	167	55.308	68.267	34.342	1.00	32.89	1DLC	953
	ATOM	830	C	ARG	167	54.109	68.617	33.476	1.00	34.17	1DLC	954
20	ATOM	831	O	ARG	167	52.969	68.487	33.917	1.00	35.50	1DLC	955
	ATOM	832	CB	ARG	167	55.918	69.559	34.891	1.00	31.58	1DLC	956
	ATOM	833	CG	ARG	167	56.805	69.377	36.112	1.00	32.53	1DLC	957
	ATOM	834	CD	ARG	167	56.993	70.697	36.848	1.00	33.11	1DLC	958
	ATOM	835	NE	ARG	167	57.385	71.778	35.944	1.00	37.56	1DLC	959
25	ATOM	836	CZ	ARG	167	58.639	72.165	35.720	1.00	35.70	1DLC	960
	ATOM	837	NH1	ARG	167	59.647	71.567	36.335	1.00	35.92	1DLC	961
	ATOM	838	NH2	ARG	167	58.883	73.154	34.873	1.00	36.61	1DLC	962
	ATOM	839	N	GLU	168	54.346	69.050	32.242	1.00	34.64	1DLC	963
	ATOM	840	CA	GLU	168	53.213	69.388	31.390	1.00	38.41	1DLC	964
30	ATOM	841	C	GLU	168	52.484	68.185	30.790	1.00	37.42	1DLC	965
	ATOM	842	O	GLU	168	51.286	68.266	30.497	1.00	37.11	1DLC	966
	ATOM	843	CB	GLU	168	53.550	70.461	30.348	1.00	41.15	1DLC	967
	ATOM	844	CG	GLU	168	54.653	70.159	29.376	1.00	47.25	1DLC	968
	ATOM	845	CD	GLU	168	55.073	71.413	28.623	1.00	50.54	1DLC	969
35	ATOM	846	OE1	GLU	168	55.649	72.322	29.266	1.00	51.72	1DLC	970
	ATOM	847	OE2	GLU	168	54.808	71.504	27.402	1.00	49.76	1DLC	971
	ATOM	848	N	LEU	169	53.187	67.065	30.639	1.00	35.43	1DLC	972
	ATOM	849	CA	LEU	169	52.553	65.849	30.137	1.00	33.88	1DLC	973
	ATOM	850	C	LEU	169	51.561	65.385	31.216	1.00	35.40	1DLC	974
40	ATOM	851	O	LEU	169	50.422	64.987	30.921	1.00	33.65	1DLC	975
	ATOM	852	CB	LEU	169	53.593	64.752	29.876	1.00	34.42	1DLC	976
	ATOM	853	CG	LEU	169	54.409	64.833	28.582	1.00	32.40	1DLC	977
	ATOM	854	CD1	LEU	169	55.219	63.568	28.399	1.00	29.86	1DLC	978
	ATOM	855	CD2	LEU	169	53.477	65.002	27.412	1.00	30.50	1DLC	979
45	ATOM	856	N	PHE	170	52.003	65.476	32.470	1.00	34.05	1DLC	980
	ATOM	857	CA	PHE	170	51.193	65.107	33.625	1.00	31.26	1DLC	981
	ATOM	858	C	PHE	170	49.989	66.045	33.765	1.00	31.02	1DLC	982
	ATOM	859	O	PHE	170	48.861	65.584	33.885	1.00	32.68	1DLC	983
	ATOM	860	CB	PHE	170	52.038	65.150	34.901	1.00	28.00	1DLC	984
50	ATOM	861	CG	PHE	170	51.288	64.746	36.135	1.00	27.48	1DLC	985
	ATOM	862	CD1	PHE	170	51.194	63.407	36.499	1.00	26.84	1DLC	986
	ATOM	863	CD2	PHE	170	50.657	65.698	36.923	1.00	24.94	1DLC	987
	ATOM	864	CE1	PHE	170	50.479	63.021	37.630	1.00	24.21	1DLC	988
	ATOM	865	CE2	PHE	170	49.941	65.320	38.052	1.00	26.51	1DLC	989
55	ATOM	866	CZ	PHE	170	49.852	63.977	38.405	1.00	24.66	1DLC	990
	ATOM	867	N	SER	171	50.231	67.356	33.759	1.00	31.26	1DLC	991
	ATOM	868	CA	SER	171	49.147	68.335	33.867	1.00	30.81	1DLC	992
	ATOM	869	C	SER	171	48.107	68.152	32.770	1.00	32.20	1DLC	993
	ATOM	870	O	SER	171	46.915	68.359	32.996	1.00	32.31	1DLC	994
60	ATOM	871	CB	SER	171	49.681	69.766	33.821	1.00	30.26	1DLC	995
	ATOM	872	OG	SER	171	50.166	70.179	35.089	1.00	36.66	1DLC	996
	ATOM	873	N	GLN	172	48.563	67.781	31.577	1.00	31.91	1DLC	997
	ATOM	874	CA	GLN	172	47.659	67.552	30.455	1.00	33.14	1DLC	998
	ATOM	875	C	GLN	172	46.733	66.365	30.710	1.00	29.58	1DLC	999

	ATOM	876	O	GLN	172	45.516	66.488	30.514	1.00	30.17	1DLC1000
	ATOM	877	CB	GLN	172	48.445	67.330	29.155	1.00	37.12	1DLC1001
	ATOM	878	CG	GLN	172	48.917	68.614	28.486	1.00	45.43	1DLC1002
	ATOM	879	CD	GLN	172	47.759	69.492	28.022	1.00	49.43	1DLC1003
5	ATOM	880	OE1	GLN	172	46.967	69.099	27.163	1.00	52.00	1DLC1004
	ATOM	881	NE2	GLN	172	47.660	70.688	28.586	1.00	49.43	1DLC1005
	ATOM	882	N	ALA	173	47.313	65.223	31.057	1.00	24.78	1DLC1006
	ATOM	883	CA	ALA	173	46.533	64.027	31.321	1.00	22.98	1DLC1007
	ATOM	884	C	ALA	173	45.524	64.270	32.442	1.00	24.72	1DLC1008
10	ATOM	885	O	ALA	173	44.319	64.077	32.254	1.00	28.98	1DLC1009
	ATOM	886	CB	ALA	173	47.448	62.864	31.662	1.00	17.04	1DLC1010
	ATOM	887	N	GLU	174	46.007	64.756	33.583	1.00	22.65	1DLC1011
	ATOM	888	CA	GLU	174	45.153	65.032	34.739	1.00	22.62	1DLC1012
	ATOM	889	C	GLU	174	43.983	65.962	34.379	1.00	23.92	1DLC1013
15	ATOM	890	O	GLU	174	42.821	65.690	34.703	1.00	24.12	1DLC1014
	ATOM	891	CB	GLU	174	45.993	65.646	35.862	1.00	20.71	1DLC1015
	ATOM	892	CG	GLU	174	45.347	65.635	37.245	1.00	27.17	1DLC1016
	ATOM	893	CD	GLU	174	44.233	66.665	37.422	1.00	26.70	1DLC1017
	ATOM	894	OE1	GLU	174	44.464	67.856	37.132	1.00	30.91	1DLC1018
20	ATOM	895	OE2	GLU	174	43.129	66.287	37.864	1.00	25.52	1DLC1019
	ATOM	896	N	SER	175	44.301	67.045	33.684	1.00	25.54	1DLC1020
	ATOM	897	CA	SER	175	43.308	68.022	33.262	1.00	25.56	1DLC1021
	ATOM	898	C	SER	175	42.301	67.409	32.283	1.00	27.17	1DLC1022
	ATOM	899	O	SER	175	41.097	67.641	32.389	1.00	27.41	1DLC1023
25	ATOM	900	CB	SER	175	44.006	69.214	32.611	1.00	23.74	1DLC1024
	ATOM	901	OG	SER	175	43.135	70.322	32.527	1.00	33.11	1DLC1025
	ATOM	902	N	HIS	176	42.794	66.593	31.354	1.00	29.90	1DLC1026
	ATOM	903	CA	HIS	176	41.941	65.937	30.364	1.00	30.36	1DLC1027
	ATOM	904	C	HIS	176	40.948	65.023	31.080	1.00	28.97	1DLC1028
30	ATOM	905	O	HIS	176	39.793	64.905	30.675	1.00	29.85	1DLC1029
	ATOM	906	CB	HIS	176	42.795	65.139	29.367	1.00	34.90	1DLC1030
	ATOM	907	CG	HIS	176	42.059	64.703	28.131	1.00	46.08	1DLC1031
	ATOM	908	ND1	HIS	176	40.692	64.506	28.094	1.00	49.82	1DLC1032
	ATOM	909	CD2	HIS	176	42.510	64.405	26.888	1.00	48.94	1DLC1033
35	ATOM	910	CE1	HIS	176	40.335	64.107	26.886	1.00	50.00	1DLC1034
	ATOM	911	NE2	HIS	176	41.421	64.036	26.135	1.00	50.95	1DLC1035
	ATOM	912	N	PHE	177	41.386	64.401	32.165	1.00	26.81	1DLC1036
	ATOM	913	CA	PHE	177	40.501	63.525	32.916	1.00	27.11	1DLC1037
	ATOM	914	C	PHE	177	39.326	64.261	33.562	1.00	25.34	1DLC1038
40	ATOM	915	O	PHE	177	38.188	63.814	33.482	1.00	26.87	1DLC1039
	ATOM	916	CB	PHE	177	41.285	62.731	33.961	1.00	27.16	1DLC1040
	ATOM	917	CG	PHE	177	41.851	61.443	33.439	1.00	27.15	1DLC1041
	ATOM	918	CD1	PHE	177	41.033	60.321	33.292	1.00	26.85	1DLC1042
	ATOM	919	CD2	PHE	177	43.188	61.352	33.074	1.00	24.38	1DLC1043
45	ATOM	920	CE1	PHE	177	41.544	59.127	32.787	1.00	26.71	1DLC1044
	ATOM	921	CE2	PHE	177	43.706	60.172	32.571	1.00	26.25	1DLC1045
	ATOM	922	CZ	PHE	177	42.882	59.055	32.426	1.00	27.48	1DLC1046
	ATOM	923	N	ARG	178	39.595	65.400	34.183	1.00	24.09	1DLC1047
	ATOM	924	CA	ARG	178	38.534	66.168	34.821	1.00	21.85	1DLC1048
50	ATOM	925	C	ARG	178	37.544	66.715	33.796	1.00	25.36	1DLC1049
	ATOM	926	O	ARG	178	36.344	66.828	34.049	1.00	28.72	1DLC1050
	ATOM	927	CB	ARG	178	39.128	67.309	35.637	1.00	18.36	1DLC1051
	ATOM	928	CG	ARG	178	39.744	66.866	36.940	1.00	19.50	1DLC1052
	ATOM	929	CD	ARG	178	40.263	68.050	37.730	1.00	18.54	1DLC1053
55	ATOM	930	NE	ARG	178	41.446	68.641	37.119	1.00	19.88	1DLC1054
	ATOM	931	CZ	ARG	178	41.544	69.911	36.742	1.00	23.68	1DLC1055
	ATOM	932	NH1	ARG	178	40.522	70.739	36.906	1.00	25.01	1DLC1056
	ATOM	933	NH2	ARG	178	42.669	70.356	36.202	1.00	22.04	1DLC1057
	ATOM	934	N	ASN	179	38.056	67.009	32.614	1.00	26.63	1DLC1058
60	ATOM	935	CA	ASN	179	37.241	67.544	31.548	1.00	30.38	1DLC1059

5	ATOM	936	C	ASN	179	36.323	66.476	30.938	1.00	32.76	1DLC1060
	ATOM	937	O	ASN	179	35.156	66.742	30.636	1.00	33.01	1DLC1061
	ATOM	938	CB	ASN	179	38.163	68.128	30.487	1.00	38.68	1DLC1062
	ATOM	939	CG	ASN	179	37.478	69.159	29.638	1.00	50.42	1DLC1063
	ATOM	940	OD1	ASN	179	37.101	68.889	28.496	1.00	58.00	1DLC1064
10	ATOM	941	ND2	ASN	179	37.295	70.353	30.191	1.00	56.89	1DLC1065
	ATOM	942	N	SER	180	36.849	65.257	30.815	1.00	31.80	1DLC1066
	ATOM	943	CA	SER	180	36.123	64.128	30.229	1.00	29.25	1DLC1067
	ATOM	944	C	SER	180	35.138	63.345	31.101	1.00	28.52	1DLC1068
	ATOM	945	O	SER	180	34.139	62.844	30.592	1.00	29.31	1DLC1069
15	ATOM	946	CB	SER	180	37.108	63.140	29.606	1.00	26.37	1DLC1070
	ATOM	947	OG	SER	180	37.889	63.786	28.624	1.00	28.28	1DLC1071
	ATOM	948	N	MET	181	35.411	63.222	32.397	1.00	25.80	1DLC1072
	ATOM	949	CA	MET	181	34.535	62.467	33.295	1.00	24.36	1DLC1073
	ATOM	950	C	MET	181	33.013	62.660	33.109	1.00	25.40	1DLC1074
20	ATOM	951	O	MET	181	32.260	61.678	33.070	1.00	25.51	1DLC1075
	ATOM	952	CB	MET	181	34.939	62.674	34.760	1.00	19.33	1DLC1076
	ATOM	953	CG	MET	181	36.253	61.994	35.152	1.00	20.86	1DLC1077
	ATOM	954	SD	MET	181	36.411	60.263	34.634	1.00	21.66	1DLC1078
	ATOM	955	CE	MET	181	35.276	59.487	35.735	1.00	16.01	1DLC1079
25	ATOM	956	N	PRO	182	32.545	63.913	32.954	1.00	25.51	1DLC1080
	ATOM	957	CA	PRO	182	31.103	64.138	32.772	1.00	25.99	1DLC1081
	ATOM	958	C	PRO	182	30.491	63.331	31.615	1.00	25.29	1DLC1082
	ATOM	959	O	PRO	182	29.311	63.003	31.640	1.00	27.08	1DLC1083
	ATOM	960	CB	PRO	182	31.031	65.640	32.507	1.00	25.60	1DLC1084
30	ATOM	961	CG	PRO	182	32.160	66.174	33.318	1.00	23.18	1DLC1085
	ATOM	962	CD	PRO	182	33.264	65.200	33.017	1.00	25.77	1DLC1086
	ATOM	963	N	SER	183	31.303	63.000	30.617	1.00	24.96	1DLC1087
	ATOM	964	CA	SER	183	30.842	62.226	29.465	1.00	26.52	1DLC1088
	ATOM	965	C	SER	183	30.491	60.792	29.817	1.00	26.32	1DLC1089
35	ATOM	966	O	SER	183	29.785	60.122	29.068	1.00	29.73	1DLC1090
	ATOM	967	CB	SER	183	31.899	62.204	28.356	1.00	25.87	1DLC1091
	ATOM	968	OG	SER	183	31.952	63.438	27.666	1.00	34.94	1DLC1092
	ATOM	969	N	PHE	184	31.025	60.300	30.928	1.00	26.09	1DLC1093
	ATOM	970	CA	PHE	184	30.754	58.928	31.357	1.00	25.51	1DLC1094
40	ATOM	971	C	PHE	184	29.683	58.923	32.447	1.00	24.26	1DLC1095
	ATOM	972	O	PHE	184	29.529	57.957	33.188	1.00	24.61	1DLC1096
	ATOM	973	CB	PHE	184	32.039	58.266	31.859	1.00	23.91	1DLC1097
	ATOM	974	CG	PHE	184	33.248	58.594	31.031	1.00	25.50	1DLC1098
	ATOM	975	CD1	PHE	184	33.228	58.437	29.648	1.00	25.62	1DLC1099
45	ATOM	976	CD2	PHE	184	34.402	59.085	31.630	1.00	23.80	1DLC1100
	ATOM	977	CE1	PHE	184	34.339	58.767	28.876	1.00	26.43	1DLC1101
	ATOM	978	CE2	PHE	184	35.515	59.418	30.866	1.00	24.57	1DLC1102
	ATOM	979	CZ	PHE	184	35.485	59.260	29.488	1.00	23.14	1DLC1103
	ATOM	980	N	ALA	185	28.925	60.007	32.522	1.00	23.06	1DLC1104
50	ATOM	981	CA	ALA	185	27.879	60.119	33.518	1.00	24.13	1DLC1105
	ATOM	982	C	ALA	185	26.708	60.976	33.041	1.00	23.68	1DLC1106
	ATOM	983	O	ALA	185	26.076	61.650	33.841	1.00	27.10	1DLC1107
	ATOM	984	CB	ALA	185	28.461	60.681	34.803	1.00	19.53	1DLC1108
	ATOM	985	N	ILE	186	26.396	60.930	31.749	1.00	26.51	1DLC1109
55	ATOM	986	CA	ILE	186	25.287	61.737	31.219	1.00	30.55	1DLC1110
	ATOM	987	C	ILE	186	23.923	61.273	31.738	1.00	31.15	1DLC1111
	ATOM	988	O	ILE	186	23.660	60.073	31.881	1.00	30.54	1DLC1112
	ATOM	989	CB	ILE	186	25.310	61.876	29.645	1.00	32.49	1DLC1113
	ATOM	990	CG1	ILE	186	23.994	61.413	29.014	1.00	35.37	1DLC1114
60	ATOM	991	CG2	ILE	186	26.506	61.164	29.036	1.00	32.13	1DLC1115
	ATOM	992	CD1	ILE	186	22.958	62.522	28.851	1.00	41.70	1DLC1116
	ATOM	993	N	SER	187	23.061	62.243	32.025	1.00	34.59	1DLC1117
	ATOM	994	CA	SER	187	21.730	61.969	32.570	1.00	35.55	1DLC1118
	ATOM	995	C	SER	187	20.948	60.887	31.836	1.00	32.95	1DLC1119

	ATOM	996	O	SER	187	20.761	60.942	30.620	1.00	33.44	1DLC1120
	ATOM	997	CB	SER	187	20.905	63.252	32.665	1.00	35.13	1DLC1121
	ATOM	998	OG	SER	187	19.848	63.077	33.595	1.00	42.12	1DLC1122
	ATOM	999	N	GLY	188	20.493	59.899	32.593	1.00	30.43	1DLC1123
5	ATOM	1000	CA	GLY	188	19.761	58.799	32.001	1.00	28.56	1DLC1124
	ATOM	1001	C	GLY	188	20.642	57.624	31.609	1.00	28.57	1DLC1125
	ATOM	1002	O	GLY	188	20.135	56.536	31.335	1.00	31.17	1DLC1126
	ATOM	1003	N	TYR	189	21.957	57.821	31.584	1.00	27.24	1DLC1127
	ATOM	1004	CA	TYR	189	22.870	56.734	31.222	1.00	27.78	1DLC1128
10	ATOM	1005	C	TYR	189	23.913	56.391	32.282	1.00	25.94	1DLC1129
	ATOM	1006	O	TYR	189	24.832	55.615	32.031	1.00	27.94	1DLC1130
	ATOM	1007	CB	TYR	189	23.541	57.031	29.883	1.00	30.52	1DLC1131
	ATOM	1008	CG	TYR	189	22.541	57.088	28.765	1.00	35.63	1DLC1132
	ATOM	1009	CD1	TYR	189	21.957	55.925	28.280	1.00	37.70	1DLC1133
15	ATOM	1010	CD2	TYR	189	22.125	58.307	28.237	1.00	38.49	1DLC1134
	ATOM	1011	CE1	TYR	189	20.979	55.967	27.302	1.00	44.20	1DLC1135
	ATOM	1012	CE2	TYR	189	21.146	58.366	27.255	1.00	43.26	1DLC1136
	ATOM	1013	CZ	TYR	189	20.573	57.190	26.791	1.00	47.00	1DLC1137
	ATOM	1014	OH	TYR	189	19.593	57.227	25.816	1.00	53.52	1DLC1138
20	ATOM	1015	N	GLU	190	23.719	56.921	33.484	1.00	24.53	1DLC1139
	ATOM	1016	CA	GLU	190	24.624	56.700	34.609	1.00	23.53	1DLC1140
	ATOM	1017	C	GLU	190	24.978	55.243	34.900	1.00	24.17	1DLC1141
	ATOM	1018	O	GLU	190	26.153	54.912	35.031	1.00	27.99	1DLC1142
	ATOM	1019	CB	GLU	190	24.068	57.352	35.872	1.00	24.72	1DLC1143
25	ATOM	1020	CG	GLU	190	23.907	58.865	35.776	1.00	26.76	1DLC1144
	ATOM	1021	CD	GLU	190	22.541	59.318	35.278	1.00	25.80	1DLC1145
	ATOM	1022	OE1	GLU	190	21.778	58.510	34.718	1.00	26.88	1DLC1146
	ATOM	1023	OE2	GLU	190	22.219	60.502	35.471	1.00	30.62	1DLC1147
	ATOM	1024	N	VAL	191	23.973	54.375	34.996	1.00	23.30	1DLC1148
30	ATOM	1025	CA	VAL	191	24.207	52.952	35.272	1.00	19.79	1DLC1149
	ATOM	1026	C	VAL	191	24.897	52.243	34.108	1.00	19.46	1DLC1150
	ATOM	1027	O	VAL	191	25.799	51.432	34.308	1.00	22.56	1DLC1151
	ATOM	1028	CB	VAL	191	22.889	52.203	35.615	1.00	18.04	1DLC1152
	ATOM	1029	CG1	VAL	191	23.163	50.719	35.865	1.00	18.90	1DLC1153
35	ATOM	1030	CG2	VAL	191	22.232	52.824	36.845	1.00	20.32	1DLC1154
	ATOM	1031	N	LEU	192	24.491	52.566	32.890	1.00	18.69	1DLC1155
	ATOM	1032	CA	LEU	192	25.082	51.941	31.717	1.00	19.74	1DLC1156
	ATOM	1033	C	LEU	192	26.572	52.295	31.545	1.00	20.71	1DLC1157
	ATOM	1034	O	LEU	192	27.359	51.487	31.061	1.00	21.17	1DLC1158
40	ATOM	1035	CB	LEU	192	24.271	52.294	30.464	1.00	18.07	1DLC1159
	ATOM	1036	CG	LEU	192	22.806	51.827	30.419	1.00	20.22	1DLC1160
	ATOM	1037	CD1	LEU	192	22.152	52.272	29.115	1.00	18.09	1DLC1161
	ATOM	1038	CD2	LEU	192	22.717	50.312	30.547	1.00	20.02	1DLC1162
	ATOM	1039	N	PHE	193	26.955	53.496	31.962	1.00	20.56	1DLC1163
45	ATOM	1040	CA	PHE	193	28.348	53.942	31.871	1.00	20.78	1DLC1164
	ATOM	1041	C	PHE	193	29.168	53.568	33.104	1.00	21.28	1DLC1165
	ATOM	1042	O	PHE	193	30.340	53.907	33.174	1.00	23.88	1DLC1166
	ATOM	1043	CB	PHE	193	28.408	55.470	31.765	1.00	20.19	1DLC1167
	ATOM	1044	CG	PHE	193	28.185	56.011	30.386	1.00	23.31	1DLC1168
50	ATOM	1045	CD1	PHE	193	29.016	55.646	29.333	1.00	20.93	1DLC1169
	ATOM	1046	CD2	PHE	193	27.178	56.943	30.151	1.00	23.78	1DLC1170
	ATOM	1047	CE1	PHE	193	28.848	56.205	28.066	1.00	23.90	1DLC1171
	ATOM	1048	CE2	PHE	193	27.005	57.506	28.886	1.00	25.20	1DLC1172
	ATOM	1049	CZ	PHE	193	27.842	57.137	27.845	1.00	20.39	1DLC1173
55	ATOM	1050	N	LEU	194	28.566	52.872	34.065	1.00	22.74	1DLC1174
	ATOM	1051	CA	LEU	194	29.242	52.536	35.324	1.00	21.21	1DLC1175
	ATOM	1052	C	LEU	194	30.634	51.887	35.302	1.00	21.36	1DLC1176
	ATOM	1053	O	LEU	194	31.533	52.328	36.019	1.00	20.76	1DLC1177
	ATOM	1054	CB	LEU	194	28.297	51.768	36.263	1.00	17.75	1DLC1178
60	ATOM	1055	CG	LEU	194	28.574	51.962	37.766	1.00	16.29	1DLC1179

	ATOM	1056	CD1	LEU	194	28.602	53.452	38.103	1.00	11.60	1DLC1180
	ATOM	1057	CD2	LEU	194	27.528	51.257	38.608	1.00	12.55	1DLC1181
	ATOM	1058	N	THR	195	30.825	50.841	34.507	1.00	22.96	1DLC1192
	ATOM	1059	CA	THR	195	32.140	50.197	34.451	1.00	22.99	1DLC1183
5	ATOM	1060	C	THR	195	33.160	51.083	33.716	1.00	22.92	1DLC1184
	ATOM	1061	O	THR	195	34.343	51.108	34.061	1.00	24.03	1DLC1185
	ATOM	1062	CB	THR	195	32.067	48.777	33.832	1.00	22.11	1DLC1186
	ATOM	1063	OG1	THR	195	31.554	48.855	32.498	1.00	27.92	1DLC1187
	ATOM	1064	CG2	THR	195	31.150	47.896	34.663	1.00	19.33	1DLC1188
10	ATOM	1065	N	THR	196	32.681	51.845	32.738	1.00	19.98	1DLC1189
	ATOM	1066	CA	THR	196	33.521	52.768	31.987	1.00	19.69	1DLC1190
	ATOM	1067	C	THR	196	33.958	53.893	32.925	1.00	20.38	1DLC1191
	ATOM	1068	O	THR	196	35.132	54.233	32.983	1.00	25.74	1DLC1192
	ATOM	1069	CB	THR	196	32.748	53.374	30.805	1.00	21.39	1DLC1193
15	ATOM	1070	OG1	THR	196	32.366	52.330	29.903	1.00	23.90	1DLC1194
	ATOM	1071	CG2	THR	196	33.598	54.387	30.064	1.00	22.13	1DLC1195
	ATOM	1072	N	TYR	197	33.011	54.457	33.671	1.00	20.18	1DLC1196
	ATOM	1073	CA	TYR	197	33.292	55.529	34.630	1.00	19.63	1DLC1197
	ATOM	1074	C	TYR	197	34.236	55.009	35.717	1.00	21.21	1DLC1198
20	ATOM	1075	O	TYR	197	35.208	55.668	36.072	1.00	23.03	1DLC1199
	ATOM	1076	CB	TYR	197	31.986	56.019	35.271	1.00	18.30	1DLC1200
	ATOM	1077	CG	TYR	197	32.119	57.108	36.326	1.00	14.96	1DLC1201
	ATOM	1078	CD1	TYR	197	32.471	56.799	37.639	1.00	16.47	1DLC1202
	ATOM	1079	CD2	TYR	197	31.840	58.443	36.020	1.00	16.19	1DLC1203
25	ATOM	1080	CE1	TYR	197	32.540	57.784	38.620	1.00	16.31	1DLC1204
	ATOM	1081	CE2	TYR	197	31.903	59.442	36.995	1.00	14.65	1DLC1205
	ATOM	1082	CZ	TYR	197	32.252	59.103	38.296	1.00	18.45	1DLC1206
	ATOM	1083	OH	TYR	197	32.292	60.067	39.287	1.00	22.05	1DLC1207
	ATOM	1084	N	ALA	198	33.961	53.815	36.229	1.00	21.80	1DLC1208
30	ATOM	1085	CA	ALA	198	34.793	53.225	37.277	1.00	21.41	1DLC1209
	ATOM	1086	C	ALA	198	36.259	53.101	36.852	1.00	20.73	1DLC1210
	ATOM	1087	O	ALA	198	37.157	53.523	37.579	1.00	19.18	1DLC1211
	ATOM	1088	CB	ALA	198	34.239	51.867	37.687	1.00	21.88	1DLC1212
	ATOM	1089	N	GLN	199	36.478	52.560	35.654	1.00	19.43	1DLC1213
35	ATOM	1090	CA	GLN	199	37.816	52.374	35.100	1.00	19.21	1DLC1214
	ATOM	1091	C	GLN	199	38.515	53.708	34.780	1.00	21.06	1DLC1215
	ATOM	1092	O	GLN	199	39.726	53.849	34.969	1.00	22.54	1DLC1216
	ATOM	1093	CB	GLN	199	37.747	51.488	33.855	1.00	19.94	1DLC1217
	ATOM	1094	CG	GLN	199	37.211	50.082	34.106	1.00	21.16	1DLC1218
40	ATOM	1095	CD	GLN	199	38.146	49.221	34.949	1.00	26.14	1DLC1219
	ATOM	1096	OE1	GLN	199	39.348	49.465	35.003	1.00	28.88	1DLC1220
	ATOM	1097	NE2	GLN	199	37.594	48.201	35.605	1.00	26.51	1DLC1221
	ATOM	1098	N	ALA	200	37.755	54.690	34.309	1.00	18.59	1DLC1222
	ATOM	1099	CA	ALA	200	38.318	56.002	34.006	1.00	17.37	1DLC1223
45	ATOM	1100	C	ALA	200	38.668	56.712	35.316	1.00	19.35	1DLC1224
	ATOM	1101	O	ALA	200	39.754	57.287	35.455	1.00	22.44	1DLC1225
	ATOM	1102	CB	ALA	200	37.331	56.827	33.203	1.00	12.83	1DLC1226
	ATOM	1103	N	ALA	201	37.762	56.625	36.291	1.00	21.10	1DLC1227
	ATOM	1104	CA	ALA	201	37.946	57.232	37.612	1.00	18.23	1DLC1228
50	ATOM	1105	C	ALA	201	39.206	56.667	38.259	1.00	18.71	1DLC1229
	ATOM	1106	O	ALA	201	40.045	57.404	38.769	1.00	22.55	1DLC1230
	ATOM	1107	CB	ALA	201	36.737	56.948	38.497	1.00	14.73	1DLC1231
	ATOM	1108	N	ASN	202	39.342	55.349	38.211	1.00	18.93	1DLC1232
	ATOM	1109	CA	ASN	202	40.506	54.674	38.773	1.00	19.98	1DLC1233
55	ATOM	1110	C	ASN	202	41.795	55.231	38.172	1.00	20.62	1DLC1234
	ATOM	1111	O	ASN	202	42.723	55.601	38.897	1.00	20.33	1DLC1235
	ATOM	1112	CB	ASN	202	40.418	53.172	38.501	1.00	19.83	1DLC1236
	ATOM	1113	CG	ASN	202	41.612	52.418	39.032	1.00	19.77	1DLC1237
	ATOM	1114	OD1	ASN	202	42.334	51.761	38.278	1.00	23.18	1DLC1238
60	ATOM	1115	ND2	ASN	202	41.835	52.509	40.332	1.00	14.55	1DLC1239

5	ATOM	1116	N	THR	203	41.842	55.287	36.844	1.00	21.70	1DLC1240
	ATOM	1117	CA	THR	203	43.007	55.805	36.138	1.00	22.47	1DLC1241
	ATOM	1118	C	THR	203	43.322	57.223	36.631	1.00	23.03	1DLC1242
	ATOM	1119	O	THR	203	44.428	57.496	37.091	1.00	24.63	1DLC1243
	ATOM	1120	CB	THR	203	42.789	55.827	34.593	1.00	24.20	1DLC1244
10	ATOM	1121	OG1	THR	203	42.470	54.507	34.123	1.00	17.39	1DLC1245
	ATOM	1122	CG2	THR	203	44.058	56.319	33.877	1.00	22.82	1DLC1246
	ATOM	1123	N	HIS	204	42.318	58.091	36.619	1.00	20.16	1DLC1247
	ATOM	1124	CA	HIS	204	42.485	59.468	37.064	1.00	18.30	1DLC1248
	ATOM	1125	C	HIS	204	43.123	59.566	38.451	1.00	19.42	1DLC1249
15	ATOM	1126	O	HIS	204	44.064	60.328	38.651	1.00	23.12	1DLC1250
	ATOM	1127	CB	HIS	204	41.131	60.190	37.066	1.00	15.98	1DLC1251
	ATOM	1128	CG	HIS	204	41.224	61.664	37.314	1.00	15.26	1DLC1252
	ATOM	1129	ND1	HIS	204	40.123	62.443	37.582	1.00	18.22	1DLC1253
	ATOM	1130	CD2	HIS	204	42.285	62.508	37.302	1.00	14.66	1DLC1254
20	ATOM	1131	CE1	HIS	204	40.495	63.703	37.719	1.00	17.73	1DLC1255
	ATOM	1132	NE2	HIS	204	41.803	63.768	37.554	1.00	15.61	1DLC1256
	ATOM	1133	N	LEU	205	42.603	58.810	39.410	1.00	19.20	1DLC1257
	ATOM	1134	CA	LEU	205	43.131	58.845	40.772	1.00	19.71	1DLC1258
	ATOM	1135	C	LEU	205	44.519	58.227	40.904	1.00	21.25	1DLC1259
25	ATOM	1136	O	LEU	205	45.356	58.725	41.666	1.00	21.63	1DLC1260
	ATOM	1137	CB	LEU	205	42.168	58.161	41.745	1.00	18.84	1DLC1261
	ATOM	1138	CG	LEU	205	40.886	58.921	42.052	1.00	18.00	1DLC1262
	ATOM	1139	CD1	LEU	205	40.010	58.052	42.908	1.00	20.41	1DLC1263
	ATOM	1140	CD2	LEU	205	41.197	60.226	42.759	1.00	18.32	1DLC1264
30	ATOM	1141	N	PHE	206	44.761	57.137	40.177	1.00	20.18	1DLC1265
	ATOM	1142	CA	PHE	206	46.060	56.477	40.233	1.00	20.34	1DLC1266
	ATOM	1143	C	PHE	206	47.117	57.423	39.677	1.00	20.04	1DLC1267
	ATOM	1144	O	PHE	206	48.221	57.522	40.192	1.00	21.09	1DLC1268
	ATOM	1145	CB	PHE	206	46.051	55.175	39.438	1.00	18.45	1DLC1269
35	ATOM	1146	CG	PHE	206	47.169	54.263	39.798	1.00	16.28	1DLC1270
	ATOM	1147	CD1	PHE	206	47.221	53.683	41.063	1.00	14.90	1DLC1271
	ATOM	1148	CD2	PHE	206	48.196	54.006	38.897	1.00	16.65	1DLC1272
	ATOM	1149	CE1	PHE	206	48.279	52.863	41.423	1.00	15.74	1DLC1273
	ATOM	1150	CE2	PHE	206	49.259	53.185	39.247	1.00	14.95	1DLC1274
40	ATOM	1151	CZ	PHE	206	49.303	52.612	40.510	1.00	13.30	1DLC1275
	ATOM	1152	N	LEU	207	46.737	58.124	38.621	1.00	21.24	1DLC1276
	ATOM	1153	CA	LEU	207	47.575	59.112	37.955	1.00	22.23	1DLC1277
	ATOM	1154	C	LEU	207	47.927	60.224	38.966	1.00	23.44	1DLC1278
	ATOM	1155	O	LEU	207	49.098	60.547	39.190	1.00	22.70	1DLC1279
45	ATOM	1156	CB	LEU	207	46.758	59.698	36.801	1.00	23.02	1DLC1280
	ATOM	1157	CG	LEU	207	47.360	60.368	35.571	1.00	31.73	1DLC1281
	ATOM	1158	CD1	LEU	207	47.968	61.698	35.942	1.00	33.70	1DLC1282
	ATOM	1159	CD2	LEU	207	48.369	59.439	34.915	1.00	34.96	1DLC1283
	ATOM	1160	N	LEU	208	46.894	60.762	39.610	1.00	22.59	1DLC1284
50	ATOM	1161	CA	LEU	208	47.044	61.837	40.584	1.00	20.00	1DLC1285
	ATOM	1162	C	LEU	208	48.056	61.607	41.704	1.00	20.94	1DLC1286
	ATOM	1163	O	LEU	208	48.819	62.514	42.046	1.00	22.20	1DLC1287
	ATOM	1164	CB	LEU	208	45.686	62.194	41.188	1.00	16.43	1DLC1288
	ATOM	1165	CG	LEU	208	44.872	63.256	40.452	1.00	17.48	1DLC1289
55	ATOM	1166	CD1	LEU	208	43.449	63.277	40.998	1.00	19.96	1DLC1290
	ATOM	1167	CD2	LEU	208	45.527	64.630	40.597	1.00	13.67	1DLC1291
	ATOM	1168	N	LYS	209	48.073	60.410	42.282	1.00	20.58	1DLC1292
	ATOM	1169	CA	LYS	209	48.998	60.137	43.378	1.00	20.54	1DLC1293
	ATOM	1170	C	LYS	209	50.479	60.260	42.979	1.00	23.16	1DLC1294
60	ATOM	1171	O	LYS	209	51.335	60.554	43.821	1.00	23.16	1DLC1295
	ATOM	1172	CB	LYS	209	48.672	58.798	44.057	1.00	16.68	1DLC1296
	ATOM	1173	CG	LYS	209	48.825	57.563	43.202	1.00	18.68	1DLC1297
	ATOM	1174	CD	LYS	209	50.232	57.019	43.295	1.00	18.58	1DLC1298
	ATOM	1175	CE	LYS	209	50.369	55.683	42.589	1.00	21.11	1DLC1299

	ATOM	1176	NZ	LYS	209	50.185	55.764	41.111	1.00	21.88	1DLC1300
	ATOM	1177	N	ASP	210	50.763	60.130	41.684	1.00	21.08	1DLC1301
	ATOM	1178	CA	ASP	210	52.131	60.261	41.191	1.00	19.70	1DLC1302
	ATOM	1179	C	ASP	210	52.703	61.647	41.503	1.00	20.97	1DLC1303
5	ATOM	1180	O	ASP	210	53.907	61.798	41.741	1.00	21.99	1DLC1304
	ATOM	1181	CB	ASP	210	52.193	59.982	39.689	1.00	19.34	1DLC1305
	ATOM	1182	CG	ASP	210	52.109	58.504	39.366	1.00	19.19	1DLC1306
	ATOM	1183	OD1	ASP	210	51.971	57.689	40.298	1.00	19.56	1DLC1307
	ATOM	1184	OD2	ASP	210	52.205	58.153	38.178	1.00	21.76	1DLC1308
10	ATOM	1185	N	ALA	211	51.829	62.650	41.540	1.00	19.23	1DLC1309
	ATOM	1186	CA	ALA	211	52.241	64.015	41.858	1.00	19.70	1DLC1310
	ATOM	1187	C	ALA	211	52.795	64.116	43.287	1.00	19.61	1DLC1311
	ATOM	1188	O	ALA	211	53.601	64.990	43.583	1.00	22.55	1DLC1312
	ATOM	1189	CB	ALA	211	51.072	64.979	41.680	1.00	15.73	1DLC1313
15	ATOM	1190	N	GLN	212	52.365	63.227	44.177	1.00	18.98	1DLC1314
	ATOM	1191	CA	GLN	212	52.856	63.265	45.557	1.00	19.82	1DLC1315
	ATOM	1192	C	GLN	212	54.149	62.482	45.687	1.00	19.72	1DLC1316
	ATOM	1193	O	GLN	212	54.903	62.674	46.632	1.00	22.58	1DLC1317
20	ATOM	1194	CB	GLN	212	51.819	62.718	46.556	1.00	15.61	1DLC1318
	ATOM	1195	CG	GLN	212	50.456	63.394	46.496	1.00	12.71	1DLC1319
	ATOM	1196	CD	GLN	212	50.538	64.903	46.573	1.00	12.86	1DLC1320
	ATOM	1197	OE1	GLN	212	51.103	65.454	47.503	1.00	14.37	1DLC1321
	ATOM	1198	NE2	GLN	212	49.964	65.578	45.593	1.00	10.00	1DLC1322
	ATOM	1199	N	ILE	213	54.389	61.582	44.741	1.00	22.18	1DLC1323
25	ATOM	1200	CA	ILE	213	55.594	60.767	44.752	1.00	20.68	1DLC1324
	ATOM	1201	C	ILE	213	56.754	61.481	44.057	1.00	22.54	1DLC1325
	ATOM	1202	O	ILE	213	57.836	61.622	44.623	1.00	23.78	1DLC1326
	ATOM	1203	CB	ILE	213	55.356	59.419	44.054	1.00	20.69	1DLC1327
	ATOM	1204	CG1	ILE	213	54.347	58.579	44.840	1.00	17.63	1DLC1328
30	ATOM	1205	CG2	ILE	213	56.670	58.666	43.909	1.00	25.19	1DLC1329
	ATOM	1206	CD1	ILE	213	54.045	57.240	44.188	1.00	12.68	1DLC1330
	ATOM	1207	N	TYR	214	56.508	61.952	42.838	1.00	23.00	1DLC1331
	ATOM	1208	CA	TYR	214	57.528	62.631	42.043	1.00	22.33	1DLC1332
	ATOM	1209	C	TYR	214	57.425	64.154	41.979	1.00	24.14	1DLC1333
35	ATOM	1210	O	TYR	214	58.269	64.801	41.374	1.00	28.23	1DLC1334
	ATOM	1211	CB	TYR	214	57.488	62.100	40.615	1.00	23.32	1DLC1335
	ATOM	1212	CG	TYR	214	57.727	60.620	40.479	1.00	26.06	1DLC1336
	ATOM	1213	CD1	TYR	214	59.009	60.092	40.618	1.00	27.10	1DLC1337
	ATOM	1214	CD2	TYR	214	56.678	59.746	40.184	1.00	25.78	1DLC1338
40	ATOM	1215	CE1	TYR	214	59.249	58.728	40.466	1.00	32.00	1DLC1339
	ATOM	1216	CE2	TYR	214	56.907	58.374	40.026	1.00	31.14	1DLC1340
	ATOM	1217	CZ	TYR	214	58.199	57.874	40.169	1.00	32.77	1DLC1341
	ATOM	1218	OH	TYR	214	58.452	56.529	40.017	1.00	37.11	1DLC1342
	ATOM	1219	N	GLY	215	56.398	64.724	42.596	1.00	25.34	1DLC1343
45	ATOM	1220	CA	GLY	215	56.198	66.166	42.560	1.00	27.83	1DLC1344
	ATOM	1221	C	GLY	215	57.419	67.067	42.648	1.00	29.47	1DLC1345
	ATOM	1222	O	GLY	215	57.663	67.867	41.746	1.00	28.30	1DLC1346
	ATOM	1223	N	GLU	216	58.174	66.954	43.737	1.00	32.54	1DLC1347
	ATOM	1224	CA	GLU	216	59.368	67.769	43.918	1.00	36.48	1DLC1348
50	ATOM	1225	C	GLU	216	60.485	67.450	42.917	1.00	35.87	1DLC1349
	ATOM	1226	O	GLU	216	61.148	68.358	42.427	1.00	36.74	1DLC1350
	ATOM	1227	CB	GLU	216	59.878	67.676	45.351	1.00	41.84	1DLC1351
	ATOM	1228	CG	GLU	216	58.947	68.318	46.371	1.00	54.52	1DLC1352
	ATOM	1229	CD	GLU	216	59.656	68.698	47.671	1.00	64.18	1DLC1353
55	ATOM	1230	OE1	GLU	216	60.560	67.944	48.116	1.00	67.77	1DLC1354
	ATOM	1231	OE2	GLU	216	59.311	69.764	48.244	1.00	67.98	1DLC1355
	ATOM	1232	N	GLU	217	60.665	66.172	42.591	1.00	34.29	1DLC1356
	ATOM	1233	CA	GLU	217	61.682	65.750	41.623	1.00	33.09	1DLC1357
	ATOM	1234	C	GLU	217	61.440	66.442	40.282	1.00	33.15	1DLC1358
60	ATOM	1235	O	GLU	217	62.376	66.884	39.619	1.00	34.29	1DLC1359

5	ATOM	1236	CB	GLU	217	61.617	64.238	41.385	1.00	36.76	1DLC1360
	ATOM	1237	CG	GLU	217	61.993	63.362	42.565	1.00	36.91	1DLC1361
	ATOM	1238	CD	GLU	217	62.121	61.887	42.182	1.00	39.24	1DLC1362
	ATOM	1239	OE1	GLU	217	61.938	61.540	40.993	1.00	37.21	1DLC1363
	ATOM	1240	OE2	GLU	217	62.416	61.067	43.074	1.00	42.79	1DLC1364
10	ATOM	1241	N	TRP	218	60.172	66.488	39.878	1.00	31.27	1DLC1365
	ATOM	1242	CA	TRP	218	59.756	67.116	38.627	1.00	25.69	1DLC1366
	ATOM	1243	C	TRP	218	59.846	68.638	38.714	1.00	22.53	1DLC1367
	ATOM	1244	O	TRP	218	59.670	69.330	37.722	1.00	23.72	1DLC1368
	ATOM	1245	CB	TRP	218	58.312	66.720	38.282	1.00	26.69	1DLC1369
15	ATOM	1246	CG	TRP	218	58.097	65.248	37.980	1.00	26.77	1DLC1370
	ATOM	1247	CD1	TRP	218	59.051	64.322	37.664	1.00	28.09	1DLC1371
	ATOM	1248	CD2	TRP	218	56.840	64.549	37.961	1.00	25.69	1DLC1372
	ATOM	1249	NE1	TRP	218	58.468	63.093	37.449	1.00	28.06	1DLC1373
	ATOM	1250	CE2	TRP	218	57.114	63.203	37.626	1.00	26.57	1DLC1374
20	ATOM	1251	CE3	TRP	218	55.512	64.929	38.196	1.00	22.74	1DLC1375
	ATOM	1252	CZ2	TRP	218	56.102	62.235	37.519	1.00	25.71	1DLC1376
	ATOM	1253	CZ3	TRP	218	54.511	63.967	38.089	1.00	21.96	1DLC1377
	ATOM	1254	CH2	TRP	218	54.813	62.637	37.755	1.00	22.35	1DLC1378
	ATOM	1255	N	GLY	219	60.088	69.160	39.910	1.00	21.50	1DLC1379
25	ATOM	1256	CA	GLY	219	60.192	70.595	40.068	1.00	22.27	1DLC1380
	ATOM	1257	C	GLY	219	58.871	71.338	40.117	1.00	27.62	1DLC1381
	ATOM	1258	O	GLY	219	58.757	72.444	39.593	1.00	31.08	1DLC1382
	ATOM	1259	N	TYR	220	57.852	70.712	40.696	1.00	30.00	1DLC1383
	ATOM	1260	CA	TYR	220	56.543	71.343	40.843	1.00	26.76	1DLC1384
30	ATOM	1261	C	TYR	220	56.611	72.221	42.088	1.00	28.73	1DLC1385
	ATOM	1262	O	TYR	220	57.304	71.886	43.054	1.00	27.48	1DLC1386
	ATOM	1263	CB	TYR	220	55.453	70.289	41.076	1.00	27.42	1DLC1387
	ATOM	1264	CG	TYR	220	54.625	69.913	39.873	1.00	23.12	1DLC1388
	ATOM	1265	CD1	TYR	220	53.951	70.881	39.130	1.00	21.42	1DLC1389
35	ATOM	1266	CD2	TYR	220	54.487	68.576	39.496	1.00	23.42	1DLC1390
	ATOM	1267	CE1	TYR	220	53.152	70.521	38.034	1.00	22.62	1DLC1391
	ATOM	1268	CE2	TYR	220	53.698	68.207	38.413	1.00	20.38	1DLC1392
	ATOM	1269	CZ	TYR	220	53.033	69.178	37.685	1.00	22.10	1DLC1393
	ATOM	1270	OH	TYR	220	52.252	68.802	36.617	1.00	23.88	1DLC1394
40	ATOM	1271	N	GLU	221	55.870	73.324	42.080	1.00	30.82	1DLC1395
	ATOM	1272	CA	GLU	221	55.825	74.225	43.233	1.00	32.66	1DLC1396
	ATOM	1273	C	GLU	221	55.123	73.517	44.398	1.00	30.03	1DLC1397
	ATOM	1274	O	GLU	221	54.287	72.638	44.182	1.00	27.72	1DLC1398
	ATOM	1275	CB	GLU	221	55.023	75.492	42.894	1.00	38.56	1DLC1399
45	ATOM	1276	CG	GLU	221	55.470	76.271	41.656	1.00	43.49	1DLC1400
	ATOM	1277	CD	GLU	221	56.855	76.898	41.791	1.00	48.97	1DLC1401
	ATOM	1278	OE1	GLU	221	57.330	77.133	42.935	1.00	48.86	1DLC1402
	ATOM	1279	OE2	GLU	221	57.468	77.163	40.730	1.00	52.79	1DLC1403
	ATOM	1280	N	LYS	222	55.454	73.909	45.624	1.00	30.89	1DLC1404
50	ATOM	1281	CA	LYS	222	54.823	73.341	46.823	1.00	33.36	1DLC1405
	ATOM	1282	C	LYS	222	53.298	73.481	46.711	1.00	33.05	1DLC1406
	ATOM	1283	O	LYS	222	52.553	72.577	47.082	1.00	33.57	1DLC1407
	ATOM	1284	CB	LYS	222	55.281	74.096	48.072	1.00	36.59	1DLC1408
	ATOM	1285	CG	LYS	222	56.696	73.829	48.528	1.00	41.95	1DLC1409
55	ATOM	1286	CD	LYS	222	56.774	72.524	49.300	1.00	52.08	1DLC1410
	ATOM	1287	CE	LYS	222	57.623	72.678	50.563	1.00	56.91	1DLC1411
	ATOM	1288	NZ	LYS	222	57.030	73.645	51.546	1.00	59.58	1DLC1412
	ATOM	1289	N	GLU	223	52.865	74.631	46.188	1.00	31.86	1DLC1413
	ATOM	1290	CA	GLU	223	51.453	74.964	45.985	1.00	30.30	1DLC1414
60	ATOM	1291	C	GLU	223	50.767	74.012	45.016	1.00	28.77	1DLC1415
	ATOM	1292	O	GLU	223	49.592	73.689	45.192	1.00	30.14	1DLC1416
	ATOM	1293	CB	GLU	223	51.303	76.382	45.430	1.00	32.15	1DLC1417
	ATOM	1294	CG	GLU	223	51.827	77.493	46.326	1.00	39.10	1DLC1418
	ATOM	1295	CD	GLU	223	53.302	77.826	46.105	1.00	39.68	1DLC1419

5	ATOM	1296	OE1	GLU	223	53.380	77.137	45.315	1.00	36.48	1DLC1420
	ATOM	1297	OE2	GLU	223	53.777	78.807	46.719	1.00	44.29	1DLC1421
	ATOM	1298	N	ASP	224	51.488	73.622	43.964	1.00	26.06	1DLC1422
	ATOM	1299	CA	ASP	224	50.975	72.702	42.946	1.00	26.67	1DLC1423
	ATOM	1300	C	ASP	224	50.699	71.311	43.509	1.00	25.47	1DLC1424
10	ATOM	1301	O	ASP	224	49.610	70.763	43.347	1.00	26.25	1DLC1425
	ATOM	1302	CB	ASP	224	51.964	72.578	41.787	1.00	29.40	1DLC1426
	ATOM	1303	CG	ASP	224	52.088	73.860	40.979	1.00	38.45	1DLC1427
	ATOM	1304	OD1	ASP	224	51.145	74.677	40.990	1.00	38.89	1DLC1428
	ATOM	1305	OD2	ASP	224	53.134	74.052	40.319	1.00	45.08	1DLC1429
15	ATOM	1306	N	ILE	225	51.684	70.762	44.205	1.00	21.39	1DLC1430
	ATOM	1307	CA	ILE	225	51.565	69.439	44.792	1.00	21.79	1DLC1431
	ATOM	1308	C	ILE	225	50.400	69.397	45.784	1.00	20.00	1DLC1432
	ATOM	1309	O	ILE	225	49.636	68.438	45.813	1.00	19.14	1DLC1433
	ATOM	1310	CB	ILE	225	52.901	69.030	45.465	1.00	20.50	1DLC1434
20	ATOM	1311	CG1	ILE	225	54.034	69.121	44.438	1.00	21.29	1DLC1435
	ATOM	1312	CG2	ILE	225	52.819	67.608	46.001	1.00	20.23	1DLC1436
	ATOM	1313	CD1	ILE	225	55.407	69.056	45.037	1.00	21.75	1DLC1437
	ATOM	1314	N	ALA	226	50.239	70.479	46.538	1.00	19.79	1DLC1438
	ATOM	1315	CA	ALA	226	49.166	70.610	47.524	1.00	20.24	1DLC1439
25	ATOM	1316	C	ALA	226	47.782	70.704	46.854	1.00	21.11	1DLC1440
	ATOM	1317	O	ALA	226	46.799	70.134	47.341	1.00	18.19	1DLC1441
	ATOM	1318	CB	ALA	226	49.414	71.836	48.403	1.00	16.06	1DLC1442
	ATOM	1319	N	GLU	227	47.711	71.436	45.744	1.00	19.52	1DLC1443
	ATOM	1320	CA	GLU	227	46.460	71.572	45.019	1.00	19.61	1DLC1444
30	ATOM	1321	C	GLU	227	46.075	70.210	44.465	1.00	21.10	1DLC1445
	ATOM	1322	O	GLU	227	44.900	69.838	44.492	1.00	26.53	1DLC1446
	ATOM	1323	CB	GLU	227	46.584	72.584	43.885	1.00	19.91	1DLC1447
	ATOM	1324	CG	GLU	227	45.303	72.736	43.075	1.00	21.72	1DLC1448
	ATOM	1325	CD	GLU	227	45.386	73.811	42.014	1.00	26.65	1DLC1449
35	ATOM	1326	OE1	GLU	227	46.212	74.736	42.159	1.00	30.03	1DLC1450
	ATOM	1327	OE2	GLU	227	44.613	73.734	41.033	1.00	27.79	1DLC1451
	ATOM	1328	N	PHE	228	47.068	69.460	43.987	1.00	20.19	1DLC1452
	ATOM	1329	CA	PHE	228	46.832	68.114	43.456	1.00	18.86	1DLC1453
	ATOM	1330	C	PHE	228	46.335	67.182	44.569	1.00	19.65	1DLC1454
40	ATOM	1331	O	PHE	228	45.418	66.387	44.361	1.00	20.81	1DLC1455
	ATOM	1332	CB	PHE	228	48.102	67.523	42.832	1.00	15.98	1DLC1456
	ATOM	1333	CG	PHE	228	48.416	68.035	41.445	1.00	14.18	1DLC1457
	ATOM	1334	CD1	PHE	228	47.425	68.103	40.466	1.00	9.27	1DLC1458
	ATOM	1335	CD2	PHE	228	49.726	68.404	41.108	1.00	12.83	1DLC1459
45	ATOM	1336	CE1	PHE	228	47.729	68.523	39.178	1.00	8.69	1DLC1460
	ATOM	1337	CE2	PHE	228	50.047	68.829	39.816	1.00	9.25	1DLC1461
	ATOM	1338	CZ	PHE	228	49.049	68.887	38.849	1.00	13.45	1DLC1462
	ATOM	1339	N	TYR	229	46.919	67.297	45.757	1.00	17.04	1DLC1463
	ATOM	1340	CA	TYR	229	46.503	66.451	46.867	1.00	17.31	1DLC1464
50	ATOM	1341	C	TYR	229	45.048	66.729	47.261	1.00	20.11	1DLC1465
	ATOM	1342	O	TYR	229	44.249	65.798	47.369	1.00	23.73	1DLC1466
	ATOM	1343	CB	TYR	229	47.426	66.625	48.072	1.00	13.52	1DLC1467
	ATOM	1344	CG	TYR	229	47.095	65.691	49.217	1.00	10.64	1DLC1468
	ATOM	1345	CD1	TYR	229	47.277	64.319	49.094	1.00	9.77	1DLC1469
55	ATOM	1346	CD2	TYR	229	46.575	66.178	50.412	1.00	10.19	1DLC1470
	ATOM	1347	CE1	TYR	229	46.947	63.455	50.131	1.00	9.80	1DLC1471
	ATOM	1348	CE2	TYR	229	46.242	65.320	51.453	1.00	12.10	1DLC1472
	ATOM	1349	CZ	TYR	229	46.431	63.961	51.304	1.00	11.99	1DLC1473
	ATOM	1350	OH	TYR	229	46.106	63.107	52.330	1.00	16.85	1DLC1474
60	ATOM	1351	N	LYS	230	44.693	67.998	47.462	1.00	19.47	1DLC1475
	ATOM	1352	CA	LYS	230	43.313	68.326	47.818	1.00	19.61	1DLC1476
	ATOM	1353	C	LYS	230	42.357	67.868	46.723	1.00	19.13	1DLC1477
	ATOM	1354	O	LYS	230	41.259	67.382	47.008	1.00	20.93	1DLC1478
	ATOM	1355	CB	LYS	230	43.137	69.812	48.083	1.00	17.36	1DLC1479

5	ATOM	1356	CG	LYS	230	43.786	70.262	49.367	1.00	22.08	1DLC1480
	ATOM	1357	CD	LYS	230	43.346	71.657	49.735	1.00	22.71	1DLC1481
	ATOM	1358	CE	LYS	230	41.954	71.690	49.992	1.00	22.53	1DLC1482
	ATOM	1359	NZ	LYS	230	41.408	73.051	50.364	1.00	25.70	1DLC1483
	ATOM	1360	N	ARG	231	42.794	67.975	45.474	1.00	15.74	1DLC1484
10	ATOM	1361	CA	ARG	231	41.972	67.527	44.366	1.00	16.22	1DLC1485
	ATOM	1362	C	ARG	231	41.786	66.011	44.455	1.00	17.99	1DLC1486
	ATOM	1363	O	ARG	231	40.698	65.508	44.202	1.00	20.26	1DLC1487
	ATOM	1364	CB	ARG	231	42.615	67.904	43.033	1.00	20.80	1DLC1488
	ATOM	1365	CG	ARG	231	41.890	67.346	41.811	1.00	20.81	1DLC1489
15	ATOM	1366	CD	ARG	231	42.356	68.028	40.534	1.00	25.62	1DLC1490
	ATOM	1367	NE	ARG	231	42.219	69.481	40.616	1.00	25.19	1DLC1491
	ATOM	1368	CZ	ARG	231	43.158	70.346	40.247	1.00	24.34	1DLC1492
	ATOM	1369	NH1	ARG	231	44.314	69.913	39.760	1.00	25.84	1DLC1493
	ATOM	1370	NH2	ARG	231	42.947	71.648	40.390	1.00	23.15	1DLC1494
20	ATOM	1371	N	GLN	232	42.838	65.293	44.852	1.00	16.37	1DLC1495
	ATOM	1372	CA	GLN	232	42.779	63.840	44.982	1.00	14.65	1DLC1496
	ATOM	1373	C	GLN	232	41.786	63.422	46.068	1.00	16.33	1DLC1497
	ATOM	1374	O	GLN	232	41.011	62.491	45.883	1.00	19.48	1DLC1498
	ATOM	1375	CB	GLN	232	44.160	63.255	45.289	1.00	13.62	1DLC1499
25	ATOM	1376	CG	GLN	232	44.250	61.761	45.006	1.00	16.45	1DLC1500
	ATOM	1377	CD	GLN	232	45.507	61.102	45.540	1.00	18.66	1DLC1501
	ATOM	1378	OE1	GLN	232	45.465	59.968	46.006	1.00	21.82	1DLC1502
	ATOM	1379	NE2	GLN	232	46.631	61.797	45.468	1.00	17.44	1DLC1503
	ATOM	1380	N	LEU	233	41.812	64.114	47.201	1.00	13.18	1DLC1504
30	ATOM	1381	CA	LEU	233	40.888	53.820	48.289	1.00	15.87	1DLC1505
	ATOM	1382	C	LEU	233	39.427	64.066	47.879	1.00	17.22	1DLC1506
	ATOM	1383	O	LEU	233	38.549	63.248	48.157	1.00	22.21	1DLC1507
	ATOM	1384	CB	LEU	233	41.209	64.679	49.507	1.00	14.55	1DLC1508
	ATOM	1385	CG	LEU	233	42.582	64.520	50.148	1.00	18.77	1DLC1509
35	ATOM	1386	CD1	LEU	233	42.837	65.712	51.054	1.00	21.30	1DLC1510
	ATOM	1387	CD2	LEU	233	42.664	63.219	50.918	1.00	17.59	1DLC1511
	ATOM	1388	N	LYS	234	39.166	65.191	47.222	1.00	16.53	1DLC1512
	ATOM	1389	CA	LYS	234	37.811	65.504	46.802	1.00	17.73	1DLC1513
	ATOM	1390	C	LYS	234	37.280	64.450	45.831	1.00	18.98	1DLC1514
40	ATOM	1391	O	LYS	234	36.177	63.925	46.003	1.00	20.56	1DLC1515
	ATOM	1392	CB	LYS	234	37.748	66.882	46.145	1.00	19.54	1DLC1516
	ATOM	1393	CG	LYS	234	36.316	67.360	45.891	1.00	30.78	1DLC1517
	ATOM	1394	CD	LYS	234	36.236	68.364	44.747	1.00	39.43	1DLC1518
	ATOM	1395	CE	LYS	234	36.703	67.727	43.433	1.00	48.46	1DLC1519
45	ATOM	1396	NZ	LYS	234	36.739	68.660	42.257	1.00	52.24	1DLC1520
	ATOM	1397	N	LEU	235	38.080	64.119	44.825	1.00	19.47	1DLC1521
	ATOM	1398	CA	LEU	235	37.677	63.142	43.826	1.00	16.47	1DLC1522
	ATOM	1399	C	LEU	235	37.536	61.714	44.346	1.00	16.10	1DLC1523
	ATOM	1400	O	LEU	235	36.694	60.961	43.862	1.00	19.12	1DLC1524
50	ATOM	1401	CB	LEU	235	38.593	63.224	42.604	1.00	17.24	1DLC1525
	ATOM	1402	CG	LEU	235	38.518	64.594	41.903	1.00	18.14	1DLC1526
	ATOM	1403	CD1	LEU	235	39.500	64.684	40.746	1.00	17.32	1DLC1527
	ATOM	1404	CD2	LEU	235	37.100	64.843	41.415	1.00	19.19	1DLC1528
	ATOM	1405	N	THR	236	38.324	61.337	45.347	1.00	15.47	1DLC1529
55	ATOM	1406	CA	THR	236	38.200	59.988	45.915	1.00	16.87	1DLC1530
	ATOM	1407	C	THR	236	36.816	59.809	46.545	1.00	16.35	1DLC1531
	ATOM	1408	O	THR	236	36.196	58.763	46.418	1.00	16.83	1DLC1532
	ATOM	1409	CB	THR	236	39.284	59.705	46.966	1.00	15.64	1DLC1533
	ATOM	1410	OG1	THR	236	40.562	59.726	46.323	1.00	21.58	1DLC1534
60	ATOM	1411	CG2	THR	236	39.073	58.337	47.618	1.00	11.02	1DLC1535
	ATOM	1412	N	GLN	237	36.333	60.845	47.216	1.00	16.17	1DLC1536
	ATOM	1413	CA	GLN	237	35.014	60.821	47.830	1.00	15.51	1DLC1537
	ATOM	1414	C	GLN	237	33.905	60.798	46.748	1.00	17.21	1DLC1538
	ATOM	1415	O	GLN	237	33.015	59.944	46.773	1.00	16.26	1DLC1539

	ATOM	1416	CB	GLN	237	34.381	62.037	48.751	1.00	16.03	1DLC1540
	ATOM	1417	CG	GLN	237	33.537	62.217	49.423	1.00	21.22	1DLC1541
	ATOM	1418	CD	GLN	237	32.598	63.054	48.596	1.00	25.16	1DLC1542
5	ATOM	1419	OE1	GLN	237	32.760	64.265	48.486	1.00	27.94	1DLC1543
	ATOM	1420	NE2	GLN	237	31.633	62.411	47.969	1.00	27.25	1DLC1544
	ATOM	1421	N	GLU	238	33.998	61.704	45.776	1.00	18.54	1DLC1545
	ATOM	1422	CA	GLU	238	33.016	61.807	44.693	1.00	19.10	1DLC1546
	ATOM	1423	C	GLU	238	32.901	60.561	43.828	1.00	19.60	1DLC1547
10	ATOM	1424	O	GLU	238	31.802	60.063	43.584	1.00	22.82	1DLC1548
	ATOM	1425	CB	GLU	238	33.326	63.001	43.789	1.00	20.79	1DLC1549
	ATOM	1426	CG	GLU	238	33.126	64.348	44.446	1.00	32.20	1DLC1550
	ATOM	1427	CD	GLU	238	33.403	65.518	43.513	1.00	38.00	1DLC1551
	ATOM	1428	OE1	GLU	238	33.582	65.314	42.283	1.00	38.36	1DLC1552
	ATOM	1429	OE2	GLU	238	33.434	66.657	44.028	1.00	45.77	1DLC1553
15	ATOM	1430	N	TYR	239	34.032	60.082	43.328	1.00	17.99	1DLC1554
	ATOM	1431	CA	TYR	239	34.041	58.899	42.481	1.00	16.20	1DLC1555
	ATOM	1432	C	TYR	239	33.495	57.670	43.212	1.00	15.23	1DLC1556
	ATOM	1433	O	TYR	239	32.726	56.900	42.652	1.00	15.80	1DLC1557
20	ATOM	1434	CB	TYR	239	35.455	58.646	41.965	1.00	18.91	1DLC1558
	ATOM	1435	CG	TYR	239	35.987	59.715	41.022	1.00	15.91	1DLC1559
	ATOM	1436	CD1	TYR	239	35.124	60.541	40.304	1.00	14.94	1DLC1560
	ATOM	1437	CD2	TYR	239	37.357	59.844	40.794	1.00	18.81	1DLC1561
	ATOM	1438	CE1	TYR	239	35.612	61.455	39.375	1.00	12.13	1DLC1562
	ATOM	1439	CE2	TYR	239	37.853	60.756	39.863	1.00	15.85	1DLC1563
25	ATOM	1440	CZ	TYR	239	36.978	61.552	39.155	1.00	13.69	1DLC1564
	ATOM	1441	OH	TYR	239	37.468	62.392	38.181	1.00	16.58	1DLC1565
	ATOM	1442	N	THR	240	33.849	57.529	44.486	1.00	17.13	1DLC1566
	ATOM	1443	CA	THR	240	33.385	56.406	45.296	1.00	14.37	1DLC1567
30	ATOM	1444	C	THR	240	31.878	56.494	45.457	1.00	16.34	1DLC1568
	ATOM	1445	O	THR	240	31.155	55.554	45.126	1.00	17.60	1DLC1569
	ATOM	1446	CB	THR	240	34.041	56.398	46.701	1.00	17.40	1DLC1570
	ATOM	1447	OG1	THR	240	35.450	56.166	46.573	1.00	22.45	1DLC1571
	ATOM	1448	CG2	THR	240	33.436	55.308	47.585	1.00	14.03	1DLC1572
35	ATOM	1449	N	ASP	241	31.406	57.637	45.946	1.00	16.35	1DLC1573
	ATOM	1450	CA	ASP	241	29.977	57.844	46.145	1.00	13.45	1DLC1574
	ATOM	1451	C	ASP	241	29.170	57.692	44.863	1.00	15.38	1DLC1575
	ATOM	1452	O	ASP	241	28.119	57.051	44.862	1.00	21.27	1DLC1576
	ATOM	1453	CB	ASP	241	29.709	59.192	46.813	1.00	12.03	1DLC1577
40	ATOM	1454	CG	ASP	241	30.062	59.192	48.290	1.00	10.13	1DLC1578
	ATOM	1455	OD1	ASP	241	30.272	58.107	48.864	1.00	15.38	1DLC1579
	ATOM	1456	OD2	ASP	241	30.122	60.277	48.890	1.00	14.27	1DLC1580
	ATOM	1457	N	HIS	242	29.692	58.205	43.757	1.00	14.94	1DLC1581
	ATOM	1458	CA	HIS	242	28.996	58.082	42.487	1.00	15.39	1DLC1582
45	ATOM	1459	C	HIS	242	28.766	56.608	42.139	1.00	17.79	1DLC1583
	ATOM	1460	O	HIS	242	27.659	56.214	41.793	1.00	22.62	1DLC1584
	ATOM	1461	CB	HIS	242	29.781	58.772	41.360	1.00	15.91	1DLC1585
	ATOM	1462	CG	HIS	242	29.170	58.600	39.997	1.00	17.44	1DLC1586
	ATOM	1463	ND1	HIS	242	28.285	59.508	39.454	1.00	20.18	1DLC1587
50	ATOM	1464	CD2	HIS	242	29.320	57.623	39.069	1.00	17.90	1DLC1588
	ATOM	1465	CE1	HIS	242	27.916	59.100	38.251	1.00	16.84	1DLC1589
	ATOM	1466	NE2	HIS	242	28.530	57.958	37.995	1.00	20.33	1DLC1590
	ATOM	1467	N	CYS	243	29.804	55.793	42.262	1.00	17.39	1DLC1591
	ATOM	1468	CA	CYS	243	29.694	54.377	41.924	1.00	17.86	1DLC1592
55	ATOM	1469	C	CYS	243	28.721	53.588	42.776	1.00	17.12	1DLC1593
	ATOM	1470	O	CYS	243	27.939	52.800	42.251	1.00	21.15	1DLC1594
	ATOM	1471	CB	CYS	243	31.071	53.712	41.923	1.00	15.41	1DLC1595
	ATOM	1472	SG	CYS	243	32.126	54.356	40.620	1.00	18.63	1DLC1596
	ATOM	1473	N	VAL	244	28.742	53.812	44.083	1.00	17.77	1DLC1597
60	ATOM	1474	CA	VAL	244	27.829	53.099	44.961	1.00	17.07	1DLC1598
	ATOM	1475	C	VAL	244	26.368	53.507	44.693	1.00	17.91	1DLC1599

	ATOM	1475	O	VAL	244	25.492	52.658	44.569	1.00	17.98	1DLC1600
	ATOM	1477	CB	VAL	244	28.185	53.318	46.434	1.00	16.68	1DLC1601
	ATOM	1478	CG1	VAL	244	27.179	52.611	47.319	1.00	15.45	1DLC1602
	ATOM	1479	CG2	VAL	244	29.582	52.804	46.711	1.00	11.35	1DLC1603
5	ATOM	1480	N	LYS	245	26.129	54.805	44.551	1.00	19.29	1DLC1604
	ATOM	1481	CA	LYS	245	24.788	55.326	44.282	1.00	21.04	1DLC1605
	ATOM	1482	C	LYS	245	24.142	54.667	43.056	1.00	23.00	1DLC1606
	ATOM	1483	O	LYS	245	23.031	54.139	43.137	1.00	24.89	1DLC1607
10	ATOM	1484	CB	LYS	245	24.855	56.837	44.073	1.00	21.68	1DLC1608
	ATOM	1485	CG	LYS	245	23.552	57.472	43.640	1.00	22.74	1DLC1609
	ATOM	1486	CD	LYS	245	23.779	58.929	43.268	1.00	30.91	1DLC1610
	ATOM	1487	CE	LYS	245	22.469	59.687	43.068	1.00	34.31	1DLC1611
	ATOM	1488	NZ	LYS	245	21.742	59.275	41.844	1.00	37.08	1DLC1612
	ATOM	1489	N	TRP	246	24.848	54.682	41.930	1.00	20.59	1DLC1613
15	ATOM	1490	CA	TRP	246	24.332	54.088	40.701	1.00	19.32	1DLC1614
	ATOM	1491	C	TRP	246	24.386	52.568	40.685	1.00	21.56	1DLC1615
	ATOM	1492	O	TRP	246	23.604	51.918	39.983	1.00	23.26	1DLC1616
	ATOM	1493	CB	TRP	246	25.026	54.695	39.489	1.00	16.97	1DLC1617
	ATOM	1494	CG	TRP	246	24.705	56.132	39.400	1.00	20.83	1DLC1618
20	ATOM	1495	CD1	TRP	246	25.528	57.179	39.697	1.00	22.17	1DLC1619
	ATOM	1496	CD2	TRP	246	23.427	56.697	39.096	1.00	21.29	1DLC1620
	ATOM	1497	NE1	TRP	246	24.837	58.361	39.609	1.00	24.09	1DLC1621
	ATOM	1498	CE2	TRP	246	23.546	58.097	39.239	1.00	23.54	1DLC1622
	ATOM	1499	CE3	TRP	246	22.191	56.157	38.722	1.00	20.29	1DLC1623
25	ATOM	1500	CZ2	TRP	246	22.473	58.966	39.021	1.00	23.70	1DLC1624
	ATOM	1501	CZ3	TRP	246	21.127	57.017	38.507	1.00	22.34	1DLC1625
	ATOM	1502	CH2	TRP	246	21.274	58.410	38.657	1.00	23.62	1DLC1626
	ATOM	1503	N	TYR	247	25.304	51.997	41.460	1.00	20.03	1DLC1627
	ATOM	1504	CA	TYR	247	25.385	50.549	41.558	1.00	20.17	1DLC1628
30	ATOM	1505	C	TYR	247	24.034	50.088	42.133	1.00	19.37	1DLC1629
	ATOM	1506	O	TYR	247	23.360	49.230	41.561	1.00	19.35	1DLC1630
	ATOM	1507	CB	TYR	247	26.528	50.121	42.494	1.00	17.68	1DLC1631
	ATOM	1508	CG	TYR	247	26.392	48.689	42.957	1.00	13.41	1DLC1632
	ATOM	1509	CD1	TYR	247	26.579	47.633	42.067	1.00	14.48	1DLC1633
35	ATOM	1510	CD2	TYR	247	25.966	48.398	44.247	1.00	11.29	1DLC1634
	ATOM	1511	CE1	TYR	247	26.331	46.325	42.446	1.00	14.18	1DLC1635
	ATOM	1512	CE2	TYR	247	25.714	47.096	44.637	1.00	13.99	1DLC1636
	ATOM	1513	CZ	TYR	247	25.892	46.063	43.729	1.00	16.05	1DLC1637
	ATOM	1514	OH	TYR	247	25.586	44.773	44.087	1.00	19.99	1DLC1638
40	ATOM	1515	N	ASN	248	23.634	50.709	43.243	1.00	16.91	1DLC1639
	ATOM	1516	CA	ASN	248	22.373	50.393	43.905	1.00	19.32	1DLC1640
	ATOM	1517	C	ASN	248	21.147	50.687	43.031	1.00	19.33	1DLC1641
	ATOM	1518	O	ASN	248	20.169	49.939	43.050	1.00	18.74	1DLC1642
	ATOM	1519	CB	ASN	248	22.276	51.116	45.250	1.00	18.47	1DLC1643
45	ATOM	1520	CG	ASN	248	23.141	50.471	46.315	1.00	23.56	1DLC1644
	ATOM	1521	OD1	ASN	248	23.184	49.249	46.438	1.00	28.32	1DLC1645
	ATOM	1522	ND2	ASN	248	23.844	51.284	47.081	1.00	24.45	1DLC1646
	ATOM	1523	N	VAL	249	21.207	51.763	42.253	1.00	17.79	1DLC1647
	ATOM	1524	CA	VAL	249	20.105	52.103	41.366	1.00	16.98	1DLC1648
50	ATOM	1525	C	VAL	249	19.883	50.921	40.422	1.00	19.97	1DLC1649
	ATOM	1526	O	VAL	249	18.763	50.425	40.284	1.00	22.20	1DLC1650
	ATOM	1527	CB	VAL	249	20.403	53.384	40.550	1.00	15.18	1DLC1651
	ATOM	1528	CG1	VAL	249	19.374	53.566	39.445	1.00	8.38	1DLC1652
	ATOM	1529	CG2	VAL	249	20.399	54.596	41.467	1.00	12.81	1DLC1653
55	ATOM	1530	N	GLY	250	20.970	50.431	39.834	1.00	19.71	1DLC1654
	ATOM	1531	CA	GLY	250	20.879	49.304	38.924	1.00	20.85	1DLC1655
	ATOM	1532	C	GLY	250	20.409	48.035	39.609	1.00	22.20	1DLC1656
	ATOM	1533	O	GLY	250	19.558	47.316	39.089	1.00	26.29	1DLC1657
	ATOM	1534	N	LEU	251	20.935	47.772	40.797	1.00	20.95	1DLC1658
60	ATOM	1535	CA	LEU	251	20.554	46.594	41.563	1.00	20.76	1DLC1659

5	ATOM	1536	C	LEU	251	19.031	46.532	41.792	1.00	22.33	1DLC1660
	ATOM	1537	O	LEU	251	18.386	45.516	41.502	1.00	21.83	1DLC1661
	ATOM	1538	CB	LEU	251	21.299	46.597	42.900	1.00	17.68	1DLC1662
	ATOM	1539	CG	LEU	251	21.274	45.306	43.716	1.00	19.56	1DLC1663
	ATOM	1540	CD1	LEU	251	21.908	44.160	42.937	1.00	16.74	1DLC1664
10	ATOM	1541	CD2	LEU	251	22.002	45.537	45.009	1.00	16.93	1DLC1665
	ATOM	1542	N	ASP	252	18.463	47.629	42.287	1.00	25.34	1DLC1666
	ATOM	1543	CA	ASP	252	17.023	47.721	42.548	1.00	26.45	1DLC1667
	ATOM	1544	C	ASP	252	16.172	47.589	41.288	1.00	29.16	1DLC1668
	ATOM	1545	O	ASP	252	15.089	47.015	41.322	1.00	32.76	1DLC1669
15	ATOM	1546	CB	ASP	252	16.684	49.029	43.257	1.00	28.64	1DLC1670
	ATOM	1547	CG	ASP	252	17.192	49.071	44.686	1.00	35.67	1DLC1671
	ATOM	1548	OD1	ASP	252	17.305	48.002	45.331	1.00	40.98	1DLC1672
	ATOM	1549	OD2	ASP	252	17.476	50.184	45.170	1.00	42.32	1DLC1673
	ATOM	1550	N	LYS	253	16.673	48.100	40.173	1.00	26.89	1DLC1674
20	ATOM	1551	CA	LYS	253	15.953	48.009	38.916	1.00	27.76	1DLC1675
	ATOM	1552	C	LYS	253	15.801	46.549	38.449	1.00	27.94	1DLC1676
	ATOM	1553	O	LYS	253	14.893	46.226	37.692	1.00	33.46	1DLC1677
	ATOM	1554	CB	LYS	253	16.664	48.854	37.854	1.00	31.20	1DLC1678
	ATOM	1555	CG	LYS	253	15.927	48.957	36.523	1.00	41.11	1DLC1679
25	ATOM	1556	CD	LYS	253	16.574	49.982	35.592	1.00	49.37	1DLC1680
	ATOM	1557	CE	LYS	253	16.569	51.381	36.206	1.00	55.35	1DLC1681
	ATOM	1558	NZ	LYS	253	17.234	52.399	35.335	1.00	58.91	1DLC1682
	ATOM	1559	N	LEU	254	16.674	45.662	38.915	1.00	26.78	1DLC1683
	ATOM	1560	CA	LEU	254	16.619	44.251	38.521	1.00	24.25	1DLC1684
30	ATOM	1561	C	LEU	254	15.876	43.317	39.487	1.00	25.28	1DLC1685
	ATOM	1562	O	LEU	254	15.695	42.129	39.197	1.00	24.46	1DLC1686
	ATOM	1563	CB	LEU	254	18.027	43.713	38.289	1.00	22.43	1DLC1687
	ATOM	1564	CG	LEU	254	18.834	44.386	37.191	1.00	21.13	1DLC1688
	ATOM	1565	CD1	LEU	254	20.199	43.748	37.114	1.00	19.25	1DLC1689
35	ATOM	1566	CD2	LEU	254	18.114	44.247	35.875	1.00	18.91	1DLC1690
	ATOM	1567	N	ARG	255	15.460	43.837	40.634	1.00	24.30	1DLC1691
	ATOM	1568	CA	ARG	255	14.738	43.018	41.598	1.00	26.66	1DLC1692
	ATOM	1569	C	ARG	255	13.400	42.587	41.003	1.00	26.42	1DLC1693
	ATOM	1570	O	ARG	255	12.638	43.406	40.497	1.00	28.64	1DLC1694
40	ATOM	1571	CB	ARG	255	14.494	43.782	42.893	1.00	27.60	1DLC1695
	ATOM	1572	CG	ARG	255	15.646	44.655	43.323	1.00	35.20	1DLC1696
	ATOM	1573	CD	ARG	255	15.438	45.138	44.737	1.00	35.77	1DLC1697
	ATOM	1574	NE	ARG	255	15.670	44.042	45.666	1.00	40.94	1DLC1698
	ATOM	1575	CZ	ARG	255	16.779	43.903	46.381	1.00	41.53	1DLC1699
45	ATOM	1576	NH1	ARG	255	17.749	44.804	46.279	1.00	43.27	1DLC1700
	ATOM	1577	NH2	ARG	255	16.940	42.839	47.153	1.00	41.04	1DLC1701
	ATOM	1578	N	GLY	256	13.132	41.291	41.043	1.00	25.67	1DLC1702
	ATOM	1579	CA	GLY	256	11.893	40.777	40.502	1.00	21.48	1DLC1703
	ATOM	1580	C	GLY	256	11.314	39.735	41.428	1.00	22.34	1DLC1704
50	ATOM	1581	O	GLY	256	11.690	39.653	42.600	1.00	22.71	1DLC1705
	ATOM	1582	N	SER	257	10.401	38.927	40.907	1.00	22.70	1DLC1706
	ATOM	1583	CA	SER	257	9.766	37.885	41.708	1.00	22.19	1DLC1707
	ATOM	1584	C	SER	257	10.123	36.504	41.191	1.00	19.96	1DLC1708
	ATOM	1585	O	SER	257	10.073	35.527	41.928	1.00	22.04	1DLC1709
55	ATOM	1586	CB	SER	257	8.240	38.045	41.690	1.00	22.99	1DLC1710
	ATOM	1587	OG	SER	257	7.714	37.784	40.395	1.00	26.85	1DLC1711
	ATOM	1588	N	SER	258	10.488	36.427	39.920	1.00	18.79	1DLC1712
	ATOM	1589	CA	SER	258	10.835	35.154	39.311	1.00	20.57	1DLC1713
	ATOM	1590	C	SER	258	12.277	34.694	39.511	1.00	22.33	1DLC1714
60	ATOM	1591	O	SER	258	13.156	35.462	39.895	1.00	24.89	1DLC1715
	ATOM	1592	CB	SER	258	10.544	35.191	37.809	1.00	19.52	1DLC1716
	ATOM	1593	OG	SER	258	11.502	35.975	37.113	1.00	24.21	1DLC1717
	ATOM	1594	N	TYR	259	12.494	33.419	39.212	1.00	22.78	1DLC1718
	ATOM	1595	CA	TYR	259	13.799	32.787	39.281	1.00	23.11	1DLC1719

	ATOM	1596	C	TYR	259	14.714	33.449	38.243	1.00	25.26	1DLC1720
	ATOM	1597	O	TYR	259	15.901	33.677	38.490	1.00	26.66	1DLC1721
	ATOM	1598	CB	TYR	259	13.655	31.300	38.953	1.00	21.44	1DLC1722
5	ATOM	1599	CG	TYR	259	14.959	30.627	38.663	1.00	21.31	1DLC1723
	ATOM	1600	CD1	TYR	259	15.812	30.253	39.698	1.00	22.67	1DLC1724
	ATOM	1601	CD2	TYR	259	15.369	30.411	37.351	1.00	19.37	1DLC1725
	ATOM	1602	CE1	TYR	259	17.045	29.682	39.432	1.00	23.31	1DLC1726
	ATOM	1603	CE2	TYR	259	16.592	29.847	37.078	1.00	21.89	1DLC1727
10	ATOM	1604	CZ	TYR	259	17.430	29.485	38.121	1.00	21.29	1DLC1728
	ATOM	1605	OH	TYR	259	18.655	28.932	37.850	1.00	26.88	1DLC1729
	ATOM	1606	N	GLU	260	14.154	33.732	37.073	1.00	21.58	1DLC1730
	ATOM	1607	CA	GLU	260	14.900	34.374	36.001	1.00	21.56	1DLC1731
	ATOM	1608	C	GLU	260	15.315	35.785	36.432	1.00	24.51	1DLC1732
15	ATOM	1609	O	GLU	260	16.393	36.262	36.075	1.00	27.27	1DLC1733
	ATOM	1610	CB	GLU	260	14.064	34.432	34.723	1.00	20.53	1DLC1734
	ATOM	1611	CG	GLU	260	13.701	33.066	34.117	1.00	20.94	1DLC1735
	ATOM	1612	CD	GLU	260	12.625	32.287	34.887	1.00	23.83	1DLC1736
	ATOM	1613	OE1	GLU	260	11.805	32.886	35.616	1.00	27.07	1DLC1737
20	ATOM	1614	OE2	GLU	260	12.593	31.051	34.743	1.00	26.90	1DLC1738
	ATOM	1615	N	SER	261	14.472	36.439	37.226	1.00	22.78	1DLC1739
	ATOM	1616	CA	SER	261	14.792	37.777	37.716	1.00	24.00	1DLC1740
	ATOM	1617	C	SER	261	16.020	37.733	38.617	1.00	22.53	1DLC1741
	ATOM	1618	O	SER	261	16.941	38.550	38.490	1.00	21.49	1DLC1742
25	ATOM	1619	CB	SER	261	13.632	38.361	38.516	1.00	25.06	1DLC1743
	ATOM	1620	OG	SER	261	12.581	38.742	37.657	1.00	40.53	1DLC1744
	ATOM	1621	N	TRP	262	16.017	36.775	39.534	1.00	17.09	1DLC1745
	ATOM	1622	CA	TRP	262	17.125	36.627	40.450	1.00	19.88	1DLC1746
	ATOM	1623	C	TRP	262	18.464	36.308	39.770	1.00	18.85	1DLC1747
30	ATOM	1624	O	TRP	262	19.496	36.795	40.213	1.00	22.45	1DLC1748
	ATOM	1625	CB	TRP	262	16.812	35.590	41.518	1.00	16.11	1DLC1749
	ATOM	1626	CG	TRP	262	17.835	35.588	42.585	1.00	17.10	1DLC1750
	ATOM	1627	CD1	TRP	262	17.807	36.307	43.745	1.00	17.25	1DLC1751
	ATOM	1628	CD2	TRP	262	19.065	34.852	42.593	1.00	17.80	1DLC1752
35	ATOM	1629	NE1	TRP	262	18.943	36.061	44.476	1.00	18.81	1DLC1753
	ATOM	1630	CE2	TRP	262	19.735	35.175	43.794	1.00	18.51	1DLC1754
	ATOM	1631	CE3	TRP	262	19.668	33.951	41.699	1.00	15.16	1DLC1755
	ATOM	1632	CZ2	TRP	262	20.982	34.626	44.130	1.00	21.00	1DLC1756
	ATOM	1633	CZ3	TRP	262	20.906	33.406	42.029	1.00	15.42	1DLC1757
40	ATOM	1634	CH2	TRP	262	21.550	33.745	43.235	1.00	19.20	1DLC1758
	ATOM	1635	N	VAL	263	18.458	35.502	38.709	1.00	19.89	1DLC1759
	ATOM	1636	CA	VAL	263	19.708	35.174	38.014	1.00	18.35	1DLC1760
	ATOM	1637	C	VAL	263	20.311	36.456	37.453	1.00	20.15	1DLC1761
	ATOM	1638	O	VAL	263	21.505	36.709	37.632	1.00	24.22	1DLC1762
45	ATOM	1639	CB	VAL	263	19.528	34.097	36.887	1.00	18.77	1DLC1763
	ATOM	1640	CG1	VAL	263	20.859	33.850	36.151	1.00	12.43	1DLC1764
	ATOM	1641	CG2	VAL	263	19.042	32.778	37.488	1.00	14.72	1DLC1765
	ATOM	1642	N	ASN	264	19.474	37.289	36.838	1.00	19.11	1DLC1766
	ATOM	1643	CA	ASN	264	19.924	38.567	36.287	1.00	19.35	1DLC1767
50	ATOM	1644	C	ASN	264	20.437	39.485	37.390	1.00	19.34	1DLC1768
	ATOM	1645	O	ASN	264	21.531	40.031	37.307	1.00	21.96	1DLC1769
	ATOM	1646	CB	ASN	264	18.784	39.256	35.563	1.00	24.05	1DLC1770
	ATOM	1647	CG	ASN	264	18.415	38.557	34.294	1.00	30.20	1DLC1771
	ATOM	1648	OD1	ASN	264	19.233	37.850	33.710	1.00	35.20	1DLC1772
55	ATOM	1649	ND2	ASN	264	17.179	38.734	33.855	1.00	30.82	1DLC1773
	ATOM	1650	N	PHE	265	19.629	39.631	38.429	1.00	19.08	1DLC1774
	ATOM	1651	CA	PHE	265	19.941	40.445	39.594	1.00	16.55	1DLC1775
	ATOM	1652	C	PHE	265	21.318	40.065	40.165	1.00	17.77	1DLC1776
	ATOM	1653	O	PHE	265	22.194	40.914	40.321	1.00	19.27	1DLC1777
60	ATOM	1654	CB	PHE	265	18.821	40.223	40.619	1.00	12.97	1DLC1778
	ATOM	1655	CG	PHE	265	19.066	40.831	41.971	1.00	10.89	1DLC1779

	ATOM	1656	CD1	PHE	265	18.677	42.137	42.241	1.00	13.68	1DLC1780
	ATOM	1657	CD2	PHE	265	19.574	40.059	43.010	1.00	9.55	1DLC1781
	ATOM	1658	CE1	PHE	265	18.780	42.663	43.530	1.00	12.86	1DLC1782
	ATOM	1659	CE2	PHE	265	19.680	40.571	44.295	1.00	10.43	1DLC1783
5	ATOM	1660	CZ	PHE	265	19.281	41.876	44.559	1.00	10.95	1DLC1784
	ATOM	1661	N	ASN	266	21.518	38.773	40.403	1.00	19.03	1DLC1785
	ATOM	1662	CA	ASN	266	22.766	38.265	40.954	1.00	17.33	1DLC1786
	ATOM	1663	C	ASN	266	23.957	38.336	39.992	1.00	17.92	1DLC1787
	ATOM	1664	O	ASN	266	25.092	38.493	40.435	1.00	22.09	1DLC1788
10	ATOM	1665	CB	ASN	266	22.584	36.840	41.468	1.00	15.11	1DLC1789
	ATOM	1666	CG	ASN	266	23.826	36.313	42.142	1.00	17.39	1DLC1790
	ATOM	1667	OD1	ASN	266	24.244	36.822	43.181	1.00	17.95	1DLC1791
	ATOM	1668	ND2	ASN	266	24.444	35.307	41.543	1.00	18.20	1DLC1792
	ATOM	1669	N	ARG	267	23.716	38.190	38.692	1.00	17.41	1DLC1793
15	ATOM	1670	CA	ARG	267	24.801	38.283	37.707	1.00	17.83	1DLC1794
	ATOM	1671	C	ARG	267	25.306	39.730	37.662	1.00	19.29	1DLC1795
	ATOM	1672	O	ARG	267	26.505	39.976	37.578	1.00	20.96	1DLC1796
	ATOM	1673	CB	ARG	267	24.321	37.849	36.322	1.00	16.99	1DLC1797
	ATOM	1674	CG	ARG	267	25.377	37.917	35.248	1.00	17.92	1DLC1798
20	ATOM	1675	CD	ARG	267	24.824	37.461	33.916	1.00	22.41	1DLC1799
	ATOM	1676	NE	ARG	267	24.427	36.052	33.942	1.00	35.91	1DLC1800
	ATOM	1677	CZ	ARG	267	23.190	35.599	33.727	1.00	41.26	1DLC1801
	ATOM	1678	NH1	ARG	267	22.183	36.431	33.464	1.00	42.55	1DLC1802
	ATOM	1679	NH2	ARG	267	22.959	34.293	33.767	1.00	44.18	1DLC1803
25	ATOM	1680	N	TYR	268	24.378	40.681	37.735	1.00	17.33	1DLC1804
	ATOM	1681	CA	TYR	268	24.711	42.098	37.748	1.00	15.33	1DLC1805
	ATOM	1682	C	TYR	268	25.505	42.391	39.018	1.00	17.40	1DLC1806
	ATOM	1683	O	TYR	268	26.557	43.032	38.976	1.00	20.28	1DLC1807
	ATOM	1684	CB	TYR	268	23.432	42.932	37.739	1.00	13.81	1DLC1808
30	ATOM	1685	CG	TYR	268	23.625	44.400	38.058	1.00	15.29	1DLC1809
	ATOM	1686	CD1	TYR	268	23.588	44.852	39.378	1.00	17.01	1DLC1810
	ATOM	1687	CD2	TYR	268	23.808	45.344	37.042	1.00	12.55	1DLC1811
	ATOM	1688	CE1	TYR	268	23.720	46.207	39.685	1.00	18.91	1DLC1812
	ATOM	1689	CE2	TYR	268	23.937	46.703	37.335	1.00	15.35	1DLC1813
35	ATOM	1690	CZ	TYR	268	23.891	47.129	38.664	1.00	17.81	1DLC1814
	ATOM	1691	OH	TYR	268	23.989	48.470	38.983	1.00	14.63	1DLC1815
	ATOM	1692	N	ARG	269	24.982	41.936	40.152	1.00	15.99	1DLC1816
	ATOM	1693	CA	ARG	269	25.643	42.129	41.436	1.00	16.03	1DLC1817
	ATOM	1694	C	ARG	269	27.084	41.570	41.420	1.00	20.77	1DLC1818
40	ATOM	1695	O	ARG	269	28.024	42.257	41.831	1.00	23.24	1DLC1819
	ATOM	1696	CB	ARG	269	24.815	41.485	42.538	1.00	11.54	1DLC1820
	ATOM	1697	CG	ARG	269	25.506	41.407	43.864	1.00	10.15	1DLC1821
	ATOM	1698	CD	ARG	269	25.030	40.181	44.571	1.00	14.41	1DLC1822
	ATOM	1699	NE	ARG	269	23.862	40.441	45.396	1.00	17.34	1DLC1823
45	ATOM	1700	CZ	ARG	269	22.933	39.541	45.710	1.00	21.53	1DLC1824
	ATOM	1701	NH1	ARG	269	22.991	38.292	45.259	1.00	20.03	1DLC1825
	ATOM	1702	NH2	ARG	269	21.977	39.878	46.558	1.00	26.32	1DLC1826
	ATOM	1703	N	ARG	270	27.263	40.350	40.907	1.00	20.00	1DLC1827
	ATOM	1704	CA	ARG	270	28.592	39.749	40.821	1.00	19.69	1DLC1828
50	ATOM	1705	C	ARG	270	29.517	40.503	39.850	1.00	19.79	1DLC1829
	ATOM	1706	O	ARG	270	30.647	40.841	40.199	1.00	23.48	1DLC1830
	ATOM	1707	CB	ARG	270	28.509	38.285	40.386	1.00	21.51	1DLC1831
	ATOM	1708	CG	ARG	270	29.863	37.543	40.405	1.00	22.79	1DLC1832
	ATOM	1709	CD	ARG	270	29.949	36.544	39.258	1.00	23.46	1DLC1833
55	ATOM	1710	NE	ARG	270	28.710	35.781	39.194	1.00	27.60	1DLC1834
	ATOM	1711	CZ	ARG	270	28.020	35.535	38.087	1.00	23.27	1DLC1835
	ATOM	1712	NH1	ARG	270	28.437	35.961	36.906	1.00	16.76	1DLC1836
	ATOM	1713	NH2	ARG	270	26.852	34.934	38.189	1.00	27.70	1DLC1837
	ATOM	1714	N	GLU	271	29.044	40.782	38.641	1.00	16.09	1DLC1838
60	ATOM	1715	CA	GLU	271	29.871	41.489	37.672	1.00	16.33	1DLC1839

	ATOM	1716	C	GLU	271	30.236	42.910	38.103	1.00	19.12	1DLC1840
	ATOM	1717	O	GLU	271	31.364	43.351	37.878	1.00	22.66	1DLC1841
	ATOM	1718	CB	GLU	271	29.229	41.471	36.285	1.00	14.28	1DLC1842
	ATOM	1719	CG	GLU	271	29.077	40.055	35.742	1.00	18.54	1DLC1843
5	ATOM	1720	CD	GLU	271	28.846	39.984	34.242	1.00	22.46	1DLC1844
	ATOM	1721	OE1	GLU	271	28.930	41.022	33.548	1.00	28.08	1DLC1845
	ATOM	1722	OE2	GLU	271	28.597	38.869	33.744	1.00	24.80	1DLC1846
	ATOM	1723	N	MET	272	29.305	43.616	38.745	1.00	17.93	1DLC1847
	ATOM	1724	CA	MET	272	29.580	44.968	39.223	1.00	15.97	1DLC1848
10	ATOM	1725	C	MET	272	30.544	44.914	40.405	1.00	16.81	1DLC1849
	ATOM	1726	O	MET	272	31.253	45.876	40.684	1.00	20.74	1DLC1850
	ATOM	1727	CB	MET	272	28.300	45.705	39.616	1.00	14.65	1DLC1851
	ATOM	1728	CG	MET	272	27.362	45.953	38.464	1.00	20.31	1DLC1852
	ATOM	1729	SD	MET	272	28.183	46.581	36.973	1.00	27.85	1DLC1853
15	ATOM	1730	CE	MET	272	27.795	48.276	37.085	1.00	32.60	1DLC1854
	ATOM	1731	N	THR	273	30.571	43.789	41.104	1.00	14.53	1DLC1855
	ATOM	1732	CA	THR	273	31.491	43.631	42.220	1.00	16.38	1DLC1856
	ATOM	1733	C	THR	273	32.931	43.495	41.701	1.00	17.79	1DLC1857
	ATOM	1734	O	THR	273	33.835	44.207	42.142	1.00	19.00	1DLC1858
20	ATOM	1735	CB	THR	273	31.130	42.402	43.072	1.00	13.43	1DLC1859
	ATOM	1736	OG1	THR	273	29.875	42.632	43.716	1.00	13.76	1DLC1860
	ATOM	1737	CG2	THR	273	32.190	42.146	44.139	1.00	12.75	1DLC1861
	ATOM	1738	N	LEU	274	33.108	42.634	40.702	1.00	18.60	1DLC1862
	ATOM	1739	CA	LEU	274	34.413	42.376	40.100	1.00	17.81	1DLC1863
25	ATOM	1740	C	LEU	274	35.000	43.542	39.305	1.00	18.48	1DLC1864
	ATOM	1741	O	LEU	274	36.214	43.754	39.306	1.00	23.04	1DLC1865
	ATOM	1742	CB	LEU	274	34.340	41.136	39.198	1.00	10.87	1DLC1866
	ATOM	1743	CG	LEU	274	33.850	39.850	39.870	1.00	11.27	1DLC1867
	ATOM	1744	CD1	LEU	274	33.801	38.730	38.867	1.00	10.38	1DLC1868
30	ATOM	1745	CD2	LEU	274	34.735	39.476	41.047	1.00	9.69	1DLC1869
	ATOM	1746	N	THR	275	34.143	44.300	38.632	1.00	16.36	1DLC1870
	ATOM	1747	CA	THR	275	34.611	45.412	37.813	1.00	16.92	1DLC1871
	ATOM	1748	C	THR	275	34.489	46.807	38.413	1.00	18.24	1DLC1872
	ATOM	1749	O	THR	275	35.169	47.734	37.967	1.00	22.33	1DLC1873
35	ATOM	1750	CB	THR	275	33.932	45.417	36.421	1.00	16.38	1DLC1874
	ATOM	1751	OG1	THR	275	32.508	45.523	36.581	1.00	22.03	1DLC1875
	ATOM	1752	CG2	THR	275	34.259	44.148	35.663	1.00	13.77	1DLC1876
	ATOM	1753	N	VAL	276	33.626	46.972	39.410	1.00	17.04	1DLC1877
	ATOM	1754	CA	VAL	276	33.443	48.287	40.021	1.00	14.32	1DLC1878
40	ATOM	1755	C	VAL	276	33.739	48.366	41.523	1.00	15.28	1DLC1879
	ATOM	1756	O	VAL	276	34.637	49.093	41.949	1.00	15.38	1DLC1880
	ATOM	1757	CB	VAL	276	32.008	48.832	39.749	1.00	14.77	1DLC1881
	ATOM	1758	CG1	VAL	276	31.796	50.185	40.439	1.00	14.41	1DLC1882
	ATOM	1759	CG2	VAL	276	31.764	48.963	38.250	1.00	10.22	1DLC1883
45	ATOM	1760	N	LEU	277	33.005	47.585	42.311	1.00	17.20	1DLC1884
	ATOM	1761	CA	LEU	277	33.137	47.596	43.767	1.00	16.40	1DLC1885
	ATOM	1762	C	LEU	277	34.504	47.219	44.330	1.00	16.22	1DLC1886
	ATOM	1763	O	LEU	277	34.967	47.831	45.294	1.00	16.50	1DLC1887
	ATOM	1764	CB	LEU	277	32.009	46.781	44.421	1.00	13.32	1DLC1888
50	ATOM	1765	CG	LEU	277	30.565	47.184	44.067	1.00	10.97	1DLC1889
	ATOM	1766	CD1	LEU	277	29.609	46.395	44.928	1.00	10.44	1DLC1890
	ATOM	1767	CD2	LEU	277	30.326	48.681	44.254	1.00	5.94	1DLC1891
	ATOM	1768	N	ASP	278	35.143	46.210	43.747	1.00	16.09	1DLC1892
	ATOM	1769	CA	ASP	278	36.484	45.792	44.188	1.00	17.29	1DLC1893
55	ATOM	1770	C	ASP	278	37.503	46.892	43.892	1.00	17.61	1DLC1894
	ATOM	1771	O	ASP	278	38.430	47.134	44.659	1.00	20.19	1DLC1895
	ATOM	1772	CB	ASP	278	36.923	44.506	43.469	1.00	16.99	1DLC1896
	ATOM	1773	CG	ASP	278	36.247	43.269	44.015	1.00	15.27	1DLC1897
	ATOM	1774	OD1	ASP	278	35.693	43.336	45.127	1.00	18.92	1DLC1898
60	ATOM	1775	OD2	ASP	278	36.270	42.229	43.336	1.00	18.16	1DLC1899

	ATOM	1776	N	LEU	279	37.281	47.579	42.778	1.00	20.55	1DLC1900
	ATOM	1777	CA	LEU	279	38.137	48.660	42.317	1.00	19.58	1DLC1901
	ATOM	1778	C	LEU	279	38.086	49.881	43.234	1.00	19.74	1DLC1902
	ATOM	1779	O	LEU	279	39.128	50.342	43.710	1.00	22.71	1DLC1903
5	ATOM	1780	CB	LEU	279	37.734	49.052	40.893	1.00	17.72	1DLC1904
	ATOM	1781	CG	LEU	279	38.749	49.808	40.046	1.00	16.46	1DLC1905
	ATOM	1782	CD1	LEU	279	40.052	49.031	40.000	1.00	14.94	1DLC1906
	ATOM	1783	CD2	LEU	279	38.188	49.989	38.641	1.00	16.14	1DLC1907
	ATOM	1784	N	ILE	280	36.879	50.375	43.517	1.00	18.89	1DLC1908
10	ATOM	1785	CA	ILE	280	36.719	51.560	44.366	1.00	13.41	1DLC1909
	ATOM	1786	C	ILE	280	37.199	51.324	45.798	1.00	13.89	1DLC1910
	ATOM	1787	O	ILE	280	37.507	52.267	46.526	1.00	13.40	1DLC1911
	ATOM	1788	CB	ILE	280	35.256	52.105	44.363	1.00	14.32	1DLC1912
	ATOM	1789	CG1	ILE	280	34.321	51.163	45.122	1.00	13.32	1DLC1913
15	ATOM	1790	CG2	ILE	280	34.761	52.313	42.923	1.00	13.11	1DLC1914
	ATOM	1791	CD1	ILE	280	32.919	51.689	45.250	1.00	13.97	1DLC1915
	ATOM	1792	N	ALA	281	37.279	50.057	46.190	1.00	14.85	1DLC1916
	ATOM	1793	CA	ALA	281	37.753	49.696	47.523	1.00	14.09	1DLC1917
	ATOM	1794	C	ALA	281	39.244	50.047	47.686	1.00	16.05	1DLC1918
20	ATOM	1795	O	ALA	281	39.711	50.300	48.792	1.00	19.60	1DLC1919
	ATOM	1796	CB	ALA	281	37.534	48.218	47.758	1.00	10.28	1DLC1920
	ATOM	1797	N	LEU	282	39.968	50.109	46.568	1.00	17.34	1DLC1921
	ATOM	1798	CA	LEU	282	41.404	50.412	46.566	1.00	17.85	1DLC1922
	ATOM	1799	C	LEU	282	41.772	51.901	46.551	1.00	18.73	1DLC1923
25	ATOM	1800	O	LEU	282	42.853	52.282	47.002	1.00	20.35	1DLC1924
	ATOM	1801	CB	LEU	282	42.088	49.692	45.396	1.00	13.56	1DLC1925
	ATOM	1802	CG	LEU	282	41.818	48.181	45.369	1.00	15.77	1DLC1926
	ATOM	1803	CD1	LEU	282	42.557	47.527	44.222	1.00	15.69	1DLC1927
	ATOM	1804	CD2	LEU	282	42.219	47.554	46.693	1.00	11.02	1DLC1928
30	ATOM	1805	N	PHE	283	40.853	52.738	46.078	1.00	17.57	1DLC1929
	ATOM	1806	CA	PHE	283	41.056	54.189	45.993	1.00	16.08	1DLC1930
	ATOM	1807	C	PHE	283	41.766	54.859	47.190	1.00	17.36	1DLC1931
	ATOM	1808	O	PHE	283	42.711	55.622	47.003	1.00	18.59	1DLC1932
	ATOM	1809	CB	PHE	283	39.714	54.910	45.750	1.00	16.79	1DLC1933
35	ATOM	1810	CG	PHE	283	39.107	54.676	44.384	1.00	11.95	1DLC1934
	ATOM	1811	CD1	PHE	283	39.792	53.973	43.397	1.00	9.94	1DLC1935
	ATOM	1812	CD2	PHE	283	37.851	55.199	44.083	1.00	11.93	1DLC1936
	ATOM	1813	CE1	PHE	283	39.231	53.797	42.123	1.00	15.02	1DLC1937
	ATOM	1814	CE2	PHE	283	37.284	55.027	42.815	1.00	13.95	1DLC1938
40	ATOM	1815	CZ	PHE	283	37.978	54.325	41.832	1.00	8.45	1DLC1939
	ATOM	1816	N	PRO	284	41.325	54.577	48.432	1.00	16.44	1DLC1940
	ATOM	1817	CA	PRO	284	41.954	55.188	49.613	1.00	16.04	1DLC1941
	ATOM	1818	C	PRO	284	43.435	54.855	49.775	1.00	18.64	1DLC1942
	ATOM	1819	O	PRO	284	44.206	55.624	50.357	1.00	20.90	1DLC1943
45	ATOM	1820	CB	PRO	284	41.154	54.593	50.771	1.00	11.65	1DLC1944
	ATOM	1821	CG	PRO	284	39.841	54.292	50.168	1.00	13.79	1DLC1945
	ATOM	1822	CD	PRO	284	40.210	53.707	48.843	1.00	14.01	1DLC1946
	ATOM	1823	N	LEU	285	43.825	53.697	49.263	1.00	19.68	1DLC1947
	ATOM	1824	CA	LEU	285	45.198	53.244	49.366	1.00	17.84	1DLC1948
50	ATOM	1825	C	LEU	285	46.126	53.959	48.383	1.00	17.73	1DLC1949
	ATOM	1826	O	LEU	285	47.334	53.743	48.391	1.00	22.07	1DLC1950
	ATOM	1827	CB	LEU	285	45.248	51.719	49.220	1.00	19.70	1DLC1951
	ATOM	1828	CG	LEU	285	44.269	50.970	50.149	1.00	20.17	1DLC1952
	ATOM	1829	CD1	LEU	285	44.337	49.484	49.897	1.00	22.11	1DLC1953
55	ATOM	1830	CD2	LEU	285	44.558	51.263	51.609	1.00	17.27	1DLC1954
	ATOM	1831	N	TYR	286	45.554	54.817	47.543	1.00	17.08	1DLC1955
	ATOM	1832	CA	TYR	286	46.335	55.608	46.588	1.00	16.87	1DLC1956
	ATOM	1833	C	TYR	286	46.878	56.856	47.292	1.00	17.31	1DLC1957
	ATOM	1834	O	TYR	286	47.635	57.630	46.709	1.00	18.04	1DLC1958
60	ATOM	1835	CB	TYR	286	45.484	56.044	45.395	1.00	15.25	1DLC1959

	ATOM	1836	CG	TYR	286	44.982	54.917	44.529	1.00	17.75	1DLC1960
	ATOM	1837	CD1	TYR	286	45.468	53.615	44.680	1.00	19.64	1DLC1961
	ATOM	1838	CD2	TYR	286	44.008	55.149	43.559	1.00	19.56	1DLC1962
5	ATOM	1839	CE1	TYR	286	44.990	52.579	43.888	1.00	19.02	1DLC1963
	ATOM	1840	CE2	TYR	286	43.526	54.121	42.763	1.00	17.69	1DLC1964
	ATOM	1841	CZ	TYR	286	44.016	52.846	42.933	1.00	17.71	1DLC1965
	ATOM	1842	OH	TYR	286	43.507	51.832	42.166	1.00	19.21	1DLC1966
	ATOM	1843	N	ASP	287	46.449	57.080	48.531	1.00	15.82	1DLC1967
10	ATOM	1844	CA	ASP	287	46.942	58.221	49.279	1.00	15.74	1DLC1968
	ATOM	1845	C	ASP	287	48.293	57.856	49.888	1.00	15.59	1DLC1969
	ATOM	1846	O	ASP	287	48.376	57.359	51.013	1.00	15.25	1DLC1970
	ATOM	1847	CB	ASP	287	45.958	58.648	50.365	1.00	14.24	1DLC1971
	ATOM	1848	CG	ASP	287	46.307	60.007	50.970	1.00	19.57	1DLC1972
	ATOM	1849	OD1	ASP	287	47.482	60.422	50.914	1.00	23.20	1DLC1973
15	ATOM	1850	OD2	ASP	287	45.405	60.672	51.519	1.00	24.37	1DLC1974
	ATOM	1851	N	VAL	288	49.352	58.154	49.142	1.00	17.00	1DLC1975
	ATOM	1852	CA	VAL	288	50.717	57.860	49.564	1.00	19.40	1DLC1976
	ATOM	1853	C	VAL	288	51.236	58.650	50.761	1.00	20.76	1DLC1977
20	ATOM	1854	O	VAL	288	52.334	58.403	51.236	1.00	24.76	1DLC1978
	ATOM	1855	CB	VAL	288	51.702	57.989	48.397	1.00	17.31	1DLC1979
	ATOM	1856	CG1	VAL	288	51.291	57.054	47.285	1.00	18.35	1DLC1980
	ATOM	1857	CG2	VAL	288	51.762	59.418	47.905	1.00	17.23	1DLC1981
	ATOM	1858	N	ARG	289	50.447	59.598	51.248	1.00	23.06	1DLC1982
25	ATOM	1859	CA	ARG	289	50.846	60.391	52.410	1.00	22.35	1DLC1983
	ATOM	1860	C	ARG	289	50.361	59.717	53.669	1.00	20.93	1DLC1984
	ATOM	1861	O	ARG	289	51.051	59.715	54.684	1.00	21.28	1DLC1985
	ATOM	1862	CB	ARG	289	50.283	61.800	52.311	1.00	28.20	1DLC1986
	ATOM	1863	CG	ARG	289	50.680	62.438	51.025	1.00	31.27	1DLC1987
30	ATOM	1864	CD	ARG	289	50.447	63.905	51.004	1.00	41.78	1DLC1988
	ATOM	1865	NE	ARG	289	51.389	64.454	50.046	1.00	51.47	1DLC1989
	ATOM	1866	CZ	ARG	289	52.620	64.833	50.361	1.00	52.65	1DLC1990
	ATOM	1867	NH1	ARG	289	53.034	64.743	51.621	1.00	52.33	1DLC1991
	ATOM	1868	NH2	ARG	289	53.469	65.194	49.403	1.00	53.49	1DLC1992
35	ATOM	1869	N	LEU	290	49.142	59.187	53.599	1.00	21.77	1DLC1993
	ATOM	1870	CA	LEU	290	48.535	58.454	54.710	1.00	19.60	1DLC1994
	ATOM	1871	C	LEU	290	49.127	57.042	54.690	1.00	19.04	1DLC1995
	ATOM	1872	O	LEU	290	49.307	56.414	55.728	1.00	16.89	1DLC1996
	ATOM	1873	CB	LEU	290	47.014	58.368	54.545	1.00	17.72	1DLC1997
40	ATOM	1874	CG	LEU	290	46.117	59.392	55.235	1.00	17.03	1DLC1998
	ATOM	1875	CD1	LEU	290	44.683	58.999	54.982	1.00	15.20	1DLC1999
	ATOM	1876	CD2	LEU	290	46.382	59.429	56.728	1.00	13.88	1DLC2000
	ATOM	1877	N	TYR	291	49.429	56.555	53.490	1.00	17.26	1DLC2001
	ATOM	1878	CA	TYR	291	50.018	55.231	53.316	1.00	17.98	1DLC2002
45	ATOM	1879	C	TYR	291	51.379	55.394	52.648	1.00	19.81	1DLC2003
	ATOM	1880	O	TYR	291	51.533	55.142	51.448	1.00	19.73	1DLC2004
	ATOM	1881	CB	TYR	291	49.092	54.352	52.475	1.00	16.70	1DLC2005
	ATOM	1882	CG	TYR	291	47.755	54.103	53.142	1.00	17.30	1DLC2006
	ATOM	1883	CD1	TYR	291	47.582	53.028	54.024	1.00	15.12	1DLC2007
50	ATOM	1884	CD2	TYR	291	46.674	54.963	52.927	1.00	12.11	1DLC2008
	ATOM	1885	CE1	TYR	291	46.379	52.820	54.672	1.00	15.98	1DLC2009
	ATOM	1886	CE2	TYR	291	45.469	54.763	53.576	1.00	11.41	1DLC2010
	ATOM	1887	CZ	TYR	291	45.330	53.689	54.444	1.00	13.44	1DLC2011
	ATOM	1888	OH	TYR	291	44.140	53.472	55.077	1.00	16.97	1DLC2012
55	ATOM	1889	N	PRO	292	52.383	55.841	53.428	1.00	18.71	1DLC2013
	ATOM	1890	CA	PRO	292	53.760	56.078	52.988	1.00	19.79	1DLC2014
	ATOM	1891	C	PRO	292	54.569	54.810	52.769	1.00	21.30	1DLC2015
	ATOM	1892	O	PRO	292	55.746	54.877	52.441	1.00	27.34	1DLC2016
	ATOM	1893	CB	PRO	292	54.351	56.913	54.127	1.00	20.00	1DLC2017
60	ATOM	1894	CG	PRO	292	53.159	57.371	54.919	1.00	24.03	1DLC2018
	ATOM	1895	CD	PRO	292	52.248	56.202	54.843	1.00	17.48	1DLC2019

	ATOM	1896	N	LYS	293	53.959	53.657	53.010	1.00	20.08	1DLC2020
	ATOM	1897	CA	LYS	293	54.625	52.381	52.793	1.00	20.58	1DLC2021
	ATOM	1898	C	LYS	293	53.692	51.508	51.950	1.00	23.91	1DLC2022
	ATOM	1899	O	LYS	293	52.543	51.884	51.690	1.00	27.52	1DLC2023
5	ATOM	1900	CB	LYS	293	54.881	51.655	54.114	1.00	17.96	1DLC2024
	ATOM	1901	CG	LYS	293	55.286	52.512	55.267	1.00	20.88	1DLC2025
	ATOM	1902	CD	LYS	293	55.560	51.644	56.484	1.00	25.87	1DLC2026
	ATOM	1903	CE	LYS	293	55.546	52.459	57.770	1.00	34.09	1DLC2027
	ATOM	1904	NZ	LYS	293	56.452	53.641	57.721	1.00	38.99	1DLC2028
10	ATOM	1905	N	GLU	294	54.180	50.345	51.530	1.00	22.97	1DLC2029
	ATOM	1906	CA	GLU	294	53.359	49.411	50.772	1.00	20.92	1DLC2030
	ATOM	1907	C	GLU	294	52.267	48.916	51.722	1.00	20.22	1DLC2031
	ATOM	1908	O	GLU	294	52.471	48.835	52.938	1.00	19.74	1DLC2032
	ATOM	1909	CB	GLU	294	54.192	48.218	50.314	1.00	24.35	1DLC2033
15	ATOM	1910	CG	GLU	294	55.435	48.586	49.521	1.00	36.21	1DLC2034
	ATOM	1911	CD	GLU	294	56.236	47.367	49.086	1.00	37.88	1DLC2035
	ATOM	1912	OE1	GLU	294	56.648	46.574	49.966	1.00	43.62	1DLC2036
	ATOM	1913	OE2	GLU	294	56.450	47.207	47.864	1.00	40.00	1DLC2037
	ATOM	1914	N	VAL	295	51.101	48.607	51.177	1.00	21.65	1DLC2038
20	ATOM	1915	CA	VAL	295	49.999	48.127	52.002	1.00	21.78	1DLC2039
	ATOM	1916	C	VAL	295	49.628	46.669	51.752	1.00	20.58	1DLC2040
	ATOM	1917	O	VAL	295	49.519	46.236	50.608	1.00	21.08	1DLC2041
	ATOM	1918	CB	VAL	295	48.732	48.989	51.809	1.00	20.64	1DLC2042
	ATOM	1919	CG1	VAL	295	47.553	48.390	52.569	1.00	22.03	1DLC2043
25	ATOM	1920	CG2	VAL	295	48.991	50.400	52.284	1.00	22.52	1DLC2044
	ATOM	1921	N	LYS	296	49.509	45.905	52.834	1.00	18.88	1DLC2045
	ATOM	1922	CA	LYS	296	49.082	44.516	52.754	1.00	17.81	1DLC2046
	ATOM	1923	C	LYS	296	47.586	44.560	53.085	1.00	20.39	1DLC2047
	ATOM	1924	O	LYS	296	47.195	45.013	54.172	1.00	20.26	1DLC2048
30	ATOM	1925	CB	LYS	296	49.809	43.651	53.782	1.00	15.08	1DLC2049
	ATOM	1926	CG	LYS	296	49.313	42.216	53.816	1.00	12.45	1DLC2050
	ATOM	1927	CD	LYS	296	49.980	41.428	54.928	1.00	16.66	1DLC2051
	ATOM	1928	CE	LYS	296	49.434	40.008	55.028	1.00	12.92	1DLC2052
	ATOM	1929	NZ	LYS	296	48.362	39.892	56.047	1.00	15.35	1DLC2053
35	ATOM	1930	N	THR	297	46.747	44.166	52.135	1.00	20.26	1DLC2054
	ATOM	1931	CA	THR	297	45.309	44.186	52.373	1.00	19.90	1DLC2055
	ATOM	1932	C	THR	297	44.572	43.049	51.671	1.00	19.99	1DLC2056
	ATOM	1933	O	THR	297	45.177	42.286	50.923	1.00	24.16	1DLC2057
	ATOM	1934	CB	THR	297	44.701	45.550	51.980	1.00	17.52	1DLC2058
40	ATOM	1935	OG1	THR	297	43.325	45.579	52.366	1.00	18.25	1DLC2059
	ATOM	1936	CG2	THR	297	44.829	45.799	50.476	1.00	14.77	1DLC2060
	ATOM	1937	N	GLU	298	43.270	42.935	51.913	1.00	20.33	1DLC2061
	ATOM	1938	CA	GLU	298	42.461	41.874	51.307	1.00	19.29	1DLC2062
	ATOM	1939	C	GLU	298	40.997	42.259	51.106	1.00	17.75	1DLC2063
45	ATOM	1940	O	GLU	298	40.470	43.129	51.795	1.00	20.54	1DLC2064
	ATOM	1941	CB	GLU	298	42.536	40.605	52.166	1.00	14.48	1DLC2065
	ATOM	1942	CG	GLU	298	42.130	40.827	53.611	1.00	14.45	1DLC2066
	ATOM	1943	CD	GLU	298	42.441	39.644	54.506	1.00	15.68	1DLC2067
	ATOM	1944	OE1	GLU	298	43.588	39.157	54.490	1.00	22.29	1DLC2068
50	ATOM	1945	OE2	GLU	298	41.544	39.211	55.247	1.00	19.26	1DLC2069
	ATOM	1946	N	LEU	299	40.349	41.596	50.156	1.00	17.55	1DLC2070
	ATOM	1947	CA	LEU	299	38.933	41.826	49.856	1.00	18.90	1DLC2071
	ATOM	1948	C	LEU	299	38.165	40.652	50.488	1.00	21.39	1DLC2072
	ATOM	1949	O	LEU	299	38.385	39.493	50.108	1.00	23.60	1DLC2073
55	ATOM	1950	CB	LEU	299	38.717	41.862	48.338	1.00	13.32	1DLC2074
	ATOM	1951	CG	LEU	299	39.472	42.945	47.563	1.00	10.97	1DLC2075
	ATOM	1952	CD1	LEU	299	39.359	42.688	46.085	1.00	14.82	1DLC2076
	ATOM	1953	CD2	LEU	299	38.929	44.312	47.894	1.00	9.97	1DLC2077
	ATOM	1954	N	THR	300	37.291	40.943	51.455	1.00	19.12	1DLC2078
60	ATOM	1955	CA	THR	300	36.539	39.902	52.163	1.00	17.44	1DLC2079

	ATOM	1956	C	THR	300	35.105	39.598	51.710	1.00	20.09	1DLC2080
	ATOM	1957	O	THR	300	34.439	38.743	52.297	1.00	21.20	1DLC2081
	ATOM	1958	CB	THR	300	36.492	40.200	53.680	1.00	18.14	1DLC2082
5	ATOM	1959	OG1	THR	300	35.829	41.449	53.904	1.00	20.85	1DLC2083
	ATOM	1960	CG2	THR	300	37.899	40.264	54.270	1.00	17.00	1DLC2084
	ATOM	1961	N	ARG	301	34.631	40.268	50.667	1.00	20.53	1DLC2085
	ATOM	1962	CA	ARG	301	33.259	40.074	50.184	1.00	18.35	1DLC2086
	ATOM	1963	C	ARG	301	32.963	38.762	49.451	1.00	19.18	1DLC2087
10	ATOM	1964	O	ARG	301	33.850	38.158	48.849	1.00	18.71	1DLC2088
	ATOM	1965	CB	ARG	301	32.842	41.248	49.291	1.00	13.09	1DLC2089
	ATOM	1966	CG	ARG	301	33.280	41.126	47.830	1.00	13.61	1DLC2090
	ATOM	1967	CD	ARG	301	34.792	41.044	47.678	1.00	14.65	1DLC2091
	ATOM	1968	NE	ARG	301	35.197	40.844	46.291	1.00	14.20	1DLC2092
	ATOM	1969	CZ	ARG	301	35.305	39.661	45.690	1.00	17.27	1DLC2093
15	ATOM	1970	NH1	ARG	301	35.040	38.534	46.343	1.00	13.79	1DLC2094
	ATOM	1971	NH2	ARG	301	35.667	39.613	44.420	1.00	14.12	1DLC2095
	ATOM	1972	N	ASP	302	31.690	38.370	49.478	1.00	19.99	1DLC2096
	ATOM	1973	CA	ASP	302	31.196	37.161	48.817	1.00	20.22	1DLC2097
20	ATOM	1974	C	ASP	302	30.662	37.483	47.432	1.00	20.75	1DLC2098
	ATOM	1975	O	ASP	302	30.141	38.573	47.196	1.00	24.04	1DLC2099
	ATOM	1976	CB	ASP	302	29.980	36.582	49.556	1.00	24.46	1DLC2100
	ATOM	1977	CG	ASP	302	30.316	35.978	50.886	1.00	31.05	1DLC2101
	ATOM	1978	OD1	ASP	302	31.510	35.740	51.162	1.00	41.38	1DLC2102
	ATOM	1979	OD2	ASP	302	29.363	35.721	51.657	1.00	34.73	1DLC2103
25	ATOM	1980	N	VAL	303	30.741	36.501	46.544	1.00	18.31	1DLC2104
	ATOM	1981	CA	VAL	303	30.182	36.601	45.199	1.00	18.50	1DLC2105
	ATOM	1982	C	VAL	303	29.592	35.219	44.926	1.00	17.19	1DLC2106
	ATOM	1983	O	VAL	303	30.131	34.204	45.370	1.00	18.03	1DLC2107
30	ATOM	1984	CB	VAL	303	31.204	37.008	44.094	1.00	19.37	1DLC2108
	ATOM	1985	CG1	VAL	303	31.744	38.402	44.369	1.00	21.25	1DLC2109
	ATOM	1986	CG2	VAL	303	32.328	35.992	43.973	1.00	21.50	1DLC2110
	ATOM	1987	N	LEU	304	28.410	35.201	44.330	1.00	16.94	1DLC2111
	ATOM	1988	CA	LEU	304	27.713	33.962	44.022	1.00	13.97	1DLC2112
	ATOM	1989	C	LEU	304	27.764	33.726	42.527	1.00	14.14	1DLC2113
35	ATOM	1990	O	LEU	304	27.474	34.622	41.730	1.00	13.74	1DLC2114
	ATOM	1991	CB	LEU	304	26.235	34.053	44.433	1.00	14.18	1DLC2115
	ATOM	1992	CG	LEU	304	25.680	34.294	45.846	1.00	13.89	1DLC2116
	ATOM	1993	CD1	LEU	304	25.252	32.993	46.457	1.00	14.90	1DLC2117
	ATOM	1994	CD2	LEU	304	26.641	35.052	46.745	1.00	11.27	1DLC2118
40	ATOM	1995	N	THR	305	28.146	32.521	42.140	1.00	14.38	1DLC2119
	ATOM	1996	CA	THR	305	28.175	32.187	40.721	1.00	16.18	1DLC2120
	ATOM	1997	C	THR	305	26.737	31.864	40.282	1.00	17.39	1DLC2121
	ATOM	1998	O	THR	305	25.845	31.688	41.124	1.00	15.94	1DLC2122
	ATOM	1999	CB	THR	305	29.115	30.969	40.422	1.00	17.34	1DLC2123
45	ATOM	2000	OG1	THR	305	29.021	30.000	41.475	1.00	19.98	1DLC2124
	ATOM	2001	CG2	THR	305	30.565	31.415	40.270	1.00	18.26	1DLC2125
	ATOM	2002	N	ASP	306	26.488	31.891	38.978	1.00	15.04	1DLC2126
	ATOM	2003	CA	ASP	306	25.177	31.551	38.437	1.00	17.79	1DLC2127
	ATOM	2004	C	ASP	306	24.785	30.157	38.913	1.00	21.19	1DLC2128
50	ATOM	2005	O	ASP	306	25.651	29.278	39.067	1.00	24.55	1DLC2129
	ATOM	2006	CB	ASP	306	25.222	31.530	36.912	1.00	15.07	1DLC2130
	ATOM	2007	CG	ASP	306	25.286	32.905	36.310	1.00	15.88	1DLC2131
	ATOM	2008	OD1	ASP	306	24.822	33.867	36.946	1.00	18.05	1DLC2132
	ATOM	2009	OD2	ASP	306	25.777	33.024	35.174	1.00	23.36	1DLC2133
55	ATOM	2010	N	PRO	307	23.483	29.938	39.179	1.00	22.83	1DLC2134
	ATOM	2011	CA	PRO	307	23.004	28.623	39.639	1.00	20.21	1DLC2135
	ATOM	2012	C	PRO	307	23.289	27.551	38.587	1.00	16.74	1DLC2136
	ATOM	2013	O	PRO	307	23.289	27.827	37.389	1.00	17.78	1DLC2137
	ATOM	2014	CB	PRO	307	21.502	28.848	39.811	1.00	20.31	1DLC2138
60	ATOM	2015	CG	PRO	307	21.410	30.306	40.150	1.00	21.80	1DLC2139

5	ATOM	2016	CD	PRO	307	22.388	30.925	39.175	1.00	20.89	1DLC2140
	ATOM	2017	N	ILE	308	23.547	26.333	39.033	1.00	18.04	1DLC2141
	ATOM	2018	CA	ILE	308	23.851	25.245	38.107	1.00	19.10	1DLC2142
	ATOM	2019	C	ILE	308	22.579	24.514	37.684	1.00	21.11	1DLC2143
	ATOM	2020	O	ILE	308	22.004	23.759	38.473	1.00	23.40	1DLC2144
10	ATOM	2021	CB	ILE	308	24.833	24.227	38.753	1.00	20.63	1DLC2145
	ATOM	2022	CG1	ILE	308	25.992	24.971	39.439	1.00	21.46	1DLC2146
	ATOM	2023	CG2	ILE	308	25.352	23.252	37.700	1.00	19.02	1DLC2147
	ATOM	2024	CD1	ILE	308	26.923	24.082	40.247	1.00	17.99	1DLC2148
	ATOM	2025	N	VAL	309	22.119	24.763	36.460	1.00	23.15	1DLC2149
15	ATOM	2026	CA	VAL	309	20.907	24.108	35.944	1.00	25.59	1DLC2150
	ATOM	2027	C	VAL	309	21.139	23.415	34.602	1.00	25.03	1DLC2151
	ATOM	2028	O	VAL	309	21.908	23.891	33.778	1.00	24.20	1DLC2152
	ATOM	2029	CB	VAL	309	19.689	25.093	35.808	1.00	23.31	1DLC2153
	ATOM	2030	CG1	VAL	309	19.295	25.652	37.160	1.00	24.72	1DLC2154
20	ATOM	2031	CG2	VAL	309	20.005	26.214	34.847	1.00	25.99	1DLC2155
	ATOM	2032	N	GLY	310	20.462	22.290	34.393	1.00	26.11	1DLC2156
	ATOM	2033	CA	GLY	310	20.610	21.549	33.151	1.00	28.39	1DLC2157
	ATOM	2034	C	GLY	310	19.889	22.100	31.926	1.00	31.24	1DLC2158
	ATOM	2035	O	GLY	310	20.257	21.777	30.802	1.00	35.55	1DLC2159
25	ATOM	2036	N	VAL	311	18.866	22.927	32.128	1.00	32.38	1DLC2160
	ATOM	2037	CA	VAL	311	18.102	23.498	31.012	1.00	30.87	1DLC2161
	ATOM	2038	C	VAL	311	18.111	25.024	31.015	1.00	29.77	1DLC2162
	ATOM	2039	O	VAL	311	18.175	25.648	32.070	1.00	31.01	1DLC2163
	ATOM	2040	CB	VAL	311	16.616	23.022	31.028	1.00	31.20	1DLC2164
30	ATOM	2041	CG1	VAL	311	16.525	21.524	30.803	1.00	32.24	1DLC2165
	ATOM	2042	CG2	VAL	311	15.966	23.374	32.347	1.00	28.27	1DLC2166
	ATOM	2043	N	ASN	312	17.976	25.613	29.832	1.00	34.45	1DLC2167
	ATOM	2044	CA	ASN	312	17.968	27.071	29.683	1.00	38.67	1DLC2168
	ATOM	2045	C	ASN	312	16.678	27.741	30.145	1.00	37.69	1DLC2169
35	ATOM	2046	O	ASN	312	16.696	28.874	30.619	1.00	39.59	1DLC2170
	ATOM	2047	CB	ASN	312	18.219	27.462	28.225	1.00	46.17	1DLC2171
	ATOM	2048	CG	ASN	312	19.670	27.287	27.806	1.00	53.31	1DLC2172
	ATOM	2049	OD1	ASN	312	20.581	27.275	28.638	1.00	56.28	1DLC2173
	ATOM	2050	ND2	ASN	312	19.894	27.181	26.500	1.00	59.74	1DLC2174
40	ATOM	2051	N	ASN	313	15.559	27.048	29.963	1.00	35.04	1DLC2175
	ATOM	2052	CA	ASN	313	14.243	27.559	30.339	1.00	31.97	1DLC2176
	ATOM	2053	C	ASN	313	13.538	26.549	31.247	1.00	30.91	1DLC2177
	ATOM	2054	O	ASN	313	13.221	25.432	30.819	1.00	32.94	1DLC2178
	ATOM	2055	CB	ASN	313	13.427	27.807	29.065	1.00	31.98	1DLC2179
45	ATOM	2056	CG	ASN	313	12.051	28.364	29.339	1.00	29.11	1DLC2180
	ATOM	2057	OD1	ASN	313	11.646	28.542	30.486	1.00	31.35	1DLC2181
	ATOM	2058	ND2	ASN	313	11.322	28.651	28.279	1.00	26.80	1DLC2182
	ATOM	2059	N	LEU	314	13.295	26.950	32.493	1.00	26.72	1DLC2183
	ATOM	2060	CA	LEU	314	12.648	26.091	33.486	1.00	24.82	1DLC2184
50	ATOM	2061	C	LEU	314	11.114	26.096	33.478	1.00	26.88	1DLC2185
	ATOM	2062	O	LEU	314	10.483	25.503	34.363	1.00	29.59	1DLC2186
	ATOM	2063	CB	LEU	314	13.151	26.432	34.891	1.00	21.60	1DLC2187
	ATOM	2064	CG	LEU	314	14.519	25.889	35.295	1.00	22.09	1DLC2188
	ATOM	2065	CD1	LEU	314	14.849	26.325	36.707	1.00	20.63	1DLC2189
55	ATOM	2066	CD2	LEU	314	14.510	24.373	35.217	1.00	20.55	1DLC2190
	ATOM	2067	N	ARG	315	10.525	26.768	32.491	1.00	24.99	1DLC2191
	ATOM	2068	CA	ARG	315	9.072	26.865	32.353	1.00	24.53	1DLC2192
	ATOM	2069	C	ARG	315	8.306	27.125	33.659	1.00	21.66	1DLC2193
	ATOM	2070	O	ARG	315	7.305	26.478	33.947	1.00	25.12	1DLC2194
60	ATOM	2071	CB	ARG	315	8.508	25.640	31.619	1.00	28.28	1DLC2195
	ATOM	2072	CG	ARG	315	8.737	25.652	30.105	1.00	34.47	1DLC2196
	ATOM	2073	CD	ARG	315	7.977	24.524	29.387	1.00	45.54	1DLC2197
	ATOM	2074	NE	ARG	315	6.513	24.685	29.412	1.00	59.49	1DLC2198
	ATOM	2075	CZ	ARG	315	5.682	24.048	30.246	1.00	63.23	1DLC2199

	ATOM	2076	NH1	ARG	315	6.149	23.191	31.149	1.00	65.85	1DLC2200
	ATOM	2077	NH2	ARG	315	4.373	24.264	30.179	1.00	62.27	1DLC2201
	ATOM	2078	N	GLY	316	8.807	28.060	34.458	1.00	21.30	1DLC2202
	ATOM	2079	CA	GLY	316	8.151	28.420	35.704	1.00	16.98	1DLC2203
5	ATOM	2080	C	GLY	316	8.497	27.638	36.953	1.00	18.35	1DLC2204
	ATOM	2081	O	GLY	316	8.082	28.010	38.049	1.00	17.47	1DLC2205
	ATOM	2082	N	TYR	317	9.256	26.561	36.812	1.00	20.77	1DLC2206
	ATOM	2083	CA	TYR	317	9.615	25.751	37.971	1.00	20.18	1DLC2207
	ATOM	2084	C	TYR	317	10.806	26.243	38.782	1.00	21.76	1DLC2208
10	ATOM	2085	O	TYR	317	11.103	25.704	39.847	1.00	24.15	1DLC2209
	ATOM	2086	CB	TYR	317	9.800	24.298	37.554	1.00	22.63	1DLC2210
	ATOM	2087	CG	TYR	317	8.497	23.648	37.192	1.00	23.66	1DLC2211
	ATOM	2088	CD1	TYR	317	7.703	23.062	38.171	1.00	25.39	1DLC2212
	ATOM	2089	CD2	TYR	317	8.027	23.668	35.882	1.00	24.11	1DLC2213
15	ATOM	2090	CE1	TYR	317	6.469	22.512	37.860	1.00	27.42	1DLC2214
	ATOM	2091	CE2	TYR	317	6.795	23.127	35.557	1.00	27.40	1DLC2215
	ATOM	2092	CZ	TYR	317	6.018	22.551	36.557	1.00	29.75	1DLC2216
	ATOM	2093	OH	TYR	317	4.782	22.026	36.262	1.00	34.32	1DLC2217
	ATOM	2094	N	GLY	318	11.475	27.281	38.300	1.00	20.77	1DLC2218
20	ATOM	2095	CA	GLY	318	12.608	27.810	39.029	1.00	18.55	1DLC2219
	ATOM	2096	C	GLY	318	12.210	28.393	40.374	1.00	19.44	1DLC2220
	ATOM	2097	O	GLY	318	11.130	28.977	40.519	1.00	20.54	1DLC2221
	ATOM	2098	N	THR	319	13.069	28.209	41.369	1.00	17.62	1DLC2222
	ATOM	2099	CA	THR	319	12.834	28.739	42.712	1.00	17.45	1DLC2223
25	ATOM	2100	C	THR	319	12.556	30.236	42.630	1.00	20.62	1DLC2224
	ATOM	2101	O	THR	319	13.184	30.941	41.842	1.00	25.06	1DLC2225
	ATOM	2102	CB	THR	319	14.075	28.548	43.573	1.00	17.42	1DLC2226
	ATOM	2103	OG1	THR	319	14.492	27.180	43.496	1.00	21.15	1DLC2227
	ATOM	2104	CG2	THR	319	13.794	28.924	45.012	1.00	14.83	1DLC2228
30	ATOM	2105	N	THR	320	11.631	30.732	43.440	1.00	19.91	1DLC2229
	ATOM	2106	CA	THR	320	11.307	32.157	43.398	1.00	18.68	1DLC2230
	ATOM	2107	C	THR	320	12.414	33.064	43.936	1.00	20.02	1DLC2231
	ATOM	2108	O	THR	320	13.210	32.666	44.790	1.00	24.12	1DLC2232
	ATOM	2109	CB	THR	320	9.997	32.468	44.141	1.00	16.01	1DLC2233
35	ATOM	2110	OG1	THR	320	10.095	32.022	45.493	1.00	19.03	1DLC2234
	ATOM	2111	CG2	THR	320	8.848	31.775	43.477	1.00	10.83	1DLC2235
	ATOM	2112	N	PHE	321	12.446	34.291	43.431	1.00	18.76	1DLC2236
	ATOM	2113	CA	PHE	321	13.430	35.292	43.835	1.00	18.42	1DLC2237
	ATOM	2114	C	PHE	321	13.600	35.328	45.359	1.00	19.97	1DLC2238
40	ATOM	2115	O	PHE	321	14.700	35.142	45.882	1.00	18.92	1DLC2239
	ATOM	2116	CB	PHE	321	12.990	36.666	43.311	1.00	18.89	1DLC2240
	ATOM	2117	CG	PHE	321	14.009	37.758	43.500	1.00	20.25	1DLC2241
	ATOM	2118	CD1	PHE	321	14.366	38.199	44.776	1.00	19.19	1DLC2242
	ATOM	2119	CD2	PHE	321	14.589	38.373	42.398	1.00	18.51	1DLC2243
45	ATOM	2120	CE1	PHE	321	15.279	39.235	44.947	1.00	20.39	1DLC2244
	ATOM	2121	CE2	PHE	321	15.504	39.412	42.560	1.00	19.17	1DLC2245
	ATOM	2122	CZ	PHE	321	15.849	39.844	43.835	1.00	21.01	1DLC2246
	ATOM	2123	N	SER	322	12.497	35.528	46.069	1.00	21.66	1DLC2247
	ATOM	2124	CA	SER	322	12.527	35.587	47.531	1.00	23.88	1DLC2248
50	ATOM	2125	C	SER	322	12.978	34.310	48.220	1.00	21.84	1DLC2249
	ATOM	2126	O	SER	322	13.594	34.361	49.283	1.00	23.06	1DLC2250
	ATOM	2127	CB	SER	322	11.176	36.030	48.079	1.00	24.50	1DLC2251
	ATOM	2128	OG	SER	322	10.894	37.344	47.621	1.00	37.62	1DLC2252
	ATOM	2129	N	ASN	323	12.695	33.163	47.614	1.00	22.20	1DLC2253
55	ATOM	2130	CA	ASN	323	13.117	31.900	48.208	1.00	23.04	1DLC2254
	ATOM	2131	C	ASN	323	14.606	31.623	48.007	1.00	21.38	1DLC2255
	ATOM	2132	O	ASN	323	15.159	30.688	48.582	1.00	22.81	1DLC2256
	ATOM	2133	CB	ASN	323	12.250	30.743	47.732	1.00	24.92	1DLC2257
	ATOM	2134	CG	ASN	323	10.897	30.730	48.408	1.00	25.16	1DLC2258
60	ATOM	2135	OD1	ASN	323	10.741	31.216	49.525	1.00	26.34	1DLC2259

	ATOM	2136	ND2	ASN	323	9.909	30.193	47.727	1.00	29.75	1DLC2260
	ATOM	2137	N	ILE	324	15.240	32.426	47.160	1.00	19.13	1DLC2261
	ATOM	2138	CA	ILE	324	16.672	32.318	46.961	1.00	17.26	1DLC2262
	ATOM	2139	C	ILE	324	17.340	33.454	47.759	1.00	18.23	1DLC2263
5	ATOM	2140	O	ILE	324	18.050	33.214	48.742	1.00	18.12	1DLC2264
	ATOM	2141	CB	ILE	324	17.073	32.449	45.485	1.00	13.05	1DLC2265
	ATOM	2142	CG1	ILE	324	16.380	31.379	44.655	1.00	10.69	1DLC2266
	ATOM	2143	CG2	ILE	324	18.584	32.294	45.342	1.00	13.12	1DLC2267
	ATOM	2144	CD1	ILE	324	16.771	31.402	43.202	1.00	11.56	1DLC2268
10	ATOM	2145	N	GLU	325	17.014	34.693	47.399	1.00	17.70	1DLC2269
	ATOM	2146	CA	GLU	325	17.608	35.866	48.038	1.00	19.04	1DLC2270
	ATOM	2147	C	GLU	325	17.473	35.948	49.560	1.00	21.70	1DLC2271
	ATOM	2148	O	GLU	325	18.416	36.347	50.242	1.00	23.28	1DLC2272
	ATOM	2149	CB	GLU	325	17.117	37.149	47.356	1.00	20.14	1DLC2273
15	ATOM	2150	CG	GLU	325	17.856	38.439	47.749	1.00	19.56	1DLC2274
	ATOM	2151	CD	GLU	325	19.369	38.422	47.477	1.00	19.74	1DLC2275
	ATOM	2152	OE1	GLU	325	19.836	37.805	46.497	1.00	19.17	1DLC2276
	ATOM	2153	OE2	GLU	325	20.104	39.056	48.259	1.00	21.56	1DLC2277
	ATOM	2154	N	ASN	326	16.333	35.529	50.100	1.00	22.82	1DLC2278
20	ATOM	2155	CA	ASN	326	16.133	35.568	51.546	1.00	21.61	1DLC2279
	ATOM	2156	C	ASN	326	16.849	34.441	52.271	1.00	22.46	1DLC2280
	ATOM	2157	O	ASN	326	16.948	34.449	53.499	1.00	22.03	1DLC2281
	ATOM	2158	CB	ASN	326	14.646	35.512	51.891	1.00	25.83	1DLC2282
	ATOM	2159	CG	ASN	326	13.912	36.795	51.551	1.00	30.73	1DLC2283
25	ATOM	2160	OD1	ASN	326	12.713	36.784	51.298	1.00	36.78	1DLC2284
	ATOM	2161	ND2	ASN	326	14.621	37.907	51.556	1.00	33.22	1DLC2285
	ATOM	2162	N	TYR	327	17.346	33.469	51.515	1.00	21.89	1DLC2286
	ATOM	2163	CA	TYR	327	18.023	32.335	52.128	1.00	23.83	1DLC2287
	ATOM	2164	C	TYR	327	19.516	32.203	51.912	1.00	22.96	1DLC2288
30	ATOM	2165	O	TYR	327	20.148	31.355	52.533	1.00	27.36	1DLC2289
	ATOM	2166	CB	TYR	327	17.313	31.034	51.773	1.00	30.00	1DLC2290
	ATOM	2167	CG	TYR	327	15.943	30.955	52.399	1.00	33.84	1DLC2291
	ATOM	2168	CD1	TYR	327	14.835	31.495	51.755	1.00	32.53	1DLC2292
	ATOM	2169	CD2	TYR	327	15.761	30.363	53.648	1.00	34.52	1DLC2293
35	ATOM	2170	CE1	TYR	327	13.589	31.452	52.333	1.00	36.59	1DLC2294
	ATOM	2171	CE2	TYR	327	14.511	30.313	54.239	1.00	36.84	1DLC2295
	ATOM	2172	CZ	TYR	327	13.427	30.859	53.574	1.00	39.48	1DLC2296
	ATOM	2173	OH	TYR	327	12.167	30.805	54.138	1.00	48.47	1DLC2297
	ATOM	2174	N	ILE	328	20.085	33.005	51.020	1.00	20.63	1DLC2298
40	ATOM	2175	CA	ILE	328	21.525	32.955	50.813	1.00	19.45	1DLC2299
	ATOM	2176	C	ILE	328	22.176	33.473	52.102	1.00	23.48	1DLC2300
	ATOM	2177	O	ILE	328	21.511	34.124	52.919	1.00	24.83	1DLC2301
	ATOM	2178	CB	ILE	328	21.977	33.815	49.610	1.00	17.68	1DLC2302
	ATOM	2179	CG1	ILE	328	21.666	35.292	49.842	1.00	19.52	1DLC2303
45	ATOM	2180	CG2	ILE	328	21.308	33.332	48.348	1.00	15.95	1DLC2304
	ATOM	2181	CD1	ILE	328	22.220	36.207	48.778	1.00	18.88	1DLC2305
	ATOM	2182	N	ARG	329	23.457	33.161	52.296	1.00	24.81	1DLC2306
	ATOM	2183	CA	ARG	329	24.207	33.576	53.486	1.00	21.84	1DLC2307
	ATOM	2184	C	ARG	329	24.091	35.065	53.820	1.00	22.27	1DLC2308
50	ATOM	2185	O	ARG	329	24.268	35.917	52.953	1.00	25.04	1DLC2309
	ATOM	2186	CB	ARG	329	25.683	33.242	53.299	1.00	23.15	1DLC2310
	ATOM	2187	CG	ARG	329	25.990	31.776	53.243	1.00	24.82	1DLC2311
	ATOM	2188	CD	ARG	329	26.732	31.373	54.501	1.00	28.71	1DLC2312
	ATOM	2189	NE	ARG	329	28.173	31.390	54.297	1.00	24.15	1DLC2313
55	ATOM	2190	CZ	ARG	329	29.077	31.204	55.256	1.00	23.69	1DLC2314
	ATOM	2191	NH1	ARG	329	28.710	30.996	56.515	1.00	13.74	1DLC2315
	ATOM	2192	NH2	ARG	329	30.360	31.179	54.937	1.00	20.55	1DLC2316
	ATOM	2193	N	LYS	330	23.804	35.373	55.080	1.00	24.03	1DLC2317
	ATOM	2194	CA	LYS	330	23.696	36.763	55.533	1.00	24.69	1DLC2318
60	ATOM	2195	C	LYS	330	25.041	37.243	56.085	1.00	22.84	1DLC2319

	ATOM	2196	O	LYS	330	25.929	36.428	56.345	1.00	22.64	1DLC2320
	ATOM	2197	CB	LYS	330	22.608	36.896	56.605	1.00	27.12	1DLC2321
	ATOM	2198	CG	LYS	330	21.199	36.885	56.033	1.00	33.76	1DLC2322
	ATOM	2199	CD	LYS	330	20.164	37.200	57.096	1.00	42.42	1DLC2323
5	ATOM	2200	CE	LYS	330	18.753	37.179	56.510	1.00	47.90	1DLC2324
	ATOM	2201	NZ	LYS	330	18.405	35.828	55.959	1.00	53.46	1DLC2325
	ATOM	2202	N	PRO	331	25.219	38.568	56.245	1.00	22.24	1DLC2326
	ATOM	2203	CA	PRO	331	26.479	39.105	56.771	1.00	20.54	1DLC2327
	ATOM	2204	C	PRO	331	27.000	38.248	57.913	1.00	21.52	1DLC2328
10	ATOM	2205	O	PRO	331	26.327	38.053	58.918	1.00	23.22	1DLC2329
	ATOM	2206	CB	PRO	331	26.079	40.497	57.230	1.00	21.52	1DLC2330
	ATOM	2207	CG	PRO	331	25.100	40.898	56.163	1.00	19.00	1DLC2331
	ATOM	2208	CD	PRO	331	24.252	39.654	55.996	1.00	19.95	1DLC2332
	ATOM	2209	N	HIS	332	28.193	37.700	57.715	1.00	21.33	1DLC2333
15	ATOM	2210	CA	HIS	332	28.810	36.810	58.682	1.00	18.59	1DLC2334
	ATOM	2211	C	HIS	332	30.310	37.019	58.847	1.00	19.87	1DLC2335
	ATOM	2212	O	HIS	332	30.991	37.511	57.949	1.00	19.56	1DLC2336
	ATOM	2213	CB	HIS	332	28.597	35.371	58.214	1.00	14.92	1DLC2337
	ATOM	2214	CG	HIS	332	29.196	35.084	56.870	1.00	13.36	1DLC2338
20	ATOM	2215	ND1	HIS	332	30.474	34.589	56.712	1.00	17.22	1DLC2339
	ATOM	2216	CD2	HIS	332	28.700	35.242	55.619	1.00	13.52	1DLC2340
	ATOM	2217	CE1	HIS	332	30.741	34.454	55.425	1.00	16.38	1DLC2341
	ATOM	2218	NE2	HIS	332	29.680	34.843	54.740	1.00	18.37	1DLC2342
	ATOM	2219	N	LEU	333	30.828	36.585	59.987	1.00	20.07	1DLC2343
25	ATOM	2220	CA	LEU	333	32.260	36.643	60.259	1.00	17.84	1DLC2344
	ATOM	2221	C	LEU	333	32.883	35.741	59.180	1.00	18.07	1DLC2345
	ATOM	2222	O	LEU	333	32.246	34.784	58.719	1.00	19.71	1DLC2346
	ATOM	2223	CB	LEU	333	32.518	36.070	61.651	1.00	12.65	1DLC2347
	ATOM	2224	CG	LEU	333	33.158	36.944	62.721	1.00	14.26	1DLC2348
30	ATOM	2225	CD1	LEU	333	32.855	38.403	62.506	1.00	13.22	1DLC2349
	ATOM	2226	CD2	LEU	333	32.689	36.472	64.083	1.00	9.06	1DLC2350
	ATOM	2227	N	PHE	334	34.089	36.065	58.738	1.00	16.81	1DLC2351
	ATOM	2228	CA	PHE	334	34.756	35.294	57.689	1.00	16.45	1DLC2352
	ATOM	2229	C	PHE	334	35.055	33.841	58.074	1.00	18.71	1DLC2353
35	ATOM	2230	O	PHE	334	35.438	33.562	59.217	1.00	21.26	1DLC2354
	ATOM	2231	CB	PHE	334	36.053	35.994	57.257	1.00	16.25	1DLC2355
	ATOM	2232	CG	PHE	334	36.519	35.602	55.891	1.00	15.09	1DLC2356
	ATOM	2233	CD1	PHE	334	37.286	34.455	55.702	1.00	13.90	1DLC2357
	ATOM	2234	CD2	PHE	334	36.141	36.350	54.779	1.00	13.34	1DLC2358
40	ATOM	2235	CE1	PHE	334	37.663	34.056	54.422	1.00	11.52	1DLC2359
	ATOM	2236	CE2	PHE	334	36.516	35.958	53.496	1.00	14.32	1DLC2360
	ATOM	2237	CZ	PHE	334	37.278	34.806	53.318	1.00	12.48	1DLC2361
	ATOM	2238	N	ASP	335	34.851	32.919	57.133	1.00	14.83	1DLC2362
	ATOM	2239	CA	ASP	335	35.125	31.501	57.382	1.00	15.09	1DLC2363
45	ATOM	2240	C	ASP	335	35.576	30.773	56.119	1.00	15.60	1DLC2364
	ATOM	2241	O	ASP	335	35.592	31.359	55.040	1.00	17.59	1DLC2365
	ATOM	2242	CB	ASP	335	33.941	30.783	58.058	1.00	15.88	1DLC2366
	ATOM	2243	CG	ASP	335	32.678	30.752	57.198	1.00	17.94	1DLC2367
	ATOM	2244	OD1	ASP	335	32.750	30.903	55.958	1.00	17.49	1DLC2368
50	ATOM	2245	OD2	ASP	335	31.595	30.553	57.780	1.00	20.32	1DLC2369
	ATOM	2246	N	TYR	336	35.922	29.498	56.248	1.00	15.68	1DLC2370
	ATOM	2247	CA	TYR	336	36.415	28.728	55.109	1.00	17.74	1DLC2371
	ATOM	2248	C	TYR	336	35.711	27.387	54.888	1.00	17.85	1DLC2372
	ATOM	2249	O	TYR	336	35.266	26.734	55.836	1.00	17.36	1DLC2373
55	ATOM	2250	CB	TYR	336	37.918	28.494	55.284	1.00	18.22	1DLC2374
	ATOM	2251	CG	TYR	336	38.700	29.753	55.593	1.00	21.42	1DLC2375
	ATOM	2252	CD1	TYR	336	38.688	30.310	56.874	1.00	20.91	1DLC2376
	ATOM	2253	CD2	TYR	336	39.437	30.398	54.597	1.00	23.29	1DLC2377
	ATOM	2254	CE1	TYR	336	39.389	31.481	57.153	1.00	25.49	1DLC2378
60	ATOM	2255	CE2	TYR	336	40.147	31.567	54.865	1.00	24.79	1DLC2379

	ATOM	2256	CZ	TYR	336	40.119	32.105	56.142	1.00	25.10	1DLC2380
	ATOM	2257	OH	TYR	336	40.820	33.262	56.402	1.00	25.35	1DLC2381
	ATOM	2258	N	LEU	337	35.634	26.968	53.631	1.00	17.01	1DLC2382
	ATOM	2259	CA	LEU	337	34.999	25.701	53.284	1.00	22.05	1DLC2383
5	ATOM	2260	C	LEU	337	35.753	24.564	53.983	1.00	25.09	1DLC2384
	ATOM	2261	O	LEU	337	36.971	24.429	53.851	1.00	27.06	1DLC2385
	ATOM	2262	CB	LEU	337	35.041	25.493	51.765	1.00	19.73	1DLC2386
	ATOM	2263	CG	LEU	337	34.001	24.618	51.045	1.00	20.25	1DLC2387
	ATOM	2264	CD1	LEU	337	34.715	23.668	50.117	1.00	16.93	1DLC2388
10	ATOM	2265	CD2	LEU	337	33.109	23.867	52.007	1.00	15.63	1DLC2389
	ATOM	2266	N	HIS	338	35.038	23.753	54.746	1.00	27.56	1DLC2390
	ATOM	2267	CA	HIS	338	35.686	22.654	55.447	1.00	32.45	1DLC2391
	ATOM	2268	C	HIS	338	35.223	21.263	55.002	1.00	35.81	1DLC2392
	ATOM	2269	O	HIS	338	36.040	20.350	54.825	1.00	37.52	1DLC2393
15	ATOM	2270	CB	HIS	338	35.485	22.810	56.952	1.00	31.95	1DLC2394
	ATOM	2271	CG	HIS	338	36.423	21.983	57.771	1.00	35.39	1DLC2395
	ATOM	2272	ND1	HIS	338	36.028	20.835	58.424	1.00	39.61	1DLC2396
	ATOM	2273	CD2	HIS	338	37.740	22.140	58.047	1.00	35.97	1DLC2397
	ATOM	2274	CE1	HIS	338	37.060	20.320	59.070	1.00	39.82	1DLC2398
20	ATOM	2275	NE2	HIS	338	38.110	21.093	58.856	1.00	39.08	1DLC2399
	ATOM	2276	N	ARG	339	33.918	21.111	54.801	1.00	36.63	1DLC2400
	ATOM	2277	CA	ARG	339	33.361	19.824	54.417	1.00	37.71	1DLC2401
	ATOM	2278	C	ARG	339	32.016	19.948	53.704	1.00	35.21	1DLC2402
	ATOM	2279	O	ARG	339	31.294	20.928	53.889	1.00	34.83	1DLC2403
25	ATOM	2280	CB	ARG	339	33.231	18.972	55.684	1.00	43.00	1DLC2404
	ATOM	2281	CG	ARG	339	32.608	17.602	55.526	1.00	48.56	1DLC2405
	ATOM	2282	CD	ARG	339	33.140	16.657	56.611	1.00	57.10	1DLC2406
	ATOM	2283	NE	ARG	339	33.391	17.338	57.888	1.00	62.49	1DLC2407
	ATOM	2284	CZ	ARG	339	34.520	17.235	58.597	1.00	63.78	1DLC2408
30	ATOM	2285	NH1	ARG	339	35.521	16.474	58.171	1.00	61.26	1DLC2409
	ATOM	2286	NH2	ARG	339	34.651	17.905	59.739	1.00	63.23	1DLC2410
	ATOM	2287	N	ILE	340	31.717	18.981	52.842	1.00	33.04	1DLC2411
	ATOM	2288	CA	ILE	340	30.449	18.957	52.113	1.00	31.15	1DLC2412
	ATOM	2289	C	ILE	340	29.828	17.554	52.094	1.00	31.37	1DLC2413
35	ATOM	2290	O	ILE	340	30.512	16.560	51.809	1.00	32.64	1DLC2414
	ATOM	2291	CB	ILE	340	30.594	19.440	50.642	1.00	28.39	1DLC2415
	ATOM	2292	CG1	ILE	340	31.263	20.812	50.588	1.00	26.45	1DLC2416
	ATOM	2293	CG2	ILE	340	29.204	19.547	49.988	1.00	23.66	1DLC2417
	ATOM	2294	CD1	ILE	340	31.491	21.316	49.181	1.00	23.48	1DLC2418
40	ATOM	2295	N	GLN	341	28.542	17.475	52.430	1.00	29.86	1DLC2419
	ATOM	2296	CA	GLN	341	27.831	16.202	52.415	1.00	28.77	1DLC2420
	ATOM	2297	C	GLN	341	26.799	16.150	51.292	1.00	27.88	1DLC2421
	ATOM	2298	O	GLN	341	25.717	16.733	51.391	1.00	29.80	1DLC2422
	ATOM	2299	CB	GLN	341	27.153	15.903	53.752	1.00	27.96	1DLC2423
45	ATOM	2300	CG	GLN	341	26.387	14.584	53.704	1.00	34.48	1DLC2424
	ATOM	2301	CD	GLN	341	25.905	14.100	55.057	1.00	37.10	1DLC2425
	ATOM	2302	OE1	GLN	341	24.703	13.989	55.297	1.00	39.41	1DLC2426
	ATOM	2303	NE2	GLN	341	26.834	13.776	55.932	1.00	37.68	1DLC2427
	ATOM	2304	N	PHE	342	27.143	15.439	50.228	1.00	27.45	1DLC2428
50	ATOM	2305	CA	PHE	342	26.264	15.287	49.076	1.00	28.97	1DLC2429
	ATOM	2306	C	PHE	342	25.153	14.251	49.253	1.00	29.10	1DLC2430
	ATOM	2307	O	PHE	342	25.377	13.152	49.760	1.00	30.40	1DLC2431
	ATOM	2308	CB	PHE	342	27.081	14.942	47.831	1.00	27.31	1DLC2432
	ATOM	2309	CG	PHE	342	27.994	16.038	47.389	1.00	26.99	1DLC2433
55	ATOM	2310	CD1	PHE	342	29.200	16.257	48.036	1.00	28.62	1DLC2434
	ATOM	2311	CD2	PHE	342	27.646	16.860	46.327	1.00	27.99	1DLC2435
	ATOM	2312	CE1	PHE	342	30.045	17.281	47.631	1.00	29.72	1DLC2436
	ATOM	2313	CE2	PHE	342	28.484	17.886	45.915	1.00	28.28	1DLC2437
	ATOM	2314	CZ	PHE	342	29.684	18.096	46.568	1.00	29.89	1DLC2438
60	ATOM	2315	N	HIS	343	23.936	14.647	48.898	1.00	31.24	1DLC2439

	ATOM	2316	CA	HIS	343	22.780	13.760	48.966	1.00	30.73	1DLC2440
	ATOM	2317	C	HIS	343	22.330	13.517	47.544	1.00	30.25	1DLC2441
	ATOM	2318	O	HIS	343	22.214	14.456	46.760	1.00	30.83	1DLC2442
	ATOM	2319	CB	HIS	343	21.644	14.367	49.786	1.00	27.80	1DLC2443
5	ATOM	2320	CG	HIS	343	21.840	14.231	51.263	1.00	28.77	1DLC2444
	ATOM	2321	ND1	HIS	343	22.925	14.766	51.922	1.00	32.44	1DLC2445
	ATOM	2322	CD2	HIS	343	21.101	13.601	52.207	1.00	27.79	1DLC2446
	ATOM	2323	CE1	HIS	343	22.849	14.472	53.205	1.00	30.66	1DLC2447
	ATOM	2324	NE2	HIS	343	21.751	13.766	53.404	1.00	30.61	1DLC2448
10	ATOM	2325	N	THR	344	22.118	12.248	47.214	1.00	30.51	1DLC2449
	ATOM	2326	CA	THR	344	21.707	11.853	45.873	1.00	30.88	1DLC2450
	ATOM	2327	C	THR	344	20.344	11.154	45.812	1.00	33.44	1DLC2451
	ATOM	2328	O	THR	344	19.928	10.442	46.744	1.00	32.56	1DLC2452
	ATOM	2329	CB	THR	344	22.775	10.938	45.225	1.00	26.81	1DLC2453
15	ATOM	2330	OG1	THR	344	24.046	11.597	45.262	1.00	29.11	1DLC2454
	ATOM	2331	CG2	THR	344	22.430	10.614	43.785	1.00	24.42	1DLC2455
	ATOM	2332	N	ARG	345	19.655	11.385	44.698	1.00	32.36	1DLC2456
	ATOM	2333	CA	ARG	345	18.352	10.796	44.433	1.00	29.58	1DLC2457
	ATOM	2334	C	ARG	345	18.289	10.272	43.010	1.00	29.62	1DLC2458
20	ATOM	2335	O	ARG	345	19.079	10.681	42.145	1.00	27.21	1DLC2459
	ATOM	2336	CB	ARG	345	17.233	11.812	44.659	1.00	26.82	1DLC2460
	ATOM	2337	CG	ARG	345	16.905	12.019	46.118	1.00	25.81	1DLC2461
	ATOM	2338	CD	ARG	345	15.509	12.552	46.288	1.00	25.24	1DLC2462
	ATOM	2339	NE	ARG	345	15.127	12.531	47.692	1.00	30.00	1DLC2463
25	ATOM	2340	CZ	ARG	345	13.978	12.998	48.167	1.00	32.09	1DLC2464
	ATOM	2341	NH1	ARG	345	13.076	13.525	47.348	1.00	32.16	1DLC2465
	ATOM	2342	NH2	ARG	345	13.749	12.978	49.473	1.00	33.30	1DLC2466
	ATOM	2343	N	PHE	346	17.391	9.316	42.796	1.00	27.16	1DLC2467
	ATOM	2344	CA	PHE	346	17.193	8.715	41.487	1.00	26.42	1DLC2468
30	ATOM	2345	C	PHE	346	16.082	9.404	40.701	1.00	26.65	1DLC2469
	ATOM	2346	O	PHE	346	15.003	9.651	41.224	1.00	27.28	1DLC2470
	ATOM	2347	CB	PHE	346	16.875	7.222	41.633	1.00	25.70	1DLC2471
	ATOM	2348	CG	PHE	346	16.431	6.565	40.349	1.00	24.42	1DLC2472
	ATOM	2349	CD1	PHE	346	17.296	6.461	39.267	1.00	25.47	1DLC2473
35	ATOM	2350	CD2	PHE	346	15.145	6.057	40.222	1.00	24.17	1DLC2474
	ATOM	2351	CE1	PHE	346	16.884	5.863	38.079	1.00	26.24	1DLC2475
	ATOM	2352	CE2	PHE	346	14.726	5.457	39.037	1.00	22.53	1DLC2476
	ATOM	2353	CZ	PHE	346	15.594	5.359	37.966	1.00	22.75	1DLC2477
	ATOM	2354	N	GLN	347	16.365	9.747	39.452	1.00	26.19	1DLC2478
40	ATOM	2355	CA	GLN	347	15.361	10.368	38.602	1.00	28.50	1DLC2479
	ATOM	2356	C	GLN	347	15.031	9.390	37.497	1.00	29.83	1DLC2480
	ATOM	2357	O	GLN	347	15.876	9.075	36.649	1.00	29.71	1DLC2481
	ATOM	2358	CB	GLN	347	15.840	11.692	38.001	1.00	30.26	1DLC2482
	ATOM	2359	CG	GLN	347	14.880	12.280	36.951	1.00	29.03	1DLC2483
45	ATOM	2360	CD	GLN	347	13.454	12.473	37.471	1.00	31.21	1DLC2484
	ATOM	2361	OE1	GLN	347	13.234	13.083	38.515	1.00	31.71	1DLC2485
	ATOM	2362	NE2	GLN	347	12.482	11.949	36.739	1.00	34.89	1DLC2486
	ATOM	2363	N	PRO	348	13.816	8.831	37.537	1.00	29.99	1DLC2487
	ATOM	2364	CA	PRO	348	13.392	7.873	36.521	1.00	30.56	1DLC2488
50	ATOM	2365	C	PRO	348	13.079	8.512	35.180	1.00	31.08	1DLC2489
	ATOM	2366	O	PRO	348	12.571	9.630	35.109	1.00	29.47	1DLC2490
	ATOM	2367	CB	PRO	348	12.148	7.249	37.146	1.00	30.82	1DLC2491
	ATOM	2368	CG	PRO	348	11.586	8.367	37.960	1.00	28.95	1DLC2492
	ATOM	2369	CD	PRO	348	12.814	8.934	38.613	1.00	28.01	1DLC2493
55	ATOM	2370	N	GLY	349	13.494	7.835	34.122	1.00	32.08	1DLC2494
	ATOM	2371	CA	GLY	349	13.203	8.310	32.788	1.00	36.84	1DLC2495
	ATOM	2372	C	GLY	349	11.906	7.627	32.382	1.00	40.08	1DLC2496
	ATOM	2373	O	GLY	349	11.629	6.511	32.825	1.00	39.90	1DLC2497
	ATOM	2374	N	TYR	350	11.103	8.277	31.550	1.00	42.86	1DLC2498
60	ATOM	2375	CA	TYR	350	9.836	7.697	31.119	1.00	42.49	1DLC2499

	ATOM	2376	C	TYR	350	9.976	6.282	30.548	1.00	42.42	1DLC2500
	ATOM	2377	O	TYR	350	9.096	5.447	30.742	1.00	38.59	1DLC2501
	ATOM	2378	CB	TYR	350	9.157	8.611	30.107	1.00	41.54	1DLC2502
5	ATOM	2379	CG	TYR	350	7.723	8.243	29.846	1.00	42.11	1DLC2503
	ATOM	2380	CD1	TYR	350	6.758	8.372	30.846	1.00	42.70	1DLC2504
	ATOM	2381	CD2	TYR	350	7.323	7.778	28.597	1.00	41.41	1DLC2505
	ATOM	2382	CE1	TYR	350	5.428	8.051	30.604	1.00	43.17	1DLC2506
	ATOM	2383	CE2	TYR	350	6.002	7.453	28.345	1.00	44.30	1DLC2507
10	ATOM	2384	CZ	TYR	350	5.060	7.594	29.350	1.00	44.01	1DLC2508
	ATOM	2385	OH	TYR	350	3.751	7.285	29.084	1.00	51.17	1DLC2509
	ATOM	2386	N	TYR	351	11.091	6.013	29.870	1.00	46.30	1DLC2510
	ATOM	2387	CA	TYR	351	11.342	4.689	29.293	1.00	49.39	1DLC2511
	ATOM	2388	C	TYR	351	12.413	3.853	30.005	1.00	50.19	1DLC2512
15	ATOM	2389	O	TYR	351	12.900	2.862	29.459	1.00	49.12	1DLC2513
	ATOM	2390	CB	TYR	351	11.660	4.807	27.805	1.00	52.75	1DLC2514
	ATOM	2391	CG	TYR	351	10.484	5.296	27.001	1.00	59.62	1DLC2515
	ATOM	2392	CD1	TYR	351	9.431	4.437	26.674	1.00	60.34	1DLC2516
	ATOM	2393	CD2	TYR	351	10.401	6.629	26.596	1.00	62.29	1DLC2517
20	ATOM	2394	CE1	TYR	351	8.324	4.896	25.964	1.00	62.98	1DLC2518
	ATOM	2395	CE2	TYR	351	9.299	7.101	25.888	1.00	64.82	1DLC2519
	ATOM	2396	CZ	TYR	351	8.263	6.231	25.577	1.00	66.21	1DLC2520
	ATOM	2397	OH	TYR	351	7.167	6.710	24.891	1.00	71.16	1DLC2521
	ATOM	2398	N	GLY	352	12.764	4.247	31.229	1.00	51.80	1DLC2522
25	ATOM	2399	CA	GLY	352	13.756	3.519	32.013	1.00	54.02	1DLC2523
	ATOM	2400	C	GLY	352	15.203	3.694	31.585	1.00	54.76	1DLC2524
	ATOM	2401	O	GLY	352	16.086	3.933	32.407	1.00	56.76	1DLC2525
	ATOM	2402	N	ASN	353	15.439	3.562	30.289	1.00	54.09	1DLC2526
	ATOM	2403	CA	ASN	353	16.768	3.700	29.702	1.00	54.37	1DLC2527
30	ATOM	2404	C	ASN	353	17.383	5.096	29.857	1.00	52.91	1DLC2528
	ATOM	2405	O	ASN	353	18.599	5.253	29.836	1.00	53.09	1DLC2529
	ATOM	2406	CB	ASN	353	16.685	3.347	28.216	1.00	58.15	1DLC2530
	ATOM	2407	CG	ASN	353	15.459	3.949	27.538	1.00	61.25	1DLC2531
	ATOM	2408	OD1	ASN	353	15.047	5.069	27.845	1.00	63.28	1DLC2532
35	ATOM	2409	ND2	ASN	353	14.855	3.194	26.635	1.00	64.45	1DLC2533
	ATOM	2410	N	ASP	354	16.528	6.097	30.021	1.00	50.29	1DLC2534
	ATOM	2411	CA	ASP	354	16.961	7.488	30.140	1.00	46.56	1DLC2535
	ATOM	2412	C	ASP	354	17.013	8.056	31.560	1.00	45.20	1DLC2536
	ATOM	2413	O	ASP	354	16.987	9.277	31.759	1.00	41.77	1DLC2537
40	ATOM	2414	CB	ASP	354	16.062	8.362	29.269	1.00	47.89	1DLC2538
	ATOM	2415	CG	ASP	354	14.594	8.263	29.652	1.00	49.69	1DLC2539
	ATOM	2416	OD1	ASP	354	14.110	7.156	29.988	1.00	49.83	1DLC2540
	ATOM	2417	OD2	ASP	354	13.921	9.309	29.616	1.00	53.54	1DLC2541
	ATOM	2418	N	SER	355	17.088	7.170	32.545	1.00	42.98	1DLC2542
45	ATOM	2419	CA	SER	355	17.141	7.582	33.946	1.00	42.29	1DLC2543
	ATOM	2420	C	SER	355	18.522	8.087	34.354	1.00	39.61	1DLC2544
	ATOM	2421	O	SER	355	19.501	7.891	33.636	1.00	40.89	1DLC2545
	ATOM	2422	CB	SER	355	16.752	6.407	34.837	1.00	45.53	1DLC2546
	ATOM	2423	OG	SER	355	15.491	5.879	34.453	1.00	49.12	1DLC2547
50	ATOM	2424	N	PHE	356	18.595	8.753	35.500	1.00	35.84	1DLC2548
	ATOM	2425	CA	PHE	356	19.863	9.268	36.013	1.00	33.36	1DLC2549
	ATOM	2426	C	PHE	356	19.735	9.633	37.486	1.00	33.41	1DLC2550
	ATOM	2427	O	PHE	356	18.626	9.773	38.006	1.00	33.51	1DLC2551
	ATOM	2428	CB	PHE	356	20.358	10.484	35.200	1.00	30.78	1DLC2552
55	ATOM	2429	CG	PHE	356	19.510	11.727	35.353	1.00	30.29	1DLC2553
	ATOM	2430	CD1	PHE	356	18.374	11.921	34.568	1.00	30.93	1DLC2554
	ATOM	2431	CD2	PHE	356	19.849	12.709	36.278	1.00	29.49	1DLC2555
	ATOM	2432	CE1	PHE	356	17.592	13.073	34.708	1.00	27.44	1DLC2556
	ATOM	2433	CE2	PHE	356	19.071	13.864	36.424	1.00	26.60	1DLC2557
60	ATOM	2434	CZ	PHE	356	17.946	14.044	35.640	1.00	27.20	1DLC2558
	ATOM	2435	N	ASN	357	20.864	9.665	38.183	1.00	34.56	1DLC2559

5	ATOM	2436	CA	ASN	357	20.383	10.051	39.594	1.00	34.66	1DLC2560
	ATOM	2437	C	ASN	357	21.299	11.510	39.637	1.00	31.40	1DLC2561
	ATOM	2438	O	ASN	357	21.977	11.990	38.726	1.00	30.66	1DLC2562
	ATOM	2439	CB	ASN	357	21.892	9.221	40.385	1.00	38.51	1DLC2563
	ATOM	2440	CG	ASN	357	21.411	7.816	40.658	1.00	40.71	1DLC2564
10	ATOM	2441	OD1	ASN	357	22.211	6.921	40.897	1.00	45.00	1DLC2565
	ATOM	2442	ND2	ASN	357	20.103	7.611	40.629	1.00	42.48	1DLC2566
	ATOM	2443	N	TYR	358	20.923	12.219	40.688	1.00	27.67	1DLC2567
	ATOM	2444	CA	TYR	358	21.294	13.620	40.758	1.00	26.55	1DLC2568
	ATOM	2445	C	TYR	358	21.457	14.115	42.186	1.00	26.59	1DLC2569
15	ATOM	2446	O	TYR	358	20.937	13.521	43.132	1.00	24.94	1DLC2570
	ATOM	2447	CB	TYR	358	20.272	14.483	39.999	1.00	25.94	1DLC2571
	ATOM	2448	CG	TYR	358	18.936	14.556	40.683	1.00	27.85	1DLC2572
	ATOM	2449	CD1	TYR	358	17.962	13.584	40.461	1.00	31.47	1DLC2573
	ATOM	2450	CD2	TYR	358	18.679	15.546	41.630	1.00	32.37	1DLC2574
20	ATOM	2451	CE1	TYR	358	16.765	13.587	41.180	1.00	34.73	1DLC2575
	ATOM	2452	CE2	TYR	358	17.494	15.562	42.354	1.00	36.61	1DLC2576
	ATOM	2453	CZ	TYR	358	16.541	14.581	42.131	1.00	38.10	1DLC2577
	ATOM	2454	OH	TYR	358	15.384	14.586	42.886	1.00	45.04	1DLC2578
	ATOM	2455	N	TRP	359	22.212	15.200	42.318	1.00	27.94	1DLC2579
25	ATOM	2456	CA	TRP	359	22.487	15.852	43.596	1.00	26.27	1DLC2580
	ATOM	2457	C	TRP	359	21.183	16.510	44.063	1.00	24.40	1DLC2581
	ATOM	2458	O	TRP	359	20.694	17.462	43.449	1.00	25.89	1DLC2582
	ATOM	2459	CB	TRP	359	23.596	16.890	43.382	1.00	23.83	1DLC2583
	ATOM	2460	CG	TRP	359	24.070	17.584	44.604	1.00	23.65	1DLC2584
30	ATOM	2461	CD1	TRP	359	23.782	17.267	45.901	1.00	25.90	1DLC2585
	ATOM	2462	CD2	TRP	359	24.919	18.733	44.649	1.00	25.70	1DLC2586
	ATOM	2463	NE1	TRP	359	24.396	18.152	46.752	1.00	25.43	1DLC2587
	ATOM	2464	CE2	TRP	359	25.103	19.062	46.011	1.00	27.53	1DLC2588
	ATOM	2465	CE3	TRP	359	25.547	19.518	43.669	1.00	26.62	1DLC2589
35	ATOM	2466	CZ2	TRP	359	25.894	20.147	46.419	1.00	27.25	1DLC2590
	ATOM	2467	CZ3	TRP	359	26.333	20.596	44.075	1.00	25.15	1DLC2591
	ATOM	2468	CH2	TRP	359	26.498	20.897	45.437	1.00	26.00	1DLC2592
	ATOM	2469	N	SER	360	20.610	15.977	45.132	1.00	22.69	1DLC2593
	ATOM	2470	CA	SER	360	19.339	16.473	45.654	1.00	23.95	1DLC2594
40	ATOM	2471	C	SER	360	19.405	17.470	46.812	1.00	25.02	1DLC2595
	ATOM	2472	O	SER	360	18.520	18.317	46.966	1.00	26.55	1DLC2596
	ATOM	2473	CB	SER	360	18.460	15.289	46.060	1.00	22.05	1DLC2597
	ATOM	2474	OG	SER	360	19.050	14.555	47.123	1.00	20.36	1DLC2598
	ATOM	2475	N	GLY	361	20.422	17.345	47.653	1.00	23.75	1DLC2599
45	ATOM	2476	CA	GLY	361	20.542	18.246	48.782	1.00	21.17	1DLC2600
	ATOM	2477	C	GLY	361	21.935	18.193	49.361	1.00	24.69	1DLC2601
	ATOM	2478	O	GLY	361	22.789	17.443	48.871	1.00	26.41	1DLC2602
	ATOM	2479	N	ASN	362	22.181	18.955	50.419	1.00	22.30	1DLC2603
	ATOM	2480	CA	ASN	362	23.510	18.954	51.003	1.00	22.20	1DLC2604
50	ATOM	2481	C	ASN	362	23.590	19.569	52.381	1.00	21.51	1DLC2605
	ATOM	2482	O	ASN	362	22.643	20.179	52.871	1.00	20.57	1DLC2606
	ATOM	2483	CB	ASN	362	24.485	19.713	50.089	1.00	24.04	1DLC2607
	ATOM	2484	CG	ASN	362	24.420	21.228	50.291	1.00	28.34	1DLC2608
	ATOM	2485	OD1	ASN	362	25.165	21.789	51.088	1.00	28.65	1DLC2609
55	ATOM	2486	ND2	ASN	362	23.516	21.885	49.593	1.00	26.03	1DLC2610
	ATOM	2487	N	TYR	363	24.743	19.346	52.993	1.00	24.00	1DLC2611
	ATOM	2488	CA	TYR	363	25.118	19.902	54.286	1.00	26.62	1DLC2612
	ATOM	2489	C	TYR	363	26.466	20.551	53.960	1.00	28.28	1DLC2613
	ATOM	2490	O	TYR	363	27.191	20.085	53.067	1.00	27.60	1DLC2614
60	ATOM	2491	CB	TYR	363	25.381	18.810	55.329	1.00	27.58	1DLC2615
	ATOM	2492	CG	TYR	363	24.178	18.317	56.087	1.00	28.34	1DLC2616
	ATOM	2493	CD1	TYR	363	23.515	19.138	56.997	1.00	29.04	1DLC2617
	ATOM	2494	CD2	TYR	363	23.719	17.016	55.915	1.00	30.38	1DLC2618
	ATOM	2495	CE1	TYR	363	22.425	18.672	57.718	1.00	32.23	1DLC2619

5	ATOM	2496	CE2	TYR	363	22.630	16.537	56.628	1.00	33.13	1DLC2620
	ATOM	2497	CZ	TYR	363	21.985	17.366	57.529	1.00	34.94	1DLC2621
	ATOM	2498	OH	TYR	363	20.902	16.876	58.232	1.00	36.70	1DLC2622
	ATOM	2499	N	VAL	364	26.791	21.640	54.641	1.00	28.34	1DLC2623
	ATOM	2500	CA	VAL	364	28.075	22.294	54.431	1.00	26.27	1DLC2624
10	ATOM	2501	C	VAL	364	28.651	22.630	55.790	1.00	24.54	1DLC2625
	ATOM	2502	O	VAL	364	27.923	22.972	56.722	1.00	27.34	1DLC2626
	ATOM	2503	CB	VAL	364	27.957	23.592	53.612	1.00	28.72	1DLC2627
	ATOM	2504	CG1	VAL	364	29.333	24.079	53.197	1.00	30.77	1DLC2628
	ATOM	2505	CG2	VAL	364	27.135	23.356	52.393	1.00	36.32	1DLC2629
15	ATOM	2506	N	SER	365	29.953	22.456	55.920	1.00	24.40	1DLC2630
	ATOM	2507	CA	SER	365	30.639	22.766	57.166	1.00	24.54	1DLC2631
	ATOM	2508	C	SER	365	31.804	23.688	56.850	1.00	23.42	1DLC2632
	ATOM	2509	O	SER	365	32.538	23.477	55.883	1.00	21.82	1DLC2633
	ATOM	2510	CB	SER	365	31.166	21.496	57.845	1.00	27.44	1DLC2634
20	ATOM	2511	OG	SER	365	30.117	20.716	58.400	1.00	34.19	1DLC2635
	ATOM	2512	N	THR	366	31.938	24.737	57.645	1.00	21.84	1DLC2636
	ATOM	2513	CA	THR	366	33.018	25.690	57.469	1.00	23.59	1DLC2637
	ATOM	2514	C	THR	366	33.789	25.846	58.767	1.00	24.57	1DLC2638
	ATOM	2515	O	THR	366	33.265	25.580	59.851	1.00	21.97	1DLC2639
25	ATOM	2516	CB	THR	366	32.502	27.105	57.062	1.00	22.30	1DLC2640
	ATOM	2517	OG1	THR	366	31.532	27.558	58.015	1.00	21.18	1DLC2641
	ATOM	2518	CG2	THR	366	31.913	27.107	55.641	1.00	16.40	1DLC2642
	ATOM	2519	N	ARG	367	35.060	26.198	58.654	1.00	23.86	1DLC2643
	ATOM	2520	CA	ARG	367	35.843	26.439	59.849	1.00	26.59	1DLC2644
30	ATOM	2521	C	ARG	367	35.989	27.960	59.945	1.00	25.50	1DLC2645
	ATOM	2522	O	ARG	367	36.029	28.663	58.923	1.00	23.82	1DLC2646
	ATOM	2523	CB	ARG	367	37.201	25.721	59.819	1.00	28.50	1DLC2647
	ATOM	2524	CG	ARG	367	38.231	26.244	58.838	1.00	33.38	1DLC2648
	ATOM	2525	CD	ARG	367	39.617	26.227	59.483	1.00	39.84	1DLC2649
35	ATOM	2526	NE	ARG	367	39.715	27.236	60.538	1.00	46.62	1DLC2650
	ATOM	2527	CZ	ARG	367	40.452	27.122	61.642	1.00	47.81	1DLC2651
	ATOM	2528	NH1	ARG	367	41.174	26.027	61.857	1.00	49.54	1DLC2652
	ATOM	2529	NH2	ARG	367	40.473	28.114	62.528	1.00	42.81	1DLC2653
	ATOM	2530	N	PRO	368	35.927	28.497	61.167	1.00	25.39	1DLC2654
40	ATOM	2531	CA	PRO	368	36.055	29.944	61.357	1.00	24.95	1DLC2655
	ATOM	2532	C	PRO	368	37.430	30.514	61.038	1.00	25.37	1DLC2656
	ATOM	2533	O	PRO	368	38.312	29.832	60.517	1.00	25.73	1DLC2657
	ATOM	2534	CB	PRO	368	35.695	30.131	62.833	1.00	23.10	1DLC2658
	ATOM	2535	CG	PRO	368	36.052	28.813	63.453	1.00	27.44	1DLC2659
45	ATOM	2536	CD	PRO	368	35.568	27.826	62.427	1.00	25.33	1DLC2660
	ATOM	2537	N	SER	369	37.582	31.800	61.301	1.00	25.94	1DLC2661
	ATOM	2538	CA	SER	369	38.849	32.470	61.075	1.00	28.16	1DLC2662
	ATOM	2539	C	SER	369	39.857	31.953	62.126	1.00	30.36	1DLC2663
	ATOM	2540	O	SER	369	39.459	31.446	63.195	1.00	27.15	1DLC2664
50	ATOM	2541	CB	SER	369	38.647	33.983	61.205	1.00	28.25	1DLC2665
	ATOM	2542	OG	SER	369	39.797	34.702	60.811	1.00	31.44	1DLC2666
	ATOM	2543	N	ILE	370	41.151	32.051	61.813	1.00	27.89	1DLC2667
	ATOM	2544	CA	ILE	370	42.198	31.602	62.731	1.00	26.08	1DLC2668
	ATOM	2545	C	ILE	370	41.936	32.085	64.169	1.00	25.65	1DLC2669
55	ATOM	2546	O	ILE	370	41.477	33.208	64.388	1.00	24.58	1DLC2670
	ATOM	2547	CB	ILE	370	43.612	32.047	62.241	1.00	28.63	1DLC2671
	ATOM	2548	CG1	ILE	370	44.695	31.410	63.116	1.00	28.81	1DLC2672
	ATOM	2549	CG2	ILE	370	43.749	33.576	62.236	1.00	24.11	1DLC2673
	ATOM	2550	CD1	ILE	370	46.064	31.482	62.521	1.00	22.91	1DLC2674
60	ATOM	2551	N	GLY	371	42.179	31.218	65.143	1.00	26.12	1DLC2675
	ATOM	2552	CA	GLY	371	41.934	31.588	66.526	1.00	27.59	1DLC2676
	ATOM	2553	C	GLY	371	40.831	30.742	67.132	1.00	31.60	1DLC2677
	ATOM	2554	O	GLY	371	40.728	30.608	68.347	1.00	32.87	1DLC2678
	ATOM	2555	N	SER	372	39.973	30.198	66.279	1.00	34.07	1DLC2679

	ATOM	2556	CA	SER	372	38.886	29.334	66.733	1.00	38.39	1DLC2680
	ATOM	2557	C	SER	372	38.918	28.050	65.926	1.00	42.67	1DLC2681
	ATOM	2558	O	SER	372	39.225	28.058	64.731	1.00	45.63	1DLC2682
5	ATOM	2559	CB	SER	372	37.522	30.000	66.553	1.00	37.68	1DLC2683
	ATOM	2560	OG	SER	372	36.484	29.117	66.945	1.00	35.42	1DLC2684
	ATOM	2561	N	ASN	373	38.605	26.940	66.571	1.00	45.05	1DLC2685
	ATOM	2562	CA	ASN	373	38.624	25.669	65.869	1.00	49.01	1DLC2686
	ATOM	2563	C	ASN	373	37.271	24.961	65.761	1.00	49.16	1DLC2687
10	ATOM	2564	O	ASN	373	37.158	23.940	65.078	1.00	50.24	1DLC2688
	ATOM	2565	CB	ASN	373	39.670	24.745	66.501	1.00	53.82	1DLC2689
	ATOM	2566	CG	ASN	373	41.091	25.214	66.246	1.00	58.42	1DLC2690
	ATOM	2567	OD1	ASN	373	41.791	25.640	67.163	1.00	62.66	1DLC2691
	ATOM	2568	ND2	ASN	373	41.523	25.148	64.992	1.00	60.46	1DLC2692
	ATOM	2569	N	ASP	374	36.239	25.502	66.403	1.00	47.14	1DLC2693
15	ATOM	2570	CA	ASP	374	34.941	24.849	66.331	1.00	48.54	1DLC2694
	ATOM	2571	C	ASP	374	34.255	25.010	64.975	1.00	45.07	1DLC2695
	ATOM	2572	O	ASP	374	33.989	26.120	64.514	1.00	43.01	1DLC2696
	ATOM	2573	CB	ASP	374	34.028	25.232	67.506	1.00	55.25	1DLC2697
20	ATOM	2574	CG	ASP	374	33.826	26.723	67.644	1.00	62.12	1DLC2698
	ATOM	2575	OD1	ASP	374	33.068	27.308	66.835	1.00	68.28	1DLC2699
	ATOM	2576	OD2	ASP	374	34.403	27.303	68.590	1.00	66.38	1DLC2700
	ATOM	2577	N	ILE	375	34.029	23.868	64.335	1.00	41.73	1DLC2701
	ATOM	2578	CA	ILE	375	33.408	23.776	63.020	1.00	37.95	1DLC2702
25	ATOM	2579	C	ILE	375	31.921	24.131	63.008	1.00	36.63	1DLC2703
	ATOM	2580	O	ILE	375	31.143	23.638	63.816	1.00	38.76	1DLC2704
	ATOM	2581	CB	ILE	375	33.618	22.355	62.428	1.00	36.39	1DLC2705
	ATOM	2582	CG1	ILE	375	35.110	22.015	62.422	1.00	36.11	1DLC2706
	ATOM	2583	CG2	ILE	375	33.056	22.254	61.014	1.00	35.62	1DLC2707
	ATOM	2584	CD1	ILE	375	35.966	22.993	61.658	1.00	34.10	1DLC2708
30	ATOM	2585	N	ILE	376	31.541	25.001	62.084	1.00	35.72	1DLC2709
	ATOM	2586	CA	ILE	376	30.156	25.428	61.942	1.00	31.79	1DLC2710
	ATOM	2587	C	ILE	376	29.478	24.575	60.883	1.00	31.77	1DLC2711
	ATOM	2588	O	ILE	376	29.948	24.483	59.751	1.00	32.62	1DLC2712
	ATOM	2589	CB	ILE	376	30.077	26.885	61.481	1.00	31.87	1DLC2713
35	ATOM	2590	CG1	ILE	376	30.864	27.781	62.432	1.00	27.90	1DLC2714
	ATOM	2591	CG2	ILE	376	28.632	27.324	61.391	1.00	28.10	1DLC2715
	ATOM	2592	CD1	ILE	376	31.122	29.148	61.868	1.00	30.02	1DLC2716
	ATOM	2593	N	THR	377	28.390	23.921	61.250	1.00	31.76	1DLC2717
40	ATOM	2594	CA	THR	377	27.696	23.104	60.275	1.00	31.91	1DLC2718
	ATOM	2595	C	THR	377	26.337	23.687	59.972	1.00	31.49	1DLC2719
	ATOM	2596	O	THR	377	25.590	24.070	60.872	1.00	32.65	1DLC2720
	ATOM	2597	CB	THR	377	27.577	21.653	60.711	1.00	32.50	1DLC2721
	ATOM	2598	OG1	THR	377	28.890	21.137	60.960	1.00	34.88	1DLC2722
	ATOM	2599	CG2	THR	377	26.937	20.833	59.601	1.00	36.51	1DLC2723
45	ATOM	2600	N	SER	378	26.056	23.790	58.681	1.00	31.02	1DLC2724
	ATOM	2601	CA	SER	378	24.813	24.351	58.166	1.00	30.69	1DLC2725
	ATOM	2602	C	SER	378	23.570	23.484	58.326	1.00	30.61	1DLC2726
	ATOM	2603	O	SER	378	23.648	22.276	58.573	1.00	32.66	1DLC2727
	ATOM	2604	CB	SER	378	24.969	24.591	56.672	1.00	29.80	1DLC2728
50	ATOM	2605	OG	SER	378	24.957	23.342	56.002	1.00	24.82	1DLC2729
	ATOM	2606	N	PRO	379	22.392	24.105	58.200	1.00	30.39	1DLC2730
	ATOM	2607	CA	PRO	379	21.155	23.332	58.313	1.00	29.82	1DLC2731
	ATOM	2608	C	PRO	379	21.130	22.476	57.042	1.00	29.81	1DLC2732
	ATOM	2609	O	PRO	379	21.967	22.660	56.154	1.00	31.85	1DLC2733
55	ATOM	2610	CB	PRO	379	20.076	24.413	58.234	1.00	28.69	1DLC2734
	ATOM	2611	CG	PRO	379	20.761	25.632	58.763	1.00	29.56	1DLC2735
	ATOM	2612	CD	PRO	379	22.107	25.547	58.115	1.00	30.05	1DLC2736
	ATOM	2613	N	PHE	380	20.206	21.535	56.941	1.00	28.23	1DLC2737
	ATOM	2614	CA	PHE	380	20.154	20.740	55.727	1.00	27.04	1DLC2738
60	ATOM	2615	C	PHE	380	19.513	21.568	54.606	1.00	26.98	1DLC2739

5	ATOM	2616	O	PHE	380	18.578	22.335	54.850	1.00	29.48	1DLC2740
	ATOM	2617	CB	PHE	380	19.381	19.435	55.938	1.00	25.05	1DLC2741
	ATOM	2618	CG	PHE	380	19.383	18.545	54.731	1.00	24.11	1DLC2742
	ATOM	2619	CD1	PHE	380	20.527	17.846	54.377	1.00	20.89	1DLC2743
	ATOM	2620	CD2	PHE	380	18.268	18.467	53.903	1.00	21.40	1DLC2744
10	ATOM	2621	CE1	PHE	380	20.566	17.089	53.216	1.00	20.66	1DLC2745
	ATOM	2622	CE2	PHE	380	18.300	17.714	52.742	1.00	22.67	1DLC2746
	ATOM	2623	CZ	PHE	380	19.453	17.025	52.396	1.00	21.89	1DLC2747
	ATOM	2624	N	TYR	381	20.050	21.446	53.395	1.00	26.14	1DLC2748
	ATOM	2625	CA	TYR	381	19.525	22.167	52.241	1.00	25.56	1DLC2749
15	ATOM	2626	C	TYR	381	19.056	21.183	51.182	1.00	28.82	1DLC2750
	ATOM	2627	O	TYR	381	19.812	20.291	50.797	1.00	31.78	1DLC2751
	ATOM	2628	CB	TYR	381	20.607	23.053	51.608	1.00	25.41	1DLC2752
	ATOM	2629	CG	TYR	381	21.187	24.117	52.512	1.00	25.18	1DLC2753
	ATOM	2630	CD1	TYR	381	20.375	25.090	53.087	1.00	23.16	1DLC2754
20	ATOM	2631	CD2	TYR	381	22.558	24.162	52.779	1.00	21.71	1DLC2755
	ATOM	2632	CE1	TYR	381	20.914	26.080	53.905	1.00	24.57	1DLC2756
	ATOM	2633	CE2	TYR	381	23.101	25.148	53.592	1.00	20.00	1DLC2757
	ATOM	2634	CZ	TYR	381	22.277	26.102	54.153	1.00	20.22	1DLC2758
	ATOM	2635	OH	TYR	381	22.797	27.071	54.980	1.00	21.73	1DLC2759
25	ATOM	2636	N	GLY	382	17.828	21.358	50.696	1.00	30.75	1DLC2760
	ATOM	2637	CA	GLY	382	17.307	20.495	49.646	1.00	29.98	1DLC2761
	ATOM	2638	C	GLY	382	16.603	19.230	50.093	1.00	32.07	1DLC2762
	ATOM	2639	O	GLY	382	15.939	19.219	51.126	1.00	34.65	1DLC2763
	ATOM	2640	N	ASN	383	16.765	18.157	49.325	1.00	31.65	1DLC2764
30	ATOM	2641	CA	ASN	383	16.123	16.877	49.632	1.00	31.34	1DLC2765
	ATOM	2642	C	ASN	383	17.023	15.758	50.136	1.00	29.92	1DLC2766
	ATOM	2643	O	ASN	383	18.083	15.493	49.567	1.00	28.55	1DLC2767
	ATOM	2644	CB	ASN	383	15.346	16.373	48.417	1.00	32.90	1DLC2768
	ATOM	2645	CG	ASN	383	13.928	16.892	48.383	1.00	33.10	1DLC2769
35	ATOM	2646	OD1	ASN	383	13.267	16.978	49.412	1.00	34.94	1DLC2770
	ATOM	2647	ND2	ASN	383	13.453	17.242	47.203	1.00	33.54	1DLC2771
	ATOM	2648	N	LYS	384	16.566	15.070	51.179	1.00	30.21	1DLC2772
	ATOM	2649	CA	LYS	384	17.318	13.959	51.755	1.00	30.37	1DLC2773
	ATOM	2650	C	LYS	384	17.691	12.931	50.696	1.00	29.47	1DLC2774
40	ATOM	2651	O	LYS	384	17.039	12.806	49.666	1.00	30.67	1DLC2775
	ATOM	2652	CB	LYS	384	16.538	13.283	52.877	1.00	31.48	1DLC2776
	ATOM	2653	CG	LYS	384	16.309	14.156	54.090	1.00	37.12	1DLC2777
	ATOM	2654	CD	LYS	384	17.594	14.459	54.835	1.00	38.68	1DLC2778
	ATOM	2655	CE	LYS	384	17.275	15.123	56.166	1.00	43.15	1DLC2779
45	ATOM	2656	NZ	LYS	384	18.485	15.319	57.010	1.00	50.78	1DLC2780
	ATOM	2657	N	SER	385	18.736	12.174	50.977	1.00	31.31	1DLC2781
	ATOM	2658	CA	SER	385	19.230	11.191	50.033	1.00	33.17	1DLC2782
	ATOM	2659	C	SER	385	18.391	9.923	49.935	1.00	34.75	1DLC2783
	ATOM	2660	O	SER	385	17.817	9.464	50.921	1.00	35.39	1DLC2784
50	ATOM	2661	CB	SER	385	20.672	10.821	50.401	1.00	31.08	1DLC2785
	ATOM	2662	OG	SER	385	21.444	10.511	49.254	1.00	29.79	1DLC2786
	ATOM	2663	N	SER	386	18.249	9.425	48.714	1.00	36.92	1DLC2787
	ATOM	2664	CA	SER	386	17.559	8.158	48.476	1.00	39.89	1DLC2788
	ATOM	2665	C	SER	386	18.713	7.175	48.234	1.00	41.41	1DLC2789
55	ATOM	2666	O	SER	386	18.573	5.965	48.395	1.00	45.84	1DLC2790
	ATOM	2667	CB	SER	386	16.666	8.215	47.233	1.00	38.56	1DLC2791
	ATOM	2668	OG	SER	386	17.424	8.118	46.036	1.00	38.63	1DLC2792
	ATOM	2669	N	GLU	387	19.862	7.730	47.857	1.00	39.62	1DLC2793
	ATOM	2670	CA	GLU	387	21.067	6.957	47.593	1.00	38.96	1DLC2794
60	ATOM	2671	C	GLU	387	22.112	7.171	48.694	1.00	37.55	1DLC2795
	ATOM	2672	O	GLU	387	21.908	7.960	49.618	1.00	37.34	1DLC2796
	ATOM	2673	CB	GLU	387	21.653	7.387	46.250	1.00	41.28	1DLC2797
	ATOM	2674	CG	GLU	387	20.667	7.310	45.114	1.00	48.83	1DLC2798
	ATOM	2675	CD	GLU	387	19.985	5.962	45.046	1.00	54.03	1DLC2799

	ATOM	2676	OE1	GLU	387	20.706	4.937	45.061	1.00	55.83	1DLC2800
	ATOM	2677	OE2	GLU	387	18.732	5.328	44.997	1.00	55.98	1DLC2801
	ATOM	2678	N	PRO	388	23.230	6.438	48.632	1.00	36.30	1DLC2802
5	ATOM	2679	CA	PRO	388	24.279	6.593	49.645	1.00	35.40	1DLC2803
	ATOM	2680	C	PRO	388	24.950	7.981	49.642	1.00	34.68	1DLC2804
	ATOM	2681	O	PRO	388	25.396	8.486	48.603	1.00	33.48	1DLC2805
	ATOM	2682	CB	PRO	388	25.278	5.503	49.261	1.00	35.55	1DLC2806
	ATOM	2683	CG	PRO	388	24.406	4.448	48.677	1.00	36.31	1DLC2807
10	ATOM	2684	CD	PRO	388	23.481	5.245	47.804	1.00	35.19	1DLC2808
	ATOM	2685	N	VAL	389	25.025	8.573	50.826	1.00	31.70	1DLC2809
	ATOM	2686	CA	VAL	389	25.640	9.878	51.034	1.00	33.25	1DLC2810
	ATOM	2687	C	VAL	389	27.136	9.922	50.661	1.00	34.25	1DLC2811
	ATOM	2688	O	VAL	389	27.852	8.928	50.800	1.00	35.26	1DLC2812
	ATOM	2689	CB	VAL	389	25.459	10.293	52.516	1.00	31.82	1DLC2813
15	ATOM	2690	CG1	VAL	389	26.378	11.431	52.887	1.00	34.96	1DLC2814
	ATOM	2691	CG2	VAL	389	24.021	10.687	52.761	1.00	34.70	1DLC2815
	ATOM	2692	N	GLN	390	27.589	11.069	50.159	1.00	34.02	1DLC2816
	ATOM	2693	CA	GLN	390	28.994	11.268	49.798	1.00	34.03	1DLC2817
	ATOM	2694	C	GLN	390	29.556	12.458	50.567	1.00	34.97	1DLC2818
20	ATOM	2695	O	GLN	390	28.929	13.511	50.642	1.00	37.45	1DLC2819
	ATOM	2696	CB	GLN	390	29.156	11.502	48.298	1.00	30.86	1DLC2820
	ATOM	2697	CG	GLN	390	28.968	10.258	47.478	1.00	34.90	1DLC2821
	ATOM	2698	CD	GLN	390	28.993	10.520	45.985	1.00	37.84	1DLC2822
	ATOM	2699	OE1	GLN	390	29.887	11.189	45.467	1.00	39.97	1DLC2823
25	ATOM	2700	NE2	GLN	390	28.011	9.982	45.282	1.00	36.71	1DLC2824
	ATOM	2701	N	ASN	391	30.735	12.285	51.150	1.00	36.13	1DLC2825
	ATOM	2702	CA	ASN	391	31.364	13.350	51.918	1.00	35.90	1DLC2826
	ATOM	2703	C	ASN	391	32.749	13.684	51.399	1.00	34.56	1DLC2827
	ATOM	2704	O	ASN	391	33.568	12.796	51.197	1.00	36.19	1DLC2828
30	ATOM	2705	CB	ASN	391	31.471	12.951	53.389	1.00	38.72	1DLC2829
	ATOM	2706	CG	ASN	391	30.122	12.680	54.021	1.00	46.12	1DLC2830
	ATOM	2707	OD1	ASN	391	29.101	13.193	53.576	1.00	54.69	1DLC2831
	ATOM	2708	ND2	ASN	391	30.108	11.871	55.065	1.00	48.42	1DLC2832
	ATOM	2709	N	LEU	392	32.992	14.965	51.149	1.00	35.38	1DLC2833
35	ATOM	2710	CA	LEU	392	34.302	15.428	50.690	1.00	31.94	1DLC2834
	ATOM	2711	C	LEU	392	34.846	16.361	51.758	1.00	32.63	1DLC2835
	ATOM	2712	O	LEU	392	34.106	17.196	52.280	1.00	35.13	1DLC2836
	ATOM	2713	CB	LEU	392	34.192	16.194	49.369	1.00	27.68	1DLC2837
	ATOM	2714	CG	LEU	392	33.624	15.448	48.164	1.00	26.82	1DLC2838
40	ATOM	2715	CD1	LEU	392	33.756	16.283	46.906	1.00	26.78	1DLC2839
	ATOM	2716	CD2	LEU	392	34.365	14.155	47.987	1.00	29.40	1DLC2840
	ATOM	2717	N	GLU	393	36.098	16.162	52.157	1.00	34.76	1DLC2841
	ATOM	2718	CA	GLU	393	36.721	17.039	53.150	1.00	34.99	1DLC2842
	ATOM	2719	C	GLU	393	37.754	17.931	52.477	1.00	33.60	1DLC2843
45	ATOM	2720	O	GLU	393	38.398	17.522	51.510	1.00	27.84	1DLC2844
	ATOM	2721	CB	GLU	393	37.371	16.246	54.273	1.00	41.28	1DLC2845
	ATOM	2722	CG	GLU	393	36.404	15.790	55.338	1.00	49.72	1DLC2846
	ATOM	2723	CD	GLU	393	36.135	14.297	55.306	1.00	57.23	1DLC2847
	ATOM	2724	OE1	GLU	393	36.653	13.603	54.396	1.00	62.82	1DLC2848
50	ATOM	2725	OE2	GLU	393	35.401	13.814	56.200	1.00	61.57	1DLC2849
	ATOM	2726	N	PHE	394	37.912	19.148	52.989	1.00	35.60	1DLC2850
	ATOM	2727	CA	PHE	394	38.851	20.104	52.393	1.00	37.09	1DLC2851
	ATOM	2728	C	PHE	394	39.931	20.691	53.302	1.00	41.43	1DLC2852
	ATOM	2729	O	PHE	394	40.735	21.489	52.847	1.00	42.91	1DLC2853
55	ATOM	2730	CB	PHE	394	38.069	21.238	51.721	1.00	29.33	1DLC2854
	ATOM	2731	CG	PHE	394	37.104	20.756	50.682	1.00	28.27	1DLC2855
	ATOM	2732	CD1	PHE	394	37.521	20.549	49.369	1.00	26.99	1DLC2856
	ATOM	2733	CD2	PHE	394	35.792	20.448	51.021	1.00	26.84	1DLC2857
	ATOM	2734	CE1	PHE	394	36.648	20.037	48.411	1.00	24.88	1DLC2858
60	ATOM	2735	CE2	PHE	394	34.911	19.935	50.067	1.00	26.52	1DLC2859

	ATOM	2736	CZ	PHE	394	35.342	19.730	48.760	1.00	25.09	1DLC2860
	ATOM	2737	N	ASN	395	39.973	20.256	54.561	1.00	45.12	1DLC2861
	ATOM	2738	CA	ASN	395	40.939	20.741	55.563	1.00	51.55	1DLC2862
	ATOM	2739	C	ASN	395	42.208	21.432	55.023	1.00	53.27	1DLC2863
5	ATOM	2740	O	ASN	395	43.197	20.769	54.699	1.00	57.04	1DLC2864
	ATOM	2741	CB	ASN	395	41.358	19.590	56.489	1.00	57.57	1DLC2865
	ATOM	2742	CG	ASN	395	40.201	18.671	56.848	1.00	64.16	1DLC2866
	ATOM	2743	OD1	ASN	395	39.360	19.002	57.684	1.00	69.45	1DLC2867
	ATOM	2744	ND2	ASN	395	40.144	17.516	56.202	1.00	66.55	1DLC2868
10	ATOM	2745	N	GLY	396	42.167	22.756	54.897	1.00	52.24	1DLC2869
	ATOM	2746	CA	GLY	396	43.331	23.488	54.409	1.00	52.60	1DLC2870
	ATOM	2747	C	GLY	396	43.473	23.670	52.898	1.00	51.64	1DLC2871
	ATOM	2748	O	GLY	396	44.241	24.524	52.432	1.00	55.32	1DLC2872
	ATOM	2749	N	GLU	397	42.812	22.805	52.137	1.00	46.45	1DLC2873
15	ATOM	2750	CA	GLU	397	42.820	22.868	50.681	1.00	40.85	1DLC2874
	ATOM	2751	C	GLU	397	42.048	24.096	50.190	1.00	36.96	1DLC2875
	ATOM	2752	O	GLU	397	41.064	24.510	50.801	1.00	36.76	1DLC2876
	ATOM	2753	CB	GLU	397	42.132	21.628	50.108	1.00	42.90	1DLC2877
	ATOM	2754	CG	GLU	397	42.655	20.311	50.629	1.00	46.38	1DLC2878
20	ATOM	2755	CD	GLU	397	44.049	19.997	50.125	1.00	50.24	1DLC2879
	ATOM	2756	OE1	GLU	397	44.319	20.217	48.920	1.00	48.15	1DLC2880
	ATOM	2757	OE2	GLU	397	44.873	19.519	50.939	1.00	54.59	1DLC2881
	ATOM	2758	N	LYS	398	42.488	24.677	49.084	1.00	32.97	1DLC2882
	ATOM	2759	CA	LYS	398	41.793	25.819	48.515	1.00	29.63	1DLC2883
25	ATOM	2760	C	LYS	398	41.163	25.405	47.194	1.00	28.78	1DLC2884
	ATOM	2761	O	LYS	398	41.874	25.081	46.234	1.00	28.04	1DLC2885
	ATOM	2762	CB	LYS	398	42.749	26.983	48.303	1.00	30.66	1DLC2886
	ATOM	2763	CG	LYS	398	43.278	27.560	49.591	1.00	36.26	1DLC2887
	ATOM	2764	CD	LYS	398	44.378	28.545	49.306	1.00	42.44	1DLC2888
30	ATOM	2765	CE	LYS	398	44.979	29.085	50.580	1.00	44.63	1DLC2889
	ATOM	2766	NZ	LYS	398	46.179	29.912	50.258	1.00	52.09	1DLC2890
	ATOM	2767	N	VAL	399	39.830	25.374	47.162	1.00	25.99	1DLC2891
	ATOM	2768	CA	VAL	399	39.097	24.992	45.960	1.00	22.58	1DLC2892
	ATOM	2769	C	VAL	399	39.068	26.170	45.001	1.00	20.61	1DLC2893
35	ATOM	2770	O	VAL	399	38.400	27.169	45.238	1.00	22.09	1DLC2894
	ATOM	2771	CB	VAL	399	37.663	24.509	46.293	1.00	24.43	1DLC2895
	ATOM	2772	CG1	VAL	399	36.933	24.069	45.021	1.00	21.92	1DLC2896
	ATOM	2773	CG2	VAL	399	37.726	23.355	47.281	1.00	22.57	1DLC2897
	ATOM	2774	N	TYR	400	39.840	26.057	43.931	1.00	19.64	1DLC2898
40	ATOM	2775	CA	TYR	400	39.937	27.125	42.952	1.00	18.79	1DLC2899
	ATOM	2776	C	TYR	400	39.132	26.885	41.684	1.00	20.30	1DLC2900
	ATOM	2777	O	TYR	400	39.118	27.714	40.769	1.00	15.31	1DLC2901
	ATOM	2778	CB	TYR	400	41.408	27.404	42.624	1.00	19.27	1DLC2902
	ATOM	2779	CG	TYR	400	42.148	26.253	42.000	1.00	16.63	1DLC2903
45	ATOM	2780	CD1	TYR	400	42.774	25.290	42.791	1.00	16.65	1DLC2904
	ATOM	2781	CD2	TYR	400	42.234	26.134	40.616	1.00	18.17	1DLC2905
	ATOM	2782	CE1	TYR	400	43.477	24.226	42.215	1.00	19.68	1DLC2906
	ATOM	2783	CE2	TYR	400	42.929	25.080	40.026	1.00	23.20	1DLC2907
	ATOM	2784	CZ	TYR	400	43.549	24.127	40.830	1.00	21.51	1DLC2908
50	ATOM	2785	OH	TYR	400	44.227	23.084	40.235	1.00	22.85	1DLC2909
	ATOM	2786	N	ARG	401	38.461	25.742	41.632	1.00	20.95	1DLC2910
	ATOM	2787	CA	ARG	401	37.640	25.419	40.484	1.00	21.84	1DLC2911
	ATOM	2788	C	ARG	401	36.590	24.354	40.770	1.00	23.36	1DLC2912
	ATOM	2789	O	ARG	401	36.748	23.510	41.658	1.00	24.04	1DLC2913
55	ATOM	2790	CB	ARG	401	38.508	24.984	39.312	1.00	24.53	1DLC2914
	ATOM	2791	CG	ARG	401	37.822	25.117	37.966	1.00	24.58	1DLC2915
	ATOM	2792	CD	ARG	401	38.656	24.464	36.894	1.00	25.33	1DLC2916
	ATOM	2793	NE	ARG	401	38.195	24.815	35.558	1.00	28.66	1DLC2917
	ATOM	2794	CZ	ARG	401	38.722	24.326	34.444	1.00	28.89	1DLC2918
60	ATOM	2795	NH1	ARG	401	39.724	23.463	34.506	1.00	35.25	1DLC2919

	ATOM	2796	NH2	ARG	401	38.273	24.723	33.268	1.00	27.33	1DLC2920
	ATOM	2797	N	ALA	402	35.492	24.450	40.035	1.00	21.33	1DLC2921
	ATOM	2798	CA	ALA	402	34.384	23.514	40.135	1.00	21.93	1DLC2922
	ATOM	2799	C	ALA	402	33.763	23.383	38.747	1.00	23.71	1DLC2923
5	ATOM	2800	O	ALA	402	33.400	24.385	38.116	1.00	27.23	1DLC2924
	ATOM	2801	CB	ALA	402	33.358	24.003	41.137	1.00	21.05	1DLC2925
	ATOM	2802	N	VAL	403	33.751	22.164	38.225	1.00	23.23	1DLC2926
	ATOM	2803	CA	VAL	403	33.173	21.907	36.910	1.00	24.12	1DLC2927
	ATOM	2804	C	VAL	403	32.056	20.874	37.081	1.00	25.85	1DLC2928
10	ATOM	2805	O	VAL	403	32.241	19.841	37.747	1.00	26.19	1DLC2929
	ATOM	2806	CB	VAL	403	34.235	21.401	35.916	1.00	23.95	1DLC2930
	ATOM	2807	CG1	VAL	403	33.631	21.290	34.525	1.00	19.01	1DLC2931
	ATOM	2808	CG2	VAL	403	35.440	22.342	35.910	1.00	23.88	1DLC2932
	ATOM	2809	N	ALA	404	30.902	21.146	36.478	1.00	23.02	1DLC2933
15	ATOM	2810	CA	ALA	404	29.754	20.263	36.631	1.00	19.31	1DLC2934
	ATOM	2811	C	ALA	404	29.100	19.659	35.390	1.00	18.96	1DLC2935
	ATOM	2812	O	ALA	404	29.104	20.236	34.299	1.00	19.34	1DLC2936
	ATOM	2813	CB	ALA	404	28.697	20.966	37.477	1.00	17.73	1DLC2937
	ATOM	2814	N	ASN	405	28.526	18.480	35.596	1.00	19.71	1DLC2938
20	ATOM	2815	CA	ASN	405	27.792	17.748	34.574	1.00	21.57	1DLC2939
	ATOM	2816	C	ASN	405	26.322	17.840	34.955	1.00	21.86	1DLC2940
	ATOM	2817	O	ASN	405	25.963	17.847	36.143	1.00	20.98	1DLC2941
	ATOM	2818	CB	ASN	405	28.151	16.256	34.582	1.00	24.99	1DLC2942
	ATOM	2819	CG	ASN	405	29.564	15.985	34.146	1.00	28.98	1DLC2943
25	ATOM	2820	OD1	ASN	405	30.513	16.496	34.730	1.00	36.18	1DLC2944
	ATOM	2821	ND2	ASN	405	29.720	15.150	33.136	1.00	28.22	1DLC2945
	ATOM	2822	N	THR	406	25.463	17.927	33.957	1.00	21.73	1DLC2946
	ATOM	2823	CA	THR	406	24.032	17.947	34.231	1.00	25.13	1DLC2947
	ATOM	2824	C	THR	406	23.374	16.983	33.257	1.00	26.31	1DLC2948
30	ATOM	2825	O	THR	406	23.974	16.607	32.242	1.00	26.28	1DLC2949
	ATOM	2826	CB	THR	406	23.390	19.362	34.089	1.00	24.14	1DLC2950
	ATOM	2827	OG1	THR	406	23.651	19.889	32.785	1.00	25.97	1DLC2951
	ATOM	2828	CG2	THR	406	23.911	20.324	35.163	1.00	20.04	1DLC2952
	ATOM	2829	N	ASN	407	22.185	16.509	33.603	1.00	27.43	1DLC2953
35	ATOM	2830	CA	ASN	407	21.474	15.608	32.706	1.00	27.11	1DLC2954
	ATOM	2831	C	ASN	407	19.981	15.902	32.722	1.00	25.60	1DLC2955
	ATOM	2832	O	ASN	407	19.478	16.551	33.637	1.00	24.05	1DLC2956
	ATOM	2833	CB	ASN	407	21.750	14.141	33.059	1.00	25.28	1DLC2957
	ATOM	2834	CG	ASN	407	21.683	13.226	31.842	1.00	22.24	1DLC2958
40	ATOM	2835	OD1	ASN	407	21.389	13.665	30.730	1.00	19.56	1DLC2959
	ATOM	2836	ND2	ASN	407	21.969	11.955	32.047	1.00	24.80	1DLC2960
	ATOM	2837	N	LEU	408	19.283	15.447	31.692	1.00	25.59	1DLC2961
	ATOM	2838	CA	LEU	408	17.852	15.673	31.604	1.00	27.24	1DLC2962
	ATOM	2839	C	LEU	408	17.090	14.488	31.024	1.00	27.97	1DLC2963
45	ATOM	2840	O	LEU	408	17.607	13.731	30.205	1.00	29.46	1DLC2964
	ATOM	2841	CB	LEU	408	17.561	16.945	30.790	1.00	28.54	1DLC2965
	ATOM	2842	CG	LEU	408	17.883	17.006	29.289	1.00	28.16	1DLC2966
	ATOM	2843	CD1	LEU	408	16.710	16.462	28.507	1.00	31.12	1DLC2967
	ATOM	2844	CD2	LEU	408	18.137	18.439	28.859	1.00	25.06	1DLC2968
50	ATOM	2845	N	ALA	409	15.863	14.319	31.489	1.00	27.95	1DLC2969
	ATOM	2846	CA	ALA	409	14.990	13.263	31.011	1.00	26.71	1DLC2970
	ATOM	2847	C	ALA	409	13.750	13.974	30.501	1.00	26.39	1DLC2971
	ATOM	2848	O	ALA	409	13.185	14.819	31.197	1.00	27.94	1DLC2972
	ATOM	2849	CB	ALA	409	14.628	12.317	32.145	1.00	25.33	1DLC2973
55	ATOM	2850	N	VAL	410	13.376	13.701	29.259	1.00	26.74	1DLC2974
	ATOM	2851	CA	VAL	410	12.189	14.312	28.670	1.00	27.20	1DLC2975
	ATOM	2852	C	VAL	410	10.956	13.404	28.802	1.00	28.76	1DLC2976
	ATOM	2853	O	VAL	410	10.885	12.345	28.179	1.00	31.07	1DLC2977
	ATOM	2854	CB	VAL	410	12.419	14.650	27.183	1.00	27.70	1DLC2978
60	ATOM	2855	CG1	VAL	410	11.162	15.238	26.567	1.00	25.34	1DLC2979

	ATOM	2856	CG2	VAL	410	13.561	15.627	27.050	1.00	28.45	1DLC2980
	ATOM	2857	N	TRP	411	10.027	13.792	29.669	1.00	28.92	1DLC2981
	ATOM	2858	CA	TRP	411	8.787	13.047	29.871	1.00	32.40	1DLC2982
5	ATOM	2859	C	TRP	411	7.681	13.644	28.982	1.00	36.76	1DLC2983
	ATOM	2860	O	TRP	411	7.783	14.797	28.558	1.00	37.48	1DLC2984
	ATOM	2861	CB	TRP	411	8.374	13.087	31.341	1.00	30.13	1DLC2985
	ATOM	2862	CG	TRP	411	9.146	12.153	32.224	1.00	31.99	1DLC2986
	ATOM	2863	CD1	TRP	411	10.500	12.010	32.283	1.00	32.36	1DLC2987
10	ATOM	2864	CD2	TRP	411	8.609	11.291	33.237	1.00	33.30	1DLC2988
	ATOM	2865	NE1	TRP	411	10.841	11.127	33.274	1.00	31.66	1DLC2989
	ATOM	2866	CE2	TRP	411	9.700	10.671	33.878	1.00	34.52	1DLC2990
	ATOM	2867	CE3	TRP	411	7.310	10.988	33.670	1.00	33.48	1DLC2991
	ATOM	2868	CZ2	TRP	411	9.534	9.767	34.938	1.00	37.09	1DLC2992
	ATOM	2869	CZ3	TRP	411	7.146	10.089	34.725	1.00	33.78	1DLC2993
15	ATOM	2870	CH2	TRP	411	8.253	9.492	35.345	1.00	33.59	1DLC2994
	ATOM	2871	N	PRO	412	6.574	12.900	28.755	1.00	41.54	1DLC2995
	ATOM	2872	CA	PRO	412	5.451	13.348	27.917	1.00	41.87	1DLC2996
	ATOM	2873	C	PRO	412	4.993	14.776	28.158	1.00	43.64	1DLC2997
	ATOM	2874	O	PRO	412	4.725	15.517	27.218	1.00	46.92	1DLC2998
20	ATOM	2875	CB	PRO	412	4.349	12.361	28.277	1.00	39.76	1DLC2999
	ATOM	2876	CG	PRO	412	5.098	11.130	28.537	1.00	42.46	1DLC3000
	ATOM	2877	CD	PRO	412	6.231	11.620	29.399	1.00	41.84	1DLC3001
	ATOM	2878	N	SER	413	4.901	15.157	29.421	1.00	45.10	1DLC3002
	ATOM	2879	CA	SER	413	4.460	16.501	29.764	1.00	49.60	1DLC3003
25	ATOM	2880	C	SER	413	5.322	17.110	30.873	1.00	49.62	1DLC3004
	ATOM	2881	O	SER	413	4.843	17.900	31.695	1.00	51.51	1DLC3005
	ATOM	2882	CB	SER	413	2.998	16.446	30.199	1.00	51.77	1DLC3006
	ATOM	2883	OG	SER	413	2.797	15.328	31.045	1.00	57.37	1DLC3007
	ATOM	2884	N	ALA	414	6.607	16.764	30.865	1.00	45.33	1DLC3008
30	ATOM	2885	CA	ALA	414	7.534	17.257	31.871	1.00	38.96	1DLC3009
	ATOM	2886	C	ALA	414	8.979	16.981	31.485	1.00	36.86	1DLC3010
	ATOM	2887	O	ALA	414	9.275	16.041	30.750	1.00	36.90	1DLC3011
	ATOM	2888	CB	ALA	414	7.227	16.613	33.222	1.00	36.07	1DLC3012
	ATOM	2889	N	VAL	415	9.874	17.834	31.959	1.00	31.55	1DLC3013
35	ATOM	2890	CA	VAL	415	11.294	17.667	31.713	1.00	28.69	1DLC3014
	ATOM	2891	C	VAL	415	11.957	17.736	33.083	1.00	27.90	1DLC3015
	ATOM	2892	O	VAL	415	11.636	18.604	33.895	1.00	28.78	1DLC3016
	ATOM	2893	CB	VAL	415	11.850	18.764	30.770	1.00	26.51	1DLC3017
	ATOM	2894	CG1	VAL	415	13.373	18.695	30.699	1.00	27.88	1DLC3018
40	ATOM	2895	CG2	VAL	415	11.272	18.594	29.379	1.00	24.80	1DLC3019
	ATOM	2896	N	TYR	416	12.806	16.760	33.372	1.00	25.67	1DLC3020
	ATOM	2897	CA	TYR	416	13.504	16.713	34.648	1.00	26.02	1DLC3021
	ATOM	2898	C	TYR	416	14.992	16.821	34.407	1.00	26.24	1DLC3022
	ATOM	2899	O	TYR	416	15.537	16.120	33.560	1.00	28.40	1DLC3023
45	ATOM	2900	CB	TYR	416	13.209	15.399	35.366	1.00	26.73	1DLC3024
	ATOM	2901	CG	TYR	416	11.746	15.180	35.657	1.00	29.24	1DLC3025
	ATOM	2902	CD1	TYR	416	10.910	14.571	34.720	1.00	30.70	1DLC3026
	ATOM	2903	CD2	TYR	416	11.194	15.583	36.869	1.00	28.65	1DLC3027
	ATOM	2904	CE1	TYR	416	9.567	14.373	34.985	1.00	30.31	1DLC3028
50	ATOM	2905	CE2	TYR	416	9.857	15.387	37.144	1.00	31.22	1DLC3029
	ATOM	2906	CZ	TYR	416	9.049	14.784	36.200	1.00	32.49	1DLC3030
	ATOM	2907	OH	TYR	416	7.716	14.603	36.473	1.00	38.69	1DLC3031
	ATOM	2908	N	SER	417	15.650	17.706	35.138	1.00	27.76	1DLC3032
	ATOM	2909	CA	SER	417	17.090	17.883	34.986	1.00	28.62	1DLC3033
55	ATOM	2910	C	SER	417	17.796	18.114	36.319	1.00	28.34	1DLC3034
	ATOM	2911	O	SER	417	17.236	18.706	37.242	1.00	27.52	1DLC3035
	ATOM	2912	CB	SER	417	17.403	19.015	34.003	1.00	26.82	1DLC3036
	ATOM	2913	OG	SER	417	16.714	20.196	34.351	1.00	31.53	1DLC3037
	ATOM	2914	N	GLY	418	19.016	17.602	36.430	1.00	28.56	1DLC3038
60	ATOM	2915	CA	GLY	418	19.766	17.766	37.660	1.00	27.48	1DLC3039

	ATOM	2916	C	GLY	418	21.269	17.710	37.478	1.00	27.67	1DLC3040
	ATOM	2917	O	GLY	418	21.769	17.358	36.397	1.00	26.87	1DLC3041
	ATOM	2918	N	VAL	419	21.984	18.098	38.532	1.00	27.26	1DLC3042
	ATOM	2919	CA	VAL	419	23.446	18.087	38.551	1.00	23.88	1DLC3043
5	ATOM	2920	C	VAL	419	23.983	16.673	38.946	1.00	24.66	1DLC3044
	ATOM	2921	O	VAL	419	23.612	16.192	40.047	1.00	23.69	1DLC3045
	ATOM	2922	CB	VAL	419	23.992	19.146	39.531	1.00	22.05	1DLC3046
	ATOM	2923	CG1	VAL	419	25.513	19.176	39.498	1.00	20.25	1DLC3047
	ATOM	2924	CG2	VAL	419	23.424	20.511	39.171	1.00	19.09	1DLC3048
10	ATOM	2925	N	THR	420	24.552	16.006	38.022	1.00	24.57	1DLC3049
	ATOM	2926	CA	THR	420	24.965	14.628	38.227	1.00	26.41	1DLC3050
	ATOM	2927	C	THR	420	26.407	14.410	38.671	1.00	29.16	1DLC3051
	ATOM	2928	O	THR	420	26.720	13.410	39.323	1.00	30.90	1DLC3052
	ATOM	2929	CB	THR	420	24.781	13.874	36.938	1.00	26.62	1DLC3053
15	ATOM	2930	OG1	THR	420	25.586	14.506	35.944	1.00	28.39	1DLC3054
	ATOM	2931	CG2	THR	420	23.329	13.938	36.484	1.00	27.96	1DLC3055
	ATOM	2932	N	LYS	421	27.292	15.325	38.295	1.00	31.11	1DLC3056
	ATOM	2933	CA	LYS	421	28.704	15.194	38.646	1.00	30.22	1DLC3057
	ATOM	2934	C	LYS	421	29.363	16.550	38.868	1.00	28.76	1DLC3058
20	ATOM	2935	O	LYS	421	29.099	17.506	38.138	1.00	26.51	1DLC3059
	ATOM	2936	CB	LYS	421	29.433	14.443	37.526	1.00	29.98	1DLC3060
	ATOM	2937	CG	LYS	421	30.858	14.012	37.820	1.00	29.15	1DLC3061
	ATOM	2938	CD	LYS	421	31.539	13.708	36.499	1.00	33.33	1DLC3062
	ATOM	2939	CE	LYS	421	33.002	13.320	36.640	1.00	36.06	1DLC3063
25	ATOM	2940	NZ	LYS	421	33.195	11.871	36.934	1.00	44.02	1DLC3064
	ATOM	2941	N	VAL	422	30.191	16.637	39.904	1.00	28.39	1DLC3065
	ATOM	2942	CA	VAL	422	30.912	17.872	40.208	1.00	28.83	1DLC3066
	ATOM	2943	C	VAL	422	32.374	17.589	40.571	1.00	28.74	1DLC3067
	ATOM	2944	O	VAL	422	32.679	16.920	41.562	1.00	24.14	1DLC3068
30	ATOM	2945	CB	VAL	422	30.269	18.688	41.364	1.00	28.45	1DLC3069
	ATOM	2946	CG1	VAL	422	30.903	20.084	41.428	1.00	26.59	1DLC3070
	ATOM	2947	CG2	VAL	422	28.760	18.792	41.187	1.00	26.33	1DLC3071
	ATOM	2948	N	GLU	423	33.277	18.111	39.756	1.00	30.40	1DLC3072
	ATOM	2949	CA	GLU	423	34.697	17.934	39.988	1.00	32.36	1DLC3073
35	ATOM	2950	C	GLU	423	35.337	19.193	40.577	1.00	30.72	1DLC3074
	ATOM	2951	O	GLU	423	35.353	20.255	39.952	1.00	29.33	1DLC3075
	ATOM	2952	CB	GLU	423	35.385	17.560	38.684	1.00	35.60	1DLC3076
	ATOM	2953	CG	GLU	423	36.857	17.283	38.819	1.00	46.42	1DLC3077
	ATOM	2954	CD	GLU	423	37.401	16.588	37.596	1.00	54.46	1DLC3078
40	ATOM	2955	OE1	GLU	423	37.241	15.348	37.502	1.00	59.71	1DLC3079
	ATOM	2956	OE2	GLU	423	37.964	17.283	36.720	1.00	58.05	1DLC3080
	ATOM	2957	N	PHE	424	35.833	19.066	41.797	1.00	28.13	1DLC3081
	ATOM	2958	CA	PHE	424	36.491	20.167	42.486	1.00	29.49	1DLC3082
	ATOM	2959	C	PHE	424	38.029	20.130	42.355	1.00	30.85	1DLC3083
45	ATOM	2960	O	PHE	424	38.672	19.105	42.628	1.00	30.79	1DLC3084
	ATOM	2961	CB	PHE	424	36.134	20.139	43.975	1.00	29.46	1DLC3085
	ATOM	2962	CG	PHE	424	34.662	20.205	44.253	1.00	30.25	1DLC3086
	ATOM	2963	CD1	PHE	424	34.019	21.434	44.378	1.00	29.50	1DLC3087
	ATOM	2964	CD2	PHE	424	33.923	19.043	44.422	1.00	29.43	1DLC3088
50	ATOM	2965	CE1	PHE	424	32.668	21.504	44.670	1.00	27.70	1DLC3089
	ATOM	2966	CE2	PHE	424	32.572	19.100	44.714	1.00	29.35	1DLC3090
	ATOM	2967	CZ	PHE	424	31.942	20.336	44.840	1.00	30.09	1DLC3091
	ATOM	2968	N	SER	425	38.613	21.249	41.937	1.00	29.43	1DLC3092
	ATOM	2969	CA	SER	425	40.065	21.361	41.830	1.00	25.64	1DLC3093
55	ATOM	2970	C	SER	425	40.569	22.074	43.080	1.00	27.43	1DLC3094
	ATOM	2971	O	SER	425	40.136	23.184	43.390	1.00	27.70	1DLC3095
	ATOM	2972	CB	SER	425	40.469	22.167	40.603	1.00	24.73	1DLC3096
	ATOM	2973	OG	SER	425	40.202	21.458	39.410	1.00	27.45	1DLC3097
	ATOM	2974	N	GLN	426	41.459	21.428	43.815	1.00	29.40	1DLC3098
60	ATOM	2975	CA	GLN	426	42.010	22.018	45.028	1.00	34.28	1DLC3099

	ATOM	2976	C	GLN	426	43.541	22.162	45.029	1.00	37.43	1DLC3100
	ATOM	2977	O	GLN	426	44.257	21.428	44.344	1.00	38.20	1DLC3101
	ATOM	2978	CB	GLN	426	41.548	21.225	46.251	1.00	32.26	1DLC3102
5	ATOM	2979	CG	GLN	426	41.830	19.736	46.179	1.00	33.97	1DLC3103
	ATOM	2980	CD	GLN	426	41.196	18.983	47.329	1.00	37.54	1DLC3104
	ATOM	2981	OE1	GLN	426	40.063	19.258	47.714	1.00	39.93	1DLC3105
	ATOM	2982	NE2	GLN	426	41.919	18.028	47.884	1.00	37.39	1DLC3106
	ATOM	2983	N	TYR	427	44.026	23.163	45.754	1.00	40.45	1DLC3107
10	ATOM	2984	CA	TYR	427	45.455	23.402	45.872	1.00	41.55	1DLC3108
	ATOM	2985	C	TYR	427	45.819	23.459	47.351	1.00	42.39	1DLC3109
	ATOM	2986	O	TYR	427	45.118	24.072	48.149	1.00	40.82	1DLC3110
	ATOM	2987	CB	TYR	427	45.846	24.713	45.186	1.00	44.27	1DLC3111
	ATOM	2988	CG	TYR	427	47.328	25.006	45.252	1.00	49.58	1DLC3112
15	ATOM	2989	CD1	TYR	427	48.219	24.383	44.377	1.00	51.96	1DLC3113
	ATOM	2990	CD2	TYR	427	47.848	25.883	46.209	1.00	49.78	1DLC3114
	ATOM	2991	CE1	TYR	427	49.589	24.622	44.448	1.00	52.52	1DLC3115
	ATOM	2992	CE2	TYR	427	49.218	26.128	46.292	1.00	52.70	1DLC3116
	ATOM	2993	CZ	TYR	427	50.083	25.493	45.408	1.00	53.61	1DLC3117
	ATOM	2994	OH	TYR	427	51.440	25.726	45.482	1.00	54.14	1DLC3118
20	ATOM	2995	N	ASN	428	46.883	22.761	47.721	1.00	47.81	1DLC3119
	ATOM	2996	CA	ASN	428	47.350	22.743	49.104	1.00	51.08	1DLC3120
	ATOM	2997	C	ASN	428	48.569	23.666	49.205	1.00	54.49	1DLC3121
	ATOM	2998	O	ASN	428	49.669	23.296	48.790	1.00	55.38	1DLC3122
25	ATOM	2999	CB	ASN	428	47.724	21.313	49.504	1.00	49.62	1DLC3123
	ATOM	3000	CG	ASN	428	48.045	21.180	50.977	1.00	49.60	1DLC3124
	ATOM	3001	OD1	ASN	428	48.565	22.103	51.600	1.00	50.02	1DLC3125
	ATOM	3002	ND2	ASN	428	47.762	20.021	51.536	1.00	51.27	1DLC3126
	ATOM	3003	N	ASP	429	48.365	24.871	49.732	1.00	57.69	1DLC3127
30	ATOM	3004	CA	ASP	429	49.447	25.851	49.868	1.00	61.09	1DLC3128
	ATOM	3005	C	ASP	429	50.553	25.433	50.846	1.00	61.35	1DLC3129
	ATOM	3006	O	ASP	429	51.663	25.955	50.798	1.00	60.38	1DLC3130
	ATOM	3007	CB	ASP	429	48.884	27.234	50.231	1.00	63.50	1DLC3131
	ATOM	3008	CG	ASP	429	48.083	27.225	51.521	1.00	69.23	1DLC3132
35	ATOM	3009	OD1	ASP	429	47.071	26.486	51.596	1.00	74.87	1DLC3133
	ATOM	3010	OD2	ASP	429	48.462	27.960	52.463	1.00	69.36	1DLC3134
	ATOM	3011	N	GLN	430	50.246	24.488	51.729	1.00	63.12	1DLC3135
	ATOM	3012	CA	GLN	430	51.227	23.987	52.688	1.00	64.06	1DLC3136
	ATOM	3013	C	GLN	430	52.185	23.064	51.938	1.00	60.99	1DLC3137
40	ATOM	3014	O	GLN	430	53.368	23.353	51.802	1.00	62.46	1DLC3138
	ATOM	3015	CB	GLN	430	50.543	23.202	53.817	1.00	68.60	1DLC3139
	ATOM	3016	CG	GLN	430	49.735	24.035	54.821	1.00	77.24	1DLC3140
	ATOM	3017	CD	GLN	430	48.372	24.495	54.295	1.00	83.08	1DLC3141
	ATOM	3018	OE1	GLN	430	48.121	25.694	54.164	1.00	86.17	1DLC3142
45	ATOM	3019	NE2	GLN	430	47.483	23.546	54.020	1.00	82.81	1DLC3143
	ATOM	3020	N	THR	431	51.643	21.973	51.409	1.00	57.70	1DLC3144
	ATOM	3021	CA	THR	431	52.425	20.992	50.658	1.00	54.67	1DLC3145
	ATOM	3022	C	THR	431	52.553	21.360	49.179	1.00	53.42	1DLC3146
	ATOM	3023	O	THR	431	52.775	20.505	48.334	1.00	52.29	1DLC3147
50	ATOM	3024	CB	THR	431	51.786	19.594	50.760	1.00	54.43	1DLC3148
	ATOM	3025	OG1	THR	431	50.488	19.617	50.155	1.00	55.57	1DLC3149
	ATOM	3026	CG2	THR	431	51.627	19.188	52.223	1.00	54.20	1DLC3150
	ATOM	3027	N	ASP	432	52.399	22.643	48.883	1.00	55.66	1DLC3151
	ATOM	3028	CA	ASP	432	52.476	23.176	47.526	1.00	59.05	1DLC3152
55	ATOM	3029	C	ASP	432	52.136	22.273	46.343	1.00	59.61	1DLC3153
	ATOM	3030	O	ASP	432	52.945	22.109	45.428	1.00	61.57	1DLC3154
	ATOM	3031	CB	ASP	432	53.816	23.875	47.288	1.00	63.68	1DLC3155
	ATOM	3032	CG	ASP	432	53.877	25.252	47.934	1.00	69.48	1DLC3156
	ATOM	3033	OD1	ASP	432	53.439	26.238	47.293	1.00	70.82	1DLC3157
60	ATOM	3034	OD2	ASP	432	54.360	25.347	49.086	1.00	71.66	1DLC3158
	ATOM	3035	N	GLU	433	50.928	21.711	46.346	1.00	59.44	1DLC3159

5	ATOM	3036	CA	GLU	433	50.480	20.371	45.233	1.00	57.29	1DLC3160
	ATOM	3037	C	GLU	433	48.957	20.787	45.047	1.00	52.84	1DLC3161
	ATOM	3038	O	GLU	433	48.178	20.915	45.994	1.00	46.51	1DLC3162
	ATOM	3039	CB	GLU	433	51.137	19.476	45.260	1.00	63.46	1DLC3163
	ATOM	3040	CG	GLU	433	50.290	18.331	45.795	1.00	69.79	1DLC3164
	ATOM	3041	CD	GLU	433	50.272	18.275	47.305	1.00	74.20	1DLC3165
	ATOM	3042	OE1	GLU	433	51.179	17.634	47.887	1.00	75.74	1DLC3166
10	ATOM	3043	OE2	GLU	433	49.349	18.868	47.907	1.00	78.38	1DLC3167
	ATOM	3044	N	ALA	434	48.553	20.634	43.792	1.00	51.12	1DLC3168
	ATOM	3045	CA	ALA	434	47.146	20.552	43.419	1.00	50.02	1DLC3169
	ATOM	3046	C	ALA	434	46.636	19.113	43.301	1.00	48.51	1DLC3170
	ATOM	3047	O	ALA	434	47.418	18.168	43.249	1.00	51.46	1DLC3171
	ATOM	3048	CB	ALA	434	46.913	21.302	42.107	1.00	49.76	1DLC3172
	ATOM	3049	N	SER	435	45.316	18.969	43.250	1.00	44.96	1DLC3173
15	ATOM	3050	CA	SER	435	44.650	17.674	43.139	1.00	38.99	1DLC3174
	ATOM	3051	C	SER	435	43.159	17.914	42.940	1.00	39.56	1DLC3175
	ATOM	3052	O	SER	435	42.693	19.048	42.999	1.00	38.70	1DLC3176
	ATOM	3053	CB	SER	435	44.845	16.857	44.415	1.00	35.36	1DLC3177
	ATOM	3054	OG	SER	435	44.241	17.492	45.528	1.00	32.98	1DLC3178
	ATOM	3055	N	THR	436	42.407	16.847	42.705	1.00	38.68	1DLC3179
	ATOM	3056	CA	THR	436	40.967	16.979	42.526	1.00	36.86	1DLC3180
20	ATOM	3057	C	THR	436	40.171	16.007	43.392	1.00	36.34	1DLC3181
	ATOM	3058	O	THR	436	40.679	14.970	43.823	1.00	37.73	1DLC3182
	ATOM	3059	CB	THR	436	40.540	16.757	41.065	1.00	35.68	1DLC3183
	ATOM	3060	OG1	THR	436	40.788	15.397	40.699	1.00	41.63	1DLC3184
	ATOM	3061	CG2	THR	436	41.313	17.674	40.130	1.00	37.09	1DLC3185
	ATOM	3062	N	GLN	437	38.947	16.407	43.713	1.00	35.55	1DLC3186
	ATOM	3063	CA	GLN	437	38.009	15.597	44.485	1.00	33.02	1DLC3187
30	ATOM	3064	C	GLN	437	36.709	15.729	43.723	1.00	34.09	1DLC3188
	ATOM	3065	O	GLN	437	36.391	16.809	43.227	1.00	34.18	1DLC3189
	ATOM	3066	CB	GLN	437	37.813	16.140	45.894	1.00	30.43	1DLC3190
	ATOM	3067	CG	GLN	437	38.812	15.635	46.887	1.00	30.16	1DLC3191
	ATOM	3068	CD	GLN	437	38.380	15.896	48.305	1.00	32.30	1DLC3192
	ATOM	3069	OE1	GLN	437	37.962	14.984	49.015	1.00	36.80	1DLC3193
	ATOM	3070	NE2	GLN	437	38.458	17.144	48.726	1.00	34.86	1DLC3194
35	ATOM	3071	N	THR	438	35.966	14.644	43.575	1.00	34.88	1DLC3195
	ATOM	3072	CA	THR	438	34.725	14.759	42.828	1.00	35.70	1DLC3196
	ATOM	3073	C	THR	438	33.533	14.042	43.417	1.00	34.07	1DLC3197
	ATOM	3074	O	THR	438	33.663	13.090	44.177	1.00	35.71	1DLC3198
	ATOM	3075	CB	THR	438	34.857	14.280	41.346	1.00	37.66	1DLC3199
	ATOM	3076	OG1	THR	438	34.466	12.905	41.251	1.00	37.09	1DLC3200
	ATOM	3077	CG2	THR	438	36.286	14.453	40.812	1.00	32.87	1DLC3201
40	ATOM	3078	N	TYR	439	32.366	14.560	43.074	1.00	34.88	1DLC3202
	ATOM	3079	CA	TYR	439	31.100	13.988	43.473	1.00	32.18	1DLC3203
	ATOM	3080	C	TYR	439	30.575	13.313	42.197	1.00	32.47	1DLC3204
	ATOM	3081	O	TYR	439	30.636	13.888	41.102	1.00	30.88	1DLC3205
	ATOM	3082	CB	TYR	439	30.141	15.089	43.936	1.00	29.14	1DLC3206
	ATOM	3083	CG	TYR	439	28.691	14.683	43.824	1.00	30.66	1DLC3207
	ATOM	3084	CD1	TYR	439	28.126	13.796	44.738	1.00	28.98	1DLC3208
50	ATOM	3085	CD2	TYR	439	27.902	15.117	42.751	1.00	27.98	1DLC3209
	ATOM	3086	CE1	TYR	439	26.825	13.344	44.588	1.00	29.00	1DLC3210
	ATOM	3087	CE2	TYR	439	26.598	14.667	42.595	1.00	26.79	1DLC3211
	ATOM	3088	CZ	TYR	439	26.072	13.778	43.518	1.00	25.85	1DLC3212
	ATOM	3089	OH	TYR	439	24.798	13.305	43.369	1.00	25.37	1DLC3213
	ATOM	3090	N	ASP	440	30.098	12.082	42.323	1.00	33.95	1DLC3214
	ATOM	3091	CA	ASP	440	29.568	11.366	41.162	1.00	36.24	1DLC3215
55	ATOM	3092	C	ASP	440	28.231	10.735	41.551	1.00	37.15	1DLC3216
	ATOM	3093	O	ASP	440	28.152	10.014	42.547	1.00	37.73	1DLC3217
	ATOM	3094	CB	ASP	440	30.560	10.285	40.711	1.00	37.85	1DLC3218
	ATOM	3095	CG	ASP	440	30.332	9.831	39.277	1.00	40.56	1DLC3219

5	ATOM	3096	OD1	ASP	440	29.253	9.284	38.975	1.00	45.14	1DLC3220
	ATOM	3097	OD2	ASP	440	31.246	10.006	38.442	1.00	44.83	1DLC3221
	ATOM	3098	N	SER	441	27.177	11.035	40.794	1.00	36.81	1DLC3222
	ATOM	3099	CA	SER	441	25.851	10.483	41.087	1.00	36.80	1DLC3223
	ATOM	3100	C	SER	441	25.825	8.972	40.882	1.00	39.60	1DLC3224
10	ATOM	3101	O	SER	441	25.000	8.271	41.467	1.00	40.38	1DLC3225
	ATOM	3102	CB	SER	441	24.781	11.133	40.212	1.00	33.16	1DLC3226
	ATOM	3103	OG	SER	441	24.910	10.741	38.857	1.00	34.23	1DLC3227
	ATOM	3104	N	LYS	442	26.738	8.495	40.039	1.00	41.35	1DLC3228
	ATOM	3105	CA	LYS	442	26.901	7.078	39.701	1.00	45.48	1DLC3229
15	ATOM	3106	C	LYS	442	25.977	6.509	38.618	1.00	46.07	1DLC3230
	ATOM	3107	O	LYS	442	26.260	5.446	38.055	1.00	49.36	1DLC3231
	ATOM	3108	CB	LYS	442	26.905	6.192	40.953	1.00	49.45	1DLC3232
	ATOM	3109	CG	LYS	442	28.279	5.606	41.309	1.00	56.04	1DLC3233
	ATOM	3110	CD	LYS	442	28.626	4.379	40.446	1.00	58.91	1DLC3234
20	ATOM	3111	CE	LYS	442	29.111	4.762	39.050	1.00	60.19	1DLC3235
	ATOM	3112	NZ	LYS	442	28.866	3.683	38.044	1.00	60.75	1DLC3236
	ATOM	3113	N	ARG	443	24.885	7.201	38.310	1.00	43.51	1 1DLC3237
	ATOM	3114	CA	ARG	443	24.001	6.738	37.247	1.00	40.12	1 1DLC3238
	ATOM	3115	C	ARG	443	23.716	7.807	36.191	1.00	39.29	1 1DLC3239
25	ATOM	3116	O	ARG	443	23.231	8.897	36.498	1.00	39.09	1 1DLC3240
	ATOM	3117	CB	AARG	443	22.686	6.168	37.792	0.50	39.58	1 1DLC3241
	ATOM	3118	CB	BARG	443	22.701	6.194	37.849	0.50	39.12	1 1DLC3242
	ATOM	3119	CG	AARG	443	21.828	5.580	36.678	0.50	38.20	1 1DLC3243
	ATOM	3120	CG	BARG	443	21.551	6.015	36.868	0.50	37.50	1 1DLC3244
30	ATOM	3121	CD	AARG	443	20.703	4.678	37.156	0.50	38.35	1 1DLC3245
	ATOM	3122	CD	BARG	443	20.501	5.057	37.413	0.50	36.41	1 1DLC3246
	ATOM	3123	NE	AARG	443	20.266	3.824	36.050	0.50	38.24	1 1DLC3247
	ATOM	3124	NE	BARG	443	20.317	5.184	38.857	0.50	34.60	1 1DLC3248
	ATOM	3125	CZ	AARG	443	19.076	3.238	35.951	0.50	37.74	1 1DLC3249
35	ATOM	3126	CZ	BARG	443	19.823	4.226	39.636	0.50	34.26	1 1DLC3250
	ATOM	3127	NH1	AARG	443	18.160	3.392	36.895	0.50	38.52	1 1DLC3251
	ATOM	3128	NH1	BARG	443	19.452	3.064	39.110	0.50	31.83	1 1DLC3252
	ATOM	3129	NH2	AARG	443	18.798	2.508	34.882	0.50	37.87	1 1DLC3253
	ATOM	3130	NH2	BARG	443	19.727	4.418	40.948	0.50	31.14	1 1DLC3254
40	ATOM	3131	N	ASN	444	24.070	7.481	34.950	1.00	40.97	1DLC3255
	ATOM	3132	CA	ASN	444	23.882	8.350	33.784	1.00	41.75	1DLC3256
	ATOM	3133	C	ASN	444	24.271	9.814	34.045	1.00	42.79	1DLC3257
	ATOM	3134	O	ASN	444	23.421	10.700	34.174	1.00	42.71	1DLC3258
	ATOM	3135	CB	ASN	444	22.446	8.230	33.271	1.00	43.21	1DLC3259
45	ATOM	3136	CG	ASN	444	22.280	8.764	31.862	1.00	44.75	1DLC3260
	ATOM	3137	OD1	ASN	444	23.258	9.086	31.182	1.00	47.47	1DLC3261
	ATOM	3138	ND2	ASN	444	21.040	8.867	31.418	1.00	45.66	1DLC3262
	ATOM	3139	N	VAL	445	25.579	10.041	34.079	1.00	42.96	1DLC3263
	ATOM	3140	CA	VAL	445	26.195	11.345	34.342	1.00	41.13	1DLC3264
50	ATOM	3141	C	VAL	445	26.035	12.460	33.282	1.00	39.24	1DLC3265
	ATOM	3142	O	VAL	445	26.037	13.641	33.602	1.00	41.51	1DLC3266
	ATOM	3143	CB	VAL	445	27.694	11.117	34.702	1.00	41.94	1DLC3267
	ATOM	3144	CG1	VAL	445	28.516	12.385	34.554	1.00	43.22	1DLC3268
	ATOM	3145	CG2	VAL	445	27.796	10.562	36.116	1.00	37.86	1DLC3269
55	ATOM	3146	N	GLY	446	25.888	12.108	32.020	1.00	38.45	1DLC3270
	ATOM	3147	CA	GLY	446	25.737	13.157	31.032	1.00	37.87	1DLC3271
	ATOM	3148	C	GLY	446	27.023	13.933	30.806	1.00	38.06	1DLC3272
	ATOM	3149	O	GLY	446	28.108	13.458	31.137	1.00	39.17	1DLC3273
	ATOM	3150	N	ALA	447	26.899	15.146	30.276	1.00	38.09	1DLC3274
60	ATOM	3151	CA	ALA	447	28.060	15.980	29.973	1.00	37.35	1DLC3275
	ATOM	3152	C	ALA	447	28.222	17.226	30.847	1.00	35.81	1DLC3276
	ATOM	3153	O	ALA	447	27.291	17.651	31.535	1.00	35.86	1DLC3277
	ATOM	3154	CB	ALA	447	28.043	16.373	28.490	1.00	38.30	1DLC3278
	ATOM	3155	N	VAL	448	29.426	17.794	30.818	1.00	33.69	1DLC3279

5	ATOM	3156	CA	VAL	448	29.736	18.992	31.590	1.00	32.06	1DLC3280
	ATOM	3157	C	VAL	448	29.041	20.194	30.976	1.00	30.84	1DLC3281
	ATOM	3158	O	VAL	448	29.117	20.413	29.771	1.00	30.03	1DLC3282
	ATOM	3159	CB	VAL	448	31.275	19.263	31.695	1.00	30.42	1DLC3283
	ATOM	3160	CG1	VAL	448	31.936	18.203	32.547	1.00	30.39	1DLC3284
10	ATOM	3161	CG2	VAL	448	31.919	19.283	30.334	1.00	28.17	1DLC3285
	ATOM	3162	N	SER	449	28.324	20.942	31.805	1.00	29.95	1DLC3286
	ATOM	3163	CA	SER	449	27.609	22.116	31.326	1.00	30.08	1DLC3287
	ATOM	3164	C	SER	449	27.940	23.393	32.100	1.00	29.27	1DLC3288
	ATOM	3165	O	SER	449	27.571	24.486	31.675	1.00	29.45	1DLC3289
15	ATOM	3166	CB	SER	449	26.093	21.875	31.386	1.00	31.17	1DLC3290
	ATOM	3167	OG	SER	449	25.616	21.864	32.723	1.00	32.27	1DLC3291
	ATOM	3168	N	TRP	450	28.668	23.264	33.206	1.00	26.45	1DLC3292
	ATOM	3169	CA	TRP	450	28.993	24.427	34.023	1.00	24.97	1DLC3293
	ATOM	3170	C	TRP	450	30.444	24.442	34.525	1.00	25.78	1DLC3294
20	ATOM	3171	O	TRP	450	30.903	23.514	35.193	1.00	26.98	1DLC3295
	ATOM	3172	CB	TRP	450	28.003	24.475	35.198	1.00	22.55	1DLC3296
	ATOM	3173	CG	TRP	450	28.003	25.718	36.062	1.00	24.05	1DLC3297
	ATOM	3174	CD1	TRP	450	27.071	26.723	36.046	1.00	24.31	1DLC3298
	ATOM	3175	CD2	TRP	450	28.864	25.994	37.181	1.00	22.36	1DLC3299
25	ATOM	3176	NE1	TRP	450	27.282	27.585	37.101	1.00	24.38	1DLC3300
	ATOM	3177	CE2	TRP	450	28.376	27.163	37.809	1.00	22.02	1DLC3301
	ATOM	3178	CE3	TRP	450	29.989	25.361	37.719	1.00	23.01	1DLC3302
	ATOM	3179	CZ2	TRP	450	28.970	27.705	38.946	1.00	23.92	1DLC3303
	ATOM	3180	CZ3	TRP	450	30.579	25.902	38.852	1.00	23.85	1DLC3304
30	ATOM	3181	CH2	TRP	450	30.068	27.062	39.451	1.00	24.68	1DLC3305
	ATOM	3182	N	ASP	451	31.148	25.529	34.227	1.00	26.82	1DLC3306
	ATOM	3183	CA	ASP	451	32.541	25.703	34.640	1.00	23.64	1DLC3307
	ATOM	3184	C	ASP	451	32.701	27.046	35.359	1.00	22.66	1DLC3308
	ATOM	3185	O	ASP	451	32.479	28.103	34.760	1.00	20.61	1DLC3309
35	ATOM	3186	CB	ASP	451	33.451	25.675	33.406	1.00	22.67	1DLC3310
	ATOM	3187	CG	ASP	451	34.920	25.461	33.749	1.00	24.25	1DLC3311
	ATOM	3188	OD1	ASP	451	35.325	25.616	34.919	1.00	24.75	1DLC3312
	ATOM	3189	OD2	ASP	451	35.674	25.116	32.824	1.00	24.52	1DLC3313
	ATOM	3190	N	SER	452	33.106	27.001	36.629	1.00	20.91	1DLC3314
40	ATOM	3191	CA	SER	452	33.307	28.219	37.432	1.00	22.01	1DLC3315
	ATOM	3192	C	SER	452	34.262	29.231	36.786	1.00	23.43	1DLC3316
	ATOM	3193	O	SER	452	34.036	30.443	36.833	1.00	23.61	1DLC3317
	ATOM	3194	CB	SER	452	33.799	27.868	38.840	1.00	20.07	1DLC3318
	ATOM	3195	OG	SER	452	34.950	27.049	38.793	1.00	22.47	1DLC3319
45	ATOM	3196	N	ILE	453	35.291	28.724	36.122	1.00	25.73	1DLC3320
	ATOM	3197	CA	ILE	453	36.272	29.571	35.454	1.00	27.62	1DLC3321
	ATOM	3198	C	ILE	453	35.641	30.563	34.469	1.00	25.55	1DLC3322
	ATOM	3199	O	ILE	453	36.181	31.645	34.255	1.00	28.13	1DLC3323
	ATOM	3200	CB	ILE	453	37.383	28.691	34.786	1.00	29.82	1DLC3324
50	ATOM	3201	CG1	ILE	453	38.345	28.183	35.866	1.00	35.65	1DLC3325
	ATOM	3202	CG2	ILE	453	38.154	29.446	33.730	1.00	32.32	1DLC3326
	ATOM	3203	CD1	ILE	453	38.910	29.287	36.786	1.00	36.52	1DLC3327
	ATOM	3204	N	ASP	454	34.474	30.225	33.926	1.00	22.83	1DLC3328
	ATOM	3205	CA	ASP	454	33.786	31.107	32.982	1.00	22.88	1DLC3329
55	ATOM	3206	C	ASP	454	33.256	32.362	33.663	1.00	23.05	1DLC3330
	ATOM	3207	O	ASP	454	33.097	33.412	33.034	1.00	22.70	1DLC3331
	ATOM	3208	CB	ASP	454	32.598	30.397	32.337	1.00	29.00	1DLC3332
	ATOM	3209	CG	ASP	454	33.000	29.187	31.533	1.00	36.53	1DLC3333
	ATOM	3210	OD1	ASP	454	33.975	29.279	30.749	1.00	38.64	1DLC3334
60	ATOM	3211	OD2	ASP	454	32.322	28.144	31.679	1.00	42.72	1DLC3335
	ATOM	3212	N	GLN	455	32.929	32.226	34.943	1.00	21.53	1DLC3336
	ATOM	3213	CA	GLN	455	32.388	33.330	35.711	1.00	19.71	1DLC3337
	ATOM	3214	C	GLN	455	33.440	33.991	36.574	1.00	21.92	1DLC3338
	ATOM	3215	O	GLN	455	33.399	35.198	36.801	1.00	26.53	1DLC3339

	ATOM	3216	CB	GLN	455	31.223	32.834	36.555	1.00	16.77	1DLC3340
	ATOM	3217	CG	GLN	455	30.108	32.308	35.690	1.00	22.31	1DLC3341
	ATOM	3218	CD	GLN	455	29.032	31.629	36.475	1.00	23.60	1DLC3342
5	ATOM	3219	OE1	GLN	455	28.575	32.150	37.468	1.00	24.05	1DLC3343
	ATOM	3220	NE2	GLN	455	28.628	30.449	36.042	1.00	27.92	1DLC3344
	ATOM	3221	N	LEU	456	34.388	33.197	37.054	1.00	23.05	1DLC3345
	ATOM	3222	CA	LEU	456	35.469	33.709	37.894	1.00	22.56	1DLC3346
	ATOM	3223	C	LEU	456	36.813	33.349	37.274	1.00	20.68	1DLC3347
10	ATOM	3224	O	LEU	456	37.508	32.440	37.730	1.00	19.98	1DLC3348
	ATOM	3225	CB	LEU	456	35.357	33.149	39.316	1.00	20.94	1DLC3349
	ATOM	3226	CG	LEU	456	34.034	33.435	40.044	1.00	22.46	1DLC3350
	ATOM	3227	CD1	LEU	456	34.021	32.668	41.344	1.00	21.63	1DLC3351
	ATOM	3228	CD2	LEU	456	33.850	34.935	40.297	1.00	17.51	1DLC3352
15	ATOM	3229	N	PRO	457	37.193	34.071	36.211	1.00	21.65	1DLC3353
	ATOM	3230	CA	PRO	457	38.453	33.850	35.500	1.00	22.86	1DLC3354
	ATOM	3231	C	PRO	457	39.648	33.998	36.454	1.00	25.36	1DLC3355
	ATOM	3232	O	PRO	457	39.500	34.486	37.585	1.00	23.67	1DLC3356
	ATOM	3233	CB	PRO	457	38.450	34.975	34.458	1.00	21.76	1DLC3357
20	ATOM	3234	CG	PRO	457	37.016	35.300	34.277	1.00	20.92	1DLC3358
	ATOM	3235	CD	PRO	457	36.495	35.251	35.673	1.00	19.85	1DLC3359
	ATOM	3236	N	PRO	458	40.843	33.557	36.022	1.00	25.47	1DLC3360
	ATOM	3237	CA	PRO	458	42.028	33.671	36.878	1.00	24.94	1DLC3361
	ATOM	3238	C	PRO	458	42.597	35.093	36.789	1.00	25.68	1DLC3362
25	ATOM	3239	O	PRO	458	42.340	35.818	35.819	1.00	22.11	1DLC3363
	ATOM	3240	CB	PRO	458	43.008	32.672	36.251	1.00	24.27	1DLC3364
	ATOM	3241	CG	PRO	458	42.197	31.916	35.224	1.00	26.36	1DLC3365
	ATOM	3242	CD	PRO	458	41.187	32.894	34.759	1.00	23.11	1DLC3366
	ATOM	3243	N	GLU	459	43.343	35.504	37.809	1.00	26.71	1DLC3367
30	ATOM	3244	CA	GLU	459	43.950	36.827	37.788	1.00	33.63	1DLC3368
	ATOM	3245	C	GLU	459	44.956	36.884	36.646	1.00	37.69	1DLC3369
	ATOM	3246	O	GLU	459	45.090	37.907	35.971	1.00	37.94	1DLC3370
	ATOM	3247	CB	GLU	459	44.654	37.129	39.106	1.00	34.45	1DLC3371
	ATOM	3248	CG	GLU	459	43.711	37.364	40.269	1.00	38.75	1DLC3372
35	ATOM	3249	CD	GLU	459	44.438	37.530	41.590	1.00	40.23	1DLC3373
	ATOM	3250	OE1	GLU	459	45.676	37.372	41.614	1.00	44.97	1DLC3374
	ATOM	3251	OE2	GLU	459	43.772	37.811	42.610	1.00	41.43	1DLC3375
	ATOM	3252	N	THR	460	45.640	35.765	36.419	1.00	42.42	1DLC3376
	ATOM	3253	CA	THR	460	46.634	35.668	35.352	1.00	46.99	1DLC3377
40	ATOM	3254	C	THR	460	46.516	34.423	34.495	1.00	48.85	1DLC3378
	ATOM	3255	O	THR	460	46.385	33.310	35.006	1.00	49.59	1DLC3379
	ATOM	3256	CB	THR	460	48.091	35.669	35.892	1.00	47.16	1DLC3380
	ATOM	3257	OG1	THR	460	48.212	34.744	36.980	1.00	48.60	1DLC3381
	ATOM	3258	CG2	THR	460	48.502	37.051	36.348	1.00	52.25	1DLC3382
45	ATOM	3259	N	THR	461	46.583	34.625	33.185	1.00	52.04	1DLC3383
	ATOM	3260	CA	THR	461	46.555	33.524	32.231	1.00	55.43	1DLC3384
	ATOM	3261	C	THR	461	48.009	33.128	31.950	1.00	59.08	1DLC3385
	ATOM	3262	O	THR	461	48.290	32.305	31.077	1.00	62.04	1DLC3386
	ATOM	3263	CB	THR	461	45.898	33.942	30.914	1.00	55.22	1DLC3387
50	ATOM	3264	OG1	THR	461	46.513	35.143	30.440	1.00	57.54	1DLC3388
	ATOM	3265	CG2	THR	461	44.419	34.183	31.113	1.00	54.73	1DLC3389
	ATOM	3266	N	ASP	462	48.929	33.768	32.668	1.00	61.13	1DLC3390
	ATOM	3267	CA	ASP	462	50.355	33.499	32.542	1.00	63.77	1DLC3391
	ATOM	3268	C	ASP	462	50.749	32.240	33.319	1.00	62.37	1DLC3392
55	ATOM	3269	O	ASP	462	51.321	31.308	32.757	1.00	63.78	1DLC3393
	ATOM	3270	CB	ASP	462	51.162	34.700	33.054	1.00	70.21	1DLC3394
	ATOM	3271	CG	ASP	462	51.831	35.485	31.930	1.00	76.55	1DLC3395
	ATOM	3272	OD1	ASP	462	51.191	35.686	30.871	1.00	79.02	1DLC3396
	ATOM	3273	OD2	ASP	462	53.004	35.901	32.110	1.00	79.69	1DLC3397
60	ATOM	3274	N	GLU	463	50.437	32.224	34.612	1.00	60.14	1DLC3398
	ATOM	3275	CA	GLU	463	50.752	31.090	35.483	1.00	58.33	1DLC3399

5	ATOM	3276	C	GLU	463	49.703	29.968	35.441	1.00	55.57	1DLC3400
	ATOM	3277	O	GLU	463	48.610	30.140	34.890	1.00	57.13	1DLC3401
	ATOM	3278	CB	GLU	463	50.886	31.575	36.922	1.00	60.04	1DLC3402
	ATOM	3279	CG	GLU	463	51.932	32.639	37.123	1.00	69.89	1DLC3403
	ATOM	3280	CD	GLU	463	52.244	32.859	38.594	1.00	77.10	1DLC3404
10	ATOM	3281	OE1	GLU	463	51.402	33.458	39.308	1.00	79.81	1DLC3405
	ATOM	3282	OE2	GLU	463	53.331	32.418	39.041	1.00	81.43	1DLC3406
	ATOM	3283	N	PRO	464	50.034	28.785	35.996	1.00	51.32	1DLC3407
	ATOM	3284	CA	PRO	464	49.045	27.702	35.982	1.00	47.85	1DLC3408
	ATOM	3285	C	PRO	464	47.898	28.044	36.955	1.00	44.75	1DLC3409
15	ATOM	3286	O	PRO	464	48.124	28.725	37.963	1.00	41.10	1DLC3410
	ATOM	3287	CB	PRO	464	49.867	26.486	36.435	1.00	47.06	1DLC3411
	ATOM	3288	CG	PRO	464	50.929	27.087	37.300	1.00	46.21	1DLC3412
	ATOM	3289	CD	PRO	464	51.328	28.309	36.521	1.00	48.64	1DLC3413
	ATOM	3290	N	LEU	465	46.686	27.570	36.657	1.00	41.80	1DLC3414
20	ATOM	3291	CA	LEU	465	45.497	27.853	37.475	1.00	37.33	1DLC3415
	ATOM	3292	C	LEU	465	45.658	27.777	38.992	1.00	35.76	1DLC3416
	ATOM	3293	O	LEU	465	45.174	28.655	39.707	1.00	34.89	1DLC3417
	ATOM	3294	CB	LEU	465	44.311	26.981	37.047	1.00	38.95	1DLC3418
	ATOM	3295	CG	LEU	465	43.043	27.695	36.542	1.00	40.98	1DLC3419
25	ATOM	3296	CD1	LEU	465	41.879	26.706	36.476	1.00	41.37	1DLC3420
	ATOM	3297	CD2	LEU	465	42.673	28.853	37.448	1.00	38.54	1DLC3421
	ATOM	3298	N	GLU	466	46.341	26.749	39.489	1.00	31.43	1DLC3422
	ATOM	3299	CA	GLU	466	46.534	26.620	40.930	1.00	32.27	1DLC3423
	ATOM	3300	C	GLU	466	47.368	27.763	41.518	1.00	31.84	1DLC3424
30	ATOM	3301	O	GLU	466	47.493	27.895	42.737	1.00	33.28	1DLC3425
	ATOM	3302	CB	GLU	466	47.144	25.263	41.300	1.00	35.86	1DLC3426
	ATOM	3303	CG	GLU	466	48.603	25.078	40.917	1.00	41.48	1DLC3427
	ATOM	3304	CD	GLU	466	48.789	24.358	39.595	1.00	43.01	1DLC3428
	ATOM	3305	OE1	GLU	466	48.001	24.585	38.650	1.00	43.46	1DLC3429
35	ATOM	3306	OE2	GLU	466	49.737	23.552	39.506	1.00	49.70	1DLC3430
	ATOM	3307	N	LYS	467	47.959	28.568	40.643	1.00	30.87	1DLC3431
	ATOM	3308	CA	LYS	467	48.753	29.716	41.071	1.00	34.88	1DLC3432
	ATOM	3309	C	LYS	467	48.053	31.033	40.739	1.00	30.95	1DLC3433
	ATOM	3310	O	LYS	467	48.050	31.955	41.537	1.00	34.01	1DLC3434
40	ATOM	3311	CB	LYS	467	50.126	29.727	40.395	1.00	41.82	1DLC3435
	ATOM	3312	CG	LYS	467	51.091	28.619	40.784	1.00	48.67	1DLC3436
	ATOM	3313	CD	LYS	467	52.383	28.821	39.991	1.00	59.85	1DLC3437
	ATOM	3314	CE	LYS	467	53.387	27.682	40.140	1.00	63.85	1DLC3438
	ATOM	3315	NZ	LYS	467	54.585	27.912	39.262	1.00	63.42	1DLC3439
45	ATOM	3316	N	GLY	468	47.462	31.113	39.553	1.00	29.04	1DLC3440
	ATOM	3317	CA	GLY	468	46.806	32.342	39.136	1.00	28.69	1DLC3441
	ATOM	3318	C	GLY	468	45.319	32.552	39.384	1.00	27.26	1DLC3442
	ATOM	3319	O	GLY	468	44.794	33.614	39.036	1.00	26.73	1DLC3443
	ATOM	3320	N	TYR	469	44.640	31.570	39.977	1.00	23.94	1DLC3444
50	ATOM	3321	CA	TYR	469	43.207	31.689	40.243	1.00	23.65	1DLC3445
	ATOM	3322	C	TYR	469	42.874	32.954	41.064	1.00	26.78	1DLC3446
	ATOM	3323	O	TYR	469	43.728	33.498	41.762	1.00	29.85	1DLC3447
	ATOM	3324	CB	TYR	469	42.687	30.427	40.931	1.00	18.50	1DLC3448
	ATOM	3325	CG	TYR	469	43.069	30.300	42.384	1.00	18.68	1DLC3449
55	ATOM	3326	CD1	TYR	469	44.253	29.668	42.771	1.00	18.59	1DLC3450
	ATOM	3327	CD2	TYR	469	42.228	30.789	43.381	1.00	17.48	1DLC3451
	ATOM	3328	CE1	TYR	469	44.581	29.526	44.119	1.00	18.20	1DLC3452
	ATOM	3329	CE2	TYR	469	42.543	30.655	44.722	1.00	17.54	1DLC3453
	ATOM	3330	CZ	TYR	469	43.715	30.025	45.088	1.00	19.23	1DLC3454
60	ATOM	3331	OH	TYR	469	43.999	29.900	46.427	1.00	24.58	1DLC3455
	ATOM	3332	N	SER	470	41.637	33.430	40.970	1.00	26.56	1DLC3456
	ATOM	3333	CA	SER	470	41.235	34.646	41.684	1.00	26.36	1DLC3457
	ATOM	3334	C	SER	470	40.278	34.460	42.861	1.00	25.81	1DLC3458
	ATOM	3335	O	SER	470	40.118	35.364	43.689	1.00	27.24	1DLC3459

	ATOM	3336	CB	SER	470	40.604	35.631	40.701	1.00	26.16	1DLC3460
	ATOM	3337	OG	SER	470	39.445	35.070	40.106	1.00	24.14	1DLC3461
	ATOM	3338	N	HIS	471	39.623	33.305	42.926	1.00	24.96	1DLC3462
5	ATOM	3339	CA	HIS	471	38.656	33.025	43.986	1.00	22.21	1DLC3463
	ATOM	3340	C	HIS	471	38.652	31.573	44.426	1.00	20.34	1DLC3464
	ATOM	3341	O	HIS	471	39.004	30.685	43.666	1.00	20.23	1DLC3465
	ATOM	3342	CB	HIS	471	37.234	33.342	43.501	1.00	24.72	1DLC3466
	ATOM	3343	CG	HIS	471	36.951	34.800	43.306	1.00	24.47	1DLC3467
	ATOM	3344	ND1	HIS	471	37.260	35.474	42.142	1.00	22.67	1DLC3468
10	ATOM	3345	CD2	HIS	471	36.328	35.699	44.106	1.00	22.96	1DLC3469
	ATOM	3346	CE1	HIS	471	36.835	36.720	42.232	1.00	22.12	1DLC3470
	ATOM	3347	NE2	HIS	471	36.265	36.881	43.415	1.00	21.11	1DLC3471
	ATOM	3348	N	GLN	472	38.180	31.334	45.638	1.00	19.76	1DLC3472
	ATOM	3349	CA	GLN	472	38.079	29.979	46.155	1.00	20.82	1DLC3473
15	ATOM	3350	C	GLN	472	36.680	29.724	46.709	1.00	22.36	1DLC3474
	ATOM	3351	O	GLN	472	35.976	30.664	47.097	1.00	22.13	1DLC3475
	ATOM	3352	CB	GLN	472	39.120	29.740	47.230	1.00	22.23	1DLC3476
	ATOM	3353	CG	GLN	472	39.115	30.769	48.313	1.00	29.71	1DLC3477
	ATOM	3354	CD	GLN	472	40.248	30.552	49.280	1.00	40.11	1DLC3478
20	ATOM	3355	OE1	GLN	472	40.174	29.680	50.151	1.00	41.87	1DLC3479
	ATOM	3356	NE2	GLN	472	41.326	31.317	49.116	1.00	44.52	1DLC3480
	ATOM	3357	N	LEU	473	36.277	28.455	46.731	1.00	23.05	1DLC3481
	ATOM	3358	CA	LEU	473	34.959	28.054	47.221	1.00	20.06	1DLC3482
	ATOM	3359	C	LEU	473	34.794	28.248	48.725	1.00	20.03	1DLC3483
25	ATOM	3360	O	LEU	473	35.637	27.833	49.517	1.00	19.02	1DLC3484
	ATOM	3361	CB	LEU	473	34.678	26.587	46.876	1.00	21.51	1DLC3485
	ATOM	3362	CG	LEU	473	33.401	26.198	46.118	1.00	22.58	1DLC3486
	ATOM	3363	CD1	LEU	473	33.188	24.714	46.270	1.00	20.29	1DLC3487
	ATOM	3364	CD2	LEU	473	32.181	26.940	46.633	1.00	20.63	1DLC3488
30	ATOM	3365	N	ASN	474	33.685	28.862	49.108	1.00	20.98	1DLC3489
	ATOM	3366	CA	ASN	474	33.394	29.103	50.508	1.00	22.93	1DLC3490
	ATOM	3367	C	ASN	474	32.087	28.434	50.936	1.00	22.97	1DLC3491
	ATOM	3368	O	ASN	474	31.975	27.922	52.056	1.00	23.74	1DLC3492
	ATOM	3369	CB	ASN	474	33.327	30.612	50.777	1.00	24.38	1DLC3493
35	ATOM	3370	CG	ASN	474	33.068	30.941	52.247	1.00	29.78	1DLC3494
	ATOM	3371	OD1	ASN	474	32.237	31.780	52.563	1.00	38.30	1DLC3495
	ATOM	3372	ND2	ASN	474	33.789	30.298	53.140	1.00	29.37	1DLC3496
	ATOM	3373	N	TYR	475	31.119	28.383	50.028	1.00	21.61	1DLC3497
	ATOM	3374	CA	TYR	475	29.824	27.812	50.376	1.00	21.74	1DLC3498
40	ATOM	3375	C	TYR	475	29.081	27.125	49.244	1.00	20.48	1DLC3499
	ATOM	3376	O	TYR	475	29.219	27.472	48.069	1.00	18.90	1DLC3500
	ATOM	3377	CB	TYR	475	28.922	28.910	50.958	1.00	22.80	1DLC3501
	ATOM	3378	CG	TYR	475	28.050	28.481	52.117	1.00	23.56	1DLC3502
	ATOM	3379	CD1	TYR	475	28.601	28.258	53.379	1.00	27.52	1DLC3503
45	ATOM	3380	CD2	TYR	475	26.672	28.324	51.963	1.00	23.00	1DLC3504
	ATOM	3381	CE1	TYR	475	27.802	27.895	54.464	1.00	26.40	1DLC3505
	ATOM	3382	CE2	TYR	475	25.858	27.958	53.043	1.00	24.16	1DLC3506
	ATOM	3383	CZ	TYR	475	26.430	27.746	54.291	1.00	25.06	1DLC3507
	ATOM	3384	OH	TYR	475	25.643	27.405	55.375	1.00	26.34	1DLC3508
50	ATOM	3385	N	VAL	476	28.273	26.150	49.638	1.00	21.63	1DLC3509
	ATOM	3386	CA	VAL	476	27.444	25.379	48.724	1.00	22.28	1DLC3510
	ATOM	3387	C	VAL	476	26.046	25.309	49.355	1.00	23.25	1DLC3511
	ATOM	3388	O	VAL	476	25.905	25.032	50.546	1.00	22.42	1DLC3512
	ATOM	3389	CB	VAL	476	28.026	23.958	48.499	1.00	19.04	1DLC3513
55	ATOM	3390	CG1	VAL	476	27.025	23.077	47.813	1.00	20.37	1DLC3514
	ATOM	3391	CG2	VAL	476	29.269	24.040	47.640	1.00	20.33	1DLC3515
	ATOM	3392	N	MET	477	25.026	25.652	48.575	1.00	22.47	1DLC3516
	ATOM	3393	CA	MET	477	23.655	25.627	49.069	1.00	22.92	1DLC3517
	ATOM	3394	C	MET	477	22.722	25.110	47.973	1.00	23.63	1DLC3518
60	ATOM	3395	O	MET	477	22.819	25.531	46.825	1.00	24.06	1DLC3519

	ATOM	3396	CB	MET	477	23.246	27.030	49.517	1.00	24.95	1DLC3520
	ATOM	3397	CG	MET	477	22.027	27.076	50.408	1.00	34.31	1DLC3521
	ATOM	3398	SD	MET	477	21.578	28.761	50.913	1.00	36.69	1DLC3522
	ATOM	3399	CE	MET	477	22.689	29.016	52.281	1.00	38.04	1DLC3523
5	ATOM	3400	N	CYS	478	21.870	24.150	48.327	1.00	25.18	1DLC3524
	ATOM	3401	CA	CYS	478	20.912	23.551	47.390	1.00	23.36	1DLC3525
	ATOM	3402	C	CYS	478	19.507	24.106	47.568	1.00	23.41	1DLC3526
	ATOM	3403	O	CYS	478	18.970	24.102	48.673	1.00	23.01	1DLC3527
10	ATOM	3404	CB	CYS	478	20.843	22.029	47.564	1.00	21.73	1DLC3528
	ATOM	3405	SG	CYS	478	22.219	21.086	46.881	1.00	24.07	1DLC3529
	ATOM	3406	N	PHE	479	18.918	24.585	46.481	1.00	21.93	1DLC3530
	ATOM	3407	CA	PHE	479	17.563	25.118	46.513	1.00	19.16	1DLC3531
	ATOM	3408	C	PHE	479	16.629	24.149	45.814	1.00	20.36	1DLC3532
	ATOM	3409	O	PHE	479	17.032	23.431	44.897	1.00	19.20	1DLC3533
15	ATOM	3410	CB	PHE	479	17.496	26.483	45.831	1.00	16.90	1DLC3534
	ATOM	3411	CG	PHE	479	18.194	27.563	46.592	1.00	19.07	1DLC3535
	ATOM	3412	CD1	PHE	479	17.550	28.229	47.625	1.00	20.04	1DLC3536
	ATOM	3413	CD2	PHE	479	19.509	27.891	46.308	1.00	17.03	1DLC3537
	ATOM	3414	CE1	PHE	479	18.210	29.207	48.368	1.00	22.59	1DLC3538
20	ATOM	3415	CE2	PHE	479	20.173	28.866	47.044	1.00	23.10	1DLC3539
	ATOM	3416	CZ	PHE	479	19.525	29.524	48.075	1.00	18.71	1DLC3540
	ATOM	3417	N	LEU	480	15.384	24.102	46.269	1.00	21.81	1DLC3541
	ATOM	3418	CA	LEU	480	14.402	23.219	45.661	1.00	19.96	1DLC3542
	ATOM	3419	C	LEU	480	13.587	23.952	44.611	1.00	20.47	1DLC3543
25	ATOM	3420	O	LEU	480	13.229	25.117	44.798	1.00	22.01	1DLC3544
	ATOM	3421	CB	LEU	480	13.474	22.629	46.719	1.00	16.36	1DLC3545
	ATOM	3422	CG	LEU	480	14.071	21.574	47.653	1.00	18.20	1DLC3546
	ATOM	3423	CD1	LEU	480	13.045	21.170	48.675	1.00	16.09	1DLC3547
	ATOM	3424	CD2	LEU	480	14.535	20.367	46.863	1.00	17.11	1DLC3548
30	ATOM	3425	N	MET	481	13.375	23.300	43.473	1.00	19.08	1DLC3549
	ATOM	3426	CA	MET	481	12.557	23.875	42.411	1.00	21.22	1DLC3550
	ATOM	3427	C	MET	481	11.091	23.844	42.867	1.00	24.48	1DLC3551
	ATOM	3428	O	MET	481	10.729	23.084	43.772	1.00	25.50	1DLC3552
	ATOM	3429	CB	MET	481	12.674	23.055	41.133	1.00	18.69	1DLC3553
35	ATOM	3430	CG	MET	481	14.002	23.129	40.458	1.00	20.79	1DLC3554
	ATOM	3431	SD	MET	481	13.988	22.032	39.060	1.00	25.38	1DLC3555
	ATOM	3432	CE	MET	481	15.738	21.837	38.753	1.00	21.04	1DLC3556
	ATOM	3433	N	GLN	482	10.251	24.662	42.241	1.00	25.74	1DLC3557
	ATOM	3434	CA	GLN	482	8.836	24.705	42.579	1.00	24.89	1DLC3558
40	ATOM	3435	C	GLN	482	8.143	23.390	42.282	1.00	26.77	1DLC3559
	ATOM	3436	O	GLN	482	8.469	22.713	41.311	1.00	26.04	1DLC3560
	ATOM	3437	CB	GLN	482	8.153	25.834	41.840	1.00	22.45	1DLC3561
	ATOM	3438	CG	GLN	482	8.516	27.182	42.390	1.00	24.04	1DLC3562
	ATOM	3439	CD	GLN	482	7.592	28.241	41.888	1.00	25.93	1DLC3563
45	ATOM	3440	OE1	GLN	482	6.758	28.740	42.630	1.00	33.56	1DLC3564
	ATOM	3441	NE2	GLN	482	7.697	28.565	40.617	1.00	24.90	1DLC3565
	ATOM	3442	N	GLY	483	7.200	23.017	43.141	1.00	31.29	1DLC3566
	ATOM	3443	CA	GLY	483	6.502	21.756	42.960	1.00	34.89	1DLC3567
	ATOM	3444	C	GLY	483	7.529	20.643	42.974	1.00	38.13	1DLC3568
50	ATOM	3445	O	GLY	483	7.338	19.585	42.382	1.00	41.30	1DLC3569
	ATOM	3446	N	SER	484	8.644	20.928	43.639	1.00	40.46	1DLC3570
	ATOM	3447	CA	SER	484	9.781	20.027	43.760	1.00	39.19	1DLC3571
	ATOM	3448	C	SER	484	10.047	19.110	42.574	1.00	35.89	1DLC3572
	ATOM	3449	O	SER	484	9.982	17.891	42.682	1.00	34.78	1DLC3573
55	ATOM	3450	CB	SER	484	9.716	19.258	45.070	1.00	44.00	1DLC3574
	ATOM	3451	OG	SER	484	9.864	20.160	46.158	1.00	49.80	1DLC3575
	ATOM	3452	N	ARG	485	10.322	19.728	41.430	1.00	34.10	1DLC3576
	ATOM	3453	CA	ARG	485	10.639	18.998	40.212	1.00	33.89	1DLC3577
	ATOM	3454	C	ARG	485	12.155	18.734	40.152	1.00	34.69	1DLC3578
60	ATOM	3455	O	ARG	485	12.630	17.971	39.305	1.00	36.50	1DLC3579

5	ATOM	3456	CB	ARG	485	10.197	19.800	38.983	1.00	33.16	1DLC3580
	ATOM	3457	CG	ARG	485	10.266	19.019	37.669	1.00	36.98	1DLC3581
	ATOM	3458	CD	ARG	485	9.882	19.889	36.485	1.00	41.59	1DLC3582
	ATOM	3459	NE	ARG	485	8.680	19.445	35.770	1.00	42.72	1DLC3583
	ATOM	3460	CZ	ARG	485	7.505	19.169	36.335	1.00	44.05	1DLC3584
10	ATOM	3461	NH1	ARG	485	7.332	19.265	37.647	1.00	44.99	1DLC3585
	ATOM	3462	NH2	ARG	485	6.470	18.863	35.569	1.00	47.30	1DLC3586
	ATOM	3463	N	GLY	486	12.910	19.365	41.052	1.00	32.23	1DLC3587
	ATOM	3464	CA	GLY	486	14.352	19.174	41.068	1.00	29.57	1DLC3588
	ATOM	3465	C	GLY	486	15.115	20.016	42.078	1.00	28.60	1DLC3589
15	ATOM	3466	O	GLY	486	14.511	20.692	42.919	1.00	25.84	1DLC3590
	ATOM	3467	N	THR	487	16.443	19.992	41.966	1.00	25.86	1DLC3591
	ATOM	3468	CA	THR	487	17.337	20.732	42.862	1.00	24.67	1DLC3592
	ATOM	3469	C	THR	487	18.295	21.665	42.121	1.00	25.25	1DLC3593
	ATOM	3470	O	THR	487	18.962	21.260	41.164	1.00	25.06	1DLC3594
20	ATOM	3471	CB	THR	487	18.183	19.760	43.728	1.00	25.40	1DLC3595
	ATOM	3472	OG1	THR	487	17.344	19.141	44.707	1.00	26.03	1DLC3596
	ATOM	3473	CG2	THR	487	19.320	20.487	44.438	1.00	26.87	1DLC3597
	ATOM	3474	N	ILE	488	18.370	22.909	42.584	1.00	22.95	1DLC3598
	ATOM	3475	CA	ILE	488	19.257	23.915	41.993	1.00	24.06	1DLC3599
25	ATOM	3476	C	ILE	488	20.378	24.293	42.966	1.00	24.12	1DLC3600
	ATOM	3477	O	ILE	488	20.120	24.890	44.017	1.00	26.94	1DLC3601
	ATOM	3478	CB	ILE	488	18.496	25.214	41.633	1.00	22.37	1DLC3602
	ATOM	3479	CG1	ILE	488	17.343	24.915	40.668	1.00	21.27	1DLC3603
	ATOM	3480	CG2	ILE	488	19.456	26.225	41.020	1.00	16.51	1DLC3604
30	ATOM	3481	CD1	ILE	488	16.468	26.115	40.375	1.00	20.81	1DLC3605
	ATOM	3482	N	PRO	489	21.628	23.895	42.667	1.00	24.55	1DLC3606
	ATOM	3483	CA	PRO	489	22.741	24.239	43.567	1.00	22.62	1DLC3607
	ATOM	3484	C	PRO	489	23.285	25.646	43.290	1.00	20.82	1DLC3608
	ATOM	3485	O	PRO	489	23.321	26.094	42.137	1.00	22.41	1DLC3609
35	ATOM	3486	CB	PRO	489	23.797	23.175	43.240	1.00	20.03	1DLC3610
	ATOM	3487	CG	PRO	489	23.028	22.083	42.522	1.00	22.59	1DLC3611
	ATOM	3488	CD	PRO	489	22.052	22.876	41.695	1.00	20.82	1DLC3612
	ATOM	3489	N	VAL	490	23.663	26.348	44.353	1.00	18.80	1DLC3613
	ATOM	3490	CA	VAL	490	24.234	27.686	44.241	1.00	20.56	1DLC3614
40	ATOM	3491	C	VAL	490	25.539	27.745	45.045	1.00	22.82	1DLC3615
	ATOM	3492	O	VAL	490	25.576	27.364	46.225	1.00	20.83	1DLC3616
	ATOM	3493	CB	VAL	490	23.257	28.772	44.732	1.00	22.17	1DLC3617
	ATOM	3494	CG1	VAL	490	23.899	30.147	44.621	1.00	20.36	1DLC3618
	ATOM	3495	CG2	VAL	490	21.989	28.740	43.895	1.00	24.80	1DLC3619
45	ATOM	3496	N	LEU	491	26.610	28.206	44.397	1.00	22.64	1DLC3620
	ATOM	3497	CA	LEU	491	27.931	28.285	45.034	1.00	21.56	1DLC3621
	ATOM	3498	C	LEU	491	28.397	29.704	45.377	1.00	19.56	1DLC3622
	ATOM	3499	O	LEU	491	28.279	30.622	44.566	1.00	21.15	1DLC3623
	ATOM	3500	CB	LEU	491	28.993	27.610	44.143	1.00	22.96	1DLC3624
50	ATOM	3501	CG	LEU	491	28.739	26.213	43.549	1.00	22.44	1DLC3625
	ATOM	3502	CD1	LEU	491	29.970	25.728	42.817	1.00	19.64	1DLC3626
	ATOM	3503	CD2	LEU	491	28.359	25.222	44.617	1.00	23.77	1DLC3627
	ATOM	3504	N	THR	492	28.926	29.867	46.584	1.00	17.65	1DLC3628
	ATOM	3505	CA	THR	492	29.451	31.153	47.050	1.00	21.18	1DLC3629
55	ATOM	3506	C	THR	492	30.987	31.103	47.093	1.00	24.42	1DLC3630
	ATOM	3507	O	THR	492	31.580	30.111	47.545	1.00	25.76	1DLC3631
	ATOM	3508	CB	THR	492	28.927	31.503	48.451	1.00	20.37	1DLC3632
	ATOM	3509	OG1	THR	492	27.498	31.509	48.419	1.00	25.73	1DLC3633
	ATOM	3510	CG2	THR	492	29.421	32.881	48.898	1.00	16.18	1DLC3634
60	ATOM	3511	N	TRP	493	31.622	32.184	46.638	1.00	23.37	1DLC3635
	ATOM	3512	CA	TRP	493	33.081	32.278	46.582	1.00	20.05	1DLC3636
	ATOM	3513	C	TRP	493	33.650	33.491	47.311	1.00	19.63	1DLC3637
	ATOM	3514	O	TRP	493	32.953	34.468	47.561	1.00	20.47	1DLC3638
	ATOM	3515	CB	TRP	493	33.546	32.333	45.123	1.00	16.78	1DLC3639

	ATOM	3516	CG	TRP	493	32.936	31.242	44.273	1.00	20.23	1DLC3640
	ATOM	3517	CD1	TRP	493	31.692	31.113	43.852	1.00	19.07	1DLC3641
	ATOM	3518	CD2	TRP	493	33.699	30.128	43.723	1.00	22.53	1DLC3642
	ATOM	3519	NE1	TRP	493	31.555	29.991	43.075	1.00	19.83	1DLC3643
5	ATOM	3520	CE2	TRP	493	32.770	29.367	42.975	1.00	22.55	1DLC3644
	ATOM	3521	CE3	TRP	493	35.033	29.699	43.785	1.00	24.17	1DLC3645
	ATOM	3522	CZ2	TRP	493	33.132	28.198	42.294	1.00	22.22	1DLC3646
	ATOM	3523	CZ3	TRP	493	35.394	28.536	43.107	1.00	21.82	1DLC3647
	ATOM	3524	CH2	TRP	493	34.443	27.800	42.372	1.00	23.98	1DLC3648
10	ATOM	3525	N	THR	494	34.930	33.402	47.661	1.00	19.10	1DLC3649
	ATOM	3526	CA	THR	494	35.643	34.488	48.323	1.00	15.75	1DLC3650
	ATOM	3527	C	THR	494	36.962	34.781	47.583	1.00	15.71	1DLC3651
	ATOM	3528	O	THR	494	37.497	33.923	46.885	1.00	15.53	1DLC3652
	ATOM	3529	CB	THR	494	35.867	34.199	49.832	1.00	17.76	1DLC3653
15	ATOM	3530	OG1	THR	494	36.483	32.913	50.007	1.00	18.92	1DLC3654
	ATOM	3531	CG2	THR	494	34.530	34.232	50.580	1.00	13.45	1DLC3655
	ATOM	3532	N	HIS	495	37.448	36.011	47.679	1.00	17.73	1DLC3656
	ATOM	3533	CA	HIS	495	38.670	36.416	46.992	1.00	18.64	1DLC3657
	ATOM	3534	C	HIS	495	39.964	35.767	47.516	1.00	21.22	1DLC3658
20	ATOM	3535	O	HIS	495	40.139	35.531	48.712	1.00	19.11	1DLC3659
	ATOM	3536	CB	HIS	495	38.788	37.953	46.991	1.00	18.90	1DLC3660
	ATOM	3537	CG	HIS	495	39.689	38.498	45.923	1.00	18.38	1DLC3661
	ATOM	3538	ND1	HIS	495	41.018	38.801	46.147	1.00	20.90	1DLC3662
	ATOM	3539	CD2	HIS	495	39.454	38.800	44.624	1.00	19.10	1DLC3663
25	ATOM	3540	CE1	HIS	495	41.559	39.261	45.035	1.00	19.17	1DLC3664
	ATOM	3541	NE2	HIS	495	40.631	39.272	44.096	1.00	18.99	1DLC3665
	ATOM	3542	N	LYS	496	40.861	35.489	46.576	1.00	23.22	1DLC3666
	ATOM	3543	CA	LYS	496	42.171	34.876	46.818	1.00	25.84	1DLC3667
	ATOM	3544	C	LYS	496	43.103	35.666	47.755	1.00	26.33	1DLC3668
30	ATOM	3545	O	LYS	496	43.986	35.095	48.388	1.00	26.36	1DLC3669
	ATOM	3546	CB	LYS	496	42.853	34.711	45.462	1.00	27.94	1DLC3670
	ATOM	3547	CG	LYS	496	44.251	34.139	45.447	1.00	28.83	1DLC3671
	ATOM	3548	CD	LYS	496	44.885	34.574	44.138	1.00	31.25	1DLC3672
	ATOM	3549	CE	LYS	496	46.050	33.721	43.720	1.00	30.77	1DLC3673
35	ATOM	3550	NZ	LYS	496	46.516	34.187	42.380	1.00	37.65	1DLC3674
	ATOM	3551	N	SER	497	42.900	36.977	47.834	1.00	25.35	1DLC3675
	ATOM	3552	CA	SER	497	43.741	37.838	48.660	1.00	22.15	1DLC3676
	ATOM	3553	C	SER	497	43.607	37.644	50.152	1.00	22.22	1DLC3677
	ATOM	3554	O	SER	497	44.460	38.105	50.904	1.00	25.41	1DLC3678
40	ATOM	3555	CB	SER	497	43.486	39.306	48.342	1.00	23.23	1DLC3679
	ATOM	3556	OG	SER	497	42.133	39.656	48.583	1.00	22.68	1DLC3680
	ATOM	3557	N	VAL	498	42.526	37.002	50.585	1.00	23.61	1DLC3681
	ATOM	3558	CA	VAL	498	42.293	36.777	52.013	1.00	20.99	1DLC3682
	ATOM	3559	C	VAL	498	43.379	35.909	52.659	1.00	21.85	1DLC3683
45	ATOM	3560	O	VAL	498	43.637	34.783	52.229	1.00	23.91	1DLC3684
	ATOM	3561	CB	VAL	498	40.877	36.180	52.285	1.00	21.37	1DLC3685
	ATOM	3562	CG1	VAL	498	40.688	35.932	53.777	1.00	21.12	1DLC3686
	ATOM	3563	CG2	VAL	498	39.788	37.139	51.787	1.00	17.66	1DLC3687
	ATOM	3564	N	ASP	499	44.029	36.467	53.675	1.00	19.96	1DLC3688
50	ATOM	3565	CA	ASP	499	45.101	35.801	54.408	1.00	16.56	1DLC3689
	ATOM	3566	C	ASP	499	44.551	35.050	55.623	1.00	17.05	1DLC3690
	ATOM	3567	O	ASP	499	44.184	35.659	56.619	1.00	17.65	1DLC3691
	ATOM	3568	CB	ASP	499	46.145	36.853	54.834	1.00	18.86	1DLC3692
	ATOM	3569	CG	ASP	499	47.238	36.290	55.750	1.00	20.23	1DLC3693
55	ATOM	3570	OD1	ASP	499	47.451	35.066	55.786	1.00	28.20	1DLC3694
	ATOM	3571	OD2	ASP	499	47.903	37.079	56.440	1.00	20.77	1DLC3695
	ATOM	3572	N	PHE	500	44.555	33.724	55.561	1.00	18.66	1DLC3696
	ATOM	3573	CA	PHE	500	44.049	32.924	56.668	1.00	21.20	1DLC3697
	ATOM	3574	C	PHE	500	44.725	33.213	57.994	1.00	21.18	1DLC3698
60	ATOM	3575	O	PHE	500	44.083	33.205	59.039	1.00	23.89	1DLC3699

	ATOM	3576	CB	PHE	500	44.167	31.416	56.391	1.00	24.40	1DLC3700
	ATOM	3577	CG	PHE	500	43.787	30.552	57.597	1.00	27.73	1DLC3701
	ATOM	3578	CD1	PHE	500	42.445	30.306	57.890	1.00	27.36	1DLC3702
	ATOM	3579	CD2	PHE	500	44.768	30.044	58.445	1.00	26.00	1DLC3703
5	ATOM	3580	CE1	PHE	500	42.084	29.578	59.026	1.00	25.15	1DLC3704
	ATOM	3581	CE2	PHE	500	44.417	29.316	59.583	1.00	26.25	1DLC3705
	ATOM	3582	CZ	PHE	500	43.070	29.084	59.874	1.00	25.99	1DLC3706
	ATOM	3583	N	PHE	501	46.027	33.443	57.959	1.00	21.02	1DLC3707
	ATOM	3584	CA	PHE	501	46.767	33.685	59.191	1.00	21.95	1DLC3708
10	ATOM	3585	C	PHE	501	46.673	35.047	59.877	1.00	20.32	1DLC3709
	ATOM	3586	O	PHE	501	47.173	35.189	60.986	1.00	20.00	1DLC3710
	ATOM	3587	CB	PHE	501	48.234	33.285	59.001	1.00	25.51	1DLC3711
	ATOM	3588	CG	PHE	501	48.419	31.823	58.707	1.00	24.22	1DLC3712
	ATOM	3589	CD1	PHE	501	48.383	30.887	59.733	1.00	24.19	1DLC3713
15	ATOM	3590	CD2	PHE	501	48.589	31.380	57.403	1.00	25.81	1DLC3714
	ATOM	3591	CE1	PHE	501	48.510	29.536	59.467	1.00	23.35	1DLC3715
	ATOM	3592	CE2	PHE	501	48.717	30.027	57.125	1.00	24.04	1DLC3716
	ATOM	3593	CZ	PHE	501	48.677	29.104	58.160	1.00	23.29	1DLC3717
	ATOM	3594	N	ASN	502	46.005	36.024	59.256	1.00	21.94	1DLC3718
20	ATOM	3595	CA	ASN	502	45.881	37.378	59.828	1.00	18.99	1DLC3719
	ATOM	3596	C	ASN	502	47.281	37.834	60.228	1.00	19.72	1DLC3720
	ATOM	3597	O	ASN	502	47.530	38.238	61.359	1.00	21.21	1DLC3721
	ATOM	3598	CB	ASN	502	44.959	37.375	61.061	1.00	19.98	1DLC3722
	ATOM	3599	CG	ASN	502	43.470	37.293	60.703	1.00	18.11	1DLC3723
25	ATOM	3600	OD1	ASN	502	43.079	37.424	59.544	1.00	14.73	1DLC3724
	ATOM	3601	ND2	ASN	502	42.639	37.089	61.712	1.00	11.25	1DLC3725
	ATOM	3602	N	MET	503	48.197	37.741	59.278	1.00	22.71	1DLC3726
	ATOM	3603	CA	MET	503	49.590	38.071	59.509	1.00	24.59	1DLC3727
	ATOM	3604	C	MET	503	49.958	39.544	59.415	1.00	26.15	1DLC3728
30	ATOM	3605	O	MET	503	49.705	40.199	58.402	1.00	24.32	1DLC3729
	ATOM	3606	CB	MET	503	50.456	37.245	58.565	1.00	31.72	1DLC3730
	ATOM	3607	CG	MET	503	51.918	37.179	58.939	1.00	43.44	1DLC3731
	ATOM	3608	SD	MET	503	52.748	35.901	57.973	1.00	55.24	1DLC3732
	ATOM	3609	CE	MET	503	52.027	34.424	58.732	1.00	51.41	1DLC3733
35	ATOM	3610	N	ILE	504	50.583	40.042	60.482	1.00	26.22	1DLC3734
	ATOM	3611	CA	ILE	504	51.026	41.433	60.575	1.00	27.43	1DLC3735
	ATOM	3612	C	ILE	504	52.423	41.578	59.966	1.00	30.21	1DLC3736
	ATOM	3613	O	ILE	504	53.419	41.149	60.557	1.00	31.93	1DLC3737
	ATOM	3614	CB	ILE	504	51.048	41.912	62.050	1.00	25.85	1DLC3738
40	ATOM	3615	CG1	ILE	504	49.702	41.626	62.707	1.00	24.52	1DLC3739
	ATOM	3616	CG2	ILE	504	51.336	43.401	62.129	1.00	24.26	1DLC3740
	ATOM	3617	CD1	ILE	504	48.522	42.137	61.919	1.00	25.27	1DLC3741
	ATOM	3618	N	ASP	505	52.483	42.169	58.776	1.00	32.77	1DLC3742
	ATOM	3619	CA	ASP	505	53.740	42.371	58.055	1.00	32.61	1DLC3743
45	ATOM	3620	C	ASP	505	54.658	43.386	58.737	1.00	33.24	1DLC3744
	ATOM	3621	O	ASP	505	54.243	44.501	59.034	1.00	37.00	1DLC3745
	ATOM	3622	CB	ASP	505	53.454	42.828	56.629	1.00	33.22	1DLC3746
	ATOM	3623	CG	ASP	505	54.639	42.636	55.715	1.00	35.54	1DLC3747
	ATOM	3624	OD1	ASP	505	55.606	43.413	55.804	1.00	40.96	1DLC3748
50	ATOM	3625	OD2	ASP	505	54.612	41.694	54.903	1.00	39.21	1DLC3749
	ATOM	3626	N	SER	506	55.924	43.018	58.910	1.00	33.99	1DLC3750
	ATOM	3627	CA	SER	506	56.916	43.878	59.569	1.00	31.14	1DLC3751
	ATOM	3628	C	SER	506	57.433	45.058	58.753	1.00	26.45	1DLC3752
	ATOM	3629	O	SER	506	58.091	45.932	59.296	1.00	25.94	1DLC3753
55	ATOM	3630	CB	SER	506	58.116	43.049	60.035	1.00	35.65	1DLC3754
	ATOM	3631	OG	SER	506	58.691	42.318	58.955	1.00	38.49	1DLC3755
	ATOM	3632	N	LYS	507	57.181	45.064	57.452	1.00	24.25	1DLC3756
	ATOM	3633	CA	LYS	507	57.653	46.155	56.603	1.00	29.55	1DLC3757
	ATOM	3634	C	LYS	507	56.540	47.011	56.016	1.00	29.60	1DLC3758
60	ATOM	3635	O	LYS	507	56.773	48.150	55.611	1.00	30.94	1DLC3759

5	ATOM	3636	CB	LYS	507	58.494	45.630	55.435	1.00	34.60	1DLC3760
	ATOM	3637	CG	LYS	507	59.661	44.732	55.793	1.00	44.16	1DLC3761
	ATOM	3638	CD	LYS	507	59.206	43.295	56.004	1.00	54.27	1DLC3762
	ATOM	3639	CE	LYS	507	60.303	42.327	55.603	1.00	60.68	1DLC3763
	ATOM	3640	NZ	LYS	507	60.686	42.532	54.163	1.00	64.19	1DLC3764
10	ATOM	3641	N	LYS	508	55.339	46.452	55.942	1.00	28.18	1DLC3765
	ATOM	3642	CA	LYS	508	54.204	47.165	55.364	1.00	24.79	1DLC3766
	ATOM	3643	C	LYS	508	53.175	47.608	56.378	1.00	23.56	1DLC3767
	ATOM	3644	O	LYS	508	53.248	47.273	57.563	1.00	25.61	1DLC3768
	ATOM	3645	CB	LYS	508	53.480	46.273	54.359	1.00	21.88	1DLC3769
15	ATOM	3646	CG	LYS	508	54.329	45.804	53.233	1.00	25.15	1DLC3770
	ATOM	3647	CD	LYS	508	53.592	44.816	52.383	1.00	26.67	1DLC3771
	ATOM	3648	CE	LYS	508	54.495	44.343	51.263	1.00	31.83	1DLC3772
	ATOM	3649	NZ	LYS	508	53.858	43.338	50.378	1.00	35.43	1DLC3773
	ATOM	3650	N	ILE	509	52.239	48.413	55.900	1.00	20.93	1DLC3774
20	ATOM	3651	CA	ILE	509	51.121	48.837	56.715	1.00	18.88	1DLC3775
	ATOM	3652	C	ILE	509	50.137	47.695	56.446	1.00	19.04	1DLC3776
	ATOM	3653	O	ILE	509	49.887	47.333	55.293	1.00	17.01	1DLC3777
	ATOM	3654	CB	ILE	509	50.539	50.186	56.236	1.00	18.64	1DLC3778
	ATOM	3655	CG1	ILE	509	51.530	51.317	56.558	1.00	14.90	1DLC3779
25	ATOM	3656	CG2	ILE	509	49.157	50.421	56.872	1.00	15.43	1DLC3780
	ATOM	3657	CD1	ILE	509	51.149	52.677	56.007	1.00	11.51	1DLC3781
	ATOM	3658	N	THR	510	49.674	47.052	57.506	1.00	21.46	1DLC3782
	ATOM	3659	CA	THR	510	48.751	45.931	57.358	1.00	20.67	1DLC3783
	ATOM	3660	C	THR	510	47.309	46.291	57.709	1.00	19.90	1DLC3784
30	ATOM	3661	O	THR	510	47.034	46.781	58.806	1.00	23.72	1DLC3785
	ATOM	3662	CB	THR	510	49.181	44.726	58.253	1.00	20.85	1DLC3786
	ATOM	3663	OG1	THR	510	50.522	44.326	57.929	1.00	20.93	1DLC3787
	ATOM	3664	CG2	THR	510	48.241	43.541	58.051	1.00	21.70	1DLC3788
	ATOM	3665	N	GLN	511	46.399	46.087	56.763	1.00	18.34	1DLC3789
35	ATOM	3666	CA	GLN	511	44.979	46.336	57.001	1.00	16.87	1DLC3790
	ATOM	3667	C	GLN	511	44.283	45.037	57.428	1.00	20.95	1DLC3791
	ATOM	3668	O	GLN	511	44.281	44.048	56.689	1.00	22.60	1DLC3792
	ATOM	3669	CB	GLN	511	44.293	46.868	55.748	1.00	12.52	1DLC3793
	ATOM	3670	CG	GLN	511	44.506	48.332	55.481	1.00	14.00	1DLC3794
40	ATOM	3671	CD	GLN	511	43.533	48.867	54.440	1.00	18.99	1DLC3795
	ATOM	3672	OE1	GLN	511	43.290	48.236	53.417	1.00	21.33	1DLC3796
	ATOM	3673	NE2	GLN	511	42.956	50.018	54.708	1.00	19.00	1DLC3797
	ATOM	3674	N	LEU	512	43.710	45.043	58.626	1.00	22.52	1DLC3798
	ATOM	3675	CA	LEU	512	42.989	43.889	59.162	1.00	21.75	1DLC3799
45	ATOM	3676	C	LEU	512	41.480	44.130	59.277	1.00	19.63	1DLC3800
	ATOM	3677	O	LEU	512	41.023	44.839	60.175	1.00	19.45	1DLC3801
	ATOM	3678	CB	LEU	512	43.522	43.518	60.546	1.00	25.44	1DLC3802
	ATOM	3679	CG	LEU	512	44.431	42.303	60.672	1.00	32.43	1DLC3803
	ATOM	3680	CD1	LEU	512	44.559	41.951	62.148	1.00	32.49	1DLC3804
50	ATOM	3681	CD2	LEU	512	43.843	41.128	59.892	1.00	35.48	1DLC3805
	ATOM	3682	N	PRO	513	40.685	43.537	58.372	1.00	17.33	1DLC3806
	ATOM	3683	CA	PRO	513	39.227	43.700	58.402	1.00	16.04	1DLC3807
	ATOM	3684	C	PRO	513	38.669	43.052	59.662	1.00	15.65	1DLC3808
	ATOM	3685	O	PRO	513	39.043	41.933	59.993	1.00	19.58	1DLC3809
55	ATOM	3686	CB	PRO	513	38.776	42.934	57.163	1.00	12.95	1DLC3810
	ATOM	3687	CG	PRO	513	39.964	43.017	56.253	1.00	16.06	1DLC3811
	ATOM	3688	CD	PRO	513	41.096	42.757	57.195	1.00	16.99	1DLC3812
	ATOM	3689	N	LEU	514	37.775	43.742	60.361	1.00	17.11	1DLC3813
	ATOM	3690	CA	LEU	514	37.187	43.195	61.584	1.00	17.00	1DLC3814
60	ATOM	3691	C	LEU	514	36.391	41.896	61.390	1.00	16.47	1DLC3815
	ATOM	3692	O	LEU	514	36.222	41.115	62.334	1.00	15.86	1DLC3816
	ATOM	3693	CB	LEU	514	36.324	44.249	62.279	1.00	20.38	1DLC3817
	ATOM	3694	CG	LEU	514	36.962	44.901	63.512	1.00	24.64	1DLC3818
	ATOM	3695	CD1	LEU	514	37.104	43.877	64.633	1.00	22.36	1DLC3819

5	ATOM	3696	CD2	LEU	514	38.319	45.500	63.156	1.00	26.24	1DLC3820
	ATOM	3697	N	VAL	515	35.888	41.668	60.179	1.00	13.44	1DLC3821
	ATOM	3698	CA	VAL	515	35.147	40.443	59.906	1.00	17.69	1DLC3822
	ATOM	3699	C	VAL	515	36.038	39.200	59.983	1.00	19.77	1DLC3823
	ATOM	3700	O	VAL	515	35.541	38.082	59.927	1.00	21.83	1DLC3824
10	ATOM	3701	CB	VAL	515	34.382	40.476	58.546	1.00	15.76	1DLC3825
	ATOM	3702	CG1	VAL	515	33.316	41.552	58.584	1.00	15.76	1DLC3826
	ATOM	3703	CG2	VAL	515	35.326	40.693	57.386	1.00	13.28	1DLC3827
	ATOM	3704	N	LYS	516	37.351	39.405	60.106	1.00	22.24	1DLC3828
	ATOM	3705	CA	LYS	516	38.311	38.304	60.233	1.00	20.87	1DLC3829
15	ATOM	3706	C	LYS	516	38.405	37.867	61.704	1.00	21.16	1DLC3830
	ATOM	3707	O	LYS	516	39.164	36.967	62.059	1.00	22.50	1DLC3831
	ATOM	3708	CB	LYS	516	39.692	38.716	59.717	1.00	19.84	1DLC3832
	ATOM	3709	CG	LYS	516	39.768	39.001	58.211	1.00	19.10	1DLC3833
	ATOM	3710	CD	LYS	516	39.499	37.756	57.361	1.00	18.48	1DLC3834
20	ATOM	3711	CE	LYS	516	40.581	36.692	57.519	1.00	19.98	1DLC3835
	ATOM	3712	NZ	LYS	516	41.938	37.189	57.136	1.00	18.44	1DLC3836
	ATOM	3713	N	ALA	517	37.652	38.534	62.568	1.00	19.22	1DLC3837
	ATOM	3714	CA	ALA	517	37.631	38.173	63.972	1.00	18.13	1DLC3838
	ATOM	3715	C	ALA	517	37.037	36.769	64.075	1.00	18.92	1DLC3839
25	ATOM	3716	O	ALA	517	36.396	36.277	63.141	1.00	21.52	1DLC3840
	ATOM	3717	CB	ALA	517	36.782	39.171	64.759	1.00	12.71	1DLC3841
	ATOM	3718	N	TYR	518	37.289	36.093	65.183	1.00	21.01	1DLC3842
	ATOM	3719	CA	TYR	518	36.728	34.759	65.364	1.00	23.07	1DLC3843
	ATOM	3720	C	TYR	518	35.657	34.785	66.451	1.00	24.25	1DLC3844
30	ATOM	3721	O	TYR	518	34.881	33.846	66.592	1.00	28.06	1DLC3845
	ATOM	3722	CB	TYR	518	37.824	33.743	65.716	1.00	19.73	1DLC3846
	ATOM	3723	CG	TYR	518	38.472	33.952	67.065	1.00	19.33	1DLC3847
	ATOM	3724	CD1	TYR	518	37.888	33.442	68.229	1.00	22.01	1DLC3848
	ATOM	3725	CD2	TYR	518	39.676	34.644	67.180	1.00	19.86	1DLC3849
35	ATOM	3726	CE1	TYR	518	38.485	33.611	69.471	1.00	18.79	1DLC3850
	ATOM	3727	CE2	TYR	518	40.283	34.823	68.417	1.00	20.61	1DLC3851
	ATOM	3728	CZ	TYR	518	39.682	34.304	69.557	1.00	22.78	1DLC3852
	ATOM	3729	OH	TYR	518	40.270	34.493	70.783	1.00	24.17	1DLC3853
	ATOM	3730	N	LYS	519	35.564	35.905	67.160	1.00	24.18	1DLC3854
40	ATOM	3731	CA	LYS	519	34.615	36.027	68.249	1.00	21.87	1DLC3855
	ATOM	3732	C	LYS	519	34.027	37.429	68.430	1.00	22.52	1DLC3856
	ATOM	3733	O	LYS	519	34.758	38.410	68.527	1.00	22.87	1DLC3857
	ATOM	3734	CB	LYS	519	35.328	35.593	69.526	1.00	24.86	1DLC3858
	ATOM	3735	CG	LYS	519	34.512	35.599	70.783	1.00	31.39	1DLC3859
45	ATOM	3736	CD	LYS	519	35.400	35.210	71.953	1.00	38.43	1DLC3860
	ATOM	3737	CE	LYS	519	34.616	35.118	73.255	1.00	45.64	1DLC3861
	ATOM	3738	NZ	LYS	519	35.523	34.808	74.400	1.00	49.23	1DLC3862
	ATOM	3739	N	LEU	520	32.703	37.522	68.422	1.00	21.94	1DLC3863
	ATOM	3740	CA	LEU	520	32.024	38.794	68.653	1.00	24.06	1DLC3864
50	ATOM	3741	C	LEU	520	31.408	38.738	70.050	1.00	27.63	1DLC3865
	ATOM	3742	O	LEU	520	31.091	37.660	70.556	1.00	29.95	1DLC3866
	ATOM	3743	CB	LEU	520	30.943	39.063	67.600	1.00	20.93	1DLC3867
	ATOM	3744	CG	LEU	520	31.438	39.461	66.209	1.00	21.24	1DLC3868
	ATOM	3745	CD1	LEU	520	30.268	39.640	65.274	1.00	21.64	1DLC3869
55	ATOM	3746	CD2	LEU	520	32.252	40.744	66.292	1.00	20.28	1DLC3870
	ATOM	3747	N	GLN	521	31.214	39.894	70.668	1.00	30.71	1DLC3871
	ATOM	3748	CA	GLN	521	30.667	39.935	72.015	1.00	32.68	1DLC3872
	ATOM	3749	C	GLN	521	29.943	41.237	72.338	1.00	32.85	1DLC3873
	ATOM	3750	O	GLN	521	29.963	42.183	71.554	1.00	33.06	1DLC3874
60	ATOM	3751	CB	GLN	521	31.795	39.681	73.019	1.00	38.17	1DLC3875
	ATOM	3752	CG	GLN	521	33.040	40.525	72.764	1.00	47.16	1DLC3876
	ATOM	3753	CD	GLN	521	34.341	39.733	72.860	1.00	50.53	1DLC3877
	ATOM	3754	OE1	GLN	521	34.416	38.715	73.546	1.00	53.19	1DLC3878
	ATOM	3755	NE2	GLN	521	35.372	40.205	72.171	1.00	49.13	1DLC3879

	ATOM	3756	N	SER	522	29.284	41.261	73.494	1.00	34.02	1DLC3880
	ATOM	3757	CA	SER	522	28.529	42.427	73.963	1.00	33.25	1DLC3881
	ATOM	3758	C	SER	522	27.458	42.871	72.973	1.00	32.49	1DLC3882
	ATOM	3759	O	SER	522	27.132	44.051	72.887	1.00	34.90	1DLC3883
5	ATOM	3760	CB	SER	522	29.464	43.607	74.267	1.00	34.44	1DLC3884
	ATOM	3761	OG	SER	522	30.460	43.269	75.221	1.00	37.23	1DLC3885
	ATOM	3762	N	GLY	523	26.932	41.931	72.201	1.00	32.83	1DLC3886
	ATOM	3763	CA	GLY	523	25.906	42.283	71.236	1.00	35.47	1DLC3887
	ATOM	3764	C	GLY	523	26.415	42.914	69.946	1.00	37.76	1DLC3888
10	ATOM	3765	O	GLY	523	25.694	43.676	69.291	1.00	43.56	1DLC3889
	ATOM	3766	N	ALA	524	27.675	42.662	69.606	1.00	33.37	1DLC3890
	ATOM	3767	CA	ALA	524	28.228	43.181	68.366	1.00	25.62	1DLC3891
	ATOM	3768	C	ALA	524	27.772	42.233	67.254	1.00	25.43	1DLC3892
	ATOM	3769	O	ALA	524	27.507	41.054	67.501	1.00	25.41	1DLC3893
15	ATOM	3770	CB	ALA	524	29.742	43.232	68.443	1.00	22.42	1DLC3894
	ATOM	3771	N	SER	525	27.648	42.738	66.035	1.00	24.40	1DLC3895
	ATOM	3772	CA	SER	525	27.224	41.887	64.927	1.00	22.01	1DLC3896
	ATOM	3773	C	SER	525	27.755	42.326	63.571	1.00	19.44	1DLC3897
	ATOM	3774	O	SER	525	28.125	43.479	63.380	1.00	21.43	1DLC3898
20	ATOM	3775	CB	SER	525	25.702	41.820	64.863	1.00	21.54	1DLC3899
	ATOM	3776	OG	SER	525	25.147	43.092	64.593	1.00	25.37	1DLC3900
	ATOM	3777	N	VAL	526	27.797	41.387	62.634	1.00	19.65	1DLC3901
	ATOM	3778	CA	VAL	526	28.261	41.669	61.282	1.00	16.70	1DLC3902
	ATOM	3779	C	VAL	526	27.096	42.274	60.519	1.00	19.66	1DLC3903
25	ATOM	3780	O	VAL	526	25.986	41.742	60.522	1.00	25.06	1DLC3904
	ATOM	3781	CB	VAL	526	28.753	40.403	60.562	1.00	14.06	1DLC3905
	ATOM	3782	CG1	VAL	526	29.368	40.763	59.211	1.00	11.22	1DLC3906
	ATOM	3783	CG2	VAL	526	29.761	39.676	61.436	1.00	14.41	1DLC3907
	ATOM	3784	N	VAL	527	27.365	43.390	59.863	1.00	19.37	1DLC3908
30	ATOM	3785	CA	VAL	527	26.361	44.119	59.116	1.00	15.54	1DLC3909
	ATOM	3786	C	VAL	527	26.834	44.303	57.672	1.00	15.70	1DLC3910
	ATOM	3787	O	VAL	527	28.034	44.247	57.392	1.00	17.61	1DLC3911
	ATOM	3788	CB	VAL	527	26.098	45.469	59.854	1.00	17.86	1DLC3912
	ATOM	3789	CG1	VAL	527	25.762	46.576	58.907	1.00	23.79	1DLC3913
35	ATOM	3790	CG2	VAL	527	24.983	45.294	60.864	1.00	15.07	1DLC3914
	ATOM	3791	N	ALA	528	25.887	44.454	56.751	1.00	14.37	1DLC3915
	ATOM	3792	CA	ALA	528	26.204	44.644	55.340	1.00	15.60	1DLC3916
	ATOM	3793	C	ALA	528	27.117	45.844	55.173	1.00	18.07	1DLC3917
	ATOM	3794	O	ALA	528	26.894	46.890	55.775	1.00	20.56	1DLC3918
40	ATOM	3795	CB	ALA	528	24.937	44.838	54.531	1.00	12.04	1DLC3919
	ATOM	3796	N	GLY	529	28.152	45.687	54.361	1.00	18.47	1DLC3920
	ATOM	3797	CA	GLY	529	29.081	46.778	54.165	1.00	19.29	1DLC3921
	ATOM	3798	C	GLY	529	28.491	47.865	53.305	1.00	19.15	1DLC3922
	ATOM	3799	O	GLY	529	27.583	47.595	52.518	1.00	21.01	1DLC3923
45	ATOM	3800	N	PRO	530	29.007	49.101	53.404	1.00	18.13	1DLC3924
	ATOM	3801	CA	PRO	530	28.519	50.239	52.618	1.00	16.51	1DLC3925
	ATOM	3802	C	PRO	530	28.840	50.175	51.112	1.00	16.39	1DLC3926
	ATOM	3803	O	PRO	530	28.610	51.139	50.386	1.00	17.87	1DLC3927
	ATOM	3804	CB	PRO	530	29.177	51.434	53.313	1.00	15.38	1DLC3928
50	ATOM	3805	CG	PRO	530	30.462	50.873	53.810	1.00	15.73	1DLC3929
	ATOM	3806	CD	PRO	530	30.048	49.526	54.357	1.00	17.90	1DLC3930
	ATOM	3807	N	ARG	531	29.347	49.024	50.660	1.00	15.80	1DLC3931
	ATOM	3808	CA	ARG	531	29.705	48.743	49.260	1.00	16.70	1DLC3932
	ATOM	3809	C	ARG	531	31.048	49.293	48.778	1.00	18.92	1DLC3933
55	ATOM	3810	O	ARG	531	31.478	48.985	47.672	1.00	23.34	1DLC3934
	ATOM	3811	CB	ARG	531	28.603	49.164	48.270	1.00	19.92	1DLC3935
	ATOM	3812	CG	ARG	531	27.162	48.685	48.568	1.00	28.20	1DLC3936
	ATOM	3813	CD	ARG	531	26.953	47.171	48.469	1.00	31.24	1DLC3937
	ATOM	3814	NE	ARG	531	27.509	46.435	49.608	1.00	37.62	1DLC3938
60	ATOM	3815	CZ	ARG	531	26.844	45.526	50.321	1.00	41.22	1DLC3939

	ATOM	3816	NH1	ARG	531	25.536	45.229	50.024	1.00	43.68	1DLC3940
	ATOM	3817	NH2	ARG	531	27.438	44.914	51.342	1.00	43.63	1DLC3941
	ATOM	3818	N	PHE	532	31.724	50.094	49.593	1.00	19.98	1DLC3942
	ATOM	3819	CA	PHE	532	33.014	50.644	49.175	1.00	18.86	1DLC3943
5	ATOM	3820	C	PHE	532	34.203	50.235	50.042	1.00	18.66	1DLC3944
	ATOM	3821	O	PHE	532	35.295	50.766	49.876	1.00	22.14	1DLC3945
	ATOM	3822	CB	PHE	532	32.947	52.174	49.060	1.00	16.92	1DLC3946
	ATOM	3823	CG	PHE	532	32.563	52.873	50.338	1.00	19.17	1DLC3947
	ATOM	3824	CD1	PHE	532	33.496	53.066	51.356	1.00	18.16	1DLC3948
10	ATOM	3825	CD2	PHE	532	31.264	53.337	50.527	1.00	15.07	1DLC3949
	ATOM	3826	CE1	PHE	532	33.135	53.708	52.546	1.00	17.02	1DLC3950
	ATOM	3827	CE2	PHE	532	30.898	53.977	51.708	1.00	10.86	1DLC3951
	ATOM	3828	CZ	PHE	532	31.831	54.163	52.719	1.00	15.12	1DLC3952
	ATOM	3829	N	THR	533	33.998	49.284	50.951	1.00	17.51	1DLC3953
15	ATOM	3830	CA	THR	533	35.072	48.827	51.839	1.00	14.72	1DLC3954
	ATOM	3831	C	THR	533	35.651	47.437	51.531	1.00	14.62	1DLC3955
	ATOM	3832	O	THR	533	36.485	46.945	52.279	1.00	16.18	1DLC3956
	ATOM	3833	CB	THR	533	34.629	48.834	53.316	1.00	13.10	1DLC3957
	ATOM	3834	OG1	THR	533	33.574	47.884	53.498	1.00	17.35	1DLC3958
20	ATOM	3835	CG2	THR	533	34.140	50.210	53.730	1.00	9.08	1DLC3959
	ATOM	3836	N	GLY	534	35.193	46.797	50.457	1.00	13.58	1DLC3960
	ATOM	3837	CA	GLY	534	35.702	45.480	50.099	1.00	11.66	1DLC3961
	ATOM	3838	C	GLY	534	35.064	44.293	50.796	1.00	11.74	1DLC3962
	ATOM	3839	O	GLY	534	35.328	43.138	50.450	1.00	10.96	1DLC3963
25	ATOM	3840	N	GLY	535	34.217	44.586	51.776	1.00	14.26	1DLC3964
	ATOM	3841	CA	GLY	535	33.524	43.554	52.528	1.00	14.95	1DLC3965
	ATOM	3842	C	GLY	535	32.530	44.107	53.542	1.00	16.62	1DLC3966
	ATOM	3843	O	GLY	535	32.129	45.269	53.460	1.00	15.43	1DLC3967
	ATOM	3844	N	ASP	536	32.131	43.283	54.503	1.00	15.04	1DLC3968
30	ATOM	3845	CA	ASP	536	31.180	43.722	55.514	1.00	16.74	1DLC3969
	ATOM	3846	C	ASP	536	31.844	44.387	56.715	1.00	16.82	1DLC3970
	ATOM	3847	O	ASP	536	33.066	44.423	56.806	1.00	18.08	1DLC3971
	ATOM	3848	CB	ASP	536	30.265	42.566	55.935	1.00	15.87	1DLC3972
	ATOM	3849	CG	ASP	536	29.333	42.124	54.811	1.00	19.56	1DLC3973
35	ATOM	3850	OD1	ASP	536	28.899	42.978	54.003	1.00	19.60	1DLC3974
	ATOM	3851	OD2	ASP	536	29.036	40.916	54.724	1.00	21.83	1DLC3975
	ATOM	3852	N	ILE	537	31.037	44.932	57.621	1.00	15.79	1DLC3976
	ATOM	3853	CA	ILE	537	31.561	45.626	58.791	1.00	15.94	1DLC3977
	ATOM	3854	C	ILE	537	30.911	45.174	60.094	1.00	19.56	1DLC3978
40	ATOM	3855	O	ILE	537	29.945	44.411	60.080	1.00	21.80	1DLC3979
	ATOM	3856	CB	ILE	537	31.392	47.160	58.659	1.00	17.46	1DLC3980
	ATOM	3857	CG1	ILE	537	29.902	47.537	58.605	1.00	18.41	1DLC3981
	ATOM	3858	CG2	ILE	537	32.155	47.668	57.436	1.00	16.62	1DLC3982
	ATOM	3859	CD1	ILE	537	29.628	49.004	58.312	1.00	13.27	1DLC3983
45	ATOM	3860	N	ILE	538	31.464	45.619	61.219	1.00	19.15	1DLC3984
	ATOM	3861	CA	ILE	538	30.929	45.263	62.533	1.00	19.28	1DLC3985
	ATOM	3862	C	ILE	538	30.189	46.433	63.167	1.00	17.76	1DLC3986
	ATOM	3863	O	ILE	538	30.687	47.556	63.207	1.00	17.93	1DLC3987
	ATOM	3864	CB	ILE	538	32.047	44.748	63.506	1.00	20.58	1DLC3988
50	ATOM	3865	CG1	ILE	538	32.256	43.235	63.328	1.00	21.11	1DLC3989
	ATOM	3866	CG2	ILE	538	31.696	45.055	64.977	1.00	15.08	1DLC3990
	ATOM	3867	CD1	ILE	538	32.758	42.812	61.968	1.00	22.07	1DLC3991
	ATOM	3868	N	GLN	539	28.978	46.154	63.626	1.00	19.91	1DLC3992
	ATOM	3869	CA	GLN	539	28.139	47.142	64.283	1.00	21.14	1DLC3993
55	ATOM	3870	C	GLN	539	28.148	46.929	65.790	1.00	21.70	1DLC3994
	ATOM	3871	O	GLN	539	27.816	45.847	66.273	1.00	23.99	1DLC3995
	ATOM	3872	CB	GLN	539	26.707	47.021	63.780	1.00	25.95	1DLC3996
	ATOM	3873	CG	GLN	539	25.764	48.075	64.333	1.00	30.75	1DLC3997
	ATOM	3874	CD	GLN	539	24.328	47.810	63.941	1.00	32.55	1DLC3998
60	ATOM	3875	OE1	GLN	539	23.816	48.378	62.980	1.00	33.12	1DLC3999

	ATOM	3876	NE2	GLN	539	23.679	46.918	64.669	1.00	34.27	1DLC4000
	ATOM	3877	N	CYS	540	28.528	47.968	66.523	1.00	23.44	1DLC4001
	ATOM	3878	CA	CYS	540	28.564	47.939	67.983	1.00	23.84	1DLC4002
5	ATOM	3879	C	CYS	540	27.459	48.828	68.526	1.00	24.50	1DLC4003
	ATOM	3880	O	CYS	540	27.331	49.985	68.133	1.00	26.64	1DLC4004
	ATOM	3881	CB	CYS	540	29.921	48.408	68.505	1.00	20.82	1DLC4005
	ATOM	3882	SG	CYS	540	31.256	47.385	67.896	1.00	24.17	1DLC4006
	ATOM	3883	N	THR	541	26.640	48.270	69.405	1.00	27.07	1DLC4007
10	ATOM	3884	CA	THR	541	25.528	49.019	69.980	1.00	28.11	1DLC4008
	ATOM	3885	C	THR	541	25.593	49.152	71.501	1.00	29.79	1DLC4009
	ATOM	3886	O	THR	541	24.819	49.901	72.088	1.00	34.10	1DLC4010
	ATOM	3887	CB	THR	541	24.165	48.396	69.587	1.00	26.24	1DLC4011
	ATOM	3888	OG1	THR	541	24.060	47.068	70.118	1.00	30.21	1DLC4012
	ATOM	3889	CG2	THR	541	24.022	48.337	68.079	1.00	23.34	1DLC4013
15	ATOM	3890	N	GLU	542	26.532	48.459	72.140	1.00	30.44	1DLC4014
	ATOM	3891	CA	GLU	542	26.654	48.529	73.595	1.00	29.89	1DLC4015
	ATOM	3892	C	GLU	542	28.070	48.788	74.082	1.00	29.72	1DLC4016
	ATOM	3893	O	GLU	542	29.038	48.531	73.371	1.00	28.80	1DLC4017
20	ATOM	3894	CB	GLU	542	26.137	47.246	74.230	1.00	34.31	1DLC4018
	ATOM	3895	CG	GLU	542	24.633	47.084	74.162	1.00	44.89	1DLC4019
	ATOM	3896	CD	GLU	542	24.195	45.678	74.502	1.00	51.23	1DLC4020
	ATOM	3897	OE1	GLU	542	24.867	45.025	75.332	1.00	56.34	1DLC4021
	ATOM	3898	OE2	GLU	542	23.181	45.218	73.930	1.00	58.74	1DLC4022
	ATOM	3899	N	ASN	543	28.180	49.306	75.299	1.00	30.82	1DLC4023
25	ATOM	3900	CA	ASN	543	29.479	49.589	75.894	1.00	33.54	1DLC4024
	ATOM	3901	C	ASN	543	30.123	48.319	76.434	1.00	35.03	1DLC4025
	ATOM	3902	O	ASN	543	29.534	47.626	77.254	1.00	40.96	1DLC4026
	ATOM	3903	CB	ASN	543	29.338	50.595	77.028	1.00	33.74	1DLC4027
	ATOM	3904	CG	ASN	543	29.091	51.994	76.531	1.00	35.64	1DLC4028
30	ATOM	3905	OD1	ASN	543	29.652	52.412	75.527	1.00	37.08	1DLC4029
	ATOM	3906	ND2	ASN	543	28.267	52.739	77.245	1.00	39.76	1DLC4030
	ATOM	3907	N	GLY	544	31.326	48.016	75.969	1.00	33.62	1DLC4031
	ATOM	3908	CA	GLY	544	32.029	46.833	76.426	1.00	33.21	1DLC4032
	ATOM	3909	C	GLY	544	32.845	46.227	75.309	1.00	34.24	1DLC4033
35	ATOM	3910	O	GLY	544	33.154	46.903	74.328	1.00	34.87	1DLC4034
	ATOM	3911	N	SER	545	33.226	44.964	75.454	1.00	34.84	1DLC4035
	ATOM	3912	CA	SER	545	33.997	44.305	74.402	1.00	37.03	1DLC4036
	ATOM	3913	C	SER	545	33.183	44.282	73.118	1.00	35.99	1DLC4037
	ATOM	3914	O	SER	545	31.978	44.513	73.126	1.00	39.41	1DLC4038
40	ATOM	3915	CB	SER	545	34.370	42.873	74.785	1.00	39.43	1DLC4039
	ATOM	3916	OG	SER	545	35.464	42.856	75.677	1.00	47.60	1DLC4040
	ATOM	3917	N	ALA	546	33.835	43.972	72.015	1.00	31.02	1DLC4041
	ATOM	3918	CA	ALA	546	33.133	43.941	70.757	1.00	27.54	1DLC4042
	ATOM	3919	C	ALA	546	33.600	42.772	69.929	1.00	26.24	1DLC4043
45	ATOM	3920	O	ALA	546	32.809	41.914	69.551	1.00	27.56	1DLC4044
	ATOM	3921	CB	ALA	546	33.356	45.248	70.012	1.00	28.49	1DLC4045
	ATOM	3922	N	ALA	547	34.905	42.705	69.705	1.00	24.78	1DLC4046
	ATOM	3923	CA	ALA	547	35.471	41.643	68.894	1.00	24.38	1DLC4047
	ATOM	3924	C	ALA	547	36.864	41.231	69.329	1.00	25.97	1DLC4048
50	ATOM	3925	O	ALA	547	37.629	42.033	69.874	1.00	26.00	1DLC4049
	ATOM	3926	CB	ALA	547	35.494	42.068	67.427	1.00	19.70	1DLC4050
	ATOM	3927	N	THR	548	37.163	39.955	69.114	1.00	27.03	1DLC4051
	ATOM	3928	CA	THR	548	38.467	39.387	69.419	1.00	24.71	1DLC4052
	ATOM	3929	C	THR	548	38.967	38.779	68.118	1.00	24.86	1DLC4053
55	ATOM	3930	O	THR	548	38.313	37.924	67.516	1.00	26.12	1DLC4054
	ATOM	3931	CB	THR	548	38.401	38.296	70.501	1.00	24.53	1DLC4055
	ATOM	3932	OG1	THR	548	37.845	38.849	71.699	1.00	26.86	1DLC4056
	ATOM	3933	CG2	THR	548	39.805	37.768	70.805	1.00	23.92	1DLC4057
	ATOM	3934	N	ILE	549	40.090	39.293	67.651	1.00	24.94	1DLC4058
60	ATOM	3935	CA	ILE	549	40.694	38.836	66.418	1.00	24.02	1DLC4059

5	ATOM	3936	C	ILE	549	42.085	38.263	66.593	1.00	23.26	1DLC4060
	ATOM	3937	O	ILE	549	42.839	38.798	67.503	1.00	21.17	1DLC4061
	ATOM	3938	CB	ILE	549	40.730	39.992	65.387	1.00	25.33	1DLC4062
	ATOM	3939	CG1	ILE	549	41.441	39.562	64.104	1.00	26.33	1DLC4063
	ATOM	3940	CG2	ILE	549	41.342	41.241	66.004	1.00	27.68	1DLC4064
10	ATOM	3941	CD1	ILE	549	41.136	40.472	62.934	1.00	28.86	1DLC4065
	ATOM	3942	N	TYR	550	42.375	37.116	66.089	1.00	24.17	1DLC4066
	ATOM	3943	CA	TYR	550	43.661	36.461	66.272	1.00	24.37	1DLC4067
	ATOM	3944	C	TYR	550	44.674	37.003	65.272	1.00	26.11	1DLC4068
	ATOM	3945	O	TYR	550	44.429	37.047	64.065	1.00	29.47	1DLC4069
15	ATOM	3946	CB	TYR	550	43.522	34.949	66.131	1.00	25.12	1DLC4070
	ATOM	3947	CG	TYR	550	44.776	34.184	66.470	1.00	24.27	1DLC4071
	ATOM	3948	CD1	TYR	550	45.802	34.041	65.533	1.00	26.12	1DLC4072
	ATOM	3949	CD2	TYR	550	44.932	33.590	67.721	1.00	23.82	1DLC4073
	ATOM	3950	CE1	TYR	550	46.944	33.327	65.827	1.00	22.97	1DLC4074
20	ATOM	3951	CE2	TYR	550	46.075	32.869	68.025	1.00	22.49	1DLC4075
	ATOM	3952	CZ	TYR	550	47.071	32.743	67.073	1.00	23.77	1DLC4076
	ATOM	3953	OH	TYR	550	48.194	32.015	67.361	1.00	31.16	1DLC4077
	ATOM	3954	N	VAL	551	45.836	37.362	65.791	1.00	24.14	1DLC4078
	ATOM	3955	CA	VAL	551	46.893	37.947	64.995	1.00	24.15	1DLC4079
25	ATOM	3956	C	VAL	551	48.182	37.117	64.962	1.00	23.16	1DLC4080
	ATOM	3957	O	VAL	551	48.576	36.522	65.962	1.00	23.67	1DLC4081
	ATOM	3958	CB	VAL	551	47.132	39.393	65.500	1.00	21.76	1DLC4082
	ATOM	3959	CG1	VAL	551	48.555	39.817	65.337	1.00	27.10	1DLC4083
	ATOM	3960	CG2	VAL	551	46.210	40.334	64.761	1.00	23.25	1DLC4084
30	ATOM	3961	N	THR	552	48.810	37.065	63.792	1.00	23.48	1DLC4085
	ATOM	3962	CA	THR	552	50.057	36.324	63.597	1.00	24.21	1DLC4086
	ATOM	3963	C	THR	552	51.219	37.238	63.229	1.00	24.68	1DLC4087
	ATOM	3964	O	THR	552	51.314	37.698	62.096	1.00	25.97	1DLC4088
	ATOM	3965	CB	THR	552	49.928	35.277	62.471	1.00	23.38	1DLC4089
35	ATOM	3966	OG1	THR	552	48.951	34.300	62.838	1.00	29.47	1DLC4090
	ATOM	3967	CG2	THR	552	51.251	34.579	62.225	1.00	23.28	1DLC4091
	ATOM	3968	N	PRO	553	52.096	37.548	64.193	1.00	30.06	1DLC4092
	ATOM	3969	CA	PRO	553	53.254	38.416	63.925	1.00	31.84	1DLC4093
	ATOM	3970	C	PRO	553	54.218	37.699	62.977	1.00	33.44	1DLC4094
40	ATOM	3971	O	PRO	553	54.444	36.497	63.123	1.00	32.03	1DLC4095
	ATOM	3972	CB	PRO	553	53.871	38.591	65.313	1.00	32.97	1DLC4096
	ATOM	3973	CG	PRO	553	52.671	38.468	66.241	1.00	33.91	1DLC4097
	ATOM	3974	CD	PRO	553	51.962	37.281	65.637	1.00	32.11	1DLC4098
	ATOM	3975	N	ASP	554	54.758	38.413	61.993	1.00	35.95	1DLC4099
45	ATOM	3976	CA	ASP	554	55.676	37.788	61.036	1.00	41.00	1DLC4100
	ATOM	3977	C	ASP	554	57.150	37.717	61.467	1.00	42.22	1DLC4101
	ATOM	3978	O	ASP	554	57.949	37.037	60.829	1.00	46.36	1DLC4102
	ATOM	3979	CB	ASP	554	55.570	38.457	59.660	1.00	43.46	1DLC4103
	ATOM	3980	CG	ASP	554	56.373	39.740	59.569	1.00	46.10	1DLC4104
50	ATOM	3981	OD1	ASP	554	56.390	40.500	60.563	1.00	50.84	1DLC4105
	ATOM	3982	OD2	ASP	554	56.992	39.985	58.509	1.00	45.05	1DLC4106
	ATOM	3983	N	VAL	555	57.524	38.457	62.506	1.00	42.99	1DLC4107
	ATOM	3984	CA	VAL	555	58.904	38.429	62.991	1.00	41.56	1DLC4108
	ATOM	3985	C	VAL	555	58.988	38.030	64.454	1.00	45.35	1DLC4109
55	ATOM	3986	O	VAL	555	58.022	38.149	65.208	1.00	46.82	1DLC4110
	ATOM	3987	CB	VAL	555	59.634	39.778	62.809	1.00	36.93	1DLC4111
	ATOM	3988	CG1	VAL	555	59.739	40.121	61.345	1.00	36.03	1DLC4112
	ATOM	3989	CG2	VAL	555	58.936	40.878	63.583	1.00	32.39	1DLC4113
	ATOM	3990	N	SER	556	60.174	37.591	64.854	1.00	48.53	1DLC4114
60	ATOM	3991	CA	SER	556	60.434	37.149	66.224	1.00	48.94	1DLC4115
	ATOM	3992	C	SER	556	60.820	38.260	67.211	1.00	46.00	1DLC4116
	ATOM	3993	O	SER	556	60.361	38.265	68.359	1.00	48.54	1DLC4117
	ATOM	3994	CB	SER	556	61.524	36.079	66.189	1.00	52.10	1DLC4118
	ATOM	3995	OG	SER	556	62.482	36.395	65.177	1.00	57.59	1DLC4119

	ATOM	3996	N	TYR	557	61.669	39.188	66.769	1.00	40.86	1DLC4120
	ATOM	3997	CA	TYR	557	62.129	40.295	67.614	1.00	35.42	1DLC4121
	ATOM	3998	C	TYR	557	61.042	41.301	67.985	1.00	34.52	1DLC4122
	ATOM	3999	O	TYR	557	60.016	41.395	67.316	1.00	35.21	1DLC4123
5	ATOM	4000	CB	TYR	557	63.295	41.021	66.956	1.00	30.14	1DLC4124
	ATOM	4001	CG	TYR	557	62.963	41.630	65.615	1.00	27.40	1DLC4125
	ATOM	4002	CD1	TYR	557	62.352	42.886	65.527	1.00	25.94	1DLC4126
	ATOM	4003	CD2	TYR	557	63.288	40.971	64.436	1.00	20.52	1DLC4127
	ATOM	4004	CE1	TYR	557	62.078	43.464	64.301	1.00	24.25	1DLC4128
10	ATOM	4005	CE2	TYR	557	63.019	41.542	63.204	1.00	24.51	1DLC4129
	ATOM	4006	CZ	TYR	557	62.414	42.787	63.138	1.00	26.31	1DLC4130
	ATOM	4007	OH	TYR	557	62.135	43.344	61.904	1.00	29.41	1DLC4131
	ATOM	4008	N	SER	558	61.331	42.118	68.991	1.00	33.34	1DLC4132
	ATOM	4009	CA	SER	558	60.395	43.114	69.512	1.00	32.79	1DLC4133
15	ATOM	4010	C	SER	558	60.019	44.336	68.656	1.00	31.63	1DLC4134
	ATOM	4011	O	SER	558	60.148	45.481	69.098	1.00	30.68	1DLC4135
	ATOM	4012	CB	SER	558	60.855	43.563	70.904	1.00	35.65	1DLC4136
	ATOM	4013	OG	SER	558	62.262	43.758	70.943	1.00	41.15	1DLC4137
	ATOM	4014	N	GLN	559	59.524	44.085	67.447	1.00	30.48	1DLC4138
20	ATOM	4015	CA	GLN	559	59.077	45.140	66.533	1.00	29.46	1DLC4139
	ATOM	4016	C	GLN	559	57.911	45.942	67.143	1.00	31.04	1DLC4140
	ATOM	4017	O	GLN	559	56.986	45.378	67.738	1.00	26.59	1DLC4141
	ATOM	4018	CB	GLN	559	58.618	44.519	65.213	1.00	30.68	1DLC4142
	ATOM	4019	CG	GLN	559	57.983	45.485	64.227	1.00	30.37	1DLC4143
25	ATOM	4020	CD	GLN	559	58.987	46.419	63.591	1.00	30.94	1DLC4144
	ATOM	4021	OE1	GLN	559	58.868	47.634	63.689	1.00	33.08	1DLC4145
	ATOM	4022	NE2	GLN	559	59.984	45.854	62.933	1.00	32.16	1DLC4146
	ATOM	4023	N	LYS	560	57.983	47.262	67.003	1.00	32.69	1DLC4147
	ATOM	4024	CA	LYS	560	56.959	48.156	67.521	1.00	32.07	1DLC4148
30	ATOM	4025	C	LYS	560	56.011	48.599	66.419	1.00	28.30	1DLC4149
	ATOM	4026	O	LYS	560	56.401	48.725	65.256	1.00	23.65	1DLC4150
	ATOM	4027	CB	LYS	560	57.593	49.380	68.186	1.00	37.57	1DLC4151
	ATOM	4028	CG	LYS	560	58.226	49.100	69.538	1.00	44.56	1DLC4152
	ATOM	4029	CD	LYS	560	59.281	50.154	69.855	1.00	55.46	1DLC4153
35	ATOM	4030	CE	LYS	560	58.671	51.528	70.103	1.00	59.12	1DLC4154
	ATOM	4031	NZ	LYS	560	58.034	51.582	71.456	1.00	66.07	1DLC4155
	ATOM	4032	N	TYR	561	54.762	48.833	66.816	1.00	28.00	1DLC4156
	ATOM	4033	CA	TYR	561	53.694	49.255	65.919	1.00	24.77	1DLC4157
	ATOM	4034	C	TYR	561	52.816	50.369	66.469	1.00	24.89	1DLC4158
40	ATOM	4035	O	TYR	561	52.771	50.628	67.675	1.00	25.20	1DLC4159
	ATOM	4036	CB	TYR	561	52.768	48.073	65.623	1.00	22.54	1DLC4160
	ATOM	4037	CG	TYR	561	53.442	46.903	64.956	1.00	21.90	1DLC4161
	ATOM	4038	CD1	TYR	561	54.015	45.881	65.714	1.00	19.30	1DLC4162
	ATOM	4039	CD2	TYR	561	53.500	46.812	63.566	1.00	15.01	1DLC4163
45	ATOM	4040	CE1	TYR	561	54.627	44.801	65.103	1.00	19.55	1DLC4164
	ATOM	4041	CE2	TYR	561	54.109	45.742	62.950	1.00	16.21	1DLC4165
	ATOM	4042	CZ	TYR	561	54.666	44.736	63.722	1.00	20.28	1DLC4166
	ATOM	4043	OH	TYR	561	55.240	43.642	63.107	1.00	33.74	1DLC4167
	ATOM	4044	N	ARG	562	52.153	51.050	65.544	1.00	25.77	1DLC4168
50	ATOM	4045	CA	ARG	562	51.179	52.094	65.854	1.00	23.64	1DLC4169
	ATOM	4046	C	ARG	562	49.907	51.506	65.251	1.00	23.48	1DLC4170
	ATOM	4047	O	ARG	562	49.960	50.823	64.216	1.00	20.35	1DLC4171
	ATOM	4048	CB	ARG	562	51.484	53.414	65.132	1.00	22.03	1DLC4172
	ATOM	4049	CG	ARG	562	52.666	54.190	65.655	1.00	30.26	1DLC4173
55	ATOM	4050	CD	ARG	562	52.432	54.744	67.051	1.00	32.80	1DLC4174
	ATOM	4051	NE	ARG	562	51.345	55.719	67.109	1.00	39.02	1DLC4175
	ATOM	4052	CZ	ARG	562	51.269	56.825	66.372	1.00	40.34	1DLC4176
	ATOM	4053	NH1	ARG	562	52.217	57.124	65.494	1.00	42.09	1DLC4177
	ATOM	4054	NH2	ARG	562	50.237	57.645	66.521	1.00	42.48	1DLC4178
60	ATOM	4055	N	ALA	563	48.773	51.741	65.894	1.00	22.02	1DLC4179

	ATOM	4056	CA	ALA	563	47.515	51.235	65.378	1.00	18.79	1DLC4180
	ATOM	4057	C	ALA	563	46.629	52.386	64.933	1.00	18.02	1DLC4181
	ATOM	4058	O	ALA	563	46.640	53.461	65.525	1.00	20.34	1DLC4182
5	ATOM	4059	CB	ALA	563	46.800	50.392	66.440	1.00	18.24	1DLC4183
	ATOM	4060	N	ARG	564	45.908	52.159	63.846	1.00	18.32	1DLC4184
	ATOM	4061	CA	ARG	564	44.960	53.118	63.290	1.00	16.43	1DLC4185
	ATOM	4062	C	ARG	564	43.631	52.379	63.170	1.00	18.85	1DLC4186
	ATOM	4063	O	ARG	564	43.602	51.185	62.858	1.00	17.80	1DLC4187
10	ATOM	4064	CB	ARG	564	45.338	53.481	61.874	1.00	15.45	1DLC4188
	ATOM	4065	CG	ARG	564	46.236	54.635	61.654	1.00	14.12	1DLC4189
	ATOM	4066	CD	ARG	564	46.452	54.611	60.165	1.00	18.52	1DLC4190
	ATOM	4067	NE	ARG	564	47.230	55.713	59.648	1.00	20.74	1DLC4191
	ATOM	4068	CZ	ARG	564	47.640	55.791	58.390	1.00	18.32	1DLC4192
15	ATOM	4069	NH1	ARG	564	47.359	54.825	57.523	1.00	13.13	1DLC4193
	ATOM	4070	NH2	ARG	564	48.288	56.872	57.998	1.00	26.68	1DLC4194
	ATOM	4071	N	ILE	565	42.527	53.092	63.319	1.00	18.95	1DLC4195
	ATOM	4072	CA	ILE	565	41.238	52.440	63.187	1.00	17.58	1DLC4196
	ATOM	4073	C	ILE	565	40.301	53.192	62.229	1.00	19.97	1DLC4197
20	ATOM	4074	O	ILE	565	40.261	54.430	62.223	1.00	20.07	1DLC4198
	ATOM	4075	CB	ILE	565	40.612	52.176	64.579	1.00	14.60	1DLC4199
	ATOM	4076	CG1	ILE	565	39.335	51.353	64.448	1.00	16.02	1DLC4200
	ATOM	4077	CG2	ILE	565	40.402	53.475	65.331	1.00	15.20	1DLC4201
	ATOM	4078	CD1	ILE	565	38.980	50.629	65.727	1.00	16.53	1DLC4202
25	ATOM	4079	N	HIS	566	39.695	52.438	61.307	1.00	18.25	1DLC4203
	ATOM	4080	CA	HIS	566	38.752	52.981	60.329	1.00	14.18	1DLC4204
	ATOM	4081	C	HIS	566	37.366	52.640	60.859	1.00	15.68	1DLC4205
	ATOM	4082	O	HIS	566	36.950	51.482	60.816	1.00	16.47	1DLC4206
	ATOM	4083	CB	HIS	566	38.960	52.341	58.958	1.00	11.65	1DLC4207
30	ATOM	4084	CG	HIS	566	38.314	53.093	57.831	1.00	11.11	1DLC4208
	ATOM	4085	ND1	HIS	566	37.635	52.465	56.808	1.00	11.16	1DLC4209
	ATOM	4086	CD2	HIS	566	38.258	54.418	57.558	1.00	11.95	1DLC4210
	ATOM	4087	CE1	HIS	566	37.191	53.366	55.951	1.00	8.58	1DLC4211
	ATOM	4088	NE2	HIS	566	37.554	54.561	56.383	1.00	13.33	1DLC4212
35	ATOM	4089	N	TYR	567	36.654	53.654	61.339	1.00	16.40	1DLC4213
	ATOM	4090	CA	TYR	567	35.326	53.471	61.935	1.00	17.25	1DLC4214
	ATOM	4091	C	TYR	567	34.356	54.630	61.612	1.00	17.40	1DLC4215
	ATOM	4092	O	TYR	567	34.730	55.628	60.982	1.00	17.78	1DLC4216
	ATOM	4093	CB	TYR	567	35.485	53.406	63.471	1.00	13.75	1DLC4217
40	ATOM	4094	CG	TYR	567	35.831	54.771	64.026	1.00	17.11	1DLC4218
	ATOM	4095	CD1	TYR	567	37.075	55.356	63.767	1.00	16.44	1DLC4219
	ATOM	4096	CD2	TYR	567	34.866	55.549	64.674	1.00	18.59	1DLC4220
	ATOM	4097	CE1	TYR	567	37.341	56.675	64.121	1.00	14.77	1DLC4221
	ATOM	4098	CE2	TYR	567	35.129	56.872	65.033	1.00	14.24	1DLC4222
45	ATOM	4099	CZ	TYR	567	36.365	57.423	64.751	1.00	12.88	1DLC4223
	ATOM	4100	OH	TYR	567	36.624	58.727	65.094	1.00	18.70	1DLC4224
	ATOM	4101	N	ALA	568	33.128	54.491	62.114	1.00	15.14	1DLC4225
	ATOM	4102	CA	ALA	568	32.062	55.486	61.997	1.00	11.71	1DLC4226
	ATOM	4103	C	ALA	568	31.335	55.432	63.347	1.00	13.73	1DLC4227
50	ATOM	4104	O	ALA	568	31.115	54.349	63.895	1.00	14.98	1DLC4228
	ATOM	4105	CB	ALA	568	31.119	55.140	60.872	1.00	8.00	1DLC4229
	ATOM	4106	N	SER	569	31.010	56.588	63.913	1.00	12.74	1DLC4230
	ATOM	4107	CA	SER	569	30.344	56.623	65.209	1.00	13.22	1DLC4231
	ATOM	4108	C	SER	569	29.342	57.768	65.333	1.00	19.84	1DLC4232
55	ATOM	4109	O	SER	569	29.544	58.847	64.767	1.00	23.01	1DLC4233
	ATOM	4110	CB	SER	569	31.384	56.751	66.322	1.00	10.39	1DLC4234
	ATOM	4111	OG	SER	569	30.781	56.784	67.602	1.00	12.68	1DLC4235
	ATOM	4112	N	THR	570	28.262	57.530	66.075	1.00	20.82	1DLC4236
	ATOM	4113	CA	THR	570	27.246	58.561	66.302	1.00	22.66	1DLC4237
60	ATOM	4114	C	THR	570	27.608	59.465	67.494	1.00	24.67	1DLC4238
	ATOM	4115	O	THR	570	26.978	60.496	67.720	1.00	26.92	1DLC4239

	ATOM	4116	CB	THR	570	25.842	57.357	66.517	1.00	19.64	1DLC4240
	ATOM	4117	OG1	THR	570	25.870	57.024	67.602	1.00	17.72	1DLC4241
	ATOM	4118	CG2	THR	570	25.384	57.248	65.262	1.00	18.85	1DLC4242
5	ATOM	4119	N	SER	571	28.646	59.085	68.237	1.00	26.33	1DLC4243
	ATOM	4120	CA	SER	571	29.107	59.869	69.386	1.00	26.65	1DLC4244
	ATOM	4121	C	SER	571	30.614	59.783	69.597	1.00	27.37	1DLC4245
	ATOM	4122	O	SER	571	31.309	59.001	68.942	1.00	26.89	1DLC4246
	ATOM	4123	CB	SER	571	28.437	59.388	70.677	1.00	28.07	1DLC4247
10	ATOM	4124	OG	SER	571	29.047	58.203	71.173	1.00	26.73	1DLC4248
	ATOM	4125	N	GLN	572	31.113	60.621	70.502	1.00	29.31	1DLC4249
	ATOM	4126	CA	GLN	572	32.520	60.596	70.871	1.00	27.70	1DLC4250
	ATOM	4127	C	GLN	572	32.645	59.287	71.648	1.00	25.42	1DLC4251
	ATOM	4128	O	GLN	572	31.771	58.935	72.444	1.00	25.29	1DLC4252
15	ATOM	4129	CB	GLN	572	32.891	61.789	71.763	1.00	31.54	1DLC4253
	ATOM	4130	CG	GLN	572	32.791	63.161	71.076	1.00	40.28	1DLC4254
	ATOM	4131	CD	GLN	572	33.796	64.189	71.616	1.00	45.09	1DLC4255
	ATOM	4132	OE1	GLN	572	34.886	64.347	71.064	1.00	49.93	1DLC4256
	ATOM	4133	NE2	GLN	572	33.428	64.892	72.685	1.00	44.38	1DLC4257
20	ATOM	4134	N	ILE	573	33.702	58.543	71.379	1.00	25.62	1DLC4258
	ATOM	4135	CA	ILE	573	33.891	57.252	72.027	1.00	24.87	1DLC4259
	ATOM	4136	C	ILE	573	35.318	56.964	72.451	1.00	23.49	1DLC4260
	ATOM	4137	O	ILE	573	36.244	57.724	72.165	1.00	24.22	1DLC4261
	ATOM	4138	CB	ILE	573	33.472	56.120	71.084	1.00	24.02	1DLC4262
25	ATOM	4139	CG1	ILE	573	34.175	56.308	69.731	1.00	20.45	1DLC4263
	ATOM	4140	CG2	ILE	573	31.954	56.080	70.962	1.00	23.19	1DLC4264
	ATOM	4141	CD1	ILE	573	33.929	55.210	68.750	1.00	21.25	1DLC4265
	ATOM	4142	N	THR	574	35.477	55.856	73.156	1.00	21.66	1DLC4266
	ATOM	4143	CA	THR	574	36.786	55.424	73.591	1.00	19.94	1DLC4267
30	ATOM	4144	C	THR	574	36.991	54.009	73.106	1.00	21.16	1DLC4268
	ATOM	4145	O	THR	574	36.142	53.140	73.300	1.00	20.88	1DLC4269
	ATOM	4146	CB	THR	574	36.936	55.453	75.123	1.00	21.34	1DLC4270
	ATOM	4147	OG1	THR	574	36.902	56.808	75.579	1.00	27.16	1DLC4271
	ATOM	4148	CG2	THR	574	38.251	54.835	75.549	1.00	18.62	1DLC4272
35	ATOM	4149	N	PHE	575	38.085	53.806	72.392	1.00	21.90	1DLC4273
	ATOM	4150	CA	PHE	575	38.433	52.488	71.904	1.00	21.69	1DLC4274
	ATOM	4151	C	PHE	575	39.556	51.976	72.801	1.00	22.38	1DLC4275
	ATOM	4152	O	PHE	575	40.441	52.741	73.185	1.00	24.96	1DLC4276
	ATOM	4153	CB	PHE	575	38.904	52.557	70.447	1.00	22.02	1DLC4277
40	ATOM	4154	CG	PHE	575	37.782	52.563	69.433	1.00	22.92	1DLC4278
	ATOM	4155	CD1	PHE	575	36.741	51.637	69.514	1.00	23.97	1DLC4279
	ATOM	4156	CD2	PHE	575	37.792	53.462	68.370	1.00	22.78	1DLC4280
	ATOM	4157	CE1	PHE	575	35.729	51.604	68.550	1.00	23.30	1DLC4281
	ATOM	4158	CE2	PHE	575	36.785	53.438	67.402	1.00	24.47	1DLC4282
45	ATOM	4159	CZ	PHE	575	35.751	52.502	67.495	1.00	22.95	1DLC4283
	ATOM	4160	N	THR	576	39.470	50.715	73.208	1.00	22.42	1DLC4284
	ATOM	4161	CA	THR	576	40.508	50.112	74.046	1.00	23.02	1DLC4285
	ATOM	4162	C	THR	576	41.004	48.841	73.362	1.00	26.73	1DLC4286
	ATOM	4163	O	THR	576	40.217	48.083	72.775	1.00	27.65	1DLC4287
50	ATOM	4164	CB	THR	576	40.005	49.761	75.472	1.00	22.77	1DLC4288
	ATOM	4165	OG1	THR	576	39.490	50.938	76.107	1.00	22.85	1DLC4289
	ATOM	4166	CG2	THR	576	41.151	49.218	76.329	1.00	20.19	1DLC4290
	ATOM	4167	N	LEU	577	42.322	48.661	73.364	1.00	26.31	1DLC4291
	ATOM	4168	CA	LEU	577	42.952	47.491	72.762	1.00	23.97	1DLC4292
55	ATOM	4169	C	LEU	577	43.588	46.622	73.834	1.00	22.18	1DLC4293
	ATOM	4170	O	LEU	577	44.242	47.119	74.752	1.00	22.92	1DLC4294
	ATOM	4171	CB	LEU	577	44.018	47.900	71.744	1.00	21.75	1DLC4295
	ATOM	4172	CG	LEU	577	43.586	48.805	70.592	1.00	22.22	1DLC4296
	ATOM	4173	CD1	LEU	577	44.732	49.008	69.614	1.00	20.22	1DLC4297
60	ATOM	4174	CD2	LEU	577	42.401	48.193	69.894	1.00	22.18	1DLC4298
	ATOM	4175	N	SER	578	43.367	45.321	73.721	1.00	22.27	1DLC4299

	ATOM	4176	CA	SER	578	43.926	44.365	74.660	1.00	22.35	1DLC4300
	ATOM	4177	C	SER	578	44.578	43.224	73.907	1.00	23.31	1DLC4301
	ATOM	4178	O	SER	578	44.143	42.859	72.914	1.00	23.83	1DLC4302
5	ATOM	4179	CB	SER	578	42.839	43.784	75.564	1.00	21.54	1DLC4303
	ATOM	4180	OG	SER	578	42.197	44.801	76.303	1.00	25.56	1DLC4304
	ATOM	4181	N	LEU	579	45.659	42.708	74.475	1.00	23.36	1DLC4305
	ATOM	4182	CA	LEU	579	46.371	41.573	73.910	1.00	23.41	1DLC4306
	ATOM	4183	C	LEU	579	46.271	40.490	74.968	1.00	23.47	1DLC4307
10	ATOM	4184	O	LEU	579	46.635	40.709	76.124	1.00	21.83	1DLC4308
	ATOM	4185	CB	LEU	579	47.836	41.907	73.655	1.00	25.86	1DLC4309
	ATOM	4186	CG	LEU	579	48.258	42.090	72.203	1.00	30.80	1DLC4310
	ATOM	4187	CD1	LEU	579	49.782	42.146	72.138	1.00	31.83	1DLC4311
	ATOM	4188	CD2	LEU	579	47.730	40.932	71.362	1.00	31.68	1DLC4312
	ATOM	4189	N	ASP	580	45.694	39.357	74.592	1.00	23.35	1DLC4313
15	ATOM	4190	CA	ASP	580	45.514	38.243	75.512	1.00	22.65	1DLC4314
	ATOM	4191	C	ASP	580	44.902	38.664	76.853	1.00	21.10	1DLC4315
	ATOM	4192	O	ASP	580	45.335	38.238	77.917	1.00	22.53	1DLC4316
	ATOM	4193	CB	ASP	580	46.832	37.474	75.698	1.00	26.17	1DLC4317
	ATOM	4194	CG	ASP	580	47.291	36.765	74.416	1.00	31.25	1DLC4318
20	ATOM	4195	OD1	ASP	580	46.497	36.658	73.459	1.00	33.31	1DLC4319
	ATOM	4196	OD2	ASP	580	48.450	36.303	74.359	1.00	36.06	1DLC4320
	ATOM	4197	N	GLY	581	43.917	39.552	76.786	1.00	21.32	1DLC4321
	ATOM	4198	CA	GLY	581	43.227	40.002	77.981	1.00	21.27	1DLC4322
	ATOM	4199	C	GLY	581	43.824	41.150	78.764	1.00	22.88	1DLC4323
25	ATOM	4200	O	GLY	581	43.290	41.536	79.805	1.00	25.91	1DLC4324
	ATOM	4201	N	ALA	582	44.931	41.698	78.291	1.00	23.56	1DLC4325
	ATOM	4202	CA	ALA	582	45.571	42.810	78.985	1.00	21.79	1DLC4326
	ATOM	4203	C	ALA	582	45.518	44.085	78.136	1.00	22.18	1DLC4327
	ATOM	4204	O	ALA	582	45.914	44.083	76.965	1.00	23.55	1DLC4328
30	ATOM	4205	CB	ALA	582	47.005	42.451	79.323	1.00	19.42	1DLC4329
	ATOM	4206	N	PRO	583	44.975	45.177	78.698	1.00	21.27	1DLC4330
	ATOM	4207	CA	PRO	583	44.875	46.448	77.971	1.00	21.05	1DLC4331
	ATOM	4208	C	PRO	583	46.252	47.058	77.716	1.00	22.08	1DLC4332
	ATOM	4209	O	PRO	583	47.119	47.046	78.592	1.00	23.88	1DLC4333
35	ATOM	4210	CB	PRO	583	44.089	47.344	78.939	1.00	19.25	1DLC4334
	ATOM	4211	CG	PRO	583	43.411	46.393	79.873	1.00	18.79	1DLC4335
	ATOM	4212	CD	PRO	583	44.427	45.310	80.059	1.00	20.08	1DLC4336
	ATOM	4213	N	PHE	584	46.462	47.585	76.522	1.00	20.46	1DLC4337
	ATOM	4214	CA	PHE	584	47.734	48.217	76.232	1.00	22.26	1DLC4338
40	ATOM	4215	C	PHE	584	47.560	49.576	75.572	1.00	24.61	1DLC4339
	ATOM	4216	O	PHE	584	48.451	50.416	75.608	1.00	29.88	1DLC4340
	ATOM	4217	CB	PHE	584	48.622	47.308	75.381	1.00	17.78	1DLC4341
	ATOM	4218	CG	PHE	584	48.113	47.075	73.992	1.00	16.94	1DLC4342
	ATOM	4219	CD1	PHE	584	48.482	47.921	72.954	1.00	15.22	1DLC4343
45	ATOM	4220	CD2	PHE	584	47.313	45.981	73.710	1.00	12.59	1DLC4344
	ATOM	4221	CE1	PHE	584	48.067	47.678	71.666	1.00	16.40	1DLC4345
	ATOM	4222	CE2	PHE	584	46.894	45.730	72.420	1.00	16.89	1DLC4346
	ATOM	4223	CZ	PHE	584	47.272	46.578	71.391	1.00	17.05	1DLC4347
	ATOM	4224	N	ASN	585	46.399	49.799	74.981	1.00	25.77	1DLC4348
50	ATOM	4225	CA	ASN	585	46.138	51.064	74.319	1.00	27.68	1DLC4349
	ATOM	4226	C	ASN	585	44.688	51.488	74.531	1.00	28.54	1DLC4350
	ATOM	4227	O	ASN	585	43.770	50.671	74.499	1.00	30.79	1DLC4351
	ATOM	4228	CB	ASN	585	46.433	50.944	72.822	1.00	30.11	1DLC4352
	ATOM	4229	CG	ASN	585	47.358	52.038	72.310	1.00	31.24	1DLC4353
55	ATOM	4230	OD1	ASN	585	47.347	53.171	72.796	1.00	36.32	1DLC4354
	ATOM	4231	ND2	ASN	585	48.145	51.709	71.303	1.00	34.47	1DLC4355
	ATOM	4232	N	GLN	586	44.494	52.764	74.812	1.00	27.87	1DLC4356
	ATOM	4233	CA	GLN	586	43.161	53.304	75.010	1.00	28.50	1DLC4357
	ATOM	4234	C	GLN	586	43.216	54.725	74.525	1.00	27.04	1DLC4358
60	ATOM	4235	O	GLN	586	44.153	55.445	74.850	1.00	29.74	1DLC4359

	ATOM	4236	CB	GLN	586	42.782	53.287	76.485	1.00	29.22	1DLC4360
	ATOM	4237	CG	GLN	586	41.398	53.806	76.740	1.00	29.84	1DLC4361
	ATOM	4238	CD	GLN	586	41.013	53.713	78.189	1.00	34.57	1DLC4362
	ATOM	4239	OE1	GLN	586	41.628	54.350	79.047	1.00	35.42	1DLC4363
5	ATOM	4240	NE2	GLN	586	40.001	52.908	78.481	1.00	35.86	1DLC4364
	ATOM	4241	N	TYR	587	42.239	55.131	73.730	1.00	25.37	1DLC4365
	ATOM	4242	CA	TYR	587	42.248	56.492	73.222	1.00	26.60	1DLC4366
	ATOM	4243	C	TYR	587	40.850	57.033	72.971	1.00	25.35	1DLC4367
	ATOM	4244	O	TYR	587	39.871	56.292	72.967	1.00	26.48	1DLC4368
10	ATOM	4245	CB	TYR	587	43.087	56.569	71.940	1.00	24.36	1DLC4369
	ATOM	4246	CG	TYR	587	43.718	57.923	71.683	1.00	23.54	1DLC4370
	ATOM	4247	CD1	TYR	587	44.469	58.558	72.669	1.00	26.89	1DLC4371
	ATOM	4248	CD2	TYR	587	43.599	58.551	70.443	1.00	23.40	1DLC4372
	ATOM	4249	CE1	TYR	587	45.093	59.781	72.427	1.00	26.78	1DLC4373
15	ATOM	4250	CE2	TYR	587	44.217	59.774	70.191	1.00	24.34	1DLC4374
	ATOM	4251	CZ	TYR	587	44.966	60.379	71.190	1.00	26.40	1DLC4375
	ATOM	4252	OH	TYR	587	45.616	61.567	70.954	1.00	29.54	1DLC4376
	ATOM	4253	N	TYR	588	40.777	58.341	72.782	1.00	26.44	1DLC4377
	ATOM	4254	CA	TYR	588	39.521	59.022	72.524	1.00	27.44	1DLC4378
20	ATOM	4255	C	TYR	588	39.356	59.223	71.016	1.00	26.50	1DLC4379
	ATOM	4256	O	TYR	588	40.329	59.529	70.320	1.00	23.62	1DLC4380
	ATOM	4257	CB	TYR	588	39.524	60.372	73.218	1.00	33.96	1DLC4381
	ATOM	4258	CG	TYR	588	39.899	60.333	74.685	1.00	47.28	1DLC4382
	ATOM	4259	CD1	TYR	588	41.220	60.098	75.091	1.00	53.44	1DLC4383
25	ATOM	4260	CD2	TYR	588	38.949	60.612	75.668	1.00	54.01	1DLC4384
	ATOM	4261	CE1	TYR	588	41.583	60.150	76.443	1.00	58.54	1DLC4385
	ATOM	4262	CE2	TYR	588	39.297	60.670	77.018	1.00	60.11	1DLC4386
	ATOM	4263	CZ	TYR	588	40.613	60.443	77.404	1.00	61.86	1DLC4387
	ATOM	4264	OH	TYR	588	40.941	60.543	78.746	1.00	65.13	1DLC4388
30	ATOM	4265	N	PHE	589	38.132	59.026	70.518	1.00	25.50	1DLC4389
	ATOM	4266	CA	PHE	589	37.821	59.174	69.089	1.00	23.66	1DLC4390
	ATOM	4267	C	PHE	589	36.558	59.994	68.795	1.00	22.64	1DLC4391
	ATOM	4268	O	PHE	589	35.549	59.901	69.493	1.00	23.58	1DLC4392
	ATOM	4269	CB	PHE	589	37.763	57.803	68.414	1.00	22.61	1DLC4393
35	ATOM	4270	CG	PHE	589	39.078	57.071	68.446	1.00	24.27	1DLC4394
	ATOM	4271	CD1	PHE	589	39.422	56.279	69.537	1.00	24.25	1DLC4395
	ATOM	4272	CD2	PHE	589	39.991	57.207	67.408	1.00	22.86	1DLC4396
	ATOM	4273	CE1	PHE	589	40.658	55.638	69.592	1.00	23.24	1DLC4397
	ATOM	4274	CE2	PHE	589	41.229	56.566	67.460	1.00	22.86	1DLC4398
40	ATOM	4275	CZ	PHE	589	41.559	55.784	68.551	1.00	19.36	1DLC4399
	ATOM	4276	N	ASP	590	36.629	60.800	67.749	1.00	20.80	1DLC4400
	ATOM	4277	CA	ASP	590	35.522	61.668	67.374	1.00	21.27	1DLC4401
	ATOM	4278	C	ASP	590	34.286	61.011	66.776	1.00	23.02	1DLC4402
	ATOM	4279	O	ASP	590	34.339	59.922	66.206	1.00	24.31	1DLC4403
45	ATOM	4280	CB	ASP	590	36.006	62.740	66.395	1.00	20.90	1DLC4404
	ATOM	4281	CG	ASP	590	37.235	63.476	66.887	1.00	21.49	1DLC4405
	ATOM	4282	OD1	ASP	590	37.310	63.822	68.089	1.00	24.77	1DLC4406
	ATOM	4283	OD2	ASP	590	38.135	63.704	66.058	1.00	25.71	1DLC4407
	ATOM	4284	N	LYS	591	33.170	61.722	66.905	1.00	25.19	1DLC4408
50	ATOM	4285	CA	LYS	591	31.881	61.318	66.352	1.00	23.03	1DLC4409
	ATOM	4286	C	LYS	591	31.970	61.618	64.846	1.00	22.08	1DLC4410
	ATOM	4287	O	LYS	591	32.554	62.629	64.445	1.00	22.29	1DLC4411
	ATOM	4288	CB	LYS	591	30.784	62.162	67.007	1.00	25.59	1DLC4412
	ATOM	4289	CG	LYS	591	29.517	62.378	66.194	1.00	27.04	1DLC4413
55	ATOM	4290	CD	LYS	591	28.657	63.423	66.891	1.00	32.39	1DLC4414
	ATOM	4291	CE	LYS	591	27.559	63.969	65.997	1.00	33.92	1DLC4415
	ATOM	4292	NZ	LYS	591	26.505	62.953	65.788	1.00	40.85	1DLC4416
	ATOM	4293	N	THR	592	31.460	60.726	64.008	1.00	20.83	1DLC4417
	ATOM	4294	CA	THR	592	31.532	60.961	62.567	1.00	21.77	1DLC4418
60	ATOM	4295	C	THR	592	30.182	61.124	61.878	1.00	24.80	1DLC4419

	ATOM	4296	O	THR	592	30.114	61.669	60.778	1.00	27.91	1DLC4420
	ATOM	4297	CB	THR	592	32.326	59.855	61.832	1.00	20.67	1DLC4421
	ATOM	4298	OG1	THR	592	31.636	58.602	61.933	1.00	18.07	1DLC4422
	ATOM	4299	CG2	THR	592	33.715	59.716	62.428	1.00	20.53	1DLC4423
5	ATOM	4300	N	ILE	593	29.113	60.643	62.510	1.00	23.91	1DLC4424
	ATOM	4301	CA	ILE	593	27.780	60.741	61.922	1.00	23.00	1DLC4425
	ATOM	4302	C	ILE	593	26.700	61.002	62.956	1.00	25.03	1DLC4426
	ATOM	4303	O	ILE	593	26.926	60.868	64.156	1.00	24.13	1DLC4427
	ATOM	4304	CB	ILE	593	27.362	59.431	61.185	1.00	20.64	1DLC4428
10	ATOM	4305	CG1	ILE	593	27.403	58.244	62.148	1.00	18.67	1DLC4429
	ATOM	4306	CG2	ILE	593	28.219	59.189	59.962	1.00	20.92	1DLC4430
	ATOM	4307	CD1	ILE	593	26.812	56.980	61.577	1.00	17.37	1DLC4431
	ATOM	4308	N	ASN	594	25.512	61.331	62.456	1.00	27.20	1DLC4432
	ATOM	4309	CA	ASN	594	24.329	61.563	63.281	1.00	30.00	1DLC4433
15	ATOM	4310	C	ASN	594	23.472	60.305	63.268	1.00	31.97	1DLC4434
	ATOM	4311	O	ASN	594	23.499	59.542	62.296	1.00	32.25	1DLC4435
	ATOM	4312	CB	ASN	594	23.495	62.698	62.712	1.00	33.50	1DLC4436
	ATOM	4313	CG	ASN	594	24.047	64.042	63.059	1.00	36.33	1DLC4437
	ATOM	4314	OD1	ASN	594	24.231	64.358	64.230	1.00	40.10	1DLC4438
20	ATOM	4315	ND2	ASN	594	24.307	64.854	62.049	1.00	37.57	1DLC4439
	ATOM	4316	N	LYS	595	22.708	60.084	64.335	1.00	33.91	1DLC4440
	ATOM	4317	CA	LYS	595	21.833	58.913	64.390	1.00	35.24	1DLC4441
	ATOM	4318	C	LYS	595	20.936	58.918	63.159	1.00	33.13	1DLC4442
	ATOM	4319	O	LYS	595	20.454	59.970	62.740	1.00	31.59	1DLC4443
25	ATOM	4320	CB	LYS	595	20.958	58.924	65.649	1.00	38.00	1DLC4444
	ATOM	4321	CG	LYS	595	21.602	58.302	66.882	1.00	45.73	1DLC4445
	ATOM	4322	CD	LYS	595	20.570	58.089	67.993	1.00	49.95	1DLC4446
	ATOM	4323	CE	LYS	595	20.323	59.344	68.835	1.00	53.81	1DLC4447
	ATOM	4324	NZ	LYS	595	21.391	59.568	69.861	1.00	54.01	1DLC4448
30	ATOM	4325	N	GLY	596	20.803	57.763	62.525	1.00	34.32	1DLC4449
	ATOM	4326	CA	GLY	596	19.954	57.671	61.352	1.00	35.84	1DLC4450
	ATOM	4327	C	GLY	596	20.585	58.014	60.016	1.00	37.27	1DLC4451
	ATOM	4328	O	GLY	596	19.939	57.872	58.976	1.00	39.75	1DLC4452
	ATOM	4329	N	ASP	597	21.829	58.482	60.023	1.00	36.86	1DLC4453
35	ATOM	4330	CA	ASP	597	22.502	58.810	58.772	1.00	33.14	1DLC4454
	ATOM	4331	C	ASP	597	22.864	57.551	58.002	1.00	30.98	1DLC4455
	ATOM	4332	O	ASP	597	23.057	56.487	58.589	1.00	30.44	1DLC4456
	ATOM	4333	CB	ASP	597	23.786	59.599	59.030	1.00	36.15	1DLC4457
	ATOM	4334	CG	ASP	597	23.530	61.040	59.404	1.00	38.83	1DLC4458
40	ATOM	4335	OD1	ASP	597	22.359	61.481	59.389	1.00	43.82	1DLC4459
	ATOM	4336	OD2	ASP	597	24.516	61.739	59.707	1.00	41.04	1DLC4460
	ATOM	4337	N	THR	598	22.884	57.658	56.681	1.00	29.63	1DLC4461
	ATOM	4338	CA	THR	598	23.283	56.536	55.844	1.00	32.00	1DLC4462
	ATOM	4339	C	THR	598	24.793	56.650	55.683	1.00	28.95	1DLC4463
45	ATOM	4340	O	THR	598	25.341	57.754	55.645	1.00	28.17	1DLC4464
	ATOM	4341	CB	THR	598	22.640	56.585	54.451	1.00	37.94	1DLC4465
	ATOM	4342	OG1	THR	598	22.909	57.857	53.839	1.00	44.78	1DLC4466
	ATOM	4343	CG2	THR	598	21.142	56.365	54.560	1.00	40.92	1DLC4467
	ATOM	4344	N	LEU	599	25.458	55.510	55.577	1.00	26.90	1DLC4468
50	ATOM	4345	CA	LEU	599	26.908	55.483	55.446	1.00	24.58	1DLC4469
	ATOM	4346	C	LEU	599	27.476	55.735	54.049	1.00	22.87	1DLC4470
	ATOM	4347	O	LEU	599	27.328	54.911	53.153	1.00	24.74	1DLC4471
	ATOM	4348	CB	LEU	599	27.449	54.166	56.003	1.00	22.68	1DLC4472
	ATOM	4349	CG	LEU	599	27.957	54.118	57.449	1.00	23.90	1DLC4473
55	ATOM	4350	CD1	LEU	599	27.238	55.102	58.344	1.00	22.47	1DLC4474
	ATOM	4351	CD2	LEU	599	27.829	52.693	57.973	1.00	23.37	1DLC4475
	ATOM	4352	N	THR	600	28.041	56.922	53.853	1.00	22.39	1DLC4476
	ATOM	4353	CA	THR	600	28.696	57.281	52.593	1.00	19.21	1DLC4477
	ATOM	4354	C	THR	600	30.187	57.440	52.899	1.00	19.66	1DLC4478
60	ATOM	4355	O	THR	600	30.599	57.338	54.058	1.00	19.55	1DLC4479

	ATOM	4356	CB	THR	600	28.160	58.594	51.976	1.00	19.07	1DLC4480
	ATOM	4357	OG1	THR	600	29.297	59.671	52.911	1.00	19.57	1DLC4481
	ATOM	4358	CG2	THR	600	26.715	58.444	51.577	1.00	18.04	1DLC4482
5	ATOM	4359	N	TYR	601	30.986	57.750	51.885	1.00	17.78	1DLC4483
	ATOM	4360	CA	TYR	601	32.426	57.884	52.072	1.00	17.44	1DLC4484
	ATOM	4361	C	TYR	601	32.891	58.710	53.278	1.00	18.41	1DLC4485
	ATOM	4362	O	TYR	601	33.715	58.256	54.064	1.00	18.54	1DLC4486
	ATOM	4363	CB	TYR	601	33.083	58.406	50.797	1.00	19.02	1DLC4487
10	ATOM	4364	CG	TYR	601	34.576	58.213	50.799	1.00	20.72	1DLC4488
	ATOM	4365	CD1	TYR	601	35.132	56.947	50.612	1.00	23.42	1DLC4489
	ATOM	4366	CD2	TYR	601	35.435	59.281	51.036	1.00	20.19	1DLC4490
	ATOM	4367	CE1	TYR	601	36.509	56.747	50.665	1.00	23.81	1DLC4491
	ATOM	4368	CE2	TYR	601	36.809	59.098	51.094	1.00	18.57	1DLC4492
	ATOM	4369	CZ	TYR	601	37.344	57.830	50.910	1.00	25.85	1DLC4493
15	ATOM	4370	OH	TYR	601	38.712	57.644	50.988	1.00	30.21	1DLC4494
	ATOM	4371	N	ASN	602	32.336	59.905	53.440	1.00	21.65	1DLC4495
	ATOM	4372	CA	ASN	602	32.721	60.789	54.539	1.00	19.54	1DLC4496
	ATOM	4373	C	ASN	602	32.256	60.363	55.923	1.00	18.68	1DLC4497
	ATOM	4374	O	ASN	602	32.600	61.003	56.913	1.00	21.51	1DLC4498
20	ATOM	4375	CB	ASN	602	32.248	62.219	54.262	1.00	22.37	1DLC4499
	ATOM	4376	CG	ASN	602	33.025	62.883	53.142	1.00	28.81	1DLC4500
	ATOM	4377	OD1	ASN	602	34.179	62.546	52.882	1.00	30.93	1DLC4501
	ATOM	4378	ND2	ASN	602	32.393	63.830	52.466	1.00	33.11	1DLC4502
	ATOM	4379	N	SER	603	31.458	59.305	55.995	1.00	18.60	1DLC4503
25	ATOM	4380	CA	SER	603	30.956	58.828	57.286	1.00	18.99	1DLC4504
	ATOM	4381	C	SER	603	32.080	58.199	58.101	1.00	20.18	1DLC4505
	ATOM	4382	O	SER	603	32.060	58.219	59.334	1.00	20.27	1DLC4506
	ATOM	4383	CB	SER	603	29.859	57.775	57.094	1.00	21.15	1DLC4507
	ATOM	4384	OG	SER	603	28.932	58.158	56.099	1.00	22.65	1DLC4508
30	ATOM	4385	N	PHE	604	33.043	57.611	57.400	1.00	18.74	1DLC4509
	ATOM	4386	CA	PHE	604	34.163	56.959	58.057	1.00	21.05	1DLC4510
	ATOM	4387	C	PHE	604	35.337	57.874	58.345	1.00	22.35	1DLC4511
	ATOM	4388	O	PHE	604	35.639	58.786	57.571	1.00	25.60	1DLC4512
	ATOM	4389	CB	PHE	604	34.642	55.761	57.243	1.00	17.33	1DLC4513
35	ATOM	4390	CG	PHE	604	33.728	54.589	57.318	1.00	19.46	1DLC4514
	ATOM	4391	CD1	PHE	604	32.615	54.504	56.478	1.00	20.57	1DLC4515
	ATOM	4392	CD2	PHE	604	33.955	53.584	58.251	1.00	18.69	1DLC4516
	ATOM	4393	CE1	PHE	604	31.735	53.435	56.568	1.00	21.99	1DLC4517
	ATOM	4394	CE2	PHE	604	33.090	52.505	58.359	1.00	21.18	1DLC4518
40	ATOM	4395	CZ	PHE	604	31.971	52.426	57.515	1.00	25.90	1DLC4519
	ATOM	4396	N	ASN	605	35.994	57.610	59.470	1.00	21.14	1DLC4520
	ATOM	4397	CA	ASN	605	37.168	58.359	59.890	1.00	19.17	1DLC4521
	ATOM	4398	C	ASN	605	38.294	57.351	60.132	1.00	17.19	1DLC4522
	ATOM	4399	O	ASN	605	38.033	56.195	60.457	1.00	13.48	1DLC4523
45	ATOM	4400	CB	ASN	605	36.866	59.139	61.172	1.00	20.09	1DLC4524
	ATOM	4401	CG	ASN	605	38.083	59.882	61.715	1.00	24.94	1DLC4525
	ATOM	4402	OD1	ASN	605	38.877	60.446	60.961	1.00	23.59	1DLC4526
	ATOM	4403	ND2	ASN	605	38.230	59.886	63.029	1.00	23.22	1DLC4527
	ATOM	4404	N	LEU	606	39.529	57.768	59.862	1.00	15.78	1DLC4528
50	ATOM	4405	CA	LEU	606	40.706	56.929	60.085	1.00	15.38	1DLC4529
	ATOM	4406	C	LEU	606	41.546	57.666	61.109	1.00	14.32	1DLC4530
	ATOM	4407	O	LEU	606	42.089	58.723	60.824	1.00	19.53	1DLC4531
	ATOM	4408	CB	LEU	606	41.512	56.726	58.803	1.00	11.43	1DLC4532
	ATOM	4409	CG	LEU	606	42.691	55.748	58.912	1.00	13.17	1DLC4533
55	ATOM	4410	CD1	LEU	606	42.188	54.310	59.013	1.00	8.03	1DLC4534
	ATOM	4411	CD2	LEU	606	43.591	55.891	57.712	1.00	11.28	1DLC4535
	ATOM	4412	N	ALA	607	41.610	57.132	62.316	1.00	14.53	1DLC4536
	ATOM	4413	CA	ALA	607	42.357	57.785	63.376	1.00	17.06	1DLC4537
	ATOM	4414	C	ALA	607	43.361	56.866	64.075	1.00	18.57	1DLC4538
60	ATOM	4415	O	ALA	607	43.101	55.678	64.277	1.00	21.74	1DLC4539

5	ATOM	4416	CB	ALA	607	41.391	58.389	64.386	1.00	14.48	1DLC4540
	ATOM	4417	N	SER	608	44.512	57.429	64.425	1.00	18.31	1DLC4541
	ATOM	4418	CA	SER	608	45.581	56.695	65.105	1.00	19.59	1DLC4542
	ATOM	4419	C	SER	608	45.444	56.664	66.617	1.00	19.21	1DLC4543
	ATOM	4420	O	SER	608	44.771	57.504	67.214	1.00	22.53	1DLC4544
10	ATOM	4421	CB	SER	608	46.940	57.343	64.817	1.00	17.65	1DLC4545
	ATOM	4422	OG	SER	608	47.288	57.266	63.450	1.00	31.60	1DLC4546
	ATOM	4423	N	PHE	609	46.064	55.669	67.231	1.00	19.10	1DLC4547
	ATOM	4424	CA	PHE	609	46.111	55.593	68.687	1.00	20.56	1DLC4548
	ATOM	4425	C	PHE	609	47.461	56.260	68.959	1.00	23.47	1DLC4549
15	ATOM	4426	O	PHE	609	48.405	56.100	68.173	1.00	24.46	1DLC4550
	ATOM	4427	CB	PHE	609	46.158	54.144	69.179	1.00	18.14	1DLC4551
	ATOM	4428	CG	PHE	609	44.822	53.470	69.239	1.00	13.91	1DLC4552
	ATOM	4429	CD1	PHE	609	44.213	52.994	68.082	1.00	14.21	1DLC4553
	ATOM	4430	CD2	PHE	609	44.183	53.288	70.461	1.00	12.55	1DLC4554
20	ATOM	4431	CE1	PHE	609	42.990	52.348	68.144	1.00	13.77	1DLC4555
	ATOM	4432	CE2	PHE	609	42.962	52.643	70.538	1.00	13.77	1DLC4556
	ATOM	4433	CZ	PHE	609	42.361	52.170	69.378	1.00	16.49	1DLC4557
	ATOM	4434	N	SER	610	47.568	56.983	70.063	1.00	26.13	1DLC4558
	ATOM	4435	CA	SER	610	48.810	57.686	70.408	1.00	30.80	1DLC4559
25	ATOM	4436	C	SER	610	50.092	56.849	70.539	1.00	29.67	1DLC4560
	ATOM	4437	O	SER	610	51.025	56.975	69.748	1.00	30.28	1DLC4561
	ATOM	4438	CB	SER	610	48.604	58.473	71.708	1.00	34.50	1DLC4562
	ATOM	4439	OG	SER	610	48.026	57.642	72.714	1.00	42.82	1DLC4563
	ATOM	4440	N	THR	611	50.101	55.983	71.542	1.00	30.68	1DLC4564
30	ATOM	4441	CA	THR	611	51.235	55.137	71.900	1.00	33.04	1DLC4565
	ATOM	4442	C	THR	611	51.547	53.913	71.043	1.00	32.68	1DLC4566
	ATOM	4443	O	THR	611	50.639	53.244	70.553	1.00	35.44	1DLC4567
	ATOM	4444	CB	THR	611	51.037	54.639	73.347	1.00	35.70	1DLC4568
	ATOM	4445	OG1	THR	611	50.549	55.722	74.151	1.00	37.55	1DLC4569
35	ATOM	4446	CG2	THR	611	52.351	54.133	73.943	1.00	41.55	1DLC4570
	ATOM	4447	N	PRO	612	52.850	53.613	70.849	1.00	30.50	1DLC4571
	ATOM	4448	CA	PRO	612	53.361	52.470	70.073	1.00	26.52	1DLC4572
	ATOM	4449	C	PRO	612	53.382	51.236	70.982	1.00	25.09	1DLC4573
	ATOM	4450	O	PRO	612	53.513	51.361	72.203	1.00	24.09	1DLC4574
40	ATOM	4451	CB	PRO	612	54.795	52.883	69.733	1.00	24.58	1DLC4575
	ATOM	4452	CG	PRO	612	54.792	54.370	69.890	1.00	30.13	1DLC4576
	ATOM	4453	CD	PRO	612	53.935	54.574	71.102	1.00	29.34	1DLC4577
	ATOM	4454	N	PHE	613	53.334	50.048	70.389	1.00	22.86	1DLC4578
	ATOM	4455	CA	PHE	613	53.317	48.813	71.170	1.00	16.75	1DLC4579
45	ATOM	4456	C	PHE	613	53.921	47.629	70.413	1.00	19.20	1DLC4580
	ATOM	4457	O	PHE	613	54.063	47.673	69.198	1.00	19.97	1DLC4581
	ATOM	4458	CB	PHE	613	51.861	48.483	71.518	1.00	17.73	1DLC4582
	ATOM	4459	CG	PHE	613	50.976	48.303	70.305	1.00	17.53	1DLC4583
	ATOM	4460	CD1	PHE	613	50.844	47.050	69.699	1.00	15.34	1DLC4584
50	ATOM	4461	CD2	PHE	613	50.316	49.392	69.741	1.00	15.52	1DLC4585
	ATOM	4462	CE1	PHE	613	50.075	46.884	68.550	1.00	18.54	1DLC4586
	ATOM	4463	CE2	PHE	613	49.542	49.242	68.591	1.00	18.60	1DLC4587
	ATOM	4464	CZ	PHE	613	49.420	47.985	67.991	1.00	19.20	1DLC4588
	ATOM	4465	N	GLU	614	54.252	46.565	71.136	1.00	22.92	1DLC4589
55	ATOM	4466	CA	GLU	614	54.788	45.344	70.521	1.00	28.15	1DLC4590
	ATOM	4467	C	GLU	614	53.683	44.278	70.508	1.00	26.61	1DLC4591
	ATOM	4468	O	GLU	614	52.791	44.305	71.357	1.00	28.65	1DLC4592
	ATOM	4469	CB	GLU	614	55.922	44.758	71.352	1.00	34.57	1DLC4593
	ATOM	4470	CG	GLU	614	57.135	45.603	71.583	1.00	41.25	1DLC4594
60	ATOM	4471	CD	GLU	614	58.068	44.932	72.583	1.00	48.16	1DLC4595
	ATOM	4472	OE1	GLU	614	58.144	43.675	72.601	1.00	49.77	1DLC4596
	ATOM	4473	OE2	GLU	614	58.706	45.662	73.370	1.00	53.23	1DLC4597
	ATOM	4474	N	LEU	615	53.773	43.303	69.608	1.00	26.20	1DLC4598
	ATOM	4475	CA	LEU	615	52.774	42.238	69.558	1.00	25.30	1DLC4599

	ATOM	4476	C	LEU	615	53.175	41.073	70.455	1.00	27.80	1DLC4600
	ATOM	4477	O	LEU	615	53.465	39.975	69.982	1.00	30.45	1DLC4601
	ATOM	4478	CB	LEU	615	52.558	41.746	68.128	1.00	24.01	1DLC4602
	ATOM	4479	CG	LEU	615	51.781	42.673	67.196	1.00	27.00	1DLC4603
5	ATOM	4480	CD1	LEU	615	51.591	41.995	65.850	1.00	26.98	1DLC4604
	ATOM	4481	CD2	LEU	615	50.431	43.015	67.805	1.00	26.72	1DLC4605
	ATOM	4482	N	SER	616	53.162	41.311	71.759	1.00	28.53	1DLC4606
	ATOM	4483	CA	SER	616	53.525	40.292	72.744	1.00	34.72	1DLC4607
10	ATOM	4484	C	SER	616	52.371	39.325	73.044	1.00	37.29	1DLC4608
	ATOM	4485	O	SER	616	52.207	38.865	74.183	1.00	40.69	1DLC4609
	ATOM	4486	CB	SER	616	53.957	40.975	74.042	1.00	38.38	1DLC4610
	ATOM	4487	OG	SER	616	52.908	41.795	74.545	1.00	40.32	1DLC4611
	ATOM	4488	N	GLY	617	51.575	39.027	72.021	1.00	35.36	1DLC4612
15	ATOM	4489	CA	GLY	617	50.439	38.139	72.175	1.00	28.58	1DLC4613
	ATOM	4490	C	GLY	617	49.746	37.935	70.846	1.00	27.52	1DLC4614
	ATOM	4491	O	GLY	617	50.171	38.483	69.832	1.00	27.48	1DLC4615
	ATOM	4492	N	ASN	618	48.673	37.152	70.836	1.00	26.58	1DLC4616
	ATOM	4493	CA	ASN	618	47.958	36.898	69.588	1.00	25.03	1DLC4617
20	ATOM	4494	C	ASN	618	46.514	37.351	69.564	1.00	22.65	1DLC4618
	ATOM	4495	O	ASN	618	45.993	37.679	68.513	1.00	24.08	1DLC4619
	ATOM	4496	CB	ASN	618	47.991	35.414	69.237	1.00	25.99	1DLC4620
	ATOM	4497	CG	ASN	618	49.388	34.872	69.126	1.00	27.81	1DLC4621
	ATOM	4498	OD1	ASN	618	49.858	34.163	70.014	1.00	32.06	1DLC4622
	ATOM	4499	ND2	ASN	618	50.060	35.191	68.038	1.00	28.41	1DLC4623
25	ATOM	4500	N	ASN	619	45.857	37.337	70.711	1.00	21.28	1DLC4624
	ATOM	4501	CA	ASN	619	44.453	37.718	70.766	1.00	23.58	1DLC4625
	ATOM	4502	C	ASN	619	44.187	39.189	70.986	1.00	23.07	1DLC4626
	ATOM	4503	O	ASN	619	44.182	39.670	72.118	1.00	23.17	1DLC4627
30	ATOM	4504	CB	ASN	619	43.718	36.886	71.808	1.00	24.66	1DLC4628
	ATOM	4505	CG	ASN	619	43.780	35.423	71.500	1.00	26.16	1DLC4629
	ATOM	4506	OD1	ASN	619	42.964	34.912	70.754	1.00	30.61	1DLC4630
	ATOM	4507	ND2	ASN	619	44.790	34.747	72.020	1.00	27.81	1DLC4631
	ATOM	4508	N	LEU	620	43.962	39.897	69.888	1.00	24.96	1DLC4632
35	ATOM	4509	CA	LEU	620	43.681	41.320	69.938	1.00	24.70	1DLC4633
	ATOM	4510	C	LEU	620	42.184	41.557	70.168	1.00	26.87	1DLC4634
	ATOM	4511	O	LEU	620	41.332	41.071	69.421	1.00	26.49	1DLC4635
	ATOM	4512	CB	LEU	620	44.132	41.996	68.640	1.00	21.52	1DLC4636
	ATOM	4513	CG	LEU	620	43.980	43.521	68.582	1.00	21.06	1DLC4637
40	ATOM	4514	CD1	LEU	620	44.827	44.159	69.665	1.00	22.05	1DLC4638
	ATOM	4515	CD2	LEU	620	44.383	44.042	67.220	1.00	19.94	1DLC4639
	ATOM	4516	N	GLN	621	41.871	42.295	71.222	1.00	26.81	1DLC4640
	ATOM	4517	CA	GLN	621	40.490	42.606	71.533	1.00	28.41	1DLC4641
	ATOM	4518	C	GLN	621	40.238	44.107	71.450	1.00	27.09	1DLC4642
45	ATOM	4519	O	GLN	621	41.003	44.909	71.987	1.00	26.35	1DLC4643
	ATOM	4520	CB	GLN	621	40.127	42.097	72.926	1.00	30.85	1DLC4644
	ATOM	4521	CG	GLN	621	38.687	42.369	73.303	1.00	38.10	1DLC4645
	ATOM	4522	CD	GLN	621	38.395	42.019	74.741	1.00	42.94	1DLC4646
	ATOM	4523	OE1	GLN	621	38.025	40.885	75.054	1.00	46.82	1DLC4647
50	ATOM	4524	NE2	GLN	621	38.573	42.984	75.635	1.00	43.76	1DLC4648
	ATOM	4525	N	ILE	622	39.193	44.480	70.723	1.00	27.04	1DLC4649
	ATOM	4526	CA	ILE	622	38.819	45.881	70.585	1.00	24.51	1DLC4650
	ATOM	4527	C	ILE	622	37.571	46.089	71.440	1.00	23.99	1DLC4651
	ATOM	4528	O	ILE	622	36.602	45.342	71.329	1.00	24.51	1DLC4652
55	ATOM	4529	CB	ILE	622	38.491	46.269	69.113	1.00	25.00	1DLC4653
	ATOM	4530	CG1	ILE	622	39.637	45.890	68.169	1.00	25.97	1DLC4654
	ATOM	4531	CG2	ILE	622	38.266	47.772	69.005	1.00	22.97	1DLC4655
	ATOM	4532	CD1	ILE	622	39.668	44.433	67.761	1.00	32.60	1DLC4656
	ATOM	4533	N	GLY	623	37.615	47.075	72.323	1.00	24.24	1DLC4657
60	ATOM	4534	CA	GLY	623	36.476	47.360	73.178	1.00	23.29	1DLC4658
	ATOM	4535	C	GLY	623	36.019	48.798	72.985	1.00	27.25	1DLC4659

	ATOM	4536	O	GLY	623	36.825	49.682	72.673	1.00	28.11	1DLC4660
	ATOM	4537	N	VAL	624	34.731	49.048	73.184	1.00	26.21	1DLC4661
	ATOM	4538	CA	VAL	624	34.197	50.390	73.009	1.00	24.65	1DLC4662
5	ATOM	4539	C	VAL	624	33.390	50.847	74.217	1.00	25.91	1DLC4663
	ATOM	4540	O	VAL	624	32.695	50.060	74.854	1.00	28.03	1DLC4664
	ATOM	4541	CB	VAL	624	33.252	50.470	71.780	1.00	22.56	1DLC4665
	ATOM	4542	CG1	VAL	624	33.075	51.903	71.367	1.00	21.19	1DLC4666
	ATOM	4543	CG2	VAL	624	33.774	49.633	70.624	1.00	24.76	1DLC4667
	ATOM	4544	N	THR	625	33.528	52.117	74.564	1.00	25.09	1DLC4668
10	ATOM	4545	CA	THR	625	32.755	52.693	75.653	1.00	24.39	1DLC4669
	ATOM	4546	C	THR	625	32.428	54.119	75.281	1.00	24.42	1DLC4670
	ATOM	4547	O	THR	625	33.051	54.700	74.387	1.00	22.03	1DLC4671
	ATOM	4548	CB	THR	625	33.473	52.690	77.007	1.00	24.18	1DLC4672
	ATOM	4549	OG1	THR	625	34.753	53.312	76.877	1.00	30.48	1DLC4673
15	ATOM	4550	CG2	THR	625	33.610	51.271	77.544	1.00	25.23	1DLC4674
	ATOM	4551	N	GLY	626	31.432	54.672	75.956	1.00	28.18	1DLC4675
	ATOM	4552	CA	GLY	626	31.015	56.034	75.672	1.00	29.72	1DLC4676
	ATOM	4553	C	GLY	626	29.721	56.089	74.881	1.00	30.01	1DLC4677
	ATOM	4554	O	GLY	626	29.311	57.162	74.438	1.00	34.83	1DLC4678
20	ATOM	4555	N	LEU	627	29.102	54.931	74.668	1.00	27.34	1DLC4679
	ATOM	4556	CA	LEU	627	27.840	54.852	73.946	1.00	28.54	1DLC4680
	ATOM	4557	C	LEU	627	26.655	55.102	74.872	1.00	31.09	1DLC4681
	ATOM	4558	O	LEU	627	26.687	54.772	76.058	1.00	32.97	1DLC4682
	ATOM	4559	CB	LEU	627	27.668	53.483	73.288	1.00	25.31	1DLC4683
25	ATOM	4560	CG	LEU	627	28.673	53.087	72.211	1.00	24.90	1DLC4684
	ATOM	4561	CD1	LEU	627	28.212	51.813	71.544	1.00	25.05	1DLC4685
	ATOM	4562	CD2	LEU	627	28.784	54.196	71.185	1.00	26.40	1DLC4686
	ATOM	4563	N	SER	628	25.619	55.711	74.316	1.00	33.11	1DLC4687
	ATOM	4564	CA	SER	628	24.390	56.000	75.038	1.00	32.54	1DLC4688
30	ATOM	4565	C	SER	628	23.306	55.280	74.259	1.00	34.13	1DLC4689
	ATOM	4566	O	SER	628	23.539	54.854	73.126	1.00	34.40	1DLC4690
	ATOM	4567	CB	SER	628	24.108	57.500	75.031	1.00	34.45	1DLC4691
	ATOM	4568	OG	SER	628	25.205	58.224	75.563	1.00	43.41	1DLC4692
	ATOM	4569	N	ALA	629	22.121	55.141	74.842	1.00	36.19	1DLC4693
35	ATOM	4570	CA	ALA	629	21.026	54.462	74.149	1.00	35.18	1DLC4694
	ATOM	4571	C	ALA	629	20.802	55.085	72.769	1.00	32.86	1DLC4695
	ATOM	4572	O	ALA	629	20.722	56.307	72.632	1.00	33.61	1DLC4696
	ATOM	4573	CB	ALA	629	19.753	54.536	74.977	1.00	38.53	1DLC4697
	ATOM	4574	N	GLY	630	20.776	54.250	71.739	1.00	31.19	1DLC4698
40	ATOM	4575	CA	GLY	630	20.572	54.767	70.397	1.00	31.13	1DLC4699
	ATOM	4576	C	GLY	630	21.845	55.068	69.625	1.00	30.12	1DLC4700
	ATOM	4577	O	GLY	630	21.797	55.416	68.440	1.00	29.53	1DLC4701
	ATOM	4578	N	ASP	631	22.984	54.975	70.303	1.00	29.51	1DLC4702
	ATOM	4579	CA	ASP	631	24.269	55.204	69.658	1.00	29.05	1DLC4703
45	ATOM	4580	C	ASP	631	24.772	53.950	68.958	1.00	26.70	1DLC4704
	ATOM	4581	O	ASP	631	24.535	52.834	69.409	1.00	25.70	1DLC4705
	ATOM	4582	CB	ASP	631	25.315	55.686	70.662	1.00	30.55	1DLC4706
	ATOM	4583	CG	ASP	631	25.248	57.175	70.902	1.00	29.06	1DLC4707
	ATOM	4584	OD1	ASP	631	24.974	57.917	69.940	1.00	32.20	1DLC4708
50	ATOM	4585	OD2	ASP	631	25.480	57.608	72.050	1.00	32.19	1DLC4709
	ATOM	4586	N	LYS	632	25.448	54.155	67.836	1.00	27.29	1DLC4710
	ATOM	4587	CA	LYS	632	26.001	53.063	67.043	1.00	28.14	1DLC4711
	ATOM	4588	C	LYS	632	27.423	53.376	66.582	1.00	28.21	1DLC4712
	ATOM	4589	O	LYS	632	27.751	54.529	66.259	1.00	27.32	1DLC4713
55	ATOM	4590	CB	LYS	632	25.144	52.822	65.796	1.00	30.56	1DLC4714
	ATOM	4591	CG	LYS	632	24.302	51.570	65.808	1.00	34.27	1DLC4715
	ATOM	4592	CD	LYS	632	22.833	51.929	65.849	1.00	38.40	1DLC4716
	ATOM	4593	CE	LYS	632	21.989	50.859	65.198	1.00	38.52	1DLC4717
	ATOM	4594	NZ	LYS	632	22.334	50.732	63.756	1.00	39.82	1DLC4718
60	ATOM	4595	N	VAL	633	28.257	52.337	66.557	1.00	27.38	1DLC4719

	ATOM	4596	CA	VAL	633	29.644	52.437	66.097	1.00	21.96	1DLC4720
	ATOM	4597	C	VAL	633	29.876	51.322	65.082	1.00	20.64	1DLC4721
	ATOM	4598	O	VAL	633	29.526	50.173	65.324	1.00	16.03	1DLC4722
5	ATOM	4599	CB	VAL	633	30.665	52.281	67.244	1.00	20.74	1DLC4723
	ATOM	4600	CG1	VAL	633	32.082	52.371	66.701	1.00	21.42	1DLC4724
	ATOM	4601	CG2	VAL	633	30.462	53.360	68.275	1.00	21.81	1DLC4725
	ATOM	4602	N	TYR	634	30.393	51.687	63.917	1.00	21.62	1DLC4726
	ATOM	4603	CA	TYR	634	30.687	50.729	62.859	1.00	19.61	1DLC4727
10	ATOM	4604	C	TYR	634	32.199	50.649	62.704	1.00	20.81	1DLC4728
	ATOM	4605	O	TYR	634	32.872	51.675	62.583	1.00	19.65	1DLC4729
	ATOM	4606	CB	TYR	634	30.072	51.188	61.541	1.00	20.60	1DLC4730
	ATOM	4607	CG	TYR	634	28.582	51.418	61.612	1.00	24.53	1DLC4731
	ATOM	4608	CD1	TYR	634	28.069	52.660	61.978	1.00	22.76	1DLC4732
	ATOM	4609	CD2	TYR	634	27.684	50.392	61.306	1.00	24.10	1DLC4733
15	ATOM	4610	CE1	TYR	634	26.713	52.877	62.036	1.00	26.60	1DLC4734
	ATOM	4611	CE2	TYR	634	26.321	50.598	61.359	1.00	24.93	1DLC4735
	ATOM	4612	CZ	TYR	634	25.839	51.845	61.723	1.00	29.72	1DLC4736
	ATOM	4613	OH	TYR	634	24.481	52.074	61.754	1.00	34.36	1DLC4737
20	ATOM	4614	N	ILE	635	32.741	49.438	62.750	1.00	20.73	1DLC4738
	ATOM	4615	CA	ILE	635	34.182	49.257	62.602	1.00	18.75	1DLC4739
	ATOM	4616	C	ILE	635	34.474	48.479	61.340	1.00	16.63	1DLC4740
	ATOM	4617	O	ILE	635	33.941	47.398	61.115	1.00	17.24	1DLC4741
	ATOM	4618	CB	ILE	635	34.811	48.520	63.794	1.00	20.45	1DLC4742
25	ATOM	4619	CG1	ILE	635	34.344	49.147	65.119	1.00	22.26	1DLC4743
	ATOM	4620	CG2	ILE	635	36.329	48.591	63.692	1.00	22.68	1DLC4744
	ATOM	4621	CD1	ILE	635	34.684	48.321	66.359	1.00	21.31	1DLC4745
	ATOM	4622	N	ASP	636	35.302	49.070	60.499	1.00	17.78	1DLC4746
	ATOM	4623	CA	ASP	636	35.683	48.464	59.241	1.00	17.49	1DLC4747
30	ATOM	4624	C	ASP	636	36.993	47.673	59.370	1.00	18.04	1DLC4748
	ATOM	4625	O	ASP	636	37.003	46.440	59.251	1.00	17.98	1DLC4749
	ATOM	4626	CB	ASP	636	35.802	49.561	58.170	1.00	15.99	1DLC4750
	ATOM	4627	CG	ASP	636	36.303	49.036	56.842	1.00	18.79	1DLC4751
	ATOM	4628	OD1	ASP	636	35.898	47.926	56.440	1.00	25.68	1DLC4752
35	ATOM	4629	OD2	ASP	636	37.109	49.733	56.197	1.00	18.48	1DLC4753
	ATOM	4630	N	LYS	637	38.083	48.381	59.670	1.00	18.05	1DLC4754
	ATOM	4631	CA	LYS	637	39.402	47.758	59.775	1.00	16.49	1DLC4755
	ATOM	4632	C	LYS	637	40.305	48.342	60.846	1.00	15.84	1DLC4756
	ATOM	4633	O	LYS	637	40.099	49.462	61.305	1.00	19.42	1DLC4757
40	ATOM	4634	CB	LYS	637	40.153	47.887	58.441	1.00	13.95	1DLC4758
	ATOM	4635	CG	LYS	637	39.432	47.343	57.217	1.00	15.81	1DLC4759
	ATOM	4636	CD	LYS	637	40.290	47.503	55.987	1.00	15.16	1DLC4760
	ATOM	4637	CE	LYS	637	39.562	47.083	54.729	1.00	18.94	1DLC4761
	ATOM	4638	NZ	LYS	637	38.566	48.094	54.290	1.00	25.98	1DLC4762
45	ATOM	4639	N	ILE	638	41.285	47.547	61.255	1.00	17.01	1DLC4763
	ATOM	4640	CA	ILE	638	42.312	47.967	62.205	1.00	18.44	1DLC4764
	ATOM	4641	C	ILE	638	43.590	47.876	61.359	1.00	18.91	1DLC4765
	ATOM	4642	O	ILE	638	43.728	46.979	60.528	1.00	17.29	1DLC4766
	ATOM	4643	CB	ILE	638	42.402	47.038	63.455	1.00	19.92	1DLC4767
50	ATOM	4644	CG1	ILE	638	43.633	47.371	64.303	1.00	23.39	1DLC4768
	ATOM	4645	CG2	ILE	638	42.467	45.589	63.051	1.00	22.91	1DLC4769
	ATOM	4646	CD1	ILE	638	43.463	48.546	65.222	1.00	25.42	1DLC4770
	ATOM	4647	N	GLU	639	44.452	48.876	61.467	1.00	19.60	1DLC4771
	ATOM	4648	CA	GLU	639	45.693	48.893	60.699	1.00	19.14	1DLC4772
55	ATOM	4649	C	GLU	639	46.903	48.901	61.614	1.00	19.79	1DLC4773
	ATOM	4650	O	GLU	639	46.878	49.481	62.704	1.00	20.61	1DLC4774
	ATOM	4651	CB	GLU	639	45.772	50.131	59.807	1.00	21.25	1DLC4775
	ATOM	4652	CD	GLU	639	44.596	50.362	58.880	1.00	20.87	1DLC4776
	ATOM	4653	CG	GLU	639	44.831	51.536	57.938	1.00	21.31	1DLC4777
60	ATOM	4654	OE1	GLU	639	45.626	52.437	58.270	1.00	23.01	1DLC4778
	ATOM	4655	OE2	GLU	639	44.225	51.560	56.853	1.00	23.98	1DLC4779

5	ATOM	4656	N	PHE	640	47.969	48.259	61.162	1.00	13.30	1DLC4780
	ATOM	4657	CA	PHE	640	49.193	48.212	61.940	1.00	19.35	1DLC4781
	ATOM	4658	C	PHE	640	50.310	48.862	61.154	1.00	19.44	1DLC4782
	ATOM	4659	O	PHE	640	50.542	48.535	59.986	1.00	19.24	1DLC4783
	ATOM	4660	CB	PHE	640	49.552	46.775	62.303	1.00	18.10	1DLC4784
10	ATOM	4661	CG	PHE	640	48.503	46.086	63.121	1.00	19.75	1DLC4785
	ATOM	4662	CD1	PHE	640	47.457	45.408	62.504	1.00	22.39	1DLC4786
	ATOM	4663	CD2	PHE	640	48.548	46.122	64.508	1.00	21.02	1DLC4787
	ATOM	4664	CE1	PHE	640	46.471	44.774	63.260	1.00	23.22	1DLC4788
	ATOM	4665	CE2	PHE	640	47.562	45.488	65.275	1.00	20.83	1DLC4789
15	ATOM	4666	CZ	PHE	640	46.528	44.816	64.649	1.00	21.24	1DLC4790
	ATOM	4667	N	ILE	641	50.935	49.855	61.773	1.00	18.54	1DLC4791
	ATOM	4668	CA	ILE	641	52.032	50.574	61.148	1.00	17.65	1DLC4792
	ATOM	4669	C	ILE	641	53.354	50.254	61.825	1.00	18.10	1DLC4793
	ATOM	4670	O	ILE	641	53.532	50.515	63.020	1.00	16.34	1DLC4794
20	ATOM	4671	CB	ILE	641	51.806	52.098	61.187	1.00	19.28	1DLC4795
	ATOM	4672	CG1	ILE	641	50.490	52.443	60.484	1.00	16.97	1DLC4796
	ATOM	4673	CG2	ILE	641	52.994	52.823	60.536	1.00	16.12	1DLC4797
	ATOM	4674	CD1	ILE	641	50.125	53.890	60.562	1.00	20.58	1DLC4798
	ATOM	4675	N	PRO	642	54.270	49.611	61.084	1.00	21.02	1DLC4799
25	ATOM	4676	CA	PRO	642	55.590	49.252	61.616	1.00	22.98	1DLC4800
	ATOM	4677	C	PRO	642	56.315	50.542	61.966	1.00	24.81	1DLC4801
	ATOM	4678	O	PRO	642	56.451	51.442	61.131	1.00	29.36	1DLC4802
	ATOM	4679	CB	PRO	642	56.237	48.499	60.453	1.00	20.26	1DLC4803
	ATOM	4680	CG	PRO	642	55.532	49.048	59.237	1.00	23.90	1DLC4804
30	ATOM	4681	CD	PRO	642	54.113	49.142	59.697	1.00	21.85	1DLC4805
	ATOM	4682	N	VAL	643	56.741	50.647	63.216	1.00	27.45	1DLC4806
	ATOM	4683	CA	VAL	643	57.389	51.859	63.694	1.00	31.83	1DLC4807
	ATOM	4684	C	VAL	643	58.701	51.581	64.435	1.00	36.92	1DLC4808
	ATOM	4685	O	VAL	643	58.839	50.545	65.083	1.00	41.24	1DLC4809
35	ATOM	4686	CB	VAL	643	56.372	52.642	64.579	1.00	29.35	1DLC4810
	ATOM	4687	CG1	VAL	643	56.972	53.075	65.901	1.00	25.64	1DLC4811
	ATOM	4688	CG2	VAL	643	55.810	53.807	63.806	1.00	21.99	1DLC4812
	ATOM	4689	N	ASN	644	59.668	52.487	64.301	1.00	41.01	1DLC4813
	ATOM	4690	CA	ASN	644	60.962	52.336	64.973	1.00	46.63	1DLC4814
40	ATOM	4691	C	ASN	644	60.972	52.790	66.436	1.00	49.51	1DLC4815
	ATOM	4692	O	ASN	644	60.080	53.575	66.835	1.00	52.85	1DLC4816
	ATOM	4693	CB	ASN	644	62.067	53.061	64.204	1.00	45.33	1DLC4817
	ATOM	4694	CG	ASN	644	62.467	52.332	62.940	1.00	48.91	1DLC4818
	ATOM	4695	OD1	ASN	644	62.868	52.952	61.955	1.00	51.43	1DLC4819
50	ATOM	4696	ND2	ASN	644	62.365	51.008	62.957	1.00	48.98	1DLC4820
	ATOM	4697	OXT	ASN	644	61.887	52.354	67.174	1.00	54.29	1DLC4821
	TER	4698		ASN	644						1DLC4822
	HETATM	4699	O	HOH	1	28.158	56.658	35.558	1.00	15.93	1DLC4823
	HETATM	4700	O	HOH	2	30.007	42.529	51.310	1.00	29.97	1DLC4824
55	HETATM	4701	O	HOH	3	36.424	37.532	49.700	1.00	18.65	1DLC4825
	HETATM	4702	O	HOH	4	37.001	54.392	48.062	1.00	10.97	1DLC4826
	HETATM	4703	O	HOH	5	41.124	51.393	35.747	1.00	18.84	1DLC4827
	HETATM	4704	O	HOH	6	39.377	60.985	65.970	1.00	19.48	1DLC4828
	HETATM	4705	O	HOH	7	26.260	28.918	41.587	1.00	14.99	1DLC4829
60	HETATM	4706	O	HOH	8	33.639	33.867	54.596	1.00	15.88	1DLC4830
	HETATM	4707	O	HOH	9	51.981	45.967	59.702	1.00	20.77	1DLC4831
	HETATM	4708	O	HOH	10	49.865	76.628	42.176	1.00	46.98	1DLC4832
	HETATM	4709	O	HOH	11	56.250	42.866	68.444	1.00	32.76	1DLC4833
	HETATM	4710	O	HOH	12	48.128	58.353	60.425	1.00	13.12	1DLC4834
	HETATM	4711	O	HOH	13	39.909	31.847	39.167	1.00	22.65	1DLC4835
	HETATM	4712	O	HOH	14	42.525	40.309	74.464	1.00	21.75	1DLC4836
	HETATM	4713	O	HOH	15	35.320	44.237	58.596	1.00	20.02	1DLC4837
	HETATM	4714	O	HOH	16	42.939	58.321	46.818	1.00	20.43	1DLC4838
	HETATM	4715	O	HOH	17	34.791	45.871	55.097	1.00	17.61	1DLC4839

5	HETATM	4716	O	HOH	18	59.791	70.818	25.850	1.00	58.06	1DLC4840
	HETATM	4717	O	HOH	19	49.421	53.503	45.093	1.00	28.93	1DLC4841
	HETATM	4718	O	HOH	20	26.124	35.366	50.587	1.00	20.75	1DLC4842
	HETATM	4719	O	HOH	21	22.215	55.259	63.293	1.00	55.44	1DLC4843
	HETATM	4720	O	HOH	22	29.336	36.466	34.470	1.00	28.07	1DLC4844
10	HETATM	4721	O	HOH	23	36.856	28.647	51.651	1.00	25.28	1DLC4845
	HETATM	4722	O	HOH	24	32.887	40.556	54.227	1.00	18.71	1DLC4846
	HETATM	4723	O	HOH	25	11.473	29.145	36.339	1.00	30.31	1DLC4847
	HETATM	4724	O	HOH	26	29.975	51.053	31.090	1.00	24.69	1DLC4848
	HETATM	4725	O	HOH	27	23.211	34.799	38.939	1.00	18.55	1DLC4849
15	HETATM	4726	O	HOH	28	40.839	35.888	64.000	1.00	20.47	1DLC4850
	HETATM	4727	O	HOH	29	48.014	63.906	44.198	1.00	20.94	1DLC4851
	HETATM	4728	O	HOH	30	38.825	30.321	41.019	1.00	17.31	1DLC4852
	HETATM	4729	O	HOH	31	43.802	60.051	66.555	1.00	21.11	1DLC4853
	HETATM	4730	O	HOH	32	38.144	26.579	49.130	1.00	19.35	1DLC4854
20	HETATM	4731	O	HOH	33	38.268	41.944	41.244	1.00	29.87	1DLC4855
	HETATM	4732	O	HOH	34	37.512	21.444	38.474	1.00	24.99	1DLC4856
	HETATM	4733	O	HOH	35	32.702	36.732	53.626	1.00	20.86	1DLC4857
	HETATM	4734	O	HOH	36	49.899	63.801	28.431	1.00	28.04	1DLC4858
	HETATM	4735	O	HOH	37	49.371	53.132	68.181	1.00	26.75	1DLC4859
25	HETATM	4736	O	HOH	38	29.606	38.319	55.430	1.00	25.89	1DLC4860
	HETATM	4737	O	HOH	39	41.950	72.970	42.722	1.00	27.25	1DLC4861
	HETATM	4738	O	HOH	40	39.554	70.091	45.032	1.00	44.51	1DLC4862
	HETATM	4739	O	HOH	41	43.093	57.590	52.155	1.00	22.06	1DLC4863
	HETATM	4740	O	HOH	42	36.402	31.325	52.356	1.00	14.91	1DLC4864
30	HETATM	4741	O	HOH	43	42.564	71.403	44.910	1.00	26.89	1DLC4865
	HETATM	4742	O	HOH	44	31.202	36.895	36.508	1.00	20.87	1DLC4866
	HETATM	4743	O	HOH	45	9.974	36.335	44.772	1.00	23.38	1DLC4867
	HETATM	4744	O	HOH	46	17.109	18.398	39.762	1.00	24.03	1DLC4868
	HETATM	4745	O	HOH	47	26.895	37.648	43.823	1.00	21.28	1DLC4869
35	HETATM	4746	O	HOH	48	19.711	22.004	38.604	1.00	24.53	1DLC4870
	HETATM	4747	O	HOH	49	37.262	44.313	53.204	1.00	43.74	1DLC4871
	HETATM	4748	O	HOH	50	33.936	47.399	47.859	1.00	22.31	1DLC4872
	HETATM	4749	O	HOH	51	30.403	46.461	72.142	1.00	32.70	1DLC4873
	HETATM	4750	O	HOH	52	46.001	19.419	46.812	1.00	40.72	1DLC4874
40	HETATM	4751	O	HOH	53	45.816	40.175	53.356	1.00	25.45	1DLC4875
	HETATM	4752	O	HOH	54	30.264	60.779	51.534	1.00	25.95	1DLC4876
	HETATM	4753	O	HOH	55	10.154	28.983	45.206	1.00	22.19	1DLC4877
	HETATM	4754	O	HOH	56	28.704	26.404	57.946	1.00	26.44	1DLC4878
	HETATM	4755	O	HOH	57	32.699	38.030	55.930	1.00	23.26	1DLC4879
45	HETATM	4756	O	HOH	58	14.955	11.719	28.113	1.00	48.40	1DLC4880
	HETATM	4757	O	HOH	59	18.793	41.375	48.389	1.00	46.53	1DLC4881
	HETATM	4758	O	HOH	60	36.654	53.190	50.493	1.00	27.58	1DLC4882
	HETATM	4759	O	HOH	61	41.276	73.788	36.658	1.00	32.95	1DLC4883
	HETATM	4760	O	HOH	62	47.841	44.305	49.214	1.00	32.69	1DLC4884
50	HETATM	4761	O	HOH	63	35.489	33.715	61.967	1.00	28.50	1DLC4885
	HETATM	4762	O	HOH	64	56.538	77.886	37.982	1.00	50.68	1DLC4886
	HETATM	4763	O	HOH	65	18.717	10.880	30.116	1.00	45.47	1DLC4887
	HETATM	4764	O	HOH	66	36.692	51.483	75.590	1.00	36.31	1DLC4888
	HETATM	4765	O	HOH	67	20.585	18.690	41.004	1.00	34.39	1DLC4889
55	HETATM	4766	O	HOH	68	40.508	40.198	41.474	1.00	39.41	1DLC4890
	HETATM	4767	O	HOH	69	39.908	45.560	74.947	1.00	33.34	1DLC4891
	HETATM	4768	O	HOH	70	14.617	25.579	48.494	1.00	25.51	1DLC4892
	HETATM	4769	O	HOH	71	46.860	64.590	54.372	1.00	34.61	1DLC4893
	HETATM	4770	O	HOH	72	38.042	46.135	38.081	1.00	30.46	1DLC4894
60	HETATM	4771	O	HOH	73	14.223	18.604	37.526	1.00	33.61	1DLC4895
	HETATM	4772	O	HOH	74	41.396	33.509	59.099	1.00	33.96	1DLC4896
	HETATM	4773	O	HOH	75	36.159	56.059	54.037	1.00	29.86	1DLC4897
	HETATM	4774	O	HOH	76	25.313	32.849	50.116	1.00	32.15	1DLC4898
	HETATM	4775	O	HOH	77	11.778	10.641	30.101	1.00	44.03	1DLC4899

	HETATM	4776	O	HOH	78	42.893	28.299	64.966	1.00	47.47		1DLC4900
	HETATM	4777	O	HOH	79	46.675	54.242	75.812	1.00	38.86		1DLC4901
	HETATM	4778	O	HOH	80	45.755	41.679	55.898	1.00	34.63		1DLC4902
	HETATM	4779	O	HOH	81	25.484	44.446	46.854	1.00	35.35		1DLC4903
5	HETATM	4780	O	HOH	82	15.402	8.669	44.437	1.00	51.05		1DLC4904
	HETATM	4781	O	HOH	83	29.189	60.967	26.317	1.00	41.92		1DLC4905
	HETATM	4782	O	HOH	84	28.869	40.731	48.778	1.00	51.15		1DLC4906
	HETATM	4783	O	HOH	85	45.082	38.563	44.823	1.00	33.55		1DLC4907
	HETATM	4784	O	HOH	86	1.705	23.575	29.683	1.00	48.74		1DLC4908
10	HETATM	4785	O	HOH	87	27.621	39.569	70.673	1.00	40.98		1DLC4909
	HETATM	4786	O	HOH	88	26.008	29.161	48.418	1.00	29.63		1DLC4910
	HETATM	4787	O	HOH	89	25.317	11.429	47.522	1.00	27.37		1DLC4911
	HETATM	4788	O	HOH	90	30.222	33.188	52.083	1.00	37.13		1DLC4912
	HETATM	4789	O	HOH	91	38.198	20.113	36.178	1.00	61.28		1DLC4913
15	HETATM	4790	O	HOH	92	36.499	29.557	39.290	1.00	29.56		1DLC4914
	HETATM	4791	O	HOH	93	19.705	36.665	52.735	1.00	35.61		1DLC4915
	HETATM	4792	O	HOH	94	26.886	41.897	52.319	1.00	48.74		1DLC4916
	HETATM	4793	O	HOH	95	44.038	20.253	40.363	1.00	39.20		1DLC4917
	HETATM	4794	O	HOH	96	31.519	47.240	51.443	1.00	28.48		1DLC4918
20	HETATM	4795	O	HOH	97	29.028	35.445	61.838	1.00	35.57		1DLC4919
	HETATM	4796	O	HOH	98	14.327	29.302	33.611	1.00	41.11		1DLC4920
	HETATM	4797	O	HOH	99	19.576	61.182	35.587	1.00	45.66		1DLC4921
	HETATM	4798	O	HOH	100	56.227	72.862	32.221	1.00	54.49		1DLC4922
	HETATM	4799	O	HOH	101	15.572	41.260	35.469	1.00	34.12		1DLC4923
25	HETATM	4800	O	HOH	102	46.292	25.845	33.724	1.00	52.88		1DLC4924
	HETATM	4801	O	HOH	103	32.306	63.512	40.031	1.00	53.52		1DLC4925
	HETATM	4802	O	HOH	104	34.104	44.558	47.227	1.00	32.41		1DLC4926
	HETATM	4803	O	HOH	105	44.964	39.206	57.270	1.00	43.16		1DLC4927
	HETATM	4804	O	HOH	106	56.545	54.651	60.410	1.00	56.15		1DLC4928
30	MASTER		63	2	0	0	0	0	0	6 4803	1	0 45 1DLC4929
	END											1DLC4930

All of the compositions and methods disclosed and claimed herein can be made and executed without undue experimentation in light of the present disclosure. While the compositions and methods of this invention have been described in terms of preferred embodiments, it will be apparent to those of skill in the art that variations may be applied to the compositions and methods and in the steps or in the sequence of steps of the method described herein without departing from the concept, spirit and scope of the invention. More specifically, it will be apparent that certain agents which are both chemically and physiologically related may be substituted for the agents described herein while the same or similar results would be achieved. All such similar substitutes and modifications apparent to those skilled in the art are deemed to be within the spirit, scope and concept of the invention as defined by the appended claims.